

---

# Index

## A

- Ablator materials, [101](#)
  - shielding, [101](#), [106](#)
- Absorptance
  - spectral directional, [377](#)
  - spectral hemispherical, [377](#)
- Accelerometer, [359](#)
- Active pixel sensors (APS). *See* Sun sensor
- Ada. *See* Programming language
- Adams, John Couch, [75](#)
- ADCS. *See* Attitude determination and control system
- Adiabatic diamagnetic refrigerators (ADR), [140](#)
- Advanced orbiting service (AOS), [481](#)
- Advancement degree of difficulty, [34](#)
- Aeroassist, [96](#)
- Aerobraking, [96](#), [102](#)
- Aerodynamic efficiency
  - A6, [173](#), [174](#)
  - K1, [173](#)
- Aerodynamics, [102](#), [109](#), [167](#), [174](#), [537](#)
  - control surface. *See* Control surface
- Aerology, [174](#)
- Aeronautics, [25](#)
- Aerospace, [25](#)
- Aggregat series (rocket), [3](#)
- Agriculture (in space), [501](#)
- Airbag, [204](#), [533](#), [547](#)
- Albedo, [379](#)
  - bond, [88](#)
  - geometric, [88](#)
- Albert II (monkey), [8](#)
- Alloys (metallic), [220](#), [222](#), [238](#)
- Altimeter, [355](#), [368](#)
- Amplifier
  - Gallium Nitride Solid-state power amplifier (GaN SSPA), [436](#)
  - high-power amplifier (HPA), [414](#)
  - low noise, [413](#)
  - solid-state power amplifier (SSPA), [414](#)
- Angular momentum, [64](#)
- Anik (spacecraft), [398](#)
- Annihilation, [281](#)
- Antenna, [402](#), [413](#), [416](#), [418](#)
  - biconical, [420](#)
  - cassegrain, [421](#), [425](#)
  - coverage polygon, [420](#)
  - cross-pol discrimination (XPD), [419](#)
  - directivity, [419](#)
  - dual gridded reflector (DGR), [421](#)
  - effective aperture area, [420](#)
  - feed array, [423](#)
  - gain, [420](#)
  - gregorian, [421](#), [425](#)
  - isotropic, [410](#)
  - large offset antenna demonstrator, [244](#)
  - lens, [422](#)
  - maximum achievable directivity, [420](#)
  - noise temperature, [402](#)
  - phased array, [423](#)
  - pointing mechanisms (APMs). *See* Mechanisms, pointing
  - polarization, [419](#)
  - reflectarray, [437](#)
  - reflector, [420](#)
  - shaped beam, [423](#)
  - shaped surface reflector, [424](#)
  - sidelobe, [421](#)
  - unfurlable reflector, [422](#)
- AOCS. *See* Attitude control
- Aphelion. *See* Apoapsis
- Apoapsis, [64](#)
- Apocentre. *See* Apoapsis
- Apogee. *See* Apoapsis
- Apollo program, [8](#), [101](#), [103](#), [204](#), [545](#), [619](#), [658](#)
  - command module, [517](#), [520](#)
  - guidance computer (AGC), [471](#)
  - lunar module, [531](#)
  - lunar surface access module, [289](#)
  - moon buggy, [545](#)
- Argument of latitude, [67](#)
- Argument of periapsis, [66](#)
- Ariane 5 (rocket), [168](#), [171](#), [172](#), [174](#), [202](#), [284](#)
- Aristotle, [61](#)
- ARPANet, [21](#)
- Arrhenius law, [113](#)
- Artemis (spacecraft), [228](#)
- ASTER (optical sensor), [16](#)
- Asteroid, [365](#)

**A (cont.)**

Astrodynamics  
 definition of, 61  
 Astronaut, 16  
 Astronautics, 25  
 Astronomical unit (au), 40  
 Astronomy, 17  
 Atmosphere, 38  
 aerodynamic disturbance, 338  
 AIAA guide to reference and standard  
 atmosphere models, 107  
 atmospheric drag. *See* Disturbing forces, atmospheric  
 climate, 106, 114  
 density profile, 39, 536  
 Earth, 83, 106, 537  
 entry, descent, and landing, 517  
 global circulation, 108  
 greenhouse effect, 107  
 Ionosphere, 41  
 lapse rate, 107  
 Mars, 106, 537  
 Mercury, 107  
 models, 39, 82, 83, 536  
 Global reference atmosphere models (GRAM), 83, 537  
 US standard atmosphere, 83  
 orbit decay time, 86  
 temperature profile, 39, 536  
 Titan, 537  
 Venus, 106, 537  
 weather, 106, 108  
 Atmospheric entry vehicle, 99, 100, 109, 203, 515, 518  
 aerodynamics, 520  
 Atmospheric Reentry Demonstrator (ARD), 203, 520  
 constraints, 519  
 definition of, 515  
 European EXPERimental Reentry Testbed (EXPERT), 203  
 geometry, 520  
 heating, 519  
 inflatable reentry and descent  
 technology (IRDT), 203, 521  
 Intermediate eXperimental Vehicle (IXV), 203  
 trajectory, 521  
 Atmospheric glow, 40, 49, 50, 126  
 Atomic oxygen (ATOX). *See* Oxygen, erosion  
 Attitude control, 134, 333, 335  
 actuators, 344  
 magnetic, 346  
 thrusters, 348  
 Attitude determination, 328, 335  
 algorithm, 328  
 recursive, 330  
 sensors, 338  
 Attitude stabilization  
 bias momentum, 336  
 dual spin, 336  
 gravity gradient, 335  
 magnetic, 336  
 reentry, 103, 104  
 spin, 104, 336  
 zero momentum, 337  
 Aurora, 40, 42, 51  
 Automated Transfer Vehicle (ATV) (spacecraft), 348  
 Automatic code generation, 477  
 Automatic Threshold Adjust (ATA). *See* Sun sensor  
 Autonomy, 127, 130, 352, 449, 480, 481, 541, 707  
 Azimuth, 70

**B**

Babakin, Georgy, 533  
 Baikonur cosmodrome, 4, 169  
 Ballistic  
 coefficient, 84, 100, 102, 518  
 trajectory, 102  
 Balloon, 532  
 Bandwidth, 417  
 Bartoli, Adolfo, 86  
 Bartz equation. *See* Nusselt relation  
 Barycenter. *See* Coordinate systems  
 Baseline mission, 131  
 Battery, 255  
 cycle life, 256  
 depth of discharge (DoD), 256  
 energy density, 256  
 figures of merit, 256  
 gravimetric energy density, 256  
 life, 257  
 performance, 256  
 power density, 256  
 reconditioning, 595  
 safety considerations, 256  
 specific energy, 256  
 specific power, 256  
 state of charge (SoC), 256  
 type, 256  
 Beamed power, 273  
 Beam forming network (BFN), 423  
 BeiDou navigation system, 15  
 Bent-pipe (communications) payload. *See* Communication system,  
 non-processing payload  
 BepiColombo (mission), 7, 39, 99, 235  
 Bi-elliptic transfer, 93  
 BILSAT-1 (spacecraft), 346  
 Biological environment, 498  
 Bipropellant. *See* Propellant  
 Bit error rate (BER), 408, 412  
 Black-body  
 planetary radiation. *See* Planetary radiation  
 radiation, 376  
 solar spectrum. *See* Solar spectrum  
 Blazing arrow, 187  
 Bode's law, 62  
 Body-fixed co-ordinate system (ITRF). *See* Coordinate systems  
 Bolometer, 341  
 Boltzmann  
 constant, 376, 403  
 equation, 110  
 Bond, George Phillips, 76  
 Bond, William Cranch, 76  
 Bonding. *See* Joining  
 Bosch process, 500  
 Bose, Raj Chandra, 409  
 Boundary element analysis (BEA), 209  
 Boundary layer, 105  
 Bow shock, 110  
 Brahe, Tycho, 61  
 Brayton cycle. *See* Power  
 Brazing. *See* Joining  
 Breadboard, 602  
 Bright Star Catalog (BSC), 342  
 Broadcasting, 401  
 Buran (spacecraft), 101, 520  
 Buried charging. *See* Internal electrostatic charging/discharging  
 (IESD)

- C**
- Cabin
- acoustics, 495
  - air, 493
  - dust control, 500
  - heating, 507
  - illumination, 494
  - trace contaminant, 500
- Calendar, 71
- Calorimeter, 139
- Camera. *See* Optical imaging instrument
- CAN. *See* Controller area network (CAN)
- Canadarm, 542, 543
- Capability Maturity Model Integration (CMMI), 477
- Cape canaveral (Air force station), 5, 169
- Čapek, Karel, 541
- Carbon fiber reinforced plastics/polymers (CFRP), 221
- Carnot cycle efficiency. *See* Power
- Carrier-to-interference ratio, 410
- Carrier-to-noise ratio, 410
- Cascaded network, 403
- Cassini-Huygens (mission), 37, 55, 95, 281
  - flight software, 472
  - huygens probe, 100, 520
- Cavitation, 186
- Celestial mechanics, 61
- Celestial sphere, 69
- Centrifuge, 215
- Ceramics, 222
- CeSiC®. *See* Ceramics
- CFD. *See* Computational fluid dynamics
- Chang-Díaz, Franklin, 312
- Change control board (CCB), 645
- Channel access data unit (CADU), 545
- Channel amplifier (CAMP), 432
- Characteristic velocity, 178, 286
- Charge couple device (CCD), 451
- Chaudhuri, Dwijendra Kumar Ray-, 409
- Child-Langmuir law, 305
- Cholesterol, 506
- Chugging. *See* Rocket engine, combustion instabilities
- Circadian biorhythm, 495
- City lights. *See* Stray light
- Clamp band, 198
- Clarke, Arthur C., 397
- Classical orbital elements, 66
- Clementine (spacecraft). *See* Deep Space Program Science Experiment (DSPSE)
- Clohessy-Wiltshire equations of motion, 97, 361, 364
- Clothes, 507
- Coarse pointing assembly (CPA). *See* Mechanisms, pointing
- Collected volatile condensable material (CVCMM), 208
- Colony formation unit (CFU), 494
- Columbus laboratory. *See* International space station
- Comet halley, 548
- Command link control word (CLCW), 444
- Command pulse distribution unit (CPDU), 443
- Common extensible cryogenic engine (CECE), 295
- Communication system, 397, 688
  - antenna. *See* Antenna
  - architecture, 399, 413
  - bandwidth. *See* Bandwidth
  - input filter assembly. *See* Input filter assembly
  - input section, 413
  - link design, 410
  - noise from external sources, 403
  - noise temperature, 402
    - antenna, 402–404
    - atmospheric brightness, 403
    - brightness, 403
    - Earth, 403
    - effective, 402
    - normal ambient, 403
    - sky brightness, 403
  - non-processing payload, 399, 412, 413
  - output section, 414
  - processing payload, 400
  - receive section. *See* Communication system, input section
  - receive system. *See* Receiver
  - receiver assembly, 426
  - transceiver software, 473
  - transmission media, 404
  - transmit section. *See* Communication system, output section
  - transmit system, 402
- Communications operation procedure (COP), 443
- Communications technology satellite ('Hermes'), 398
- Compass (spacecraft). *See* BeiDou navigation system
- Composite, 167, 220, 224
  - drape, 224
  - matrix, 220
  - tack, 224
- Computational fluid dynamics, 109, 175
- Comstar (spacecraft), 398
- Concept of operations, 151
- Concurrent
  - design, 694
  - engineering, 692
- Conductive heat transfer, 374
  - meshing, 374
  - nodes, 374
- Configuration factor. *See* View factors
- Conductive shape factors, 374
- Configuration management, 157, 477
  - redlining, 158
- Conic section, 63
- ConOps. *See* Concept of Operations
- Constellation
  - definition of, 26
- Consultative committee for space data systems (CCSDS), 443
- Contamination, 48
  - control, 126
  - detectors, 121
  - electromagnetic, 121
  - measurement, 138
- Contingency, 148
  - anticipated contingency factor, 148
  - critical resource, 148
  - growth factor, 148
  - philosophy, 705
- Continuous risk management (CRM). *See* Risk, management
- Continuous thrust, 94
- Continuum (flow), 109, 110, 112
- Contour (spacecraft), 548
- Control moment gyroscopes (CMG), 226, 346
- Control surface
  - aerodynamic, 204, 359
  - thermal, 125, 126, 380
- Controller
  - closed-loop, 359
  - finite-horizon optimal control, 360
  - linear time-invariant (LTI), 360
  - linear-quadratic regulator (LQR), 360

- multiple-input multiple-output (MIMO), 360
  - proportional-derivative (PD), 333
  - proportional-integral-derivative (PID), 333, 360
  - quaternion feedback, 333
  - single-input single-output (SISO), 360
  - state-feedback, 334
  - terminal, 360
  - zero-order hold, 360
  - Controller area network (CAN), 457
    - arbitration, 459
    - CANopen, 460
    - data frame, 458
    - error frame, 459
  - Coordinate systems, 67
    - barycenter, 67
    - body-fixed coordinate system (ITRF), 70
    - earth centered inertial, 67
    - entry, descent and landing, 536
    - Gaussian coordinate system, 70
    - geocentric celestial coordinate system (GCRF), 70
    - geocentric equatorial coordinate, 67
    - geocentric inertial, 67
    - heliocentric coordinate system, 67
    - heliocentric inertial, 67
    - International Celestial Reference System (ICRS), 69
    - satellite-based, 70
    - synodic system, 67
  - Coquilhat, Casimir Erasme, 2
  - Corona (spacecraft), 101
  - Coronal mass ejection (CME), 43
  - Cosmic rays. *See* Galactic cosmic ray (GCR)
  - Cosmonaut, 16
  - Cosmos-1 (spacecraft), 274
  - COSMO-SkyMed, 19
  - Cospas-Sarsat, 13, 15
  - Cost, 56, 160
    - account manager (CAM), 639
    - actual cost of work performed (ACWP), 161
    - basis of estimate (BOE), 639
    - budget at completion (BAC), 161
    - budgeted cost of work scheduled (BCWS), 161
    - budgeting, 639
    - cost performance index (CPI), 161
    - design to cost, 160
    - earned value management, 161, 610
    - estimate, 162
    - estimate at completion (EAC), 161, 641
    - estimation, 162, 636, 639
    - variance (CV), 161
    - workforce, 639
  - Covariance matrix, 172
  - Cowell, Philip Herbert, 76
  - Crane model. *See* Simulation, rain attenuation
  - Crank-Nicholson method, 392
  - Crew psychology, 494
  - Critical inclination (orbit), 91
  - Critical resource. *See* Contingency
  - Crommelin, Andrew Clause de la Cherois, 76
  - Cryogenic system, 387
    - cooling, 387
    - payload, 139
    - rocket engine, 289
  - CryoSat-2 (spacecraft), 30
  - CubeSat, 7
  - Cupola. *See* International space station
  - Curiosity rover. *See* Mars Science Laboratory (spacecraft)
- D**
- Damping, 209, 218
    - active, 219
    - modal viscous, 209
  - Data compression, 133, 453, 484
  - Data routing, 452, 465
    - controller area network (CAN). *See* Controller area network (CAN)
    - interconnections, 400
    - MIL-STD-1553. *See* MIL-STD-1553
    - serial links, 483
    - spaceFibre, 468
    - spaceWire. *See* SpaceWire
  - Data system
    - architecture, 441
    - function, 441
    - network, 446
    - payload, 450
    - storage, 448, 466
  - Dawn (spacecraft), 138, 548
  - Debye
    - length, 46
    - shielding, 46
  - Decompression syndrome, 493
  - Deep impact (spacecraft), 365, 548
  - Deep Space Network (DSN), 29, 597
  - Deep Space Program Science Experiment (DSPSE), 37, 45
  - Deep Space-1 (DS1) (spacecraft), 138, 352, 548
  - Deep Space-2 (spacecraft), 520
  - Defense Meteorological Satellite Program (DMSP), 19, 51
  - Defense support program satellites, 20
  - Deployable structures, 238
    - accuracy/stability, 239
    - actuation, 239
    - articulated foldable masts, 241
    - bi-dimensional deployment appendages, 241
    - categories of, 240
    - coilable masts, 241
    - collapsible tube mast (CTM), 241
    - Harris Hoop-truss, 242
    - inflatable, 242
    - large antenna, 242
    - large reflectors, 242
    - reliability, 239
    - single deployment appendages, 240
    - stiffness, 239
    - storable tubular extendable member (STEM), 241
    - telescopic masts, 241
    - uni-dimensional deployment appendages, 241
    - verification. *See* Verification & validation
  - Deployment mechanisms. *See* Mechanisms
  - Depressurization, 209
  - Descent, 515, 522
    - definition of, 515
    - parachute. *See* Parachute
    - retro-rockets, 532
    - transverse impulse rocket system (TIRS), 532
  - Design
    - 80/20 rule, 697
    - evolutionary development, 700
    - robust, 708
    - spacecraft, 687
    - system, 687
  - Development constraints, 166
  - Dextre, 543
  - Dichroic surface, 421
  - Diffuse surface, 375

- Digital beam forming (DBF), 439
  - Digital video broadcasting by satellites (DVB-S), 400, 409
  - Direction cosine matrix, 323
  - Direct-simulation Monte Carlo (DSMC). *See* Simulation
  - Direct-to-home (DTH) broadcast, 5, 398
  - Discharge coefficient, 178
  - Dissociation, 105, 109, 113, 205, 308, 519
  - Disturbing forces, 80, 337
    - atmospheric, 82, 85, 338, 537, 689
      - drag area, 523
    - general relativity (GR), 62, 88
    - gravitational perturbations, 80, 337, 537, 689
    - internal torques, 338
    - non-spherical central body, 81
    - radiation pressure, 86
      - solar (SRP), 87, 317, 337
    - solar wind, 88
    - tides, 88
  - DODGE (spacecraft). *See* US Department of Defense Gravity Experiment (DODGE) spacecraft
  - Doppler radar, 355
  - Dose (radiation), 45
  - Down converter (communications), 413, 426
  - Drag coefficient, 85, 102, 167, 174, 523
  - Dragon capsule (spacecraft), 520
  - DSMC. *See* Simulation, direct-simulation Monte Carlo
  - Dust, 44, 126
    - dusty plasmas, 44
  - Duct overpressure (DOP), 175
  - Dutch roll, 104
  - Dynamic
    - envelope, 209
    - response, 209
  - Dynamic pressure, 167
    - buffeting, 174
    - maximum, 170
  - Dynamic test loads. *See* Verification & validation, dynamic test loads
  - Dyno (project). *See* GRAB-1 (spacecraft)
- E**
- Early bird (spacecraft). *See* Intelsat-1
  - Earth observation, 15
  - Earth science, 17
  - Earth sensor, 340
  - Eccentric anomaly, 66
  - Eccentricity, 64
  - ECSS. *See* European cooperation for space standardization
  - ERDS. *See* European Data Relay Satellite (ERDS)
  - EDUSAT (spacecraft), 13
  - Efficiency coefficient, 178
  - Einstein, Albert, 62
  - Eisenhower, Dwight D., 8
  - Ekran (spacecraft), 5
  - Electric fields, 39
  - Electric propulsion. *See* Propulsion
  - Electric propulsion pointing mechanism (EPPM). *See* Mechanisms, pointing
  - Electrical motor, 226
    - magnetostrictive, 227
    - Piezo, 227
  - Electro mechanical actuator (EMA), 233
  - Electromagnetic
    - compatibility (EMC), 50, 52, 55, 265
    - interference (EMI), 52, 55, 265
    - interference sources, 265
    - interference suppression, 265
    - radiation, 86
  - Electronic parts
    - class B, 52
    - class S, 52
    - commercial off-the-shelf (COTS), 45, 702
    - de-rating for reliability, 266
    - nuclear hardened, 45
    - preferred parts list, 266
    - rad-hard, 45
    - space-qualified, 45
  - Electrostatic charging/discharging
    - electrostatic discharge (ESD), 52
  - Element set, 66, 166
  - Elevation, 70
  - Emissivity
    - spectral directional, 377
    - spectral hemispherical, 377
  - Encke, Johann Franz, 76
  - Engineering Test Satellite-VII (ETS-VII), 544
  - Entry. *See* Atmospheric entry vehicle
    - corridor, 102
    - velocity, 518
  - Entry, descent and landing systems (EDLS), 516
    - coordinate system. *See* Coordinate systems
    - design, 517
    - simulation. *See* Simulation
  - ENVISAT—Environmental satellite (spacecraft), 26
  - Epoch, 71
  - Equinoctial elements, 78
    - modified, 78
  - Error, 449
    - detection and correction (EDAC), 54, 449
  - ERS-2—European remote-sensing satellite-2 (spacecraft), 26
  - ESTRACK. *See* European Space Tracking (ESTRACK) network
  - ETS-VII. *See* Engineering Test Satellite-VII (ETS-VII)
  - Euler
    - angles, 324
    - parameters, 325
    - rotational equations of motion, 327
  - European Cooperation for Space Standardization (ECSS), 31, 443
  - European Data Relay Satellite (ERDS), 7, 14, 29
  - European Space Tracking (ESTRACK) network, 29, 597
  - European X-ray observatory satellite (Exosat), 471
  - Eurostar (spacecraft) platform, 228, 350
  - Exosat. *See* European X-ray observatory satellite (Exosat)
  - Explorer-1 (spacecraft), 5
  - Extra-vehicular activity (EVA), 493
  - Extreme ultraviolet (EUV or XUV), 39
  - Extremophilic organism, 497
- F**
- Failure, 449, 628
    - blanching, 184
    - buckling, 209
    - corrosion fatigue, 237
    - detection, isolation and recovery (FDIR). *See* Fault, detection, isolation and recovery (FDIR)
    - dog-house effect, 184
    - fatigue, 184
    - hydrogen embrittlement, 206, 237
    - mode effects analysis (FMEA). *See* Hazard analyses
    - mode, effects, and criticality analysis (FMECA). *See* Hazard analyses
    - rupture, 184

**F (cont.)**

- stress corrosion, 237
  - stress corrosion cracking (SCC), 206
  - Fairing (launch vehicle). *See* Launch
  - Faraday cage, 52
  - Faraday rotation, 405
  - Fastening. *See* Joining
  - Fault
    - Avoidance, 449
    - correction mechanisms, 449
    - detection and isolation, 449
    - detection, isolation and recovery (FDIR), 351, 442, 449
    - management, 135
    - removal, 449
    - tolerance, 449
    - tree analyses (FTA), 55 *See also* Hazard analyses
  - FDIR. *See* Fault, detection, isolation and recovery (FDIR)
  - Fiber-reinforced polymer (FPR), 207
  - File delivery protocol (CFDP), 482
  - File-based operations, 581
  - Filter, 353
    - design, 354
    - fading memory, 366
    - Kalman. *See* Kalman filtering
    - Kalman-Schmidt, 366
    - least squares, 366
    - noise, 355
  - Finite burn losses, 94
  - Finite element analysis (FEA), 209, 212
  - Finite element method magnetics (FEMM), 237
  - Fire safety, 498
  - First point in aries. *See* Zero point of longitude
  - Flight dynamics system, 352, 582
  - Flight experiments, 109
  - Flight model (FM), 214
  - Flight operations segment, 28, 29, 575
    - human error, 576
    - link security, 586
    - mission control systems (MCS), 578
    - plan, 576
    - planning systems, 581
    - procedure (FOP), 576
      - automation, 577
      - classification, 577
      - contingency, 576
      - nominal, 576
      - test, 577
      - validation, 577
  - Flight software, 192, 471, 597
    - architecture, 479
    - boot software, 472, 480
    - command and data handling, 472, 480
    - commands, 481
    - compression applications, 484
    - design, 476
    - development, 474, 475
    - development models. *See* Systems engineering
    - embedded techniques, 477
    - external interfaces, 473
    - guidance, navigation, and control, 472
    - guidelines, 477
    - history, 471
    - image processing, 484
    - implementation, 477
    - in-chassis communication, 473
    - industry standards, 476
    - life cycle. *See* Life cycle
    - patch, 479
    - payload, 472, 485
    - planning, 475, 484
    - post launch, 479
    - requirements, 475
    - review, 476
    - simulator, 478
    - static analysis, 478
    - telemetry, 481
    - testing, 478
      - acceptance, 479
      - application, 478
      - integration, 478
      - operational, 479
      - scenario, 479
      - unit, 478
    - time and space partitioning, 477
    - updates, 479
  - Flight-path angle, 65, 379
  - Fluid loop, 386
  - Flywheel. *See* Reaction wheel
  - Food, 505
    - cooking, 506
    - nutrition requirement, 506
    - storage, 506
  - Formation flying, 96
    - definition of, 26
  - Fourier transform infrared spectrometer (FTIR), 494
  - Fourier's law, 110, 371
  - Fracture control, 212
  - Free radical, 497
  - Free-molecular (flow), 110
  - Frequency
    - allocation, 399
    - plan and channelization flexibility, 435
    - reuse, 424
    - spectrum, 398, 405
  - Frozen orbit, 690
  - Fuel cell, 271
    - electrochemistry, 272
    - performance, 272
  - Fuel mass fraction, 94
  - Functional
    - architecture, 151
    - decomposition, 150, 153
    - flow diagram, 151
    - n-square diagram, 151
    - timeline analysis, 151
- G**
- Gagarin, Yuri, 8, 11
  - Gaia (spacecraft), 17, 20, 222
  - Galactic cosmic ray (GCR), 42, 125, 496
  - Galactic radiation and background-1 (spacecraft). *See* GRAB-1 (spacecraft)
  - Galilei, Galileo, 75
  - Galileo (spacecraft), 37, 100, 520
    - flight software, 472
  - Galileo navigation system, 15
  - Gas chromatograph/mass spectrometer (GC/MS), 494
  - Gas regeneration, 499
  - Gaussian co-ordinate system. *See* Coordinate systems
  - Gegenschein, 50
  - Gemini (program), 101

- General relativity (GR). *See* Disturbing forces
- Generalized polynomial chaos expansions (GPCE). *See* Stochastic expansion methods
- Geocentric celestial co-ordinate system (GCRF). *See* Coordinate systems
- Geoid, 69
- Geometrical factor. *See* View factors, 378
- Geostationary transfer orbit (GTO), 89
- Geosynchronous orbit, 42, 89  
geostationary orbit (GEO), 89
- Geotropism. *See* Gravitropism, 502
- Giotto (spacecraft), 548
- Glass, 222  
Zerodur, 222
- Glenn, John, 8
- Glide trajectory, 102
- Global navigation satellite system (GNSS), 14, 18, 26, 344
- Global positioning system, 15, 26, 344
- GLONASS, 15, 18, 26
- Glow. *See* Atmospheric glow, 49
- Glushko, Valentin, 179
- GNC. *See* Guidance, navigation and control (GNC)
- GOCE. *See* Gravity field and steady-state ocean circulation explorer
- Goddard, Robert, 2, 179
- Google earth, 16
- Government-industry data exchange program (GIDEP) alerts, 52
- GRAB-1 (spacecraft), 5
- Graphene, 137
- Gravi-resistance reaction, 502
- Gravitational  
constant, 62  
parameter, 63
- Gravitropism, 502
- Gravity assist, 95  
B-plane, 95
- Gravity field and steady-state ocean circulation explorer, 29, 30
- Gravity recovery and climate experiment, 16
- Gravity turn, 170, 531, 532
- Greenwich meridian, 67
- Ground control segment. *See* Flight operations segment
- Ground mission segment. *See* Payload data ground segment
- Ground segment, 25, 28, 30, 397, 401, 575  
flight operations segment. *See* Flight operations segment  
payload data ground segment. *See* Payload data ground segment
- Ground station, 29
- Ground track, 70, 690
- Grounding methods (electric), 55
- GSAT-3 (spacecraft). *See* EDUSAT (spacecraft)
- Guidance, navigation and control (GNC), 351  
autonomous, 361  
design, 352  
flight software, 485. *See* Flight software  
orbit control. *See* Orbit, control  
orbit guidance. *See* Orbit, guidance  
orbit navigation. *See* Orbit, navigation  
rendezvous and docking, 361
- Guidance, navigation, and control software  
algorithm development, 486  
implementation, 487
- Gyro, 225. *See* Rate gyro  
fiber optical (FOG), 225  
hemispherical resonating (HRG), 225
- H**
- Harmonic analysis, 209
- Harness. *See* Power, distribution harness
- Hayabusa (spacecraft), 88, 101, 304, 345, 367, 548
- Hazard analyses, 55, 159  
fault-forecasting, 449
- HDRM. *See* Mechanisms
- Health and safety, 135, 170
- Heat flux density, 372
- Heat pipe, 384
- Heat switch, 386
- Heat transfer, 371  
catalytic reactions, 106  
conductive, 371  
radiative, 106, 108
- Heater, 386
- Heilmeyer questions, 608
- Heilmeyer, George, 608
- Heisenberg uncertainty principle, 626
- HERMES (communications spacecraft). *See* Communications technology satellite ('Hermes')
- Hermes (spaceplane), 203
- Herschel (spacecraft), 198, 212, 215, 222
- Highly elliptical orbit (HEO), 90
- High-order assembly language/shuttle (HAL/S). *See* Programming language
- Hikoboshi (spacecraft). *See* Engineering Test Satellite-VII (ETS-VII)
- Hill, George William, 97
- Hill's equations. *See* Clohessy-Wiltshire equations of motion
- Hills limiting surface, 74
- Hipparcos (spacecraft), 17
- Hipparcos star catalog, 17, 342
- Hocquenghem, Alexis, 409
- Hohmann transfer, 92
- Hohmann, Walter, 3
- Hold-down and release mechanisms (HDRM). *See* Mechanisms
- Horizon sensor, 340
- Housekeeping data, 481
- HST. *See* Hubble space telescope (spacecraft)
- Hubble space telescope (spacecraft), 6, 17, 45, 219, 241
- Human space flight, 7, 11
- Huygens probe (spacecraft). *See* Cassini-Huygens (mission)
- Hybrid propulsion development program, 300
- Hybrid sounding rocket (HYSR), 300
- Hydrodynamic equations, 113
- Hylas-1 (spacecraft), 436
- Hyperoxic, 493
- Hypersonic, 103
- Hyperstacity, 229
- Hypervelocity impacts, 49
- Hypoxia, 493
- I**
- IFOC. *See* Rocket motor, igniter
- Ignition overpressure (IOP), 175
- IKAROS (spacecraft), 318
- Impulse, 279  
specific, 94, 167, 279
- Inclination, 66
- Inertial measurement units (IMU), 344
- Inertial navigation system (INS), 356
- Inertial reference unit (IRU), 344
- Inertial stellar compass (ISC), 337



**I (cont.)**

Infrared (IR), 40  
 Innovation, 599, 608, 610, 617  
 Input filter assembly, 425  
 Instrument. *See* Payload  
 Integrated in-space transportation plan, 681  
 Intellectual property, 608, 617  
 Intelsat  
   -1, 5, 397  
   -708, 35  
 Interface  
   control document (ICD), 123, 135, 146  
   requirements documents (IRD), 146  
 Internal electrostatic charging/discharging (IESD), 47  
 International Celestial Reference System (ICRS). *See* Coordinate systems  
 International Commission on Radiological Protection (ICRP), 497  
 International space station, 10, 11, 101, 303, 346  
   alpha magnetic spectrometer, 11  
   columbus laboratory, 200  
   Crew Return Vehicle (CRV), 203, 522  
   cupola, 199  
   Remote Manipulator System (SSRMS), 543  
   SOLAR payload, 201  
 International Traffic in Arms Regulations (ITAR), 35  
   1247 report, 36  
   2013 defense authorization bill, 36  
   arms export control act, 35  
   United States Munitions List (USML), 35  
 Interplanetary Kite-craft accelerated by radiation of the sun (spacecraft). *See* IKAROS (spacecraft)  
 Inter-satellite link, 26  
 Inverse Cheng parameter, 110  
 Ionization, 109  
 Iridium (spacecraft), 26  
 IRNSS (navigation system), 15  
 Irradiation. *See* Total emissive power  
 Isolator, 218  
 Iso-static, 212  
 ITAR. *See* International Traffic in Arms Regulations (ITAR)  
 Itokawa asteroid, 304, 548  
 ITU-R model. *See* Simulation, rain attenuation

**J**

Jacobi  
   constant, 73  
   generalized Jacobian, 552  
   integral, 73  
 James Webb Space Telescope (JWST), 198, 240  
 Japanese Experiment Module Remote Manipulator System (JEMRMS), 543  
 Jet power, 281  
 Joan of Arc, 187  
 Joining (process), 225  
 Joint (thermal) resistance. *See* Thermal contact  
 Julian  
   date, 72  
   period, 72  
 Juno (spacecraft), 48, 55  
 Juste retour, 166

**K**

Kalman filtering, 354, 365  
   extended, 331

Kalman-Schmidt, 367  
   stability, 354  
   unscented (UKF), 332  
 Kármán line. *See* von Kármán ellipsoid  
 Kaufmann, Harold, 303  
 Kelly cosine, 253, 340  
 Kennedy, John F., 8  
 Kepler (spacecraft), 20, 341, 345  
 Kepler, Johannes, 61  
 Kepler's  
   equation, 65  
   laws, 61  
 Keplerian  
   motion, 61  
   orbital elements. *See* Classical orbital elements  
 Kevlar, 207  
 Key decision points (KDP). *See* Schedule, milestone  
 Kinematic equations, 326, 550  
 Kirchhoff's law, 378  
 Knudsen number, 85, 105, 110, 520  
 Komarov, Vladimir, 9  
 Korolev, Sergei, 2, 4, 179, 298  
 Korolyov, Sergey. *See* Korolev, Sergei  
 Kuchemann's correlation, 103

**L**

Lagrancia, Giuseppe Luigi. *See* Lagrange, Joseph-Louis  
 Lagrange points, 74  
 Lagrange, Joseph-Louis, 74, 77, 78  
 Lagrange's planetary equations, 77  
 Laika (dog), 8  
 Lambert's problem, 91, 691  
 Laminar, 105  
   laminar-turbulent transition, 105  
 Landing, 516, 532  
   airbag. *See* Airbag  
   definition of, 515  
   legs, 533  
   mid-air retrieval, 534  
 Lang, Friedrich Christian Anton 'Fritz', 3  
 Laser Interferometer Space Antenna (LISA) mission, 27  
 Latchup (single event effect), 45  
 Latitude, 67  
 Launch  
   control, 172  
   fairing, 209  
   guidance, 172  
   navigation, 172  
   profile, 169  
   trajectory, 170  
   vehicle, 26, 165, 202  
 Launch and Early Orbit Phase (LEOP), 591  
 Lavochnik, Semyon, 533  
 Le Verrier, Urbain, 75  
 Legal. *See* Space law  
 Legendre polynomial, 81  
 Lewis, Gilbert N., 86, 318  
 Life cycle, 32, 149, 157, 473, 599, 605, 623, 624, 631, 636, 692  
   flight operations, 590  
   model. *See* Systems engineering  
   phase, 149  
   software, 157  
   technology, 599  
   whale chart, 599  
 Life management, 505



- Life support, 493, 499
    - controlled ecological life support system (CELSS), 501
  - Lift coefficient, 102, 167, 174
  - Lift-to-drag ratio, 103
  - Lightcurve, 367
  - Linear energy transfer (LET), 45
  - Linear momentum, 551
  - Link (communications)
    - down, 401
    - forward, 401
    - inter-satellite, 401, 404
    - return, 401
    - up, 401
  - LISA Pathfinder (spacecraft), 225, 340
  - Lǐwěi, Yáng, 11
  - Load events, 210
  - Load levels
    - acceptance, 177
    - acceptance factor, 203
    - flight limit loads (FLL), 210
    - limit load, 177
    - proof. *See* Load levels, acceptance
    - quasi-static loads (QSL), 208
    - safety factor, 176, 177, 203, 210, 217
    - test load factors, 210
    - ultimate, 177
    - yield, 177
  - Localization (rover), 562
  - Long Duration Exposure Facility (LDEF), 48
  - Longitude, 67
  - Lorentz effect, 48
  - Louvers, 383
  - Low earth orbit (LEO), 89
  - Low voltage differential signaling (LVDS), 462
  - Lubricant, 235
  - Luna-2 (spacecraft), 5
  - Lunar surveyor (spacecraft), 516, 531
  - Lunokhod (spacecraft), 545
  - Lyman-alpha line, 40
  - Lynx (spaceplane), 16, 671
- M**
- Magellan (spacecraft), 96
    - flight software, 472
  - Magnetic field, 39, 107
  - Magnetometer, 336, 343
  - Magnetorquers, 346
  - MagOrion project, 317
  - Management information systems (MIS), 646
  - Mango and Tango (spacecraft). *See* Prisma (spacecraft)
  - Manmade debris. *See* Synthetic debris
  - Manufacturing, 222
    - additive manufacturing, 224
    - autofrettage, 223
    - casting, 223
    - fiber steering, 224
    - forging, 223
    - forming, 222
    - machining, 222
    - resin transfer molding, 224
  - Margin. *See* Contingency
  - Margins of safety (MS). *See* Load levels, safety factor
  - Mariner probe
    - 10, 88, 95, 344
    - Flight software, 471
  - Mars exploration rover, 7, 100, 526, 532, 546, 548
  - Mars global surveyor (spacecraft), 96
  - Mars pathfinder (spacecraft), 100, 517, 532, 546, 547
  - Mars reconnaissance orbiter, 352
  - Mars science laboratory (spacecraft), 100, 229, 356, 547
    - descent propulsion system, 531
    - sky-crane, 532, 547
  - Mars Sojourner rover. *See* Mars pathfinder
  - Marskhod (spacecraft), 546
  - Mass memory, 444, 453
    - architecture, 453
  - Maximum expected operating pressure (MEOP), 177
  - Maxwell, James Clerk, 86
  - Mean anomaly, 65
  - Mean motion, 65
  - Mean time between failures (MTBF), 166
  - Mean-free-path, 110
  - Mechanisms, 225
    - deployment mechanisms, 230
    - hold-down and release mechanisms (HDRM), 230
    - materials, 237
    - pointing
      - antenna pointing mechanisms (APMs), 229
      - coarse pointing assembly (CPA), 229
      - electric propulsion pointing mechanisms (EPPMs), 228
      - solar array drive mechanism (SADM), 233
    - position sensors, 232
      - optical encoder, 232
      - potentiometer, 232
      - switch, 232
    - verification. *See* Verification & validation
  - Medical support, 509
    - medication, 511
  - Medium Earth Orbit (MEO), 89
  - Méliès, Georges, 3
  - Meosat-3b (spacecraft), 350
  - Mercury (project), 101
  - Mercury Sigma-7 (spacecraft), 30
  - Mercury Surface, Space ENvironment, GEochemistry and Ranging. *See* MESSENGER
  - MESSENGER (spacecraft), 7, 39, 88, 99, 344
    - flight software, 488
    - spacecraft overview, 488
  - Metabolic rate, 506
  - Meteoroids, 44, 125
  - Meteorology, 12
  - Micrometeoroids. *See* Meteoroids
  - Microwave instrument, 452
  - Military space, 18
  - Military surveillance, 19
  - MIL-STD-1553, 456, 483
    - bus controller (BC), 456, 457
    - protocols, 456
    - scheduling, 457
  - Minimum impulse bit (MIB), 359
  - Minimum mission. *See* Threshold Mission
  - Mir (spacecraft), 9, 101
  - MISRA-C. *See* Flight software, guidelines
  - Missile defense, 20
  - Missile gap, 8
  - Mission analysis, 687
  - Molecular free path, 105
  - Molniya
    - orbit, 91
    - spacecraft, 5
  - Momentum wheel (MW). *See* Reaction wheel (RW)

**M** (*cont.*)

Monolithic passive flexible element (MEDI), 219  
 Monopropellant. *See* Propellant  
 Monte-Carlo analysis, 171, 538  
 Moonlight, 51  
 Moore, William, 2  
 Moore's law, 454  
 Mortar. *See* Pyrotechnic  
 Motor Industry Software Reliability Association (MISRA) C. *See*  
     Flight software, guidelines  
 Multilayer insulations (MLI), 381  
     second surface mirror, 382  
 Multimedia internet access, 401  
 Multipacting, 51  
 Multiplexing, 409  
     input multiplexer (IMUX), 412, 428  
     output multiplexer (OMUX), 430  
 Multi-stage (rocket), 169

**N**

Navier–stokes (equations), 109, 110, 112, 282, 301  
 Navier-Stokes-Fourier (equations). *See* Navier-Stokes (equations)  
 Near Earth Network (NEN), 29  
 NEAR-Shoemaker, 367, 548  
 NERVA (project), 314  
 Network. *See* Data routing  
 Neutral axis maneuver, 172  
 New millennium program ST-6, 337  
 Newton, Isaac, 62  
 Newton's law  
     of motion, 62  
     of universal gravitation, 62  
 Newtonian methods, 112  
 NigeriaSat-2 (spacecraft), 216  
 Nobel, Alfred, 187  
 Noise power density, 403  
 Nonholonomic path planning, 554  
 Non-processing payload. *See* Communication system  
 Noordung, Hermann. *See* Potočnik, Herman  
 Nozzle. *See* Rocket motor or rocket engine  
 NSF. *See* Navier-Stokes (equations)  
 Nuclear Engine for Rocket Vehicle Application (NERVA). *See*  
     NERVA (project)  
 Nuclear safety launch approval, 55  
 Numerical integration, 80  
     errors, 80  
 Nusselt relation, 183

**O**

Oberth, Hermann, 3, 179  
 Obliquity of the ecliptic, 67  
 Oil flares. *See* Stray light  
 On-board software (OBSW). *See* Flight software  
 On-orbit servicing, 542  
 Operational procedures, 55  
 Operations concept, 133  
 Operations simulator, 30, 577, 583, 591  
     architecture, 583  
     benefits, 585  
     campaign, 585  
 Opportunity management, 643  
 Opportunity rover. *See* Mars exploration rover  
 Optical imaging instrument, 451  
 Orbit

control, 359, 690  
     thruster management, 359  
 definition of, 61  
 design, 688  
 determination, 582  
 dynamics, 61  
 energy, 65  
 guidance, 356  
     nominal trajectory, 357  
     predictive-impulsive, 366  
 maintenance, 594  
 navigation, 353  
     measurement types, 355  
     proportional navigation, 366  
     vision-based, 356, 362  
 period, 65  
 selection, 127  
 stationkeeping, 691  
 velocity, 65

Orbital debris. *See* Synthetic debris or meteoroids

Orbital energy conservation equation. *See* Vis-viva equation

Orbital express (spacecraft), 544

Orihime (spacecraft). *See* Engineering Test Satellite-VII (ETS-VII)

Outer space

definition of, 657s

exploitation, 669

Outgassing, 208

Oxygen

candle, 500

erosion, 48, 125, 135

**P**

Palapa (spacecraft), 398

Parachute, 104, 204, 516, 522

conical ribbon, 528

cross. *See* Parachute, cruciform

cruciform, 529

deployment, 530

disk-gap-band (DGB), 527

inflation, 527

mass ratio, 524

parafoil, 530

polyconical, 530

porosity, 523

ringsail, 529

ringslot, 528

Parasitic power losses. *See* Power losses

Pascal, Blaise, 187

Paschen's law, 262

Path planning (rover), 564

Payload

accommodation, 117, 122

attitude control, 134

calibration, 134

categories, 119

classification, 120

command and control, 134

communications. *See* Communication system

concept design, 118, 128, 131, 132

cryogenic, 139

data system. *See* Data system

definition of, 27, 117

design process, 118

environment, 122, 124

ground data segment. *See* Payload data ground segment

- integration, 123
- interfaces, 123
- operation, 133
- performance, 130
- software, 472, 485
- strawman, 131
- thermal, 122, 129
- verification, 127
- Payload data ground segment, 28, 587
  - architecture, 587
  - auxiliary data files (ADF), 587
  - data levels, 587
  - user segment, 589
- Payload data levels. *See* Payload data ground segment
- PD Controller. *See* Controller, proportional-derivative (PD)
- Pebble bed reactors (PBR), 315
- Pegasus (rocket), 169
- Peltier effect, 387
- Periapsis, 64
- Pericentre. *See* Periapsis
- Perigee. *See* Periapsis
- Perihelion. *See* Periapsis
- Peroxide, 497
- Perturbation techniques, 75
  - Cowell's method, 76
  - Encke's method, 76
  - general perturbations, 75
  - special perturbations, 75
  - variation of parameters, 77
- Perturbations. *See* Disturbing forces
- Phase-change material (PCM), 385
- Phase noise spectral density, 427
- Phobos (mission), 546
- Phoenix lander (spacecraft), 100, 546
  - descent propulsion system, 531
- Photoelectron emission, 40
- Photon, 86, 318
- Photoperiodism, 502
- Photosynthesis, 502
- Photovoltaic (PV)
  - cell, 250
  - inverted metamorphic multijunction (IMM), 250
  - margin, 253
  - thin-film, 250
- Photovoltaic-battery system
  - architectures, 250
  - peak power tracking (PPT), 250
  - regulated bus, 250
- Phugoid, 104
- Physiology, 510
- PID controller. *See* Controller, proportional-integral-derivative (PID)
- Pioneer Venus (spacecraft), 100, 520
- Pitching moment anomaly, 111
- Planck (spacecraft), 140, 198
- Planck's
  - constant, 376
  - law, 86, 318
- Planetary protection, 505, 667
- Planetary radiation, 40, 380
  - equivalent black-body temperature, 380
- Planetary ring. *See* Meteoroids
- Plasmasheath, 46
- Plasma sheet, 42
- PMBOK. *See* Project management institute body of knowledge
- Pogo oscillations. *See* Rocket engine, combustion instabilities
- Pontryagin principle, 171
- Potočník, Herman, 397
- Power
  - advanced technology, 137
  - battery. *See* Battery
  - beamed power, 273
  - brayton cycle, 270, 291
  - bus Impedance, 263
  - Carnot cycle efficiency, 269, 270
  - deep space mission, 267
  - distribution harness, 259
  - dynamic system with alternator, 270
  - electronics, 257
    - shunt regulator, 259
    - switching devices, 257
  - energy balance, 263
  - fuel cell. *See* Fuel cell
  - interplanetary mission, 266
  - management, 263
  - near-sun mission, 267
  - reliability, 266
  - solar array. *See* Solar array
  - stirling radioisotope generator (SRG), 137
  - system design, 261
  - system performance, 263
  - system requirements, 262
  - system software, 473, 485
  - system stability, 263, 264
  - tetrapods, 137
  - transfer, 123
  - ultracapacitors, 137
- Power losses, 48
- PowerPC, 455
- Prandtl number, 105
- Pressure vessel, 177, 202, 206
  - composite overwrapped (COPV), 177, 202, 207
  - minimum burst factors, 207
  - pressurized component, 207
  - testing, 207
  - ultimate strength, 207
- Pressurized component. *See* Pressure vessel, pressurized component
- Pressurized system. *See* Pressure vessel
- Primer. *See* Rocket motor, igniter
- PRINCE. *See* PRojects IN Controlled Environments
- Prisma (spacecraft), 298, 352
- Process data objects (PDOs), 460
- Processor, 473
  - benchmarking, 473
  - LEON, 455
  - microprocessor without Interlocked Pipeline Stages (MIPS)
    - architecture, 455
  - PowerPC, 455
  - RAD, 455
  - RHPPC, 455
  - SPARC, 455
- Product assurance, 166
- Production constraints, 166
- Productization, 601, 603
- Prograde, 66, 70
  - apparent, 70
- Programming language, 471, 472, 475, 477
- Project management, 619
  - framework, 623
  - maturity (PMM), 624
  - overview, 622
  - practice, 626
  - strategies, 624

**P (cont.)**

Project Management Institute Body of Knowledge (PMBOK), 623

Project Orion, 316

## Propellant

- bipropellant, 177, 289, 295
- ceramic fuel (CERMET), 315
- cold gas, 177
- liquids, 179, 295
- management, 594
- monopropellant, 177, 288, 297
- propellant grain, 189, 283, 287
- propellant slag, 283
- solid propellant, 178, 283
- tank, 176, 206
- tripropellant, 291

Propulsion, 279, 548, 688. *See* Rocket engine or motor

- advanced, 313
- advanced in-space propulsion (ISP) technologies, 681
- attitude control, 348
- electric, 138, 228, 281, 300, 315, 548
  - electrostatic, 303
  - electrothermal, 306
  - Magnetoplasmadynamic (MPD), 309
  - power, 303, 305, 308
  - propellant, 302, 305, 312
- liquid propulsion, 178, 280, 288
- minimum impulse bit (MIB), 359
- nuclear, 314
- saturation, 359
- solar sail, 138, 240, 314, 317, 594
- solid propellant, 187, 281

Proto flight model (PFM), 214

Prototype, 602

Pyrotechnic, 231

- igniter. *See* Rocket motor, igniter
- mortar, 530

**Q**

Quaternion, 325

QZSS (navigation system), 15

**R**

Radiation belts, 42

Radiation models, 42

- AE8/AP8 model, 42
- AE9/AP9 model, 42
- GIRE, 42
- SATRAD, 42

Radiative losses, 308

Radiator, 382

- active, 382
- efficiency, 383
- passive, 382

Radio frequency (RF) propagation, 50

Radioisotope thermoelectric generator (RTG), 55, 267, 268, 386

- half-life, 270
- seebeck effect, 269

Radiosity. *See* Total emissive power

Range finder, 355

- laser, 367

Rarefaction, 109, 113

- bridging functions, 110
- slip regime, 110

Rarefied

flow, 105, 110–112

gas, 106

Rate gyro, 344

Reaction wheel (RW), 225, 337, 345

Real-gas effects, 109, 113

Real-time operating systems, 477

Receive antenna. *See* Antenna

Receiver, 413, 426

Recovered mass loss (RML), 208

Rectilinear orbit, 65

Recycling, 499

physicochemical system, 499

water, 499

Redundancy, 52

Reefing, 527

Reentry vehicle. *See* Atmospheric entry vehicle, 203

Reference frame. *See* Coordinate systems

Reflectance

- spectral directional, 377
- spectral hemispherical, 378

Regenerative cooling, 292

Relative biological effectiveness (RBE), 497

Reliability analysis, 706

Remote memory access protocol (RMAP), 465

Remote terminal, 456

Requirements, 143, 150, 616, 698

- allocated, 153
- commercial payloads, 121, 131
- constraints, 135, 352
- data management, 127, 129, 132
- derived, 153
- descope, 641
- generation, 120
- materials, 219
- measurement, 132
- mechanical, 208
- military payloads, 121, 131
- mission resources, 128
- needs assessment, 149
- operational, 121, 131
- orbit, 123, 135
- performance, 130
- power system, 262
- science payloads, 120, 131, 136
- spacecraft, 134
- system-level, 150
- traceability, 153
- traceability matrix, 122, 153

Research and development degree of difficulty. *See* Advancement degree of difficulty, 34

Resistive bleed path. *See* Grounding methods, 55

Resistivity

- sheet, 266

Retrograde, 66, 70

- apparent, 70

Reverberant acoustic room, 215

Review

- action items, 154
- flight software. *See* Flight software
- panel, 153
- technical assessment, 153

Reynolds

- analogy, 106
- number, 105, 110, 174, 520

Right ascension of the ascending node, 66

Risk, 607, 617

- analysis, 703
- categorization, 159
- classification, 160
- control, 159
- management, 159, 641, 705
- matrix, 159
- planning, 159
- posture, 642
- reward, 606
- tracking, 159
- Riveting. *See* Joining
- Robonaut, 545
- Robotics, 541, 545
  - control, 549
  - dynamics, 558
  - human interface, 567
  - kinematics, 556, 557
  - simulation, 557
  - trajectory, 554
- Robot technology experiment (ROTEX), 544
- Rocket engine
  - combustion chamber, 182
  - combustion instabilities, 184, 291, 295, 300
  - cooling, 293
  - cryogenic, 289
  - cycle, 180, 291
  - feed, 179
  - gas generator, 185
  - hybrid, 179, 298
  - ignition system, 182
  - injection system, 180
  - nozzle, 185
    - non-equilibrium effects, 295
  - pre-burner, 185
  - re-ignition, 294, 298
  - thermodynamic rockets, 282
  - throttle, 295
  - turbines, 186
  - turbopump, 186, 289
- Rocket equation, 94, 168, 280
- Rocket motor, 187
  - combustion instabilities, 287
  - igniter, 191
  - motor case, 188
  - nozzle, 191
  - pressure oscillations, 192
  - propellant grain, 189, 283
  - propellant slag, 283
  - segmented, 188
  - thermal protection, 189
- Rocket propulsion. *See* Propulsion
- Rosetta (spacecraft), 549
- Rotational kinematics, 323
- Rover (project), 314
  
- S**
- Sabatier processor, 499
- Safety constraints. *See* Health and safety
- Salyut (spacecraft), 9, 101
- Sample-return (mission), 548
- Sandwich panels, 197
- Satcom (spacecraft), 398
- Satellite
  - definition of, 25
- Saturated power flux density (SFD), 418
- Schedule, 160, 636, 704
  - critical path, 160, 636
  - earned value schedule-performance-index (SPI), 636
  - estimate of schedule at completion (ESAC), 162
  - float, 160, 636
  - gantt chart, 160
  - integrated mission schedule (IMS), 636
  - key decision point (KDP), 623
  - milestone, 160, 636
  - network diagrams, 160
  - percent complete (PC), 161
  - schedule at completion (SAC), 161
  - schedule performance index (SPI), 161
  - schedule variance (SV), 161
- SCORE (project), 5
- Search and rescue, 13
- Sectoral harmonic. *See* Disturbing forces, non-spherical central body
- Seebeck effect. *See* Radioisotope thermoelectric generator (RTG)
- Semi-latus rectum, 65
- Semi-major axis, 64
- Semi-minor axis, 64
- Sensitivity analysis. *See* Trade study, sensitivity analysis
- Service data objects (SDOs), 460
- Shafer's evidence theory (ET), 710
- Shaker table, 214, 215
- Shannon limit, 409
- Shannon's information theorem, 403
- Shape memory alloys, 232
- Shenzhou (spacecraft), 11
- Shepard, Alan, 8
- Shielding, 52
  - doghouse, 52
  - vault, 52
- Shock, 105, 109
  - layer, 106
  - response spectrum (SRS), 209, 212, 231
- Shuttle. *See* Space shuttle
- Signal attenuation
  - atmospheric, 403, 405
  - Ionospheric effects, 405
  - rain, 404, 406
- Signal Communications Orbit Relay Equipment. *See* SCORE (project)
- Signal error correction, 586
  - adaptive coding and modulation (ACM), 409
  - automatic repeat request (ARQ), 408
  - coding, 408, 445, 453
  - forward error correction (FEC), 408, 586
- Signal interference, 410
- Signal modulation
  - analog, 406
  - asymmetric phase-shift keying (APSK), 407
  - bandwidth efficiency, 407
  - constant envelope modulation (CEM), 407
  - digital, 406
  - M-ary frequency shift keying (MFSK), 407
  - M-ary phase shift keying (MPSK), 407
  - M-ary quadrature amplitude modulation (MQAM), 407
  - power efficiency, 407
- Signal-to-noise ratio, 132, 134, 402
- Silicon carbide (SiC). *See* Ceramics

**S (cont.)**

- Silicon controlled rectifier (SCR). *See* Latchup
- Silicon-on-insulator (SOI), 455
- Silkworm, 504
- Simulation
  - aerodynamics, 112
  - deployable structures, 240
  - Direct-Simulation Monte Carlo (DSMC), 110, 111, 113
  - electromagnetic, 237
  - entry, descent and landing, 534
  - multi-body dynamic, 236
  - multi-physics, 237
  - operations. *See* operations simulator
  - rain attenuation, 406
  - robotics, 556
  - test simulators. *See* flight software, simulators
  - thermal model, 374, 391
  - wheel contact model, 559
- Single event effects. *See* Upsets (SEU)
- Single-stage to orbit, 114, 169, 195
- Skip trajectory, 102
- Sky-crane. *See* Mars Science Laboratory (spacecraft)
- Skylab (spacecraft), 9, 101, 619
- Skylon (spaceplane), 114
- Sloshing. *See* Disturbing forces, internal torques
- SMART, specific, measurable, attainable, relevant, and timely, 614
- SMART-1 (spacecraft), 228, 312
- Software. *See* Flight software
- Software-defined radios, 485
- SOHO (spacecraft), 134
- Solar and heliospheric observatory (spacecraft). *See* SOHO (spacecraft)
- Solar array
  - degradation, 255
  - drive electronics (SAD/ADE), 260
  - drive mechanism (SADM). *See* Mechanisms, pointing
  - electro-explosive deployment (EED), 261
  - peak power tracking, 255
  - performance, 253
  - Photovoltaic (PV). *See* Photovoltaic (PV)
  - P-V and I-V characteristics, 252
- Solar constant. *See* Solar spectrum
- Solar energetic particle (SEP) event, 43
- Solar flare, 43
- Solar irradiance. *See* Solar spectrum
- SOLAR payload. *See* International space station
- Solar proton event (SPE), 43
- Solar radiation. *See* Solar spectrum
- Solar spectrum, 40, 379
  - ASTM E490, 40
  - black-body, 40, 377
  - irradiance, 40, 87, 379
  - ISO-21348, 40
  - zero air mass solar spectral irradiance, 40
- Solar wind, 40, 88, 107
  - L2-CPE statistical model, 40
  - Nascap-2K, 41
- Soldering. *See* Joining
- Solid propellant. *See* Propellant
- Solid rocket motor (SRM). *See* Propulsion or propellant
- Sound pressure levels (SPL), 215
- South Atlantic Anomaly (SAA), 125, 128, 135
- Soyuz, 9
  - capsule, 9, 203
  - descent module. *See* Soyuz, capsule
  - launcher, 4, 9
- Space 2.0, 7
- Space age, 1, 5
- Space architecture, 508
- Space-based infrared system, 20
- Spacecraft
  - commissioning, 592
  - definition of, 25
  - operations. *See* ground segment
  - operator, 575
- Space debris. *See* Synthetic debris or meteoroids
- Space Environment Information System (SPENVIS), 58
- Space flight participants, 16
- Space law, 657
  - liability convention, 661
  - moon agreement, 666
  - national, 663
  - outer space treaty, 658
  - registration convention, 662
  - rescue agreement, 660
- Space motion sickness (SMS), 510
- Space network (SN), 29
- Space probe
  - definition of, 25
- Space race, 5
- Space science, 16
- Space segment, 25, 26, 397, 401
- SpaceShipOne, 101, 298, 300
- SpaceShipTwo, 16, 114, 671
- Space shuttle, 9, 101, 105, 111, 515, 517, 520
  - flight software, 471
  - main engine (SSME), 179
  - radar topography mission (SRTM), 241
  - Remote Manipulator System (SRMS), 542
  - tether experiment, 55
- Space system, 143
  - definition of, 25
- Space tourism, 16, 671
- Space vehicle
  - definition of, 25
- Spaceway, 400
- SpaceWire, 461, 484
  - architecture, 464
  - links, 462
  - network, 463
  - remote memory access protocol (RMAP), 465
  - time-codes, 465
- Special Purpose Dexterous Manipulator (SPDM), 543
- Special relativity, 86
- Sphere of influence (gravity), 80
- Spin-in technology. *See* Technology infusion
- Spin-off technology. *See* Technology infusion
- Spiral development model. *See* Systems engineering, spiral development model
- Spirit rover. *See* Mars exploration rover
- Spitzer (spacecraft), 129
- Spot beam, 424
- Sputnik (spacecraft)
  - 2, 8
  - 3, 8
  - 4. *See* Vostok (spacecraft)
  - 5. *See* Vostok (spacecraft)
  - crisis, 1
  - Korabl-Sputnik-1. *See* Vostok (spacecraft)
  - Korabl-Sputnik-2. *See* Vostok (spacecraft)
  - program, 7
  - Sputnik-1, 1, 5



- Squib. *See* Rocket motor, igniter
- SSTO. *See* Single-stage to orbit
- Standard model, 280
- Stanton number, 110
- Star sensor, 341
- Stardust (spacecraft), 101, 104, 111, 365, 520, 548
- State vector, 66, 166
- Statistical energy analysis (SEA), 209
- Stefan-Boltzmann  
constant, 377  
law, 377
- Stentor (spacecraft), 350
- STEREO (spacecraft), 17
- Stereo vision, 562
- Stewart platform, 219
- Stochastic collocation (SC). *See* Stochastic expansion methods
- Stochastic expansion methods, 710
- Strawman payload. *See* Payload
- Stray light, 50
- Structural analyses  
acoustic, 212  
buckling, 212  
crack growth, 212  
dynamic displacement, 212  
fatigue growth  
frequency response, 212  
micro-vibration, 212  
modal, 212  
random response, 212  
stability, 177, 209  
static stress, 212  
transient, 212
- Structural ratio, 169
- Structural sizing  
stability, 177  
stiffness, 177  
strength, 177
- Structural thermal models (STM), 214
- Structure  
crewed, 199  
primary, 197  
secondary, 197
- Stuhlinger, Ernst, 282, 303
- Sun presence detector. *See* Sun sensor
- Sun sensor, 339
- Sunjammer (spacecraft), 318
- Sun-synchronous orbit, 90, 689
- Supersonic/hypersonic arbitrary body programs (SHABP), 112
- Surface charging, 46, 124, 125, 139
- Sutton and Graves correlation, 519
- Swarm (spacecraft), 215
- Syncom (spacecraft), 5, 397
- Synodic system. *See* Coordinate systems
- Synthetic aperture radar (SAR), 26, 452
- Synthetic debris, 44, 126  
DELTA (Debris environment long-term analysis) tool, 44  
graveyard maneuver, 595  
Inter-Agency Space Debris Coordination Committee, 89  
MASTER (Meteoroid and Space Debris Terrestrial Environment Reference) model, 44  
orbital debris engineering model ORDEM206, 44  
ORDEM2000, 44  
PROOF (Program for Radar and Observation Forecasting) model, 44
- System design. *See* System
- Systems engineer, 144  
dilemma, 146
- Systems engineering, 143  
agile methods model, 474  
definition of, 143  
incremental build model, 474  
lessons learned, 637, 652  
management plan (SEMP), 143, 144  
organization, 158  
rapid prototype model, 624  
software, 157, 473  
spiral development model, 145  
spiral model, 474, 626  
waterfall model, 145, 474
- T**
- TacSat-2 (spacecraft), 337
- Taikonaut, 11
- Tandem-X (spacecraft), 16
- Tauber-Sutton radiative heating correlation, 519
- TDRSS. *See* Tracking and Data Relay Satellite System
- Technology infusion, 20, 599, 603, 607, 616
- Technology manager, 614
- Technology Readiness Level (TRL), 33, 147, 599, 620  
relevant environment, 615  
valley of death, 602, 603, 614, 680
- Technology roadmap, 605
- Telecommand, 442, 481, 578  
database, 578  
execution verification, 580  
packet, 579  
parameter, 579  
pre-transmission validation (PTV), 579  
time tagging, 578, 581  
validation, 578
- Telemedicine, 512
- Telemetry, 444, 578  
calibration curve, 579  
database, 578  
derived parameters, 579  
Out of Limits (OOL) condition, 579  
packet, 579  
parameter, 579
- Telemetry, commands, and ranging (TC&R). *See* Telemetry, tracking, and commands (TT&C)
- Telemetry, tracking, and commands (TT&C), 415
- Teleoperation. *See* Telerobotics
- Telerobotics, 564
- Telstar (spacecraft), 5, 397
- Terminal velocity, 515
- Terra (spacecraft), 16
- Terrain mapping, 562
- Terramechanics, 559
- TerraSAR-X (spacecraft), 16
- TerreStar-1 (spacecraft), 422
- Tesseral harmonic. *See* Disturbing forces, non-spherical central body
- Test plan. *See* Verification and validation, test plan
- Thermal  
conductivity, 372  
diffusivity, 372  
effects, 49  
management, 595  
radiation heat transfer, 375  
resistance, 372
- Thermal blanket. *See* Multilayer insulations
- Thermal contact



- T** (*cont.*)
- conductance, 384
  - resistance, 384
- Thermal control surface. *See* Control surface
- Thermal Control System (TCS), 389
- Thermal filler, 384
- Thermal protection system, 101, 105, 109, 204, 388, 518, 519
- ablative systems, 388
  - radiative systems, 388
  - transpiration systems, 388
- Thermodynamic efficiency, 291
- Thermoelectric cooling, 387
- Thermoluminescent dosimeter (TLD), 497
- Thevenin equivalent, 263
- Three-body problem, 73
- circular restricted (CRTBP), 73
  - elliptic restricted (ERTBP), 73
- Threshold mission, 131
- Thrust coefficient, 178, 286
- Thrust vector control (TVC), 233
- Thruster misalignment. *See* Disturbing forces, internal torques
- Tikhonravov, Mikhail, 298
- Time, 71
- Coordinated Universal Time (UTC), 72
  - Greenwich Mean Time (GMT), 72
  - International Atomic Time (TAI), 72
  - leap seconds, 72
  - mean solar day, 72
  - mean solar time, 72
  - Mission Elapsed Time (MET), 448
  - on-board (OBT), 447, 487
  - one-way light time (OWLT), 596
  - second, 72
  - sidereal day, 72
  - synchronization, 578, 580
  - Universal Time (UT), 72
- Ting, Samuel. *See* International Space Station, Alpha Magnetic Spectrometer
- TIROS-1 (spacecraft), 5, 12
- Tisserand, François Félix, 81
- Titius-Bode law. *See* Bode's law
- Tito, Dennis, 672
- Tokamak confinement, 305
- TopSat (spacecraft), 19
- Torques, 49
- Total dose. *See* Dose
- Total emissive power, 376
- Total ionizing dose (TID). *See* Dose
- Total organic carbon (TOC), 494
- TPS. *See* Thermal protection system
- Tracking and data relay satellite system, 5, 29
- Tractor rocket, 530
- Trade study, 127, 146
- sensitivity analysis, 147
- Traffic encryption key (TEK), 586
- Trajectory
- definition of, 61
  - selection, 55
- Transmittance
- spectral directional, 377
  - spectral hemispherical, 378
- Transponder, 400
- Traveling wave tube amplifiers (TWTA), 412, 414, 432, 436
- Treaty of Versailles, 3
- Tribology, 235
- Tripropellant. *See* Propellant
- True anomaly, 64
- True longitude, 67
- Tsander, Fridrikh. *See* Zander, Friedrich
- Tsiolkovsky rocket equation. *See* Rocket equation
- Tsiolkovsky, Konstantin, 2, 178, 397
- Tundra orbit, 91
- Turbulent, 105
- laminar-turbulent transition, 105
- Two-body problem, 62
- equation of motion, 63
  - solution of, 62
- Two-line element, 30
- BSTAR, 30
- U**
- Ultraviolet (UV), 39
- Uncertainty, 708
- quantification, 708
- Unified Modeling Language (UML). *See* Programming language
- Universal gravitation constant. *See* Gravitational constant
- UoSAT (spacecraft), 335, 348
- US Department of Defense Gravity Experiment (DODGE) satellite, 335
- User segment. *See* Payload data ground segment
- USML. *See* International Traffic in Arms Regulations (ITAR)
- V**
- V&V. *See* Verification & validation
- V-2 (rocket), 4
- van Allen belts, 42
- Variable Specific Impulse Magnetic Rocket. *See* VASIMR
- VASIMR (Variable Specific Impulse Magnetic Rocket), 303
- Vega (rocket), 202, 283, 287
- Vega (spacecraft), 99, 532
- Vehicle suspension
- Rocker-Bogie, 547
- Venera (spacecraft), 99
- Verification & validation, 155, 702
- acceptance, 210, 214
  - accreditation, 157
  - acoustic test, 215
  - burst pressure tests, 217
  - definition of, 156
  - deployable structures, 240
  - dynamic test loads, 208
  - flight acceptance, 210
  - flight software. *See* flight software, testing
  - ground segment, 586
  - inflatable, 245
  - in-orbit testing (IOT), 577
  - mechanisms, 237
  - micro-vibration testing, 216
  - modal survey test, 215
  - proto-flight, 210
  - qualification, 210, 214
  - random test, 215
  - safety factor, 210
  - shock test, 216
  - sine vibration test, 215
  - static load test, 214
  - structure, 211
  - system verification test (SVT), 591
  - test plan, 155
  - thermal balance testing, 393

- thermal control, 392
- thermal test facilities, 393
- thermal-vacuum testing, 393
- thermo-elastic testing, 216
- ultimate, 210
- yield, 210
- Vernal equinox, 66
- Verne, Jules, 1, 2, 7
- Vernier thrusters, 173
- Viasat-1 (spacecraft), 14
- Vibration
  - control, 218, 554
  - isolation, 218
- Vibrational excitation, 109, 113
- Vieille, Paul, 187
- Vieille's law, 285
- View factors, 378
- Viking (spacecraft), 100, 546
  - descent propulsion system, 531
- Visual odometry, 563
- Vis-viva equation, 65
- von Braun, Wernher, 3, 179
- von Kármán ellipsoid, 25, 657
- von Kármán, Theodore, 25
- Voskhod (spacecraft), 101
- Vostok (spacecraft), 8, 101
- Voyager (spacecraft), 6, 17, 55
  - flight software, 472
- Vulcain 2, 185
  
- W**
- Warner diagram, 176
- Waste management, 504
- Water management, 494
  - microbial contamination, 494
  - microbial monitoring, 494
  - recycling, 499
- Waterfall model. *See* Systems engineering, waterfall model
- Waverider, 103
- Weather satellite. *See* Meteorology
- Welding. *See* Joining
- Weststar (spacecraft), 398
- Wheel-terrain interactions. *See* Terramechanics
- Whiffle tree, 214
- Whipple shield, 52
- Wide-field Infrared Survey Explorer (WISE), 129
- Wien's displacement law, 377
- Wind tunnel, 109
- Wire Gage number, 259
- Work breakdown structure (WBS), 160
  
- X**
- X-37, 101, 515, 520
- X-38. *See* International Space Station, Crew Return Vehicle (CRV)
- Xeus (spacecraft), 27
- XMM-Newton (spacecraft), 345
- X-Prize, 300
- X-rays, 40
  
- Y**
- Yuhangyuan, 12
  
- Z**
- Zander, Friedrich, 179
- Zero point of longitude, 66
- Ziegler-Nichols method. *See* Controller, proportional-integral-derivative (PID)
- Zodiacal light, 50