

References

1. Aldebaran robotics, <http://www.aldebaran-robotics.com>
2. Carnegie mellon university TARTAN RESCUE, <http://www.rec.ri.cmu.edu/projects/tartanrescue/>
3. DARPA Robotics Challenge, <http://www.theroboticschallenge.org>
4. Products of Kondo Kagaku Co. Ltd. (in Japanese), <http://kondo-robot.com/product/>
5. Broad Agency Announcement DARPA Robotics Challenge, DARPA-BAA-12-39 (April 2012)
6. Takanishi, A., Ishida, M., Yamazaki, Y., Kato, I.: The realization of dynamic walking by the biped walking robot. In: Proceedings of IEEE Int. Conf. on Robotics and Automation, pp. 459–466 (1985)
7. Goswami, A., Espiau, B., Keramane, A.: Limit cycles in a passive compass gait biped and passivity-mimicking control laws. *Journal of Autonomous Robots* 4(3), 273–286 (1997)
8. Harashima, A.: *Mechanics I, II. Shokabo* (1972) (in Japanese)
9. Herdt, A., Diedam, H., Wieber, P.-B., Dimitrov, D., Mombaur, K., Diehl, M.: Online walking motion generation with automatic footstep placement. *Advanced Robotics* 24, 719–737 (2010)
10. Takanishi, A., Ishida, M., Yamazaki, Y., Kato, I.: The realization of dynamic walking by the biped walking robot WL-10RD. In: Proceedings of 1985 International Conference on Advanced Robotics (ICAR), pp. 459–466 (1985)
11. Takanishi, A., Egusa, Y., Tochizawa, M., Takeya, T., Kato, I.: Realization of dynamic biped walking stabilized with trunk motion. In: Proceedings of RoManSy 7: 7th CISM-IFTOMM Symposium on Theory and Practice of Robots and Manipulators, pp. 68–79 (1990)
12. Cho, B.K., Park, S.S., Oh, J.H.: Controllers for running in the humanoid robot, HUBO. In: Proceedings of IEEE-RAS International Conference on Humanoid Robots, pp. 385–390 (2009)
13. Lim, B., Lee, J., Kim, J., Lee, M., Kwak, H., Kwon, S., Lee, H., Kwon, W., Roh, K.: Optimal gait primitives for dynamic bipedal locomotion. In: Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems, pp. 4013–4018 (2012)
14. Thuilot, B., Goswami, A., Espiau, B.: Bifurcation and chaos in a simple passive bipedal gait. In: Proceedings of the 1997 IEEE International Conference on Robotics & Automation, pp. 792–798 (1997)

15. DLR (German Aerospace Center). The robot is complete – arms and hands for TORO, the walking machine,
http://www.dlr.de/en/desktopdefault.aspx/tabid-10080/150_read-6601/year-2013/150_page-5/#gallery/9208
16. Ott, C., Baumgärtner, C., Mayr, J., Fuchs, M., Burger, R., Lee, D., Eiberger, O., Albu-Schäffer, A., Grebenstein, M., Hirzinger, G.: Development of a biped robot with torque controlled joints. In: Proceedings of IEEE-RAS International Conference on Humanoid Robots (Humanoids 2010), pp. 167–173 (2010)
17. TOYOTA MOTOR CORPORATION. Partner robot,
http://www.toyota-global.com/innovation/partner_robot/
18. Craig, J.J.: Introduction to Robotics: Mechanics and Control, 2nd edn. Addison-Wesley Publishing Company, Inc. (1989)
19. Witt, D.C.: A feasibility study on powered lower-limb prostheses. In: Proceedings of Symposium on the Basic Problems of Prehension, Movement and Control of Artificial Limbs, pp. 1–8 (1968)
20. de Garis, H.: Gennets: Genetically programmed neural net. In: Proceedings of IJCNN 1991 Singapore. In: Int. Joint Conf. on Neural Networks, pp. 1391–1396 (1991)
21. Hobbelen, D.G.E., Wisse, M.: Active lateral placement for 3D stabilization of a limit cycle walker prototype. International Journal of Humanoid Robotics 6(1), 93–116 (2009)
22. Lahr, D., Hong, D.: The development of CHARLI: A linear actuated powered full size humanoid robot. In: Proceedings of the International Conference on Ubiquitous Robots and Ambient Intelligence (URAI 2008) (November 2008)
23. Nakano, E., Komoriya, K., Yoneda, K., Takahashi, T.: Advanced Mobile Robotics. Kodansha Scientific (2004) (in Japanese)
24. Westervelt, E.R., Grizzle, J.W., Chevallereau, C., Choi, J.H., Morris, B.: Feedback Control of Dynamic Bipedal Robot Locomotion. CRC Press (2007)
25. Neo, E.S., Yokoi, K., Kajita, S., Kanehiro, F., Tanie, K.: A switching command-based whole-body operation method for humanoid robots. IEEE/ASME Trans. Mechatronics 10(5), 2569–2574 (2005)
26. Neo, E.S., Yokoi, K., Kajita, S., Tanie, K.: A framework for remote execution of whole body motions for humanoid robots. In: Proceedings of IEEE-RAS Int. Conf. Humanoid Robots, pp. 58–68 (2004)
27. Miura, H., et al.: Collected articles of biped robots (Nisoku-hokou robot siryou-shuu), 2nd edn. Report of Grants-in-Aid for Scientific Research. Ministry of Education
28. Kanehiro, F., Kaneko, K., Fujiwara, K., Harada, K., Kajita, S., Yokoi, K., Hirukawa, H., Akachi, K., Isozumi, T.: The first humanoid robot that has the same size as a human and that can lie down and get up. In: Proceedings of IEEE Int. Conf. on Robotics and Automation, pp. 1633–1639 (2003)
29. Asano, F., Yamakita, M.: Virtual gravity and coupling control for robotic gait synthesis. IEEE Transactions on Systems, Man and Cybernetics, Part A: Systems and Humans 31(6), 737–745 (2001)
30. Roy Featherstone. Robot Dynamics Algorithms. Kluwer Academic Publishers (1987)

31. Kanehiro, F., Hirukawa, H., Kajita, S.: OpenHRP: Open Architecture Humanoid Robotics Platform. *The International Journal of Robotics Research* 23(2), 155–165 (2004)
32. Miyazaki, F., Arimoto, S.: A control theoretic study on dynamical biped locomotion. *Journal of Dynamic Systems, Measurement, and Control* 102, 233–239 (1980)
33. Fujisoft, Inc. PALRO (in Japanese), <http://palro.jp/>
34. Metta, G., Sandini, G., Vernon, D., Natale, L., Nori, F.: The iCub humanoid robot: an open platform for research in embodied cognition. In: *Proceedings of the 8th Workshop on Performance Metrics for Intelligent Systems (PerMIS 2008)*, pp. 50–56 (2008)
35. Nelson, G., Saunders, A., Neville, N., Swilling, B., Bondaryk, J., Billings, D., Lee, C., Playter, R., Raibert, M.: PETMAN: A humanoid robot for testing chemical protective clothing. *Journal of the Robotics Society of Japan* 30(4), 372–377 (2012)
36. Goldstein, H.: *Classical Mechanics*, 2nd edn. Addison-Wesley (1980)
37. Goswami, A.: Postural Stability of Biped Robots and the Foot-Rotation Indicator(FRI) Point. *Int. J. of Robotics Research* 18(6), 523–533 (1999)
38. Hirukawa, H., Kanehiro, F., Kaneko, K., Kajita, S., Morisawa, M.: Dinosaur robotics for entertainment applications. *IEEE Robotics & Automation Magazine* 14(3), 43–51 (2007)
39. Hirukawa, H., Hattori, S., Harada, K., Kajita, S., Kanehiro, F., Fujiwara, K., Morisawa, M.: A Universal Stability Criterion of the Foot Contact of Legged Robots - Adios ZMP. In: *Proceedings of IEEE International Conference on Robotics and Automation (ICRA 2006)*, pp. 1976–1983 (2006)
40. Kondo, H., Shimizu, J., Hashimoto, K., Hattori, K., Nishikawa, K., Takezaki, Y., Hama, Y., Yoshimura, Y., Lim, H., Takanishi, A.: Realization of Walking by FFT-based Online Pattern Generation. In: *Proceedings of the 12th International Conference on Climbing and Walking Robots and the Support Technologies for Mobile Machines (CLAWAR 2009)*, pp. 615–622 (September 2009)
41. Miura, H., Shimoyama, I.: Dynamic walk of a biped. *International Journal of Robotics Research* 3(2), 60–74 (1984)
42. Hyon, S.-H.: Compliant terrain adaptation for biped humanoids without measuring ground surface and contact forces. *IEEE Transactions on Robotics* 25(1), 171–178 (2009)
43. Honda Motor Co. Inc. NEWS: Honda unveils all-new ASIMO with significant advancements, http://asimo.honda.com/news/honda-unveils-all-new-asimo-with-significant-advancements/newsarticle_0125/
44. Englsberger, J., Ott, C., Roa, M.A., Albu-Schäffer, A., Hirzinger, G.: Bipedal walking control based on capture point dynamics. In: *Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS 2011)* (2011)
45. Jet Propulsion Laboratory (Caltech). DARPA robotics challenge, RoboSimian (track A), <http://www-robotics.jpl.nasa.gov/tasks/showTask.cfm?TaskID=236&tdaID=700043>

46. Furusho, J., Sano, A.: Sensor-based control of a nine-link biped. *International Journal of Robotics Research* 9(2), 83–98 (1990)
47. Furusho, J., Masubuchi, M.: A theoretically motivated reduced order model for the control of dynamic biped locomotion. *Journal of Dynamic Systems, Measurement, and Control* 109, 155–163 (1987)
48. Kuffner, J.J., LaValle, S.M.: RRT-connect: An efficient approach to single-query path planning. In: *Proceedings of IEEE Int. Conf. on Robotics & Automation*, pp. 995–1001 (2000)
49. Kuffner, J., Nishiwaki, K., Kagami, S., Inaba, M., Inoue, H.: Motion planning for humanoid robots under obstacle and dynamic balance constraints. In: *Proceedings of IEEE Int. Conf. on Robotics & Automation*, pp. 692–698 (2001)
50. Pratt, J., Carff, J., Drakunov, S., Goswami, A.: Capture point: A step toward humanoid push recovery. In: *Proceedings of IEEE-RAS International Conference on Humanoid Robots (Humanoids 2006)*, pp. 200–207 (2006)
51. Urata, J., Nishiwaki, K., Okada, K., Kagami, S., Inaba, M.: Online decision of foot placement using singular LQ preview regulation. In: *Proceedings of IEEE-RAS International Conference on Humanoid Robots (Humanoids 2011)*, pp. 13–18 (2011)
52. Urata, J., Nishiwaki, K., Nakanishi, Y., Okada, K., Kagami, S., Inaba, M.: Online walking pattern generation for push recovery and minimum delay to commanded changed of direction and speed. In: *Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 3411–3416 (2012)
53. Yamaguchi, J., Soga, E., Inoue, S., Takanishi, A.: Development of a bipedal humanoid robot - control method of whole body cooperative dynamic biped walking. In: *Proceedings of IEEE Int. Conf. on Robotics and Automation*, pp. 368–374 (1999)
54. Aida, K., Kitamori, T.: A relation between optimal preview control and least-squares smoothing and a scheme of smoothed inverse system. *Transactions of SICE* 25(4), 419–426 (1989) (in Japanese)
55. Kailath, T.: *Linear Systems*. Prentice-Hall, Inc. (1980)
56. Kawada Industries, Inc. Humanoid robot HRP-4,
<http://global.kawada.jp/mechatronics/hrp4.html>
57. Doya, K.: Walking pattern learning robot (hokou pattern gakushu robot). *Journal of the Robotics Society of Japan* 8(3), 117 (1990) (in Japanese)
58. Fujiwara, K., Kanehiro, F., Kajita, S., Yokoi, K., Saito, H., Harada, K., Kaneko, K., Hirukawa, H.: The first human-size humanoid that can fall over safely and stand-up again. In: *Proceedings of IEEE/RSJ Int. Conf. on Intelligent Robots and Systems*, pp. 1920–1926 (2003)
59. Hara, K., Yokogawa, R., Sadao, K.: Dynamic control of biped locomotion robot for disturbance on lateral plane. In: *Proceedings of the Japan Society of Mechanical Engineers 72nd Kansai Meeting*, vol. 38, pp. 10–37 (1998) (in Japanese)
60. Harada, K., Kajita, S., Kaneko, K., Hirukawa, H.: An analytical method for real-time gait planning for humanoid robots. *International Journal of Humanoid Robotics* 3(1), 1–19 (2006)

61. Hase, K., Yamazaki, N.: Computer simulation study of human locomotion with a three-dimensional entire-body neuro-musculo-skeletal model. *JSME International Journal, Series C* 45(4), 1040–1072 (2002)
62. Hirai, K., Hirose, M., Haikawa, Y., Takenaka, T.: The development of honda humanoid robot. In: *Proceedings of the 1998 IEEE International Conference on Robotics & Automation*, pp. 1321–1326 (1998)
63. Kaneko, K., Kanehiro, F., Morisawa, M., Miura, K., Nakaoka, S., Kajita, S.: Cybernetic human HRP-4C. In: *Proceedings of 9th IEEE-RAS International Conference on Humanoid Robots*, pp. 7–14 (2009)
64. Kaneko, K., Kanehiro, F., Morisawa, M., Tsuji, T., Miura, K., Nakaoka, S., Kajita, S., Yokoi, K.: Hardware improvement of cybernetic human HRP-4C towards entertainment use. In: *Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 4392–4399 (2011)
65. Kaneko, K., Kanehiro, F., Kajita, S., Hirukawa, H., Kawasaki, T., Hirata, M., Akachi, K., Isozumi, T.: Humanoid robot HRP-2. In: *Proceedings of IEEE International Conference on Robotics and Automation*, pp. 1083–1090 (2004)
66. Kaneko, K., Kanehiro, F., Kajita, S., Yokoyama, K., Akachi, K., Kawasaki, T., Ota, S., Isozumi, T.: Design of prototype humanoid robotics platform for HRP
67. Kaneko, K., Harada, K., Miyamori, G., Akachi, K.: Humanoid robot HRP-3. In: *Proceedings of 2008 IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 2471–2478 (2008)
68. Koganezawa, K., Takansi, A., Sugano, S. (eds.): *Development of Waseda robot — The study of biomechanisms at Kato Laboratory*, 3rd edn. Ichiro Kato Laboratory (1991) (in Japanese)
69. Miura, K., Morisawa, M., Kanehiro, F., Kajita, S., Kaneko, K., Yokoi, K.: *Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 4428–4435 (2011)
70. Nagasaka, K., Inaba, M., Inoue, H.: Stabilization of dynamic walk on a humanoid using torso position compliance control. In: *Proceedings of 17th Annual Conference of the Robotics Society of Japan*, pp. 1193–1194 (1999) (in Japanese)
71. Narioka, K., Tsugawa, S., Hosoda, K.: 3D limit cycle walking of musculoskeletal humanoid robot with flat feet. In: *Proceedings of the IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 4676–4681 (2009)
72. Nishiwaki, K., Kagami, S.: Sensor feedback modification methods that are suitable for the short cycle pattern generation of humanoid walking. In: *Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS 2007)*, pp. 4214–4220 (2007)
73. Nishiwaki, K., Kagami, S., Kuniyoshi, Y., Inaba, M., Inoue, H.: Online generation of desired walking motion on humanoid based on a fast method of motion pattern that follows desired ZMP. In: *Proceedings of 19th Annual Conference of Robotics Society of Japan*, pp. 985–986 (2001) (in Japanese)
74. Osuka, K., Kirihara, K.: Motion analysis and experiments of passive walking robot Quartet II. In: *Proceedings of IEEE International Conference on Robotics & Automation*, pp. 3052–3056 (2000)
75. Sorao, K., Murakami, T., Ohnishi, K.: Walking control of a biped robot by impedance control. *Transaction of IEE of Japan* 117-D(10), 1227–1233 (1997) (in Japanese)

76. Yamane, K.: *Simulating and Generating Motions of Human Figures*. Springer (2004)
77. Yamane, K., Nakamura, Y.: Dynamics computation of structure-varying kinematic chains for motion synthesis of humanoid. In: *Proceedings of IEEE International Conference on Robotics and Automation (ICRA1999)*, pp. 714–721 (1999)
78. Yamane, K., Nakamura, Y.: Efficient parallel dynamics computation of human figures. In: *Proceedings of the 2002 IEEE International Conference on Robotics & Automation*, pp. 530–537 (2002)
79. Yamane, K., Nakamura, Y.: Dynamics filter—concept and implementation of online motion generator for human figures. *IEEE Trans. on Robotics & Automation* 19(3), 421–432 (2003)
80. Yoneda, K., Hirose, S.: Tumble stability criterion of integrated locomotion and manipulation. In: *Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems 1996 (IROS 1996)*, pp. 870–876 (1996)
81. Vukobratović, M., Borovac, B., Surla, D., Stokić, D.: *Biped Locomotion — Dynamics, Stability, Control and Application*. Springer (1990)
82. Hayase, M., Ichikawa, K.: Optimal servosystem utilizing future value of desired function. *Transactions of SICE* 5(1), 86–94 (1969) (in Japanese)
83. Hirose, M., Takenaka, T., Gomi, H., Ozawa, N.: Humanoid robot. *Journal of the Robotics Society of Japan* 15(7), 983–985 (1997) (in Japanese)
84. Kumagai, M., Tomita, H., Emura, T.: Sensor-based walking of human type biped robot – 2nd report, active control of body attitude. In: *Proceedings of JSME Conference on Robotics and Mechatronics (ROBOMECH 1998)*, pp. 2CIII-2 (1998) (in Japanese)
85. Morisawa, M., Kanehiro, F., Kaneko, K., Mansard, N., Sola, J., Yoshida, E., Yokoi, K., Laumond, J.-P.: Combining suppression of the disturbance and reactive stepping for recovering balance. In: *Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 3150–3156 (2010)
86. Tomizuka, M., Rosenthal, D.E.: On the optimal digital state vector feedback controller with integral and preview actions. *Transaction of the ASME, Journal of Dynamic Systems, Measurement, and Control* 101, 172–178 (1979)
87. Uchiyama, M., Nakamura, Y.: *Iwanami Lecture of Robotics 2: Robot Motion*. Iwanami Shoten (2004) (in Japanese)
88. Vukobratović, M., Borovac, B.: Zero-Moment Point — Thirty Five Years on its Life. *International Journal of Humanoid Robotics* 1(1), 157–173 (2004)
89. Vukobratović, M., Borovac, B., Šurdilović, D.: Zero-moment point — proper interpretation and new applications. In: *Proceedings of IEEE-RAS Intr. Conf. on Humanoid Robots*, pp. 237–244 (2001)
90. Vukobratović, M., Stepanenko, J.: On the stability of anthropomorphic systems. *Mathematical Biosciences* 15, 1–37 (1972)
91. Spong, M.W., Bullo, F.: Controlled symmetries and passive walking. *IEEE Transactions on Automatic Control* 50(7), 1082–1085 (2005)
92. Walker, M.W., Orin, D.E.: Efficient dynamics computer simulation of robotic mechanisms. *Journal of Dynamic Systems, Measurement, and Control* 104, 205–211 (1982)

93. Nagasaka, K.: Whole body motion generation for humanoid robot by dynamics filter (Dourikigaku-filter niyoru ningengata-robot no zenshin-unndou seisei). The University of Tokyo (2000) (in Japanese)
94. Napoleon, N., Izu, H., Nakaura, S., Sampei, M.: An analysis of ZMP control problem of humanoid robot with compliances in sole of the foot. In: Proceedings of the 16th IFAC World Congress (2005)
95. Sugimoto, N., Morimoto, J., Hyon, S.-H., Kawato, M.: The eMOSAIC model for humanoid robot control. *Neural Networks* 30(0), 8–19 (2012)
96. Paul, R.P.: *Robot Manipulators: Mathematics, Programming, and Control*. MIT Press (1981)
97. Raibert, M.H.: *Legged robots that balance*. MIT Press, Cambridge (1986)
98. Featherstone, R.: A divide-and-conquer articulated-body algorithm for parallel $O(\log(n))$ calculation of rigid-body dynamics. *International Journal of Robotics Research* 18(9), 867–892 (1999)
99. Featherstone, R.: The acceleration vector of a rigid body. *The International Journal of Robotics Research* 20(11), 841–846 (2001)
100. Katoh, R., Mori, M.: Control method of biped locomotion giving asymptotic stability of trajectory. *Automatica* 20(4), 405–414 (1984)
101. Murray, R.M., Li, Z., Sastry, S.S.: *A Mathematical Introduction to Robotics Manipulation*. CRC Press (1994)
102. PAL Robotics. REEM-C, <http://www.pal-robotics.com/robots/reem-c>
103. ROBOTIS. Open platform humanoid project, http://www.robotis.com/xen/darwin_en
104. Rockafellar, R.T.: *Convex Analysis*. Princeton University Press (1970)
105. Feynman, R.P., Leighton, R.B., Sands, M.L.: ch. 52. Addison-Wesley (1965)
106. Tedrake, R., Zhang, T.W., Seung, H.S.: Stochastic policy gradient reinforcement learning on a simple 3D biped. In: Proceedings of 2004 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS 2004), pp. 2849–2854 (2004)
107. Hyon, S.-H., Morimoto, J., Kawato, M.: From compliant balancing to dynamic walking on humanoid robot: Integration of CNS and CPG. In: Proceedings of 2010 IEEE International Conference on Robotics and Automation, pp. 1084–1085 (2010)
108. Kajita, S., Kanehiro, F., Fujiwara, K., Harada, K., Yokoi, K., Hirukawa, H.: Resolved momentum control: Humanoid motion planning based on the linear and angular momentum. In: Proceedings of IEEE/RSJ Int. Conf. on Intelligent Robots and Systems, pp. 1644–1650 (2003)
109. Arimoto, S., Miyazaki, F.: A hierarchical control scheme for biped robots. *Journal of the Robotics Society of Japan* 1(3), 167–175 (1983) (in Japanese)
110. Collins, S., Ruina, A., Tedrake, R., Wisse, M.: Efficient bipedal robots based on passive-dynamic walkers. *Science* 307, 1082–1085 (2005)
111. Collins, S.H., Wisse, M., Ruina, A.: A three-dimensional passive-dynamic walking robot with two legs and knees. *International Journal of Robotics Research* 20(7), 607–615 (2001)
112. Kagami, S., Kanehiro, F., Tajima, Y., Inaba, M., Inoue, H.: Autobalancer: An online dynamic balance compensation scheme for humanoid robot. In: Proceedings of 4th Int. Workshop on Algorithmic Foundations on Robotics, pp. SA79–SA89 (2000)

113. Kagami, S., Nishiwaki, K., Kuffner Jr., J.J., Kuniyoshi, Y., Inaba, M., Inoue, H.: Design and implementation of software research platform for humanoid robotics: H7. In: Proceedings of the 2001 IEEE-RAS International Conference on Humanoid Robots, pp. 253–258 (2001)
114. Kagami, S., Nishiwaki, K., Kitagawa, T., Sugihara, T., Inaba, M., Inoue, H.: A fast generation method of a dynamically stable humanoid robot trajectory with enhanced ZMP constraint. In: Proceedings of IEEE International Conference on Humanoid Robot (2000)
115. Kajita, S., Tani, K.: Study of dynamic walk control of a biped robot on rugged terrain — derivation and application of the linear inverted pendulum mode. *Journal of Robotics and Mechatronics* 5(6), 516–523 (1993)
116. Kajita, S., Tani, K.: Experimental study of biped dynamic walking. *IEEE Control Systems* 16(1), 13–19 (1996)
117. Kajita, S., Morisawa, M., Miura, K., Nakaoka, S., Harada, K., Kaneko, K., Kanehiro, F., Yokoi, K.: Biped walking stabilization based on linear inverted pendulum tracking. In: Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS 2010), pp. 4489–4496 (2010)
118. Kajita, S., Matsumoto, O., Saigo, M.: Real-time 3D walking pattern generation for a biped robot with telescopic legs. In: Proceedings of the IEEE International Conference on Robotics and Automation, pp. 2299–2306 (2001)
119. Lohmeier, S., Buschmann, T., Ulbrich, H.: Humanoid robot LOLA. In: Proceedings of IEEE International Conference on Robotics and Automation, pp. 775–780 (2009)
120. Masaki, S., Shimizu, M., Endo, K., Furuta, T., Okumura, Y., Tawaara, T., Kitano, H.: A foot sensor using multiple independent force sensors for compact-sized humanoid robots. In: Proceedings of ROBOMECH (2003) (in Japanese)
121. Nakaoka, S., Nakazawa, A., Yokoi, K., Hirukawa, H., Ikeuchi, K.: Generating whole body motions for a biped humanoid robot from captured human dances. In: Proceedings of IEEE Int.Conf. on Robotics & Automation, pp. 3905–3910 (2003)
122. Nakaoka, S., Kajita, S., Yokoi, K.: Intuitive and flexible user interface for creating whole body motions of biped humanoid robots. In: Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems, pp. 1675–1682 (2010)
123. Nozaawa, S., Ueda, R., Kakiuchi, Y., Okada, K., Inaba, M.: A full-body motion control method for a humanoid robot based on on-line estimation of the operational force of an object with an unknown weight. In: Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems, pp. 2684–2691 (2010)
124. Sugihara, T.: Solvability-unconcerned inverse kinematics based on Levenberg-Marquardt method with robust damping. In: Proceedings of 9th IEEE-RAS International Conference on Humanoid Robots, pp. 555–560 (2009)
125. Sugihara, T.: Standing Stabilizability and Stepping Maneuver in Planar Bipedalism based on the Best COM-ZMP Regulator. In: IEEE International Conference on Robotics and Automation (ICRA 2009) (2009)
126. Taga, G., Yamaguchi, Y., Shimizu, H.: Self-organized control of bipedal locomotion by neural oscillators in unpredictable environment. *Biological Cybernetics* (65), 147–159 (1991)
127. Takano, M.: *Robot Kinematics*. Ohmsha (2004) (in Japanese)

128. Sheridan, T.B.: Three models of preview control. *IEEE Transaction on Human Factors in Electronics* 7(2), 91–108 (1966)
129. Furuta, T., Tawara, T., Okumura, Y., Shimizu, M., Shimomura, M., Endo, K., Yamanaka, S., Kitano, H.: Morph3: A compact-size humanoid robot system with acrobatic behavior capability. In: *Proceedings of ROBOMECH (2003)* (in Japanese)
130. Katayama, T., Ohki, T., Inoue, T., Kato, T.: Design of an optimal controller for a discrete time system subject to previewable demand. *International Journal of Control* 41(3), 677–699 (1985)
131. McGeer, T.: Passive dynamic walking. *The International Journal of Robotics Research* 9(2), 62–82 (1990)
132. McGeer, T.: Passive walking with knees. In: *Proceedings of IEEE Int. Conf. on Robotics & Automation*, vol. 3, pp. 1640–1645 (1990)
133. Mita, T., Yamaguchi, T., Kashiwase, T., Kawase, T.: Realization of a high speed biped using modern control theory. *International Journal of Control* 40(1), 107–119 (1984)
134. Sugihara, T., Nakamura, Y., Inoue, H.: Realtime humanoid motion generation through ZMP manipulation based on inverted pendulum control. In: *Proceedings of the IEEE International Conference on Robotics and Automation*, pp. 1404–1409 (2002)
135. Wampler, C.W.: Manipulator inverse kinematic solutions based on vector formulations and damped least-square methods. *IEEE Transactions on Systems, Man, and Cybernetics* 16(1), 93–101 (1986)
136. Press, W.H., Flannery, B.P., Teukolsky, S.A., Vetterling, W.T.: *Numerical Recipes in C*. Cambridge University Press (1988)
137. Wieber, P.-B.: Trajectory Free Linear Model Predictive Control for Stable Walking in the Presence of Strong Perturbations, pp. 137–142 (2006)
138. Yakamura, Y., Hanafusa, H.: Inverse kinematic solutions with singularity robustness for robot manipulator control. *Journal of Dynamic Systems, Measurement and Control* 108, 163–171 (1986)
139. Choi, Y., Kim, D., You, B.-J.: On the walking control for humanoid robot based on the kinematic resolution of COM Jacobian with embedded motion. In: *Proceedings of the 2006 IEEE International Conference on Robotics and Automation (ICRA 2006)*, pp. 2655–2660 (2006)
140. Fujimoto, Y., Kawamura, A.: Three dimensional digital simulation and autonomous walking control for eight-axis biped robot. In: *Proceedings of IEEE International Conference on Robotics and Automation (ICRA 1995)*, pp. 2877–2884 (1995)
141. Ikemata, Y., Sano, A., Fujimoto, H.: A physical principle of gait generation and its stabilization derived from mechanism of fixed point. In: *Proceedings of IEEE International Conference on Robotics & Automation*, pp. 836–841 (2006)
142. Ogura, Y., Shimomura, K., Kondo, H., Morishima, A., Okubo, T., Momoki, S., Lim, H., Takanishi, A.: Human-like walking with knee stretched, heel-contact and toe-off motion by a humanoid robot. In: *Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 3976–3981 (2006)

143. Okumura, Y., Tawara, T., Endo, K., Furuta, T., Shimzu, M.: Realtime ZMP compensation for biped walking robot using adaptive inertia force control. In: Proceedings of the 2003 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS 2003), pp. 335–339 (2003)
144. Yoshikawa, T.: Foundations of Robotics: Analysis and Control. MIT Press (1990)
145. Yoshino, R.: Stabilizing control of high-speed walking robot by walking pattern regulator. Journal of the Robotics Society of Japan 18(8), 1122–1132 (2000) (in Japanese)
146. Sumi, Y., Kawai, Y., Yoshimi, T., Tomita, F.: 3D object recognition in cluttered environments by segment-based stereo vision. Int. J. Computer Vision 46(1), 5–23 (2002)
147. Tamiya, Y., Inaba, M., Inoue, H.: Realtime balance compensation for dynamic motion of full-body humanoid standing on one leg. Journal of Robotics Society Japan 17(2), 268–274 (1999) (in Japanese)
148. Peng, Z., Fu, Y., Tang, Z., Huang, Q., Xiao, T.: Online walking pattern generation and system software of humanoid BHR-2. In: Proceedings of IEEE/RSJ International Conference on Intelligent Robot and Systems, pp. 5471–5476 (2006)

Index

- ∨ 33
- ∧ 33
- 3 axis force sensor 81
- 3D linear inverted pendulum 121
- 6 axis force/torque sensor 79

- absolute attitude 20
- absolute position 20
- absolute velocity 20
- Affine transformation matrix 23
- angular momentum 84, 87
- angular velocity 37
- angular velocity vector 29
- areal velocity 123
- articulated-body inertia 204
- ASIMO 3, 154
- attention point switching method 171
- auto-balancer 166

- basic equation of rotation 34
- BIPER-3 151
- BIPMAN2 158

- capture point 155
- cart-table model 138
- center of mass 83, 85
- center of pressure 72
- chain rule 25
- changing walk direction 132
- coarse-graining 107
- computed torque method 200
- conservation of angular momentum 123
- constraint plane 121
- convex hull 103
- convex set 102
- CPG 158

- cross product 29
- CW-2 154

- disturbance observer 153
- double support phase 134
- dynamic simulation 183
- dynamic walk 105
- dynamics filter 148
- dynamics filtering method 165

- Euler's equation 184
- Euler's formula 35
- EulerDynamics.m 186

- fall 85
- Featherstone 203
- force sensing register 80
- forward dynamics 201
- forward kinematics 47
- free fall 85

- gravitational acceleration 84
- ground projection of center of mass 71
- ground reaction moment 85

- H5 80, 151
- H6 167
- H7 151
- homogeneous transformation matrix 23
- HRP-1 9
- HRP-2 19, 148, 174
- HRP-2L 137
- HRP-2P 177, 180, 183
- Humanoid Robotics Project of METI 9

- hyperbola 125
- Idata II 151
- impact reduction control 177
- industrial robot 69
- industrial robot manipulators 159
- inertia tensor 90
- inertial force 98
- initial condition 111
- InvDyn.m 209
- inverse dynamics 200
- inverse kinematics 49
- inverted pendulum 107
- IZMP 101
- jacobian 56
- Kenkyaku 1 153
- Kenkyaku-2 151
- kinematics 19
- lateral plane 147
- learning system 158
- linear velocity 37
- local coordinates 21
- MakeRigidBody.m 208
- MakeTop.m 208
- MakeZylinder.m 209
- Matlab 43
- matrix derivative 33
- matrix exponential 35
- matrix logarithm 35
- Meltran II 119, 151
- method of walking pattern generation 131
- MK.3 152
- model ZMP control 152, 155
- momentum 83, 86
- momentum control 172
- morph3 81, 152
- motion capture system 162
- Newton-Euler equations 190
- nonlinear oscillator 158
- one dimensional force sensor 80
- orbital energy 112
- orthogonal matrices 28
- P2 2, 154
- P3 3, 154
- passive dynamic walker 157
- pin/drag interface 163
- preview control 143
- pseudovector 31
- recursive call 44
- reinforcement learning 158
- rigid body 89
- Rodrigues' formula 35
- roll-pitch-yaw notation 27
- rotation matrix 25
- RRT 164
- Rutherford scattering 123
- sagittal plane 147
- SE3dynamcis.m 193
- SE3exp.m 190
- semi-passive dynamic walker 158
- ShowObject.m 207
- singular posture 61
- skew symmetric matrix 33
- spatial velocity 187
- stabilizer 106, 149
- stand up 180
- state space representation 142
- static walk 105
- support polygon 70
- teaching pendant 159
- TopForce.m 194
- tracking control problem 144
- tree structure 41
- tridiagonal matrix 141
- trunk motion compensation algorithm 167
- trunk position compliance control 180
- unit vector method 201
- WABIAN 169
- walk 105
- walk parameter 127
- walk primitive 126
- walking pattern 105
- walking pattern generator 106
- whole body motion 159
- WL-10RD 151
- world coordinates 19
- ZMP 69, 75
- ZMP equation 138