

---

## Biosystematic Index

- A**  
*Abeoforma whisleri*, 11  
*Abies*, 34  
*Abradeosporangium*, 219  
*Absidia*, 234  
*Absidia glauca*, 214  
Absidiaceae, 219  
*Absidia* s.s., 219, 234  
Absidioideae, 219  
*Acaromyces*, 301, 305, 309, 315  
*Acaromyces ingoldii*, 301  
*Acaulopage*, 220, 236  
    *A. lophospora*, 236  
    *A. pectospora*, 235  
*Acaulospora*, 255, 264  
Acaulosporaceae, 260  
*Achlya*, 49–51, 62, 65  
    *A. irregularis*, 63  
    *A. racemosa*, 47  
Achlyaceae, 51, 62, 63, 65  
Acrasea, 22  
Acrasidae, 22  
Acrasiomycota, 21–34  
*Acrasis*, 11, 22, 23  
    *A. granulata*, 22  
    *A. helenhemmesae*, 22  
    *A. rosea*, 22, 23  
Acrididae, 210  
*Actinomortierella*, 219  
*Actinomucor*, 219  
*Acytostelium*, 26  
*Aegerita tortuosa*, 395  
*Aenigmatomyces*, 220, 237  
Agaricaceae, 410  
Agaricales, 409  
Agaricoid clade, 410  
Agaricomycetes, 373  
Agaricomycetidae, 405  
Agaricomycotina, 271, 276, 297, 298, 321, 357  
Agaricostilbales, 284  
Agaricostilbomycetes, 281, 284–285  
*Agaricostilbum*, 278, 284  
    *A. palmicola*, 284  
    *A. pulcherrimum*, 280, 284  
*Agaricus*, 409  
*Agaricus bisporus*, 373  
*Ahmadiago*, 311  
Albatrellaceae, 405  
*Albatrellus*, 404  
Albuginaceae, 50, 51, 70, 83  
Albuginales, 51, 66, 69–71, 84  
*Albugo*, 40, 49–51, 69, 70, 82, 83  
    *A. candida*, 66  
    *A. laibachii*, 40, 71  
Alismataceae, 309  
*Allantomyces*, 218, 231  
*Allochytridium*, 157, 158  
*Alloclavaria*, 396  
*Allomyces*, 179, 182, 185  
*Alogomyces*, 158, 159  
*Althornia*, 44  
Althornidiaceae, 44  
Amanitaceae, 411  
*Amanita muscaria*, 409  
*Amanita phalloides*, 374  
Ambisporaceae, 261  
Amoebae, 235, 236  
*Amoeba proteus*, 236  
Amoebidales, 210  
*Amoebidium*, 6

- Amoebophilus*, 220, 236  
*Amoebophilus simplex*, 236  
 Amoebozoa, 11, 21–34  
*Amphifila*, 44, 46  
 Amphifilaceae, 44  
*Amphimedon queenslandica*, 9  
 Amylocorticiaceae, 407  
 Amylocorticiales, 406  
*Amylocorticiellum*, 406  
*Amylocorticium*, 406  
*Amylomyces*, 220  
 Anacardiaceae, 309  
*Anaeromyces*, 164  
 Anarthriaceae, 311, 320  
 Ancylistaceae, 218, 222, 223  
 Ancylistales, 218  
*Ancylistes*, 215, 218, 222, 223, 238  
 Ancylistineae, 218  
*Anisolpidium*, 48  
*Anisolpidium ectocarpii*, 47, 48, 80  
*Anomalomyces*, 311, 320  
*Anomoloma*, 406  
*Anomoporia*, 406  
*Antherospora*, 310, 318  
*Anthracoystis*, 311, 320  
*Anthracoidea*, 296, 299, 300, 310, 320, 321  
 Anthracoideaceae, 310, 319–321  
*Antrodia* clade, 399  
*Aphanodictyon*, 49, 50  
*Aphanomyces*, 49–51, 58, 61, 62, 64  
     *A. amphigynus*, 61  
     *A. astaci*, 40  
*Aphanomycopsis*, 49–51, 59, 60  
*Aphanomycopsis sexualis*, 60, 81  
 Aphididae, 210  
 Aphids, 210  
*Aplanes*, 49–51, 65  
 Aplanochytriaceae, 46  
 Aplanochytridiaceae, 44  
*Aplanochytrium*, 44–46  
*Aplanopsis*, 51, 65  
*Aplectosoma*, 220  
*Apodachlya*, 49, 50, 51, 59, 79  
*Apodachlya pyrifer*, 60  
*Apodachlyella*, 49, 50, 51, 59, 60, 81  
 Apodachlyellaceae, 50  
*Apophysomyces*, 212, 220, 234  
*Appianoporites vancouverensis*, 387  
*Apterivorax*, 218  
*Aqualinderella*, 49–51  
*Aquamortierella*, 219, 233  
*Aquastella*, 64  
*Arabidopsis*, 40  
*Arabidopsis thaliana*, 71  
 Araceae, 309, 310  
*Araiospora*, 49–51, 69, 82  
*Araiospora pulchra*, 66  
 Araliaceae, 310  
 Araucariaceae, 311  
*Archaeomarasmius leggetti*, 386–387  
 Archaeosporaceae, 256, 261  
 Archaeosporales, 260–261  
*Arcticomycetes*, 309, 315  
*Arcyria*, 27, 33  
 Arecaceae, 309, 310  
 Arizonaphlyctidaceae, 161  
*Arizonaphlyctis*, 161  
*Arkaya*, 159  
*Arrhytidia*, 366  
*Artocarpus integer*, 211–212  
*Artomyces*, 404  
 Ascomycota, 215, 230, 283, 284, 288, 289, 298  
*Asellaria*, 218, 230  
     *A. jatibonicua*, 230  
     *A. ligiae*, 225, 230  
 Asellariaceae, 218, 230  
 Asellariales, 209–210, 216–218, 225, 230, 239  
 Asparagaceae, 310, 311, 318  
 Asteridae, 314  
*Asterophlyctis*, 156  
*Asterostroma*, 404  
*Astraeus*, 407  
*Athelia*, 406  
 Atheliales, 406  
*Athelopsis*, 406  
 Atkinisellaceae, 51  
*Atkinsiella*, 49–51, 55, 58, 82  
*Atkinsiella dubia*, 58, 60  
 Atkinsiellaceae, 58  
 Atkinsiellales, 51, 58  
*Atractiella*, 280, 281, 285  
 Atractiellales, 274, 285  
*Atractiellales sensu lato*, 275  
 Atractiellomycetes, 276, 281, 285  
*Atractocolax*, 287  
*Aurantiochytrium*, 44, 46  
*Aurantiosporium*, 281, 297  
*Aureococcus*, 40

- Auricularia auricula-judae*, 391  
 Auriculariales, 274, 283, 285, 332, 390  
*Auriculibuller*, 334  
*Auriculosocypha*, 289  
 Auriscalpiaceae, 405  
*Auriscalpium*, 404  
*Austrobasidium*, 309, 315  
*Austrogautieria*, 394  
*Austrosmittium*, 218, 231, 238  
*Azygozygum*, 219
- B**
- Backusella*, 219, 228  
 Backusellaceae, 219  
*Bactromyces*, 218  
*Baetimyces*, 218  
*Ballocephala*, 218, 219, 230  
*Baltomyces*, 218, 230  
*Bandoniozyma*, 348  
*Bankera*, 399  
 Bankeraceae, 400  
*Bannoa*, 286  
*Bannoa hahajimensis*, 286  
*Barbatospora*, 218, 230  
*Barbeyella minutissima*, 34  
*Bartheletia*, 351  
 Basidiobolaceae, 218, 222, 223  
 Basidiobolales, 210, 215, 217, 218, 223  
 Basidiobolomycetes, 218, 221, 222  
*Basidiobolus*, 10, 210, 211, 215, 217, 218, 221–223, 236, 238, 239  
*Basidiobolus ranarum*, 212, 222, 223  
*Basidiodendron*, 390  
*Basidiolum fimbriatum*, 237  
 Basidiomycota, 215, 271, 295  
*Basidiophora*, 49, 50, 52, 76  
*Basidophora entospora*, 69  
*Basidiopycnis*, 285  
*Batkoa*, 218  
*Batrachochytrium dendrobatidis*, 9, 146, 152, 167  
*Bauerago*, 287, 297  
*Bdellospora*, 220  
*Beenakia*, 393  
 Beenakiaceae, 394  
*Benjaminiella*, 220, 227, 229  
*Benjaminiella poitrasii*, 229  
*Bensingtonia*, 284  
*Benua*, 50, 52, 76  
*Berkholderia rhizoxinica*, 213  
*Biatoropsis*, 334  
 Bicosoecida, 41  
*Biscallithea*, 84  
*Blakeslea*, 216, 219, 234  
*Blakeslea trispora*, 212–214, 216  
*Blastocladia*, 179, 180, 185  
 Blastocladiales, 179, 278  
*Blastocладиella*  
     *B. emersonii*, 192  
     *B. variabilis*, 192  
 Blastocladomycetes, 176, 278  
 Blastocladomycota, 142, 146, 165–167  
*Blastocystis*, 40  
*Blytiumyces*, 156, 162–163  
*Boidinia*, 404  
*Bojamyces*, 218, 231  
 Bolbitiaceae, 410  
 Boletales, 407  
 Boletineae, 408  
*Boletopsis*, 399  
*Boletus*, 407  
*Boletus edulis*, 373  
*Bondarcevomyces taxi*, 407  
 Bondarzewiaceae, 405  
 Borealophlyctidaceae, 161  
*Borealophlyctis*, 161  
*Boreostereum*, 402  
 Botryobasidiaceae, 388  
*Botryobasidium*, 387  
*Botryochytrium*, 44, 46  
*Botryoconis*, 309  
*Botrytis cinerea*, 301  
 Brachybasidiaceae, 309, 313–315  
*Brachybasidium*, 309  
*Brachybasidium pinangae*, 314  
*Brachymyces*, 220  
*Bremia*, 49, 50, 52, 76  
*Bremia lactucae*, 69  
*Bremiella*, 50  
*Brevilegnia*, 49–51, 65  
*Brevilegnia megasperma*, 64  
*Brevilegniella*, 49–51  
*Bridgeoporus nobilissimus*, 381  
*Buchloë dactyloides*, 317  
*Bullera*, 336, 347

- Bulleribasidium*, 348  
*Bulleromyces*, 334, 339, 340  
*Burgoa*, 388  
*Burrillia*, 309, 313, 318
- C**
- Caecomycetes*, 164  
*Calcarisporiella*, 211, 220, 234  
*Callimastix*, 187, 197  
*Calocera*, 367, 370  
   *C. cornea*, 359, 363, 370  
   *C. viscosa*, 359, 363–366, 370  
*Calvarula*, 392  
*Calyptralegnia*, 49–51, 64, 65  
*Campylobasidium*, 287  
*Campylobasidium hydrophilum*, 288  
*Canteriomyces*, 48  
*Cantharellales*, 387  
*Cantharellus*, 387  
*Cantharellus cibarius*, 373  
*Capniomyces*, 218, 231  
*Capniomyces stellatus*, 225, 238  
*Capsella bursa-pastoris*, 66, 69  
*Carcinomyces*, 334, 336  
   *C. effibulatus*, 351  
*Carex*, 320  
*Carouxella*, 218, 230, 231  
*Catenaria*, 180  
*Catenariaceae*, 186  
*Catenochytridium*, 157, 158  
*Catenomyces*, 161, 186  
*Catenophlyctis*, 186  
*Caudomyces*, 218  
*Caulochytrium*, 160  
*Centrolepidaceae*, 311  
*Centrolepidosporium*, 311  
*Ceraceomyces*, 406  
*Ceraceosoraceae*, 309  
*Ceraceosorales*, 299, 304, 305, 309, 311–313  
*Ceraceosorus*, 309, 313  
*Ceraceosorus bombacis*, 313  
*Ceratiomyxa*, 11, 31  
*Ceratiomyxales*, 31  
*Ceratobasidiaceae*, 388  
*Ceratobasidium*, 388  
*Cercozoa*, 104  
*Cerinomyces*, 364, 365, 368  
   *C. albosporus*, 368  
   *C. canadensis*, 361, 368  
   *C. ceraceus*, 368  
   *C. crustulinus*, 361, 366, 368  
   *C. grandinioides*, 368  
   *C. lagerheimii*, 368  
   *C. pallidus*, 361, 365, 368  
*Ceriporia*, 398  
*Chaetocladiaceae*, 219  
*Chaetocladioideae*, 219  
*Chaetocladium*, 211, 219, 226, 227, 235  
*Chaetodermella*, 402  
*Chaetomium*, 230, 238  
*Chionosphaera*, 284  
*Chionosphaeraceae*, 284  
*Chlamydoabsidia*, 219  
*Chlamydomyzium*, 50, 51, 59, 81, 82  
*Chlamydomyzium anomalum*, 60  
*Chlororachnion*, 11  
*Choanephora*, 211–212, 216, 219, 226, 234  
   *C. cucurbitarum*, 211, 213  
*Choanephoraceae*, 216, 219, 225–226, 229  
*Choanephora* rots, 211  
*Choanephoroideae*, 219  
*Choristocarpus*, 55, 81  
*Chromista*, 41  
*Chroodrus crispus*, 57  
*Chrysosplenium*, 314  
*Chytridiaceae*, 152, 156, 157  
*Chytridiales*, 147, 150, 151, 155–157, 159, 162, 166, 167  
*Chytridiomycota*, 141–168, 215  
*Chytridium*, 144, 156, 158  
*Chytriomyces*, 156, 158  
*Chytriomycetaceae*, 151, 152, 156, 157  
*Cintractia*, 300, 310, 320  
*Cintractiaceae*, 320  
*Cintractiella*, 311  
*Circinella*, 220  
*Circinomucor*, 219  
*Cladochytriaceae*, 156, 157  
*Cladochytriales*, 147, 155–159, 166, 167  
*Cladochytrium*, 157  
*Claroideoglomeraceae*, 257, 259  
*Classicula fluitans*, 285  
*Classicales*, 285  
*Classiculomycetes*, 276, 285  
*Clathraceae*, 392, 393  
*Claustulaceae*, 393  
*Clavaria*, 409  
*Clavariachaete*, 396  
*Clavariadelphaceae*, 393, 394

- Clavulicium*, 365  
*Clavulina*, 387  
*Clinoconidium*, 309  
*Clinoconidium farinosum*, 315  
*Clintamra*, 305, 311, 320  
 Clintamraceae, 320  
*Closterium*, 222  
*Clydaea*, 158  
*Coccidiodyctyon*, 289  
*Cochlonema*, 220, 236  
     *C. cerasphorum*, 236  
     *C. euryblastum*, 236  
     *C. megalosomum*, 236  
 Cochlonemataceae, 220, 235–237  
*Coelomomyces*, 180, 186, 278  
 Coelomomycetaceae, 186  
*Coelomycidium*, 180, 186  
*Coemansia*, 219, 232, 237  
     *C. pectinata*, 225  
     *C. reversa*, 10, 232  
 Coenocytic mycelium, 223  
*Cokeromyces*, 212, 220, 237  
*Cokeromyces recurvatus*, 212, 229, 236, 238  
 Cokeromycetoideae, 220  
*Colacogloea*, 287  
*Colacosiphon filiformis*, 286  
*Coleopteromyces*, 218  
*Colocasia antiquorum*, 212  
*Columnocystis*, 402  
*Combresomyces*, 84  
 Commelinaceae, 309  
*Completozia*, 215, 218, 223  
*Completozia complens*, 222  
 Completoziaceae, 218, 222, 223  
*Conidiobolus*, 210–212, 215, 218, 222, 223, 238  
     *C. coronatus*, 211, 212, 221  
     *C. incongruus*, 212  
     *C. lamprauges*, 212  
     *C. obscurus*, 221  
     *C. thromboides*, 211  
*Conidiosporomyces*, 310  
*Coniodictyum*, 296, 309, 315  
*Coniophora*, 407  
 Coniophorineae, 408  
*Contarinia*, 212  
 Convolvulaceae, 310, 315, 322  
*Coprinopsis cinerea*, 374  
*Coprinus*, 409  
*Copromyxa*, 22  
*Copromyxella*, 22  
*Corallochytrium limacisporum*, 9  
 Core polyporoid clade, 399  
*Cornumyces*, 50, 51, 59, 81  
*Cornumyces pygmaeum*, 60  
 Corticiaceae, 402  
 Corticiaeae, 400  
 Corticiales, 400  
*Corticium*, 400  
*Corticium radiosum*, 232  
 Cortinariaceae, 410  
*Cortinarius*, 409  
*Corymbia*, 316  
*Couchia*, 50  
*Craterocola*, 389  
 Crepidotaceae, 410  
*Cribraria*, 32  
*Cristelloporia*, 395  
*Cronartium quercuum*, 282  
*Crypticola*, 50, 51, 76, 82  
     *C. clavulifera*, 58  
     *C. entomophaga*, 58  
 Crypticolaceae, 51, 58  
 Cryptobasidiaceae, 315  
 Cryptobasidiaceae, 309, 315  
*Cryptococcus*, 336, 347  
     *C. albidus*, 346  
     *C. curvatus*, 340, 346  
     *C. gattii*, 344  
     *C. laurentii*, 346  
     *C. liquefaciens*, 346  
     *C. marinus*, 347  
     *C. neoformans*, 344  
     *C. terreus*, 346  
     *C. terricola*, 346  
 Cryptocolaceae, 50  
 Cryptomycocolacomycetes, 281, 286  
*Cryptomycocolax abnormis*, 286  
 Cryptomycota, 142, 166  
*Cryptotrichosporon*, 348  
 Cucurbitaceae, 211  
*Cuniculitrema*, 336  
 Cuniculitremaeae, 350  
*Cunninghamella*, 212, 213, 216, 219, 226, 234  
*Cunninghamella echinulata*, 213  
 Cunninghamellaceae, 219  
 Cunninghamelloideae, 219  
*Curvibasidium*, 287  
*Cylindrobasidium*, 409  
*Cylindrochytridium*, 157  
*Cyllamyces*, 164

- Cyperaceae, 298, 302, 310, 311, 319–322  
*Cyrenella*, 286  
*Cyrenella elegans*, 276, 278, 286  
 Cystobasidiales, 287  
 Cystobasidiomycetes, 278, 286–287  
*Cystobasidiopsis*, 284  
*Cystobasidiopsis nirenbergiae*, 284  
*Cystobasidium*, 286  
*Cystochytrium*, 48  
 Cystodermateae, 410  
 Cystofilobasidiales, 348–349  
*Cystofilobasidium*, 334, 340, 349  
     *C. bisporidii*, 349  
*Cystopage*, 220  
*Cystopage cladospora*, 236  
*Cytosiphon*, 50
- D**
- Dacrymyces*, 365  
     *D. aquaticus*, 368  
     *D. capitatus*, 364  
     *D. chrysospermus*, 359  
     *D. dendrocalami*, 361, 365, 368  
     *D. enatus*, 361  
     *D. estonicus*, 360, 366  
     *D. macnabbii*, 361  
     *D. minor*, 362, 366  
     *D. ovisporus*, 361, 365, 366  
     *D. palmatus*, 358, 359  
     *D. paraphysatus*, 361  
     *D. pinacearum*, 362, 368, 370  
     *D. punctiformis*, 368  
     *D. stillatus*, 358–361, 363  
     *D. subarcticus*, 362, 368, 370  
     *D. unisporus*, 370  
     *D. variisporus*, 359  
*Dacrymyces* s. str., 368  
 Dacrymycetes, 357–370, 374  
*Dacryodiomyces*, 218, 231  
*Dacryomitra*, 368, 370  
*Dacryomitra pusilla*, 366, 370  
*Dacryonaema*, 367  
*Dacryonaema rufum*, 359, 364  
*Dacryopinax*, 367  
     *D. elegans*, 364, 370  
     *D. spathularia*, 359  
*Dacryoscyphus*, 368, 370  
*Dacryoscyphus chrysochilus*, 362, 363, 368, 370  
*Dasyspora*, 283  
*Dendrocorticium*, 400  
*Densospora*, 234  
 Dermatosoraceae, 320  
*Dermatosorus*, 310, 319, 320  
*Derxomyces*, 336, 347  
*Developayella*, 41, 82  
*Dianema*, 33  
*Diasporangium*, 49, 50  
*Dicellomyces*, 309  
*Dicellomyces gloeosporus*, 314  
 Dichotomocladioideae, 219  
*Dichotomocladium*, 219, 227  
*Dicranophora*, 211, 219, 234  
 Dicranophoraceae, 219  
 Dicranophoroideae, 219  
*Dictyocaulus viviparus*, 216  
 Dictyosteliomycota, 13, 21–34  
*Dictyostelium*, 26  
     *D. discoideum*, 9, 21  
     *D. septentrionalis*, 26  
     *D. sphaerocephalum*, 24  
*Dictyotremella*, 348  
*Dictyuchus*, 49–51, 64, 65, 80  
*Didymium*, 32  
     *D. difforme*, 30  
     *D. iridis*, 29  
*Dimargaris*, 218, 230  
*Dimargaris bacillispora*, 225  
 Dimargaritaceae, 218  
 Dimargaritales, 210, 214, 215, 217, 218, 225,  
     228–232, 237–239  
*Dioszegia*, 336, 347  
 Diplophryidaceae, 44  
*Diplophrys*, 44  
*Diplophrys marina*, 44, 46  
*Dipsacomycetes*, 219, 232  
 Diptera, 223  
*Dispira*, 218, 230  
*Dissophora*, 211, 219, 233  
 Diversisporales, 259–260  
*Ditiola*, 367  
*Ditiola haasii*, 359  
*Diversispora*, 256, 260  
*Doassansia*, 309, 313, 318  
 Doassansiaceae, 309, 312, 313  
 Doassansiales, 301–305, 309, 311–313, 321  
 Doassansiopsidaceae, 304, 310, 318  
*Doassansiopsis*, 310, 313, 318, 321  
*Doassinga*, 296, 303, 304, 309, 313  
*Drechslerosporium*, 218

- Drepanoconis*, 309  
 Ducellaria, 59  
 Ducellieraceae, 59  
*Ducellieria*, 50, 51, 81  
 Ducellieriaceae, 50
- E**
- Eballistra*, 310, 314  
 Eballistraceae, 310, 315, 316  
 Eccrinales, 210  
*Eccrinidus*, 6  
*Echinochlamydosporium*, 219  
*Echinodontium*, 404  
*Echinosporangium* Kylin, 219  
*Echinosporangium* Malloch, 219  
 Echinosteliales, 31  
*Echinostelium*, 32  
*Ectocarpus*, 40, 55  
*Ectrogella*, 49–51, 54, 82  
 Ectrogellaceae, 50, 51  
 Ectrogellales, 50  
*Efibulobasidium*, 389  
*Eichleriella*, 390  
*Ejectosporus*, 218  
*Ellisomyces*, 219, 228  
*Elmerina*, 390  
*Elongisporangium*, 51, 72  
*Encephalitozoon*, 120  
*Encephalitozoon cuniculi*, 8  
 Endochytriaceae, 156, 157  
*Endochytrium*, 157  
*Endocochlus*, 220  
 Endogonaceae, 219, 233, 255  
 Endogonaeae, 214  
 Endogonales, 210, 214, 217, 219, 229, 233, 234  
*Endogone*, 219, 233, 234, 253, 254, 256, 264  
*Endogone pisiformis*, 227, 233  
*Enterocytozoon bieneusi*, 121  
*Entoloma*, 409  
 Entolomataceae, 410  
*Entomophaga*, 218, 238  
*Entomophthora*, 218, 224  
 Entomophthoraceae, 218, 222–224  
 Entomophthoralean fungi, 210  
 Entomophthorales, 210, 214–218, 222, 223, 235, 237–239  
 Entomophthoreae, 214  
 Entomophthoroideae, 218  
 Entomophthoromycetes, 218, 221–224  
 Entomophthoromycota, 210, 215–217, 221–223, 230, 237, 239  
 Entomophthoromycotina, 184, 215  
 Entomophthorales, 222  
*Entophlyctis*, 147, 156, 159  
*Entorrhiza*, 297, 298, 309  
*Entrophospora*, 261  
*Entrophospora infrequens*, 256, 261  
 Entrophosporaceae, 261  
*Entyloma*, 296, 298, 300, 301, 303, 309, 314, 322  
*Entyloma microsporium*, 314  
*Entylomaster*, 309, 313  
 Entylomataceae, 309  
 Entylomatales, 295, 301–304, 309, 312–314  
*Eocronartium*, 289  
*Eocronartium muscicola*, 278, 279, 282  
*Ephemerellomyces*, 218  
*Eraphthora*, 52, 75  
 Ericaceae, 315  
 Ericales, 309, 321  
 Eriocaulaceae, 311  
*Eriocaulago*, 311  
*Eriomoeszia*, 311, 320  
*Eriosporium*, 311  
*Erratomyces*, 310, 317  
*Erratomyces patelii*, 317  
*Ertzia*, 406  
*Erynia*, 217, 218, 223  
*Erynia sepulchralis*, 221  
 Erynioideae, 218  
*Eryniopsis*, 218  
 Erysiphales, 288  
*Erythrobasidium*, 286  
*Escherichi coli*, 26  
*Eucalyptus*, 316  
*Euglena*, 11  
 Euphorbiaceae, 311  
*Euryancale*, 220, 236  
     *E. marsipspora*, 236  
     *E. phallospor*, 236  
     *E. sacciospora*, 236  
*Eurychasma*, 49–51, 55, 80, 82, 84  
*Eurychasma dicksonii*, 55, 56, 78, 79  
 Eurychasmaceae, 50, 51, 55  
 Eurychasmales, 51, 52, 55  
*Eurychasmidium*, 49, 50, 55  
*Eurychasmopsis*, 50, 51, 81  
 Excavata, 11, 21–34  
*Exidiopsis*, 390  
 Exobasidiaceae, 309, 315

- Exobasidiales, 295, 299, 301, 302, 304–306, 309,  
 311–316, 319, 321  
 Exobasidianaee, 312  
*Exobasidiellum*, 309  
 Exobasidiomycetes, 303, 309–317, 321  
*Exobasidium*, 296, 299, 300, 304, 305, 309, 311,  
 315, 321  
*Exoteliospora*, 298, 305, 311
- F**
- Fabaceae, 310, 316, 317  
 Fagaceae, 310, 316  
*Farysia*, 301, 302, 310, 317, 320  
*Farysizyma*, 302, 310, 317, 320  
*Farysporium*, 311  
*Favolaschia*, 409  
*Fellomyces*, 336, 343  
*Femsjonina*, 367, 368  
*Femsjonina peziziformis*, 366  
*Fennellomyces*, 220  
*Fennellomyces linderi*, 227  
 Filobasidiales, 347, 349  
*Filobasidiella*, 334, 339, 350  
   *F. bacillispora*, 344  
   *F. depauperata*, 340  
   *F. neoformans*, 340  
*Filobasidium*, 334, 349  
*Fimicolochytrium*, 160  
*Fistulina*, 409  
*Flamingomyces*, 310, 318, 319  
*Floromyces*, 310, 318  
 Floromycetaceae, 304, 310, 318  
*Fomes*, 397  
*Fonticula*, 10, 11, 22  
*Fonticula alba*, 7  
 Foraminifera, 105  
*Franzpetrakia*, 311  
*Fulvisporium*, 287, 297  
*Funneliformis mosseae*, 254  
*Furculomyces*, 218  
*Furia*, 217, 218  
*Furia gastropachae*, 221  
*Fusarium*, 6
- G**
- Gaertneriomyces*, 145, 160, 161  
 Gallacea, 394  
 Gallaceaceae, 394  
*Galteriella biscaliitheceae*, 84  
*Gamsiella*, 219, 233  
*Gamsiella multidivericata*, 226  
*Ganoderma*, 398  
*Gastrosporium*, 392  
 Gauteriaceae, 393  
*Gauthieromyces*, 218  
 Gautieriaceae, 394  
 Geastraceae, 392  
 Geastrales, 391–392  
*Geastrum*, 391  
 Geminaginaceae, 320  
*Geminago*, 311, 320  
*Genistella*, 218  
 Genistellaceae, 218  
*Genistelloides*, 218, 231  
*Genistelloides hibernus*, 238  
*Genistellospora*, 218, 231  
*Geolegnia*, 49–51  
*Georgefischeria*, 300, 310, 315  
 Georgefischeriaceae, 310, 315, 316  
 Georgefischeriales, 301, 303, 304, 310, 311,  
 313–316, 319–322  
 Geosiphonaceae, 261  
 Geosiphonales, 210  
*Geosiphon pyriformis*, 256, 261  
*Geranium pratense*, 69  
*Geranomyces*, 160  
*Gigaspora*, 255, 259  
 Gigasporaceae, 253  
 Gigasporineae, 255  
*Gilbertella*, 216, 219  
*Gilbertella persicaria*, 211, 212, 227–229  
 Gilbertellaceae, 219  
 Gilbertelloideae, 219  
*Gjaerumia*, 296, 310, 315  
 Gjaerumiaceae, 310, 315, 316  
*Glaciozyma*, 287  
*Globisporangium*, 72  
*Gloeocantharellus*, 393  
*Gloeocystidiellum*, 404  
 Gloeophyllales, 402  
*Gloeophyllum*, 402  
 Glomales, 210  
 Glomeraceae, 253, 258–259  
 Glomerales, 210, 255, 258–259  
 Glomeromycota, 83, 210, 214, 215, 233, 234, 251  
 Glomineae, 255  
 Glomosporiaceae, 310, 318, 319, 321  
*Glomosporium*, 310, 318  
*Glomus*, 234, 255



- Glotzia*, 218, 231  
*Gominocheate*, 51  
 Gomphaceae, 394  
 Gomphales, 393  
*Gomphus*, 393  
*Gonapodya*, 163, 167  
*Gongronella*, 219  
*Gonimocheate*, 50  
*Graminella*, 218, 231  
*Graminelloides*, 218  
*Graminivora*, 52, 75  
*Graphiola*, 300, 305, 310, 321  
 Graphiolaceae, 310, 315  
*Guehomyces*, 336  
*Guepiniopsis*, 367, 369  
*Guepiniopsis buccina*, 359, 364  
*Guttulina rosea*, 22  
*Guttulinopsis*, 22  
 Gymnopileae, 410  
*Gyrodontium*, 407
- H**
- Haliotcida*, 51, 57  
*Haliotcida noduliformans*, 56  
 Haliphthoraceae, 50, 51, 57  
 Haliphthorales, 51, 57–58  
*Haliphthoros*, 49, 50, 54, 58, 80  
*Haliphthoros milfordensis*, 56, 58, 78  
*Haliphthorus*, 50, 51  
*Halocrusticida*, 51, 57  
*Halocrusticida parasitica*, 56  
*Halodaphnea*, 50, 57  
*Halophytophthora*, 50, 51, 71–73  
*Halophytophthora vesicula*, 68  
*Halteromyces*, 219  
*Hannaella*, 336, 347  
*Haplosporangium*, 219  
*Haptoglossa*, 50, 51, 55, 56, 76, 78–81, 84  
   *H. dickii*, 78  
   *H. erumpens*, 55, 56, 81  
   *H. heteromorpha*, 55, 56, 81  
   *H. polymorpha*, 55  
 Haptoglossaceae, 50, 51, 55  
 Haptoglossales, 50, 51, 55–57  
*Harpella*, 218, 231  
*Harpella melusinae*, 225  
 Harpellaceae, 218  
 Harpellales, 209, 210, 214, 215, 218, 225, 230, 231, 238, 239  
*Harpellomyces*, 218, 231  
*Harpochytrium*, 145, 163, 164  
*Hassilla monosperma*, 83  
 Hebelomateae, 410  
 Helicobasidiales, 289  
*Helicobasidium*, 278, 289  
*Helicobasidium purpureum*, 282  
 Helicocephalidaceae, 210, 220, 235, 237  
*Helicocephalum*, 220, 228  
*Helicogloea*, 282, 285  
   *H. intermedia*, 281  
   *H. variabilis*, 282  
 Heliconiaceae, 309  
*Helicostylum*, 211, 219  
   *H. elegans*, 211  
   *H. pulchrum*, 211  
*Heliocybe*, 402  
*Hemileia vastatrix*, 278  
*Hemitrichia calyculata*, 30  
*Henningsomyces*, 409  
 Hericiaceae, 405  
*Hericum*, 404  
*Herpobasidium*, 289  
*Hesseltinella*, 210, 216, 219  
 Heterobasidiomycetes, 273  
*Heterobasidion*, 404  
*Heterodoassansia*, 309, 313, 318  
 Heterogastridiales, 288  
*Heterogastridium*, 287  
*Heterokonta*, 41  
*Heteromycophaga*, 348  
*Heterotextus*, 367, 368  
   *H. alpinus*, 359  
   *H. miltinus*, 364  
*Heterotolyposporium*, 310, 320  
*Hobsonia*, 285  
 Holozoa, 6  
 Homobasidiomycetes, 273, 374  
*Holtermannia*  
   *H. corniformis*, 349  
 Holtermanniales, 349  
*Holtermanniella*, 347, 349  
   *H. mycelialis*, 339  
*Homolaphlyctis*, 167  
 Homoptera, 210  
*Hyalococcus*, 348  
*Hyaloperonospora*, 40, 52, 73, 75, 76  
   *H. arabidopsidis*, 40  
   *H. parasitica*, 69  
*Hyaloraphidium*, 163

*Hyaloria pilacre*, 390  
*Hydatinophagus*, 50  
 Hydaceae, 388  
*Hydnellum*, 399  
 Hydnodontaceae, 395  
*Hydnomerulius pinastris*, 409  
*Hydnopolyporus*, 398  
*Hydnum*, 387  
 Hydrangeaceae, 309  
 Hydrocharitaceae, 309  
 Hygrophoraceae, 411  
 Hygrophoroid clade, 411  
*Hygrophoropsis*, 407  
*Hylocereus costaricensis*, 211  
*Hylocereus undatus*, 211  
 Hymenochaetaceae, 396  
 Hymenochaetales, 396  
 Hymenogastraceae, 410  
 Hymenomycetes, 275  
*Hyperamoeba*, 32  
 Hyphochytriomycota, 41, 78  
*Hyphochytrium*, 48  
*Hyphochytrium catenoides*, 47, 48, 78  
*Hyphodontia*, 396  
*Hyphomucor*, 219  
*Hypomyces*, 407  
 Hysterangiaceae, 394  
 Hysterangiales, 394–395  
*Hysterangium*, 394

## I

*Ileodictyon*, 392  
*Infundibura*, 285  
*Ingoldiomyces*, 310  
 Inocybaceae, 410  
*Insolibasidium*, 289  
*Irpicodon pendulus*, 406  
*Isoachlya*, 49, 51  
*Isomucor*, 219, 220, 234  
*Itersonilia*, 340

## J

*Jaapia argillacea*, 402  
 Jaapiales, 402  
*Jaculispora submersa*, 285  
*Jamesdicksonia*, 296, 300, 310, 314  
*Jaminaea*, 301, 310, 312  
*Jaminaea angkorensis*, 317  
*Johncouchia*, 289

*Jola*, 279, 281, 289  
 Juglandaceae, 310  
 Juncaceae, 310, 319, 320

## K

*Karlingiomyces*, 159  
*Kavinia*, 393  
*Kickxella*, 219, 232  
*Kickxella alabastrina*, 232  
 Kickxellaceae, 219  
 Kickxellales, 210, 214, 215, 217, 225, 228–230, 232, 237, 239  
 Kickxellomycotina, 210, 215, 217–219, 224–237  
*Kirkia Benny*, 220  
*Kirkia Oliv*, 220  
*Kirkomyces*, 220  
 Kirkomycetoideae, 220  
*Kjeldsenia*, 392  
*Klastostachys*, 218, 231  
*Kneiffiella* clade, 397  
*Kochiomyces*, 160  
*Kochmania*, 310  
*Kockovaella*, 336  
*Kondoa*, 284  
*Kordyana*, 309  
*Kriegeria*, 287  
*Kriegeria eriophori*, 280  
*Krieglsteinera*, 287  
*Kuntzeomyces*, 311  
*Kurtzmanomyces*, 284  
*Kuzuhaea*, 220, 235  
*Kwoniella*, 334, 340

## L

*Labryrinthula*, 78  
*Labyrinthula*, 44–46  
*Labyrinthula terrestris*, 44  
 Labyrinthulaceae, 44, 46  
 Labyrinthulales, 44  
*Labyrinthuloides*, 45, 46  
*Labyrinthuloides yorkensis*, 46  
 Labyrinthulomycota, 40–46, 77  
 Lachnellaceae, 411  
*Lachnocladium*, 404  
*Lactarius*, 404  
*Laculus*, 218, 231  
*Lacustromyces*, 159  
*Laeticorticium*, 400  
*Laetisaria*, 400

- Lagena*, 49–51, 78, 79  
*Lagena radicola*, 67, 71, 78, 81  
 Lagenaceae, 50  
 Lagenidiales, 49, 55  
*Lagenidium*, 49–51, 58, 71, 83  
     *L. callinectes*, 83  
     *L. giganteum*, 76  
     *L. pygameum*, 59, 60  
*Lagenisma*, 50, 51, 54, 82  
*Lagenisma coscinodisci*, 81  
 Lagenismataceae, 50, 51  
 Lagenismatales, 50  
*Lamproderma*, 30  
*Lancisporomyces*, 218, 231  
*Langdonia*, 311, 320  
*Latrostium*, 48  
 Lauraceae, 309  
*Laurilia*, 404  
*Laurobasidium*, 296, 309, 315  
*Laurobasidium lauri*, 296, 315  
*Lecophagus*, 237  
*Legeriodes*, 218, 231  
*Legeriomyces*, 218, 231  
 Legeriomycetaceae, 218, 231  
*Legeriosimilis*, 219, 231  
 Leguminosae, 322  
*Lentamyces*, 219, 234, 235  
*Lentamyces parricida*, 235  
 Lentamycetaceae, 219  
 Lentariaceae, 393, 394  
*Lentinellus*, 404  
*Lentinula edodes*, 373  
*Lentinus tigrinus*, 398  
*Lenzitopsis*, 399  
*Lepidoderma*, 33  
*Lepidostroma*, 406  
 Lepidostromataceae, 406  
 Lepidostromatales, 406  
*Lepiota*, 409  
*Leptolegnia*, 49–51, 62, 65  
 Leptolegniaceae, 50, 62  
*Leptolegniella*, 49–51  
 Leptolegniellaceae, 50, 51, 59  
 Leptomitaceae, 50, 51, 59, 79  
 Leptomitales, 49–52, 58, 59  
*Leptomitus*, 49–51, 59  
*Leptomitus lacteus*, 60  
*Leptosporomyces*, 406  
*Leucocintractia*, 310, 320  
*Leucogloea*, 285  
*Leucogyrophana*, 407  
*Leucophleps*, 404  
*Leucosporidiella*, 287  
*Leucosporidium*, 287  
 Liceales, 31, 32  
*Lichtheimia*, 211, 212, 219, 234  
 Lichtheimiaceae, 219  
 Lichtheimioideae, 219  
*Ligniera*, 105  
     *L. junci*, 107  
     *L. pilorum*, 107  
     *L. verrucosa*, 107  
*Lignosus*, 398  
 Liliaceae, 310  
*Limonomyces*, 400  
*Linderina*, 219, 232  
*Linderina pennispora*, 232  
*Liroa*, 287, 297  
*Lobosporangium*, 219, 233  
*Lobosporangium transversale*, 226  
*Lobulomyces*, 158  
 Lobulomycetales, 145, 147, 156, 158–159, 162, 167  
*Lycogala*, 33  
*Lycogala epidendrum*, 27  
 Lycoperdales, 392  
*Lycoperdon*, 409  
*Lygniopteris*, 84  
 Lyophyllaceae, 410  
 Lysuraceae, 393
- M**
- Macalpinomyces*, 311  
*Macowanites*, 404  
*Macrobiphthora*, 218, 223  
*Malassezia*, 297, 299, 301, 302, 305, 310, 316  
 Malasseziales, 309–313, 316  
 Malvaceae, 309–311  
 Marasmioid clade, 410–411  
*Marchandiomyces*, 400  
*Martensella*, 219, 232  
*Martensella corticii*, 232  
*Martensiomycetes*, 219, 232  
*Martensiomycetes pterosporus*, 225  
*Massospora*, 215–218, 224  
 Massosporoideae, 218  
*Mastigobasidium*, 287  
*Maullinia*, 105  
     *M. ectocarpii*, 107  
*Maunachytrium*, 158

- Mayorella*, 236  
   *M. penardi*, 236  
   *M. vespertilioides*, 236  
*Medusoides*, 50  
*Meira*, 301, 305, 309, 312, 314  
*Melampsora epitea*, 283  
*Melampsora laricis-epitea*, 275  
*Melampsora laricis-populina*, 282  
*Melaniella*, 298, 309, 313  
Melaniellaceae, 309, 313  
*Melanopsichium*, 311, 319, 320  
*Melanopsichium pennsylvanicum*, 320  
Melanotaeniaceae, 304, 311, 313, 318–321  
Melanotaeniaeae, 318  
*Melanotaenium*, 298, 311  
*Melanoxa*, 310, 319  
Melanthiaceae, 310  
*Melanustilospora*, 310, 318  
*Membranomyces*, 387  
*Membranosorus*, 105  
*Membranosorus heterantherae*, 107  
*Mercenaria*, 44, 46  
*Meredithblackwellia*, 287  
Meristacraceae, 218, 222, 223, 238  
*Meristacrum*, 218, 223, 238  
Merosporangia, 216, 225, 228  
*Mesophellia*, 394  
Mesophelliaceae, 394  
Metazoa, 6  
*Microallomyces*, 185  
Microbotryales, 282, 297  
Microbotryomycetes, 281, 287–288  
*Microbotryum*, 282, 297, 317, 320  
  *M. reticulatum*, 280  
  *M. violaceum*, 282, 287  
*Micromucor*, 220  
Microsporidia, 10, 115  
Microstromatales, 305  
*Microstroma*, 296, 299, 300, 305, 310, 316, 317  
Microstromataceae, 310, 316  
Microstromatales, 295, 299, 301, 303, 304, 306, 310, 313, 316–317  
*Mindeniella*, 49–51  
*Minimedusa*, 388  
*Mixia osmundae*, 279, 288  
Mixiomycetes, 278, 281, 288  
*Modicella*, 219, 233  
*Modicella malleola*, 226  
*Moesziomyces*, 311  
*Monoblepharella*, 163  
Monoblepharidales, 163  
Monoblepharidomycota, 141–168  
*Monoblepharis*, 163  
*Moreaua*, 310, 320  
*Mortierella*, 211, 213, 219, 226, 233, 237, 238  
  *M. alliacea*, 212–213  
  *M. alpina*, 212–213  
  *M. elongata*, 213  
  *M. wolfii*, 212  
Mortierellaceae, 219, 233  
Mortierellales, 210, 211, 213–215, 217, 219, 226, 229, 232, 233, 237  
Mortierellomycotina, 210, 215, 217, 219, 224–237  
*Mrakia*, 343  
*Mrakiella*, 347  
*Mucor*, 211, 212, 216, 219, 234  
  *M. amphibiorum*, 212  
  *M. irregularis*, 212  
  *M. mucedo*, 211, 214  
  *M. piriformis*, 211  
  *M. rouxii*, 229  
Mucoraceae, 219, 226, 229  
Mucorales, 209–217, 219, 220, 225–230, 233–235, 237–240  
Mucoroideae, 219  
Mucoromycotina, 210, 211, 215, 217, 219, 224–237  
*Multiclavula*, 387  
*Mundkurella*, 310, 319  
*Muribasidiospora*, 309, 315  
Mycenaceae, 410  
Mycetozoa, 27  
Mycocladaceae, 220  
*Mycocladus*, 220  
*Mycöemia*, 219, 232  
*Mycogloea*, 278, 284  
*Myconymphaea*, 219, 232  
Mycosyringaceae, 310, 318, 319  
*Mycosyrinx*, 300, 304, 310, 318, 321  
*Mycosyrinx cissi*, 318  
*Mycotypha*, 220, 227, 229  
*Mycotypha africana*, 227  
Mycotyphaceae, 220  
Mycotyphoideae, 220  
*Myiophagus*, 180  
*Myriostoma*, 391  
Myrtaceae, 310  
Myxomycetes, 21, 27, 31–34

Myxomycota, 11, 21–34  
 Myzocytiopsidaceae, 50, 72  
 Myzocytiopsidales, 50, 72  
 Myzocytiopsis, 50, 51, 71, 82, 83  
   *M. lenticulare*, 67  
   *M. vermicola*, 76, 81  
 Myzocytiium, 49, 50, 71  
 Myzocytiium anomalum, 60

## N

*Naegleria fowleri*, 11  
*Naiadella fluitans*, 285  
*Nannfeldtiomyces*, 309, 313, 318  
*Naohidea*, 286  
*Narasimhania*, 309, 313, 318  
*Nellymyces*, 50, 51  
*Nematophthora*, 50, 51  
 Neocallimastigomycota, 141–168  
*Neocallimastix*, 164  
*Neokarlingia*, 159  
*Neolentinus*, 402  
*Neotremella*, 348  
*Neovossia*, 310  
 Neozygitaceae, 218, 222, 223  
 Neozygiales, 210, 217, 218, 224  
*Neozygites*, 218  
 Neozygitomycetes, 218, 222, 224  
*Nephrochytrium*, 157  
*Neurospora*, 4, 5  
*Newbya*, 51, 62, 65  
 Nidulariaceae, 410  
*Nosema bombycis*, 119  
*Nostoc*, 261  
*Nothadelphia*, 233  
*Nothia aphylla*, 234  
*Novotelnova*, 52, 76  
*Nowakowskiella*, 157, 166  
 Nowakowskiellaceae, 157  
*Nucellangium glabrum*, 83  
*Nuclearia*, 6, 10  
 Nuclletmycea, 166  
 Nymphaeaceae, 309

## O

*Obelidium*, 156  
*Oberwinkleria*, 310  
*Oblongichytrium*, 44, 46  
 Oblongochytridiaceae, 44  
*Occultifur*, 286

Ochrophyta, 41  
*Octomyxa*, 105  
*Oedogoniomyces*, 163  
 Olpidiopsidaceae, 50, 51, 57  
 Olpidiopsidales, 50, 51, 58  
*Olpidiopsis*, 49–51, 57, 80, 81  
   *O. porphyrae*, 78  
   *O. saprolegniae*, 56, 79  
*Olpidium*, 10, 145, 146, 160  
   *O. brassicae*, 223  
   *O. porphyrae*, 57, 79  
   *O. saprolegniae*, 57, 78  
 Oomycota, 41, 49–54, 78  
 Opalinida, 41  
 Opisthokonta, 1, 22  
*Orchesellaria*, 218, 230  
 Orchidaceae, 298  
*Ordonia*, 289  
*Orphanomyces*, 305, 311  
*Orphella*, 219, 230, 231  
*Orpinomyces*, 164, 165, 167  
*Orthomyces*, 217, 218  
   *O. aleyrodis*, 217  
 Orthoptera, 210  
*Osmunda*, 288  
 Osmundaceae, 311  
*Osteomorpha*, 395  
*Otospora*, 260  
*Ouramoeba botulacauda*, 236  
*Ouramoeba vorax*, 236  
*Ovatosporangium*, 73  
 Oxalidaceae, 310  
*Oxyporus* clade, 397

## P

Pachnocybales, 289  
*Pachnocybe ferruginea*, 281, 289  
*Pachymetra*, 50, 51, 62  
*Pachymetra chaunorhiza*, 61, 62  
*Pacispora*, 257  
 Pacisporaceae, 260  
*Palaeoagaricites antiquus*, 386–387  
*Palaeoclavaria burmites*, 387  
*Paleoblastocladia*, 179  
*Palmaria palmata*, 57  
*Pandora*, 217, 218  
   *P. ithacensis*, 221  
   *P. neoaphidis*, 221  
*Papiliotrema*, 334, 336

- Paraglomeraceae, 260  
 Paraglomerales, 260  
*Paraglomus*, 256  
*Paranosema locustae*, 116  
*Paraperonospora*, 50, 52, 76  
*Paraphysoderma*, 180, 186  
*Parasitella*, 219  
   *P. parasitica*, 214  
   *P. simplex*, 235  
*Parietichytrium*, 44, 46  
*Parvulago*, 310, 320  
*Paxillus*, 407  
*Pectospora*, 235  
*Penicillium*, 238, 289  
*Peniophora*, 404  
 Peniophoraceae, 405  
*Peniophorella praetermissa*, 396  
*Pennella*, 219, 231  
*Pennisetum clandestinum*, 62  
 Pericladiaceae, 319  
*Pericladium*, 311, 319, 320  
*Peridiospora*, 219, 234  
*Perofascia*, 52, 76  
*Peronoplasmodium*, 49  
*Peronosclerospora*, 50, 52, 64, 75  
*Peronosclerospora sorghii*, 68  
*Peronospora*, 49, 50, 52, 73, 76  
*Peronospora viciae*, 69  
 Peronosporaceae, 50, 51, 68, 69, 72–76  
 Peronosporales, 49–51, 70–76, 81  
 Peronosporomycetes, 51, 52, 65–76  
*Petersenia*, 49–51, 57  
*Phaeoclavulina*, 393  
*Phaerochaete chrysosporium*, 398  
*Phaffia*, 347  
*Phagomyxa*, 105  
   *P. bellerocheae*, 107  
   *P. odontellae*, 107  
 Phagomyxida, 99  
*Phakopsora pachyrhizi*, 278  
 Phallaceae, 392, 393  
 Phallales, 392–393  
*Phallogaster*, 394  
 Phallogastraceae, 394  
 Phallomycetidae, 391–395  
*Phanerochaete*, 398  
*Phanerochaete chrysosporium*, 374  
*Phascolomyces*, 220  
*Phascolomyces articulatus*, 227  
*Phellinus*, 396  
*Phellinus ellipsoideus*, 396  
*Phellodon*, 399  
*Pheodactylum*, 40  
*Phlebia*, 398  
 Phlebioid clade, 399  
*Phleogenia*, 285  
*Phlyctochytrium*, 145, 156, 157, 159  
*Phlyctorhiza*, 156  
*Phragmidium*, 279  
*Phragmotaenium*, 310  
*Phragmoxenidium*, 348  
*Phycomyces*, 220, 234  
*Phycomyces blakesleeanus*, 213, 214, 227  
 Phycomycetaceae, 220, 229  
*Phyllogloea*, 348  
*Phylloporus*, 407  
 Physarales, 31  
*Physarum polycephalum*, 21, 29  
*Physocladia*, 156  
*Physoderma*, 180, 186  
 Physodermataceae, 186  
 Phytomyxea, 99  
*Phytophthora*, 10, 40, 49–51, 68, 69, 71, 73, 80  
   *P. capsici*, 40  
   *P. cinnamomi*, 40, 74, 80  
   *P. infestans*, 40, 68, 74, 75  
   *P. sojae*, 68  
*Phytopythium*, 51, 72, 73  
*Phytopythium ostracodes*, 68  
*Picea*, 34  
*Pilaira*, 219, 226, 234  
 Pilobolaceae, 216, 220, 229  
*Pilobolus*, 210, 213, 215–216, 220, 234, 237  
*Pilocintractia*, 310, 320  
*Pinnaticoemansia*, 219, 232  
 Piptocephaladiaceae, 210  
 Piptocephalidaceae, 210, 220, 228, 235–238  
*Piptocephalis*, 220, 235–238  
   *P. lepidula*, 228  
   *P. xenophila*, 228  
*Pirella*, 219, 227  
   *P. circinans*, 211, 227  
   *P. naumovii*, 227  
*Piriformospora*, 389  
*Piromyces*, 164, 165, 167  
*Pirsonia*, 48, 82  
*Pirsonia developayella*, 41  
*Planetella*, 310, 320  
 Plantaginaceae, 309

- Plasmodiophora*, 11, 99  
*P. bicaudata*, 107  
*P. brassicae*, 99  
*P. diplantherae*, 107  
Plasmodiophorida, 99  
*Plasmopara*, 49, 50, 52, 76  
*Plasmopara pusilla*, 69  
*Plasmophagus*, 50  
*Plasmoverna*, 52, 76  
*Platycarpa*, 289  
*Platygløea*, 289  
*Platygløea unisporea*, 366  
Platygløeales, 289  
*Plecopteromyces*, 219, 231  
*Plectospira*, 49–51, 62, 64  
*Plectospira myriandra*, 61  
*Pleistophora*, 123  
*Pleocystidium*, 50  
*Plerogone*, 50  
Pleurotaceae, 411  
*Pleurotus ostreatus*, 373  
*Plicaturopsis crispa*, 406  
Pluteaceae, 411  
Poaceae, 298, 309–311, 317, 319–322  
*Poakatesthia*, 52, 75  
Poales, 315, 319  
*Pocheina*, 22  
*Pocheina rosea*, 22  
*Podochytrium*, 156  
*Podoserpula pusio*, 406  
*Poitrasia*, 216, 219, 234  
*Polycaryum*, 186  
Polychytriales, 147, 158, 159, 166  
*Polychytrium*, 145, 159  
Polygonaceae, 311, 320  
*Polymyxa*, 105  
*P. betae*, 99  
*P. graminis*, 99  
*Polyozellus multiplex*, 399  
*Polyphlyctis*, 156  
Polyporales, 397  
*Polyporus*, 398  
*Polysphondylium*, 26  
*Polysphondylium tenuissimum*, 24  
Pontimaceae, 50  
*Pontisma*, 49–51, 57  
Pontismataceae, 51, 57  
*Porphyra*, 57  
*Porpomyces*, 395  
*Portalia*, 310, 320  
*Postia placenta*, 374, 398  
*Powellomyces*, 160, 166  
Powellomycetaceae, 160  
*Proabsidia*, 219  
*Proceropycnis*, 285  
*Proliferobasidium*, 309  
*Proliferobasidium heliconiae*, 314  
*Protoachlya*, 49–51, 65  
*Protobremia*, 52, 76  
*Protomerulius*, 390  
Protomycetales, 298  
*Protomycocladus*, 220  
Protophallaceae, 393  
*Protostelium*, 11  
Protozoa, 27, 34  
*Protuberia canescens*, 392  
Psathyrellaceae, 410  
*Pseudodermatosorus*, 309, 313  
*Pseudodoassania*, 309, 313, 318  
*Pseudoharpella*, 219  
*Pseudohydnum*, 390  
*Pseudoperonospora*, 40, 52, 76  
*Pseudoperonospora cubensis*, 76  
*Pseudosphaerita*, 49–51, 54  
Pseudosphaeritaceae, 50, 51  
*Pseudotracya*, 309, 313  
*Pseudozyma*, 301, 302, 311, 317  
*Pseudoperonospora*, 50  
*Ptechetelium*, 289  
*Pteromaktron*, 219  
*Puccinia graminis f. sp. tritici*, 281  
*Puccinia psidii*, 278  
*Puccinia striiformis*, 281  
*Puccinia triticina*, 281  
Pucciniales, 288  
Pucciniomycetes, 281, 288–289  
Pucciniomycotina, 271, 276, 278, 281, 283, 285, 287, 297, 298, 321  
Punctulariaceae, 401  
*Punctularia strigoso-zonata*, 401  
*Pustula*, 51, 70  
*Pylaiella*, 55  
*Pyrococcus horikoshii*, 9  
Pythiaceae, 50, 51, 67, 69, 71–72  
Pythiales, 50, 69, 71  
*Pythiella*, 49, 51, 59  
*Pythiogeton*, 49–51, 71, 72  
Pythiogetonaceae, 50, 71  
*Pythiopsis*, 49–51, 64, 65  
*Pythium*, 49–51, 60, 67, 69, 71, 72, 80, 84

- P. chondricola*, 72  
*P. insidiosum*, 49  
*P. monospermum*, 74  
*P. porphyrae*, 72  
*P. ultimum*, 40
- Q**
- Quambalaria*, 301, 310  
 Quambalariaceae, 310, 316  
*Quatsinoporites cranhamii*, 386
- R**
- Racocetra*, 259  
*Radiigera*, 391  
*Radiomyces*, 220, 234  
 Radiomycetaceae, 220  
*Ramaria*, 393  
 Ramariaceae, 394  
*Ramicandelaber*, 219, 230, 232  
 Ranunculales, 314  
*Redeckera*, 256, 260  
*Reesia*, 48  
*Reniforma strues*, 276, 278  
 Residual polyporoid clade, 399  
*Resinicium*, 396  
 Restionaceae, 311, 319, 320  
*Restiosporium*, 311, 320  
*Reticulocephalis*, 220, 236  
 Rhamnaceae, 309  
*Rhamphospora*, 300, 305, 309, 313  
*Rhamphospora nymphaeae*, 313  
 Rhamphosporaceae, 309, 313  
*Rhamphospora nymphaeae*, 313  
 Rhipidiaceae, 50, 51, 69  
 Rhipidiales, 50–52, 66, 69–70  
*Rhipidium*, 49, 51, 66, 69  
 Rhizaria, 11, 99  
*Rhizidiomyces*, 48  
*Rhizidiomyces apophysatus*, 47, 78  
*Rhizidium*, 156, 157  
*Rhizidomyces infiatus*, 48  
*Rhizoclosmatium*, 156  
*Rhizoctonia solani*, 388  
*Rhizomucor*, 211, 212, 219, 234  
*Rhizomucor variabilis* var. *variabilis*, 212  
 Rhizomucoroideae, 219  
*Rhizophagus irregularis*, 253, 254  
 Rhizophlyctidaceae, 161  
 Rhizophlyctidales, 143, 147, 151, 156, 161–163, 167  
*Rhizophlyctis*, 159–161  
 Rhizophydiales, 147, 149–156, 162, 163, 167  
*Rhizophydium*, 150–152, 166  
 Rhizopodaceae, 220  
*Rhizopodopsis*, 220  
*Rhizopogon*, 407  
*Rhizopus*, 212, 213, 220, 234  
     *R. microsporus*, 213  
     *R. oryzae*, 211  
     *R. stolonifer*, 211, 229  
*Rhodosporidium*, 287  
*Rhodosporidium toruloides*, 274  
*Rhodotorula*, 283, 286, 287, 301, 310, 317  
     *R. glutinus*, 283  
     *R. graminis*, 281, 287  
*Rhopalomyces*, 220, 235  
     *R. elegans*, 237  
     *R. strangulatus*, 228  
*Rhynchogastrema*, 334  
*Rickenella*, 396  
*Rickenella* clade, 397  
*Rictus lutensis*, 79  
 Rosaceae, 310  
*Rozella*, 1, 4, 8, 84, 142, 146, 160  
 Rozellopsidaceae, 50, 51  
*Rozellopsis*, 49–51, 54  
 Ruppiaaceae, 310  
*Russula*, 404  
 Russulaceae, 405  
 Russulales, 403
- S**
- Saccharomyces cerevisiae*, 3, 4, 8  
*Saccharum*, 62  
*Saccoblastia*, 285  
*Sakaguchia*, 286  
*Saksenaea*, 212, 220, 234  
 Saksenaeaceae, 220  
 Salilagenidiales, 50, 58  
*Salilagenidium*, 50  
 Salisapilaceae, 71  
*Salisapilia*, 51  
 Salisapiliaceae, 51  
 Salispilaceae, 71  
*Salispilia*, 83  
*Salmacisia*, 310, 317  
*Salmacisia buchloëana*, 317



- Saprolegnia*, 49–51, 61, 64, 65, 78, 80  
  *S. ferax*, 56, 64  
  *S. parasitica*, 40  
Saprolegniaceae, 50, 51, 61–63, 65  
Saprolegniales, 49–51, 58–65  
Saprolegniomycetes, 51, 52, 58–65  
*Sapromyces*, 49–51, 70  
*Sapromyces elongatus*, 66, 69  
*Sarcodon*, 399  
Saxifragaceae, 309, 314  
*Schenella*, 391  
Schenellaceae, 392  
Schizangiella, 218  
*Schizochytrium*, 44–46  
*Schizochytrium minutum*, 46  
*Schizonella*, 305, 310, 320  
Schizophyllaceae, 411  
*Schizophyllum commune*, 374  
Schizoporaceae, 397  
*Schroeteria*, 298  
*Sclerocystis*, 255  
*Scleroderma*, 407  
Sclerodermatineae, 408  
*Sclerogaster*, 391  
Sclerogastraceae, 392  
*Sclerogone*, 219, 234  
*Sclerophthora*, 52, 62, 75  
*Sclerospora*, 49, 50, 52, 64, 75  
Sclerosporaceae, 50  
Sclerosporales, 50, 58  
*Scoliolegnia*, 50, 51  
*Scutellospora*, 259, 264  
*Scytinopogon*, 395  
*Sebacina*, 389  
Sebacinales, 389  
Selaginellaceae, 309, 313  
*Semimorula liquescens*, 32  
*Senecio vulgaris*, 69  
*Sepedonium*, 407  
Septobasidiales, 289  
*Septobasidium*, 278, 289  
*Septobasidium burtii*, 279  
Septochytriaceae, 157  
*Septochytrium*, 157  
*Septosperma*, 145  
*Serendipita*, 389  
*Serpulomyces*, 406  
*Shivasia*, 310  
*Sicyoidochytrium*, 44, 46  
*Siepmannia*, 220, 234  
*Sigmogloea*, 348  
*Sigmoideomyces*, 220, 236  
Sigmoideomycetaceae, 210, 220, 235, 236  
Simuliidae, 223  
*Simuliomyces*, 219, 231  
*Simuliomyces spica*, 238  
*Sinotrichium*, 219, 231  
Siphonaria, 156  
Sirobasidiaceae, 350  
*Sirobasidium*, 332, 334  
Sirolopidiaceae, 50, 51, 57  
*Sirolopidium*, 49–51, 57  
*Sirotrema*, 334  
*Sistotrema*, 387  
*Smittium*, 219, 231, 238  
  *S. culicis*, 231  
  *S. culisetae*, 231  
*Sommerstorffia*, 49–51, 61, 64  
Sonoraphlyctidaceae, 161  
*Sonoraphlyctis*, 161  
Sorochytriaceae, 186  
*Sorochytrium*, 180, 186  
*Sorodiplophyrs*, 44  
*Sorodiscus*, 105  
*Sorodiscus callitrichis*, 107  
*Sorosphaera*, 105  
*Sorosphaera veronicae*, 107  
*Sorosporium*, 310  
*Sparassis*, 398  
*Spartiella*, 219, 231  
*Sphacelotheca*, 287, 297  
*Sphaerechinus granularis*, 32  
*Sphaerita*, 50  
Sphaerobolaceae, 392  
*Sphaerobolus*, 391  
*Sphaerosporangium*, 51  
*Sphagnum*, 276  
Spiculogloales, 284  
*Spinalia*, 218, 230  
*Spinalia radians*, 230  
*Spinellus*, 211, 220, 234  
*Spirodactylon*, 219, 232  
*Spiromyces*, 219, 230, 232  
  *S. spiralis*, 232  
  *S. minutus*, 232  
*Spizellomyces*, 145, 160, 161, 167

- Spizellomycetaceae, 160  
 Spizellomycetales, 143, 145, 147, 156, 159–162, 167  
*Spongospora*, 11, 105  
   *S. nasturtii*, 99  
   *S. subterranea*, 99  
 Sporidiobolales, 282, 283, 288  
*Sporidiobolus*, 287  
*Sporidiobolus pararoseus*, 279, 287  
*Sporisorium*, 301, 311, 320, 321  
*Sporobolomyces*, 283, 284, 286, 287  
*Sporobolomyces salmonicolor*, 283  
*Sporodiniella*, 220, 235  
*Sporodiniella umbellata*, 235  
*Stachylina*, 218  
*Stachylinoides*, 218  
*Steccherinum*, 398  
*Stegocintractia*, 310, 320  
 Stemonitales, 31  
*Stemonitis*, 27, 33  
 Stereaceae, 405  
*Stereopsis*, 406  
*Stereum*, 404  
*Sterigmatomyces*, 284  
*Sterigmatomyces halophilus*, 284  
*Sterigmatosporidium*, 348  
*Stilbum*, 284  
*Stipella*, 219, 231  
*Stollia*, 311, 320  
*Straminipila*, 41, 44  
*Straminopila*, 10  
*Strongwellsea*, 217, 218  
 Strophariaceae, 410  
*Stylina*, 310  
*Stylopage*, 220  
*Stylopage rhabdospora*, 235  
*Stypella*, 390  
*Subulicystidium*, 395  
 Suillineae, 408  
*Suillus*, 407  
*Sulzbacheromyces*, 406  
*Sympodiomyopsis*, 301, 310, 317  
 Syncephalastraceae, 210, 220, 228  
*Syncephalastrum*, 220  
*Syncephalastrum racemosum*, 227, 228, 237  
*Syncephalis*, 220, 235–237  
   *S. hypogena*, 228, 237  
   *S. sphaerica*, 237  
*Synchytrium*, 145, 146, 156, 162, 166  
*Syzygangia*, 50  
*Syzygangia*, 71  
*Syzygites*, 220, 234  
*Syzygites megalocarpus*, 229, 235  
*Syzygospora*, 334, 336, 349, 351
- T**  
*Tabanomyces*, 218, 223, 238  
*Taphrina deformans*, 274  
 Taphrinomycotina, 298  
*Tapinella*, 407  
 Tapinellineae, 408  
*Tarichium*, 218, 222  
*Tausonia*, 336  
*Tectimyces*, 219, 231  
*Testicularia*, 311  
*Tetragoniomyces*, 332, 340, 350  
*Tetramyxa*, 105  
*Tetramyxa parasitica*, 107  
*Thalassiosira pseudonana*, 8  
*Thalassiosira*, 40  
 Thamniaceae, 219  
 Thamnidioideae, 219  
*Thamnidium*, 211  
*Thamnidium elegans*, 211  
*Thamnidium* Link, 220  
*Thamnidium* Tuck. ex Schwend, 220  
*Thamnocephalis*, 220, 236  
   *T. quadrupedata*, 236  
   *T. sphaerospora*, 228  
*Thamnostylum*, 220  
*Thaxterosporium*, 218  
*Thecamoeba quadrilineata*, 236  
*Thecaphora*, 296, 301, 305, 310, 317, 318  
   *T. haumanii*, 318  
   *T. oxalidis*, 317  
   *T. thlaspeos*, 318  
*Thelephora*, 399  
 Thelephoraceae, 400  
 Thelephorales, 399  
*Thermomucor*, 211, 219  
*Thermus thermophilus*, 9  
*Thoreauomyces*, 160  
 Thraustochytriaceae, 44  
 Thraustochytridiaceae, 44  
 Thraustochytridiales, 44  
*Thraustochytrium*, 44–46, 78  
   *T. multirudentale*, 46  
   *T. rossi*, 45  
*Thraustotheca*, 49–51, 65

- Thraustotheca clavata*, 64  
*Tieghemella*, 219  
*Tieghemiomyces*, 218, 230  
*Tieghemiomyces californicus*, 230  
*Tilletia*, 295–298, 300, 304, 310, 315, 317, 322  
   *T. caries*, 317  
   *T. controversa*, 317  
   *T. horrida*, 317  
 Tilletiaceae, 305, 310  
 Tilletiales, 301, 303–305, 310, 311, 313, 316, 317, 321, 322  
*Tilletiaria*, 310  
*Tilletiaria anomala*, 300, 315, 316  
 Tilletiariaceae, 310, 311, 315, 316, 321  
*Tilletiopsis*, 301, 309, 310, 312, 314, 316  
   *T. albescens*, 310  
   *T. pallescens*, 301, 310  
   *T. washingtonensis*, 301  
*Tolyposporella*, 310, 312  
*Tolyposporium*, 310, 320  
*Tomentella*, 399  
*Tothiella*, 310, 318  
*Trachysphaera*, 50  
*Tracya*, 309, 313, 318  
*Trametes*, 398  
*Tranzscheliella*, 311  
 Trappeaceae, 393  
*Trechispora*, 395  
 Trechisporales, 395  
*Tremella*, 332, 337, 347, 350  
   *T. encephala*, 334  
   *T. foliacea*, 332  
   *T. fuciformis*, 332  
   *T. giraffa*, 334  
   *T. mesenterica*, 332, 336  
   *T. obscura*, 334  
   *T. penetrans*, 334  
 Tremellales, 281, 332, 347, 350  
*Tremellina*, 348  
*Tremellodendron*, 389  
 Tremellomycetes, 374  
*Tremelloscypha*, 389  
*Tremiscus*, 390  
*Trichaptum*, 396  
*Trichia*, 33  
 Trichiales, 31, 32  
*Trichocintractia*, 311, 320  
*Trichoderma*, 6  
*Tricholoma*, 409  
*Tricholoma matsutake*, 373  
 Tricholomataceae, 410  
 Tricholomatoid clade, 410  
 Trichomycetes, 209, 210, 214  
*Trichosporon*, 344, 349  
   *T. asahii*, 346  
   *T. asteroides*, 346  
   *T. debeurmannianum*, 346  
   *T. dermatis*, 346  
   *T. inkin*, 346  
   *T. louberti*, 346  
   *T. mucoides*, 346  
 Trichosporonales, 347, 349  
 Trichosporonales, 336  
*Trichozygospora*, 219, 231  
*Trichozygospora chironomidarum*, 238  
*Trifoliellum*, 219  
*Trimorphomyces*, 336, 340  
*Triodiomyces*, 311, 320  
*Tripartalcar*, 160  
 Tritirachiales, 289  
 Tritirachiomycetes, 278, 289  
*Tritirachium*, 283, 289  
   *T. oryzae*, 289  
   *T. roseum*, 289  
*Tuberculina*, 289  
*Tubisorus*, 311, 320  
 Tubulicrinaceae, 397  
*Tulasnella*, 387  
 Tulasnellaceae, 388  
*Turbinellus*, 393
- U**  
*Udeniomyces*, 347  
*Uleiella*, 298, 311, 320  
 Uleiellaceae, 320  
*Ulkenia*, 44, 46  
*Ulkenia amoeboida*, 45  
 Ulmaceae, 309  
 Umbelopsidaceae, 220  
*Umbelopsis*, 213, 220, 238  
*Unilacryma*, 370  
*Unilacryma unispora*, 358, 361, 365  
*Uredinella*, 289  
 Urediniomycetes, 275, 283  
 Urediniomycetidae, 288  
*Uredo farinosa*, 315  
 Urocystidaceae, 310, 318, 319, 321  
 Urocystidales, 301, 305, 310, 313, 318–319  
*Urocystis*, 296, 298, 300, 301, 305, 310, 319

- Urocystis cepulae*, 301  
*Uromyces fabae*, 281  
*Urophlyctis*, 180, 186  
*Ustacystis*, 296, 304, 310, 319  
*Ustanciosporium*, 296, 311, 320  
Ustilaginaceae, 302, 305, 311, 319–322  
Ustilaginales, 301, 304, 305, 310, 311, 318–321  
Ustilaginomycetes, 275, 304, 310, 311, 313, 316–321  
Ustilaginomycotina, 271, 276, 287, 295–322  
*Ustilago*, 295–297, 299–302, 305, 311, 315, 320–322  
*Ustilago maydis*, 295, 297, 302, 305  
*Ustilentyloma*, 287, 297  
*Utharomyces*, 213, 216, 220, 234
- V**
- Vankya*, 310, 318, 319  
*Vanrija*, 347  
*Veluticeps*, 402  
Verrucalvaceae, 50, 51, 61, 64  
*Verrucalvus*, 50, 51, 62  
*V. calvatus*, 61  
*V. flavofaciens*, 62  
*Viennotia*, 52, 75  
Vitaceae, 310, 318, 321  
Volvocisporiaceae, 310, 316  
*Volvocisporium*, 310  
*Vuilleminia*, 400  
Vuilleminiaceae, 401  
Vuilleminiales, 400
- W**
- Wallemia*, 351  
Wallemiomycetes, 374  
*Websdanea*, 311, 320  
Websdaneaceae, 311, 319–321  
*Wilsonia*, 51  
*Wilsoniana*, 70  
*Wolfiporia*, 398  
*Woronina*, 104  
*Woronina pythii*, 102  
*Wrightoporia*, 404
- X**
- Xanthophyllomyces*, 334, 343, 346, 349  
Xanthorrhoeaceae, 310  
*Xenolachne*, 348
- Y**
- Yelsemia*, 311  
*Youngiomyces*, 219, 234
- Z**
- Zancudomyces*, 219, 231  
*Zancudomyces culisetae*, 231  
Zoopagaceae, 220, 235, 236  
Zoopagales, 210, 214, 215, 217, 220, 224, 225, 228, 229, 235–239  
*Zoopage*, 220  
Zoopagomycotina, 210, 215, 217, 220, 224–237, 239  
*Zoophagus*, 220, 235, 237  
*Zoophagus insidians*, 235  
*Zoophthora*, 217, 218, 238  
*Zoophthora radicans*, 217, 221  
*Zundeliomyces*, 287, 297  
*Zychaea*, 220  
*Zygnemomyces*, 218, 219  
*Zygopolaris*, 219, 231  
*Zygorhynchus*, 210, 211, 213, 220, 237  
*Z. heterogamus*, 226, 229  
*Z. moelleri*, 214  
*Zynemomyces*, 230

---

## Subject Index

- A**  
AA. *See* arachidonic acid (AA)  
Abscission vacuole, 232  
Absorption, 208  
Absorptive nutrition, 10  
Acaulosporoid spore type, 256  
Acidosis, mucormycosis, 212  
Acrasid cellular slime molds, 21, 22  
Acrasids, 21, 22  
Active spore discharge, 215–216, 223, 224  
Adaptation, 4, 11  
Adhesorium, 100  
Aerobic yeast cell formation, 229  
Aerobic fermentation, 238  
AFTOL. *See* Assembling the Fungal Tree of Life (AFTOL)  
Agar  
    brain-heart infusion (BHIv), 238  
    hay infusion, 26  
    MEYE, 230, 236  
    Sabouraud dextrose, 238  
    water, 26, 236  
    YpSs, 230  
Agarics, 380  
Aggregation center, 24  
AIDS  
    microsporidia, 120  
Alkaline culture media, 237  
*Allomyces*  
    hybridization, 197  
    life cycle, 187  
    mitochondrial genome, 200  
    polyploidy, 197  
    zoospore ultrastructure, 193  
Alpha-aminoadipate pathway, 9  
Alternation of generations, 181  
Amber, 387  
    Baltic, 27  
American Type Culture Collection (ATCC), 239  
Ammonia, 34  
Amoebae  
    multinucleate, 28  
    sorocarpic, 22  
Amoeboflagellates, 28, 29  
Amoeboid dispersal, 10  
Amoeboid trophic cells, 23, 25  
Anaerobic yeast cell formation, 229  
Anaerobic fermentation, 180, 200  
Anamorphic ascomycete, 234  
Anamorphic fungi, 278  
Anamorphs, 278  
    Dacrymycetes, 362–363  
Anastomosis, 253, 259, 262  
Anatomical characters, 376  
Angiosperms, 298  
Anisogamy, 182, 187  
Antagonism to other fungi, 301  
Antheridia  
    paragynous, 74  
Antheridial cells, 81  
Antibiotics, 237  
Apical conidiogenous cell, 223  
Aplanospores, 62  
    primary, 65  
Appendaged sporangiospores, 216  
Appendaged suspensors, 234  
Apposed suspensors, 216, 229, 232–235  
Aquaculture  
    microsporidia, 119  
Aquatic fungi, 238, 276, 285, 286, 288, 386  
Aquatic hosts  
    microsporidia, 119–132

- Aquatic hyphomycetes, 276, 285, 287  
 Arabian Sea, 290  
 Arachidonic acid (AA), 212–213  
 Arbuscule, 252  
 ARSEF. *See* USDA-ARF Collection of Entomopathogenic Fungal Cultures (ARSEF)  
 Arthropods, 209–210  
 Arthropod hosts  
   microsporidia, 116–119, 122–123, 127  
 Arthropod parasites, 223  
 Arthrospores, 216, 224, 225, 228, 230, 235  
 Asexual dispersal process, 24  
 Asexual reproduction, 230, 231  
 Assembling the Fungal Tree of Life (AFTOL), 374  
 Asterids, 322  
 ATCC. *See* American Type Culture Collection (ATCC)  
 ATPase subunit 6, 374  
 Atromentin, 407  
 Attine ant cultivars, 410  
 Avian hosts  
   microsporidia, 120–121, 123–124, 129, 132–133  
 Axenic culture, 233–235, 238  
 Axial assembly, 193  
 Azygospores, 216, 217, 222–224, 229  
 Azygosporogenesis, 239
- B**
- Bacteria, 231  
   coliform, 25  
   endosymbiotic, 213  
 Baitfish  
   microsporidia, 119  
 Ballistoconidia, 390  
 Bar bodies, 80  
 Barcoding, 240  
 Basidiobolomycosis, 212, 223  
 Basidiocarps, 315, 332  
   Dacrymycetes, 360–362  
 Basidiomycete yeasts, 274, 283, 286, 287  
 Basidiospores, 334  
 Basidium, basidia, 299, 311, 315, 316, 319, 321, 335, 340, 390  
   chiastic, 387  
   Dacrymycetes, 360–362  
   epibasidia, 334  
   morphologies, 278  
   phragmobasidia, 278  
   stichic, 387  
 Batkoan classification, 214–215  
 Benomyl, 237  
 BHIv. *See* Agar, brain-heart infusion (BHIv)  
 Bicosoecid flagellates, 79  
 Binding hyphae, 398  
 Biodegradation, 212–213  
 Biodiesel, 212–213  
 Biogeography, 395  
 Bioinformatics, 411  
 Biological control, 238  
 Biological sibling species, myxomycetes, 29  
 Bioremediation, 212–213  
 Biosorption, 212–213  
 Biotechnology, 212–213, 240  
 Biotransformation, 212–213  
 Biotrophy  
   facultative, 74  
   obligate, 71  
 Biotype, 32  
 Birds  
   microsporidia, 120, 123–124, 129, 132–133  
 Blackflies, 223  
 Blackfly ovarian cysts, 231  
*Blastocladia*  
   life cycle, 191  
   mitochondrial genome, 201  
   zoospore ultrastructure, 193  
 Blastocladomycota  
   phylogeny, 183  
 Blastoclads, 177  
   culture, 199  
   facultatively anaerobic, 180  
   geographic distribution, 179  
   hosts, 180  
   mycoparasitic, 180  
   parasitic, 180  
   saprobic, 179  
 Blastosporogenesis, 224  
 Blight disease  
   irrigated turf grasses, 44  
 Brown-rot, 383, 398  
 Brown-rot fungi, Dacrymycetes, 363  
 Bruns' Law, 6  
 Burns, mucormycosis, 212

- C**
- Calcium oxalate, 216
- Cambrian period, 82
- Canopy plating isolation technique, 238
- $\beta$ -Carotene, 213, 214, 229
- Carotenoids, Dacrymycetes, 364
- Cattle lungworm, 216
- Cavender method, dictyostelid isolation, 26
- Cell coat, 143, 157
- Cellular interaction, 297, 299, 302, 308–309
- Cellular slime molds, 21, 22
- Cellulin  
  chitin-glucan polymer, 59
- Cellulose, 384
- Cell wall, 297, 301  
  carbohydrates, 276  
  cellulose, 39  
  chemistry, 229
- Centriole, 223  
  nonkinetosomal, 194
- Chemoattractant, 23, 25
- Chiastic basidia, 387
- Chitin, 209
- Chitin synthases, 8
- Chitosan, 209
- Chlamydozoospores, 216, 224, 227, 228, 234, 235, 340  
  germination, 236  
  perennation, 228
- Chlortetracycline, 237
- Chronic gill infections  
  microsporidia, 119
- Clades, 233
- Clamp connections, 305, 386
- Classification, zygomycotan fungi, 210, 215, 240
- Cleavage  
  centrifugal, of oospheres, 58  
  vesicle, of sporangiospores, 225
- Coelomomyces*  
  culture, 199  
  hybridization, 198  
  life cycle, 191  
  zoospore ultrastructure, 193
- Coenocytic  
  hyphae, 217, 234, 281, 288  
  mycelium, 223
- Coevolution, 321
- Colacosomes, 281, 286, 287
- Colony collapse disorder, 119
- Columellae, 232
- Commensals, 44
- Conidiophores, 278
- Conidia, 215–217, 221, 223, 224, 226, 235, 236, 238  
  asteroconidia, 336  
  ballistoconidia, 334, 336, 340  
  blastoconidia, 336  
  capilliconidia, 219  
  primary, 217, 221, 223, 224  
  secondary, 217–220, 223, 224  
  staurosporous, Dacrymycetes, 368  
  tetraradiate, 286  
  true, 224, 226  
  unitunicate, 217  
  villose, 221  
  zygoconidia, 336, 340
- Conidial chains, 236
- Conidial characters, Entomophthoromycota, 222
- Conidial discharge, 217, 224
- Conidial germination, 236
- Conidiobolomycosis, 212
- Conidiogenesis, 239
- Conidiogenous cell, 217
- Conidiogenous hymenium, 220
- Conidiophores, 217, 221, 223  
  secondary, 224
- Conifers, 298
- Continuous parentheses Dacrymycetes, 361, 368
- Controlled drying, Entomophthoromycota, 238
- Convergent evolution, 313
- Coprophilous, 232
- Corticoid forms, 380
- Corticolous myxomycetes, 33
- Cruciform division, nuclear, 100
- Cryogenic freezers, 238
- Cryogenic storage, 146, 238
- Cryoprotectant, 238
- Cryostorage. *See* Cryogenic storage
- Crystal, crystals  
  calcium oxalate, 216  
  spines, bearing, 216
- Cultures, 146, 199, 212, 229, 237–239, 290  
  collection, 239  
  microsporidia, 131–133  
  trap, 262
- Cyanobacteria, 31
- Cyanobionts, 261
- Cyphelloid forms, 380

- Cyst  
 primary, 62  
 secondary, 62
- Cystidia, 217, 220–222
- Cystosome, 281
- Cystosorus, 99
- Cytological characters, Agaricomycetes, 376
- Cytoplasmic cleavage, 237
- D**
- Decomposition, 34
- Desmid algae, 223
- Detritivores, 34
- Detritus, 32  
 food chain, 34
- Development, Chytridiomycota, 145, 147, 160, 162, 167
- Devonian, 83, 264
- Diabetes, 212
- Diabetes mellitus, 212
- Dicots, 298
- Dictyostelids, 21–23, 25, 26
- 4-Dihydromethyltrisporate dehydrogenase, 214
- Dikaryophyses, Dacrymycetes, 360–362
- Dikaryotic phase, Ustilaginomycotina, 299
- Dimitic hyphae, 398
- Dimorphism, 299, 338
- Diptera, 223, 238
- Disease  
 dieback of turf grasses, 40  
 human, 302  
 red rot, 57  
 sea grass bed dieback, 40  
 seedling blight, 212  
 silk worm, 119  
 wasting disease, 57
- Dispersal, 143, 145, 146, 215, 216  
 Glomeromycota, 254  
 long distance, 30, 33, 395
- Distribution, Dacrymycetes, 363–364
- Dolipores, 337, 360, 361, 368, 376
- Downy mildews, 73, 75  
 Brassiculous, 76  
 DMCC, 76  
 DMPH, 76  
 GDM group, 75
- Droplet of fluid in spore release, 232
- Drug metabolism, 213
- Dry spores of zygomycetous fungi, 216, 232
- Dung, 145, 210, 230, 232, 233, 236  
 Dung extract, 237
- E**
- Early-diverging clades, Oomycota, 52
- Early land plants, 234
- Earthworms, 34
- Ecological roles, Agaricomycetes, 383–386
- Ecology, 4, 5, 34, 276–278, 298, 302
- Economic importance, 211–214
- Ecosystems  
 freshwater, 40  
 marine, 40, 71  
 terrestrial, 71
- Ectomycorrhizae, 210, 233, 373
- Ectoparasitism, 235
- Ectoplasmic threads, 44
- Effectors, 299, 302  
 molecules, 49  
 RxLR-type, 73
- Egyptian henbane, 211
- Endocyanobiosis, 261
- Endomycorrhizal fungi, 233, 234
- Endoparasitism, 235  
 crustacean eggs, 58  
 molluscs, 58  
 oyster drill, 58
- Endophytes, 386, 389
- Endosulfan, 213
- Endotoxin, 213
- Entomopathogens, 211, 276, 289
- Entomophthoromycosis, 212
- Environmental sampling, 278
- Environmental sequencing, 4
- Eocene, 27
- Epibasidia, 334
- Ergosterol, 8–9
- Eukaryotic tree of life, 21
- Evolutionary trends, Ustilaginomycotina, 322
- Evolution of phenotype, 1
- Extremophiles, 278, 286, 290
- F**
- Facultative parasite, 235  
 nonhaustorial parasite, 234
- Fatty acid methyl esters (FAMES), 213
- Ferns, 288  
 prothallia, 215, 222, 223
- Filopodia, 217



- Fish  
  microsporidia, 119, 123, 128
- Fitness, 4
- Flagellum, Flagella, 193, 223  
  apparatus, 147, 148, 164  
  loss, 10  
  rootlet system, 78
- Flattened, wavy/undulate growth, Mortierello-  
  mycotina, 233
- Food resources  
  myxomycetes, 31, 34
- Food spoilage, 211–214
- Forcible discharge of spores, 215
- Fossil record  
  myxomycetes, 27
- Fossils, 386  
  zygomyceteous, 234
- Fruiting bodies, 22–24, 26, 30, 380–383  
  diversity, 278  
  perennial, 381
- Fruiting forms, Pucciniomycotina,  
  278, 284, 287
- Fruit storage rots, 211
- Fungus-like protists, 10–11
- G**
- Gall formation, 235
- Gall-forming parasite, 214
- Gametangium, Gametangia, 182, 197, 214, 216,  
  224, 229
- Gamma bodies, 196
- Gastroid, 315
- Gene  
  beta-tubulin, 26  
  fungal-specific, 8  
  internal transcribed spacer 1, 30  
  ITS1-5.8S-ITS2, 240  
  large subunit rDNA, 297  
  partial elongation factor 1-alpha, 30
- Gene reduction  
  microsporidia, 130
- Genomes, 40, 281
- Geosiphonales, 210
- Germinal wall, 258, 263
- Germination, 231, 236
- Germination orbs, 260
- Germination shield, 253
- Gleba, 392
- Globose vesicle, 228
- Globule, 229
- Gloeocystidia, 404
- Gloeoplerous hyphae, 404
- Glomoid spore type, 256
- Glycerol  
  growth, Dimargaritales, 238
- Glycolipids, 301
- Green beans, 211
- Gun cells, 55
- H**
- Habitat, 301  
  arctic, 278  
  deep-sea, 278  
  subalpine forest, 211  
  subantarctic island, 211  
  temperate forests, 33  
  tropical forests, 28, 32  
  wet, 223
- Haploid phase, 299, 301
- Haustoria, 235, 236, 308, 313, 315, 335, 337  
  globose, 70
- Haustorial parasites, zygomycetous fungi, 230,  
  236, 238
- Hemin, 237
- Heteroecism, 278, 289
- Heterothallic, 182, 214, 216, 229
- Heterothallism, 214, 222
- Heterotrophs, 209
- Holdfasts, 209, 217, 220, 221, 230, 231
- Holocarpic thalli, 54, 71, 72
- Homothallic, 182, 214, 216, 222, 229, 239
- Homothallism, 191, 299
- Host jumps, 321
- Host-parasite recognition, 214
- Host range, 222, 298
- Host specificity, 321–322  
  Glomeromycota, 254
- Human mycoses, 211
- Hybridization, 198, 298
- Hydrogenosomes, 165, 166
- Hydrostatic pressure, 217
- Hymenium, 221, 360–362
- Hymenophore, 381
- Hyperglycemia, mucormycosis, 212
- Hyphae, 10, 31, 216, 227, 228, 230, 236,  
  302, 360  
  binding, 398  
  skeletal, 398

trimitic, 398  
 Hyphal attachment, 258  
 Hyphal bodies, 181, 210, 216, 217, 223, 224

## I

Ice plant, 211  
 Immunosuppression, 212  
 Industrial uses, 212–213  
 Insect biocontrol, 238  
 Insects, 210, 215, 222, 230, 238, 301, 305, 404  
   aquatic, 231, 238  
   entomophthoralean fungi, 210, 238  
   microsporidia, 122  
   scale, 289  
   stonefly nymphs, winter-emerging, 238  
   symbionts, 386  
   wood wasps, 404  
 Interaction apparatus, Ustilaginomycotina, 308, 314  
 Interactive vesicles, Ustilaginomycotina, 302, 308  
 International Code of Nomenclature, 347  
 Isopods, 230  
 Isoprenoids, 214

## J

Jelly fungi, 374, 391  
 Joint Genome Institute, 376

## K

Karnal bunt, 295  
 Karyogamy, 80  
 K-bodies, 70  
 Kinetosome, 78, 193  
 Kinetosome-associated structures (KAS), 147

## L

Labyrinthiform organelle, 232  
 Lenticular bodies, 281  
 Leucopenia, mucormycosis, 212  
 Lichenicolous fungi, 386  
 Lichenized basidiomycetes, 386, 401  
 Life cycle, 23–25, 28–31, 191, 299  
   microsporidia, 126–129  
 Light, 213  
 Lignin, 384  
 Lignin decomposition, Dacrymycetes, 363  
 Lipids, 213  
 Liverworts, 234, 389

Lobose pseudopodia, 22  
 Lycopene, 212, 214  
 Lyophilize, 238, 239  
 Lysine, 9

## M

Macrocyts, 25  
 Macrosporangiophore, 213  
 Mammalian hosts  
   microsporidia, 120–121, 123–124, 129, 132–133  
 Mammals, 211, 394  
 Mannose, 276  
 Marine fungi, 386  
 Marine stramenopile  
   MAST clade, 59  
 Marsupials, 394  
 Mating, 213–214, 229  
 Mating systems  
   bipolar multiallelic, 286  
   heterothallic, 29  
   homothallic, 25  
   nonheterothallic, 29  
 Mating type, 25  
 Media, 213  
 Meiosis, 80, 103, 187  
 Melanin pigments, 224  
 Merogony, 127  
 Merosporangia, 216, 224, 225, 227, 228, 230, 234, 235  
   unisporous, 232  
   two-spored, 225, 230  
 Merosporangiferous Mucorales, 210, 214  
 Merosporangiospores, 235  
 Metagenomics, 5–6  
 Microbodies, 281, 282, 285, 286  
 Microbody-lipid globule complex (MLC), 147, 148, 193  
 Microconidia, 390  
 Microcysts, 25, 28, 31  
 Microfossils, 83  
 Microhabitats, of myxomycetes  
   aerial portions of dead but still standing  
     herbaceous plants, 33  
   coarse woody debris, 33  
   dung of herbivorous animals, 33  
   forest floor litter, 33  
   inflorescences of tropical herbs, 32  
   soil, 25, 34

- succulent plants, 33
- Micro-Raman spectroscopy, 213
- Microscala, 281, 282, 285, 289
- Microscope slide preparation, zygomycetous fungi, 237
- Microtubule root, 150, 152, 155, 157–159, 164
- Midge larvae, 238
- Mineralization, 34
- Mites, 215, 315
  - phytophagous, 210
- Mitochondrial genome, 200
- Mitosis, 163, 284
  - closed, 199
- Mitospores, 225
- MLC cisterna, 148, 157–159, 162, 163, 167
- Moisture, myxomycetes, 32
- Molecular clock, 82, 386
  - calibration points, 387
- Molecular ecologists, 233
- Molecular operational taxonomic unit, 254, 263
- Molecular phylogeny, 297, 311, 319, 368–370
- Molecular systematics, 283, 374
- Monocentric, 181
- Monocots, 298
- Monotypic lineages, 283
- Morphological characters, Agaricomycetes, 376
- Morphospecies, 29
- Mosquito larva, 231
- Mucormycosis, 212, 234
- Multidrug resistance, 213
- Mushrooms, Agaricomycetes, 373
- Mutualists, 44, 383
- Mycelium, 223
  - coenocytic, 251, 253
- Mycoheterotrophy, 254
- Mycoparasites, 214–215, 235, 236, 238, 281, 284–287, 289, 408
- Mycoparasitism, 276, 340
- Mycorrhizae
  - arbuscular, 252
  - arbutoid, 389
  - cavendishoid, 389
  - ectomycorrhizae, 210, 234, 373
  - ericoid, 389
  - orchid, 271, 276, 285, 389
- Mycorrhizal associates, 234
- Mycoses, 211, 222
  - humans, 289
- Mycotic abortion, 212
- Myxogastrids, 21, 27
- Myxomycetes
  - dark-spored clade, 32
  - light-spored clade, 31
  - lignicolous, 33
  - moist chamber culture technique, 33
  - nivicolous, 33
  - nonfruiting forms, 32
  - snowbank, 33
- N**
- National Center for Agricultural Utilization Research (NRRL), 239
- Nematode parasites, 237
- Nematode, 34, 55, 210, 215, 222, 223, 233, 235, 236
- Net annual primary production, 34
- Next generation sequencing, 3–4
- Nomenclature
  - dual, 302
  - microsporidia, 130
- Nonhaustorial parasites, zygomycetous fungi, 210
- Nonmolecular characters, Agaricomycetes, 376
- NRRL. *See* National Center for Agricultural Utilization Research (NRRL)
- Nuclear cap, 192
- Nuclear characters, zygomycetous fungi, 222
  - nucleolus, 222, 223
- Nuclear division, Phytomyxea, 100
- Nucleus, 223
- Nucleus-associated organelle, 223
- Nutrient uptake, 209
- Nutrition
  - fermentative, 59
- O**
- Obligate
  - biotrophs, 74–75, 288
  - biotrophy, 73
  - coprophiles, 210, 237
  - parasites, 215, 223, 235
  - parasitism, 83
  - pathogens, 222
- Odor, garlic-/onion-like, 233
- Okra, 211
- Oligocene, 27
- Ontogeny, Dacrymycetes, 358–359
- Oogonia, 81
- Ooplast vacuoles

- centric/subcentric, 65
- subcentric, 69
- Oospores
  - centric, 65, 80
  - centric/subcentric, 65
  - eccentric, 65
  - subcentric, 80
- Oospore walls
  - verrucose, 70
- Opisthokonts, 3
- Ordovician, 264
- Osmotolerant species, 284
  
- P**
- PAHs. *See* polycyclic aromatic hydrocarbons (PAHs)
- Palms, 321
- Panckow, Thomas, 27
- Paracrystalline structure, 157
- Paranasal sinus infection, 212
- Parasites, 230
  - animal, 223
  - mushroom, 235
  - plant, 298, 301
  - quahog clam, 44
- Parasitism, 214, 298, 302
- Parasitoid, 48
- Parenthesomes. *See* Septal pores cap
- Pathogenicity, 72
- Pathogenicity factors, 49
- Pathogens, 210, 344, 383
  - amphibians, 61
  - crayfish, 61
  - crayfish plague, 64
  - epizootic ulcerative syndrome, 64
  - fish, 61
  - hemibiotrophic, 49
  - human, 374
  - insect, 215, 238
  - invertebrates, 61
  - kikuyu yellows, 62
  - legumes, 64
  - necrotrophic, 49
  - obligate biotrophic, 49
  - plant, 211–212
  - plant roots, 61
- Periplasm, 70, 82
- Periplasmic layer, 69
- Peroxidases
  - class II fungal, 384
- Pest control, 116
- Phenotype and its evolutionary origins, 6–10
- Pheromones, 229
- Photobiology, 213
- Phototaxis, 199
- Phragmobasidia, 278
- Phylogenetic analysis, zygomycetous fungi, 215, 217, 234–236, 239
- Phylogenetics, 233, 234, 411
- Phylogenetic species recognition, 5
- Phylogenetic studies, zygomycetous fungi, 210, 223
- Phylogenetic tree, Dictyosteliomycota, 26
- Phylogenomics, 3, 376
- Phylogeny, 214, 215, 239, 376
  - microsporidia, 129
- Physiology, Ustilaginomycotina, 301
- Physoderma*
  - life cycle, 191
  - zoospore ultrastructure, 193
- Phytopathogens, 276, 287, 288
- Pigmentation, Dacrymycetes, 364
- Pithya, 211
- Plant oils, 213
- Plasmodesmata, 163, 164
- Plasmodiophorids, 99
- Plasmodium, Plasmodia, 28, 29, 31, 54, 57, 102
- Platypus, 212
- Pleistocene, 27
- Pluteoid clade, Agaricomycetes, 411
- Polar tube
  - microsporidia, 124
- Pollinator, 212
- polycyclic aromatic hydrocarbons (PAHs), 213
- Polypores, 381
- Population genetics, 3
- Population genomics, 5
- Pre-penetration apparatus, 253
- Preservation
  - microsporidia, 131–133
- Proteins
  - effector-like, 65
- Protist, 6
  - fungus-like, 10–11
- Protoplasts, 216, 217
- Protozoans, 210
- Pseudophialide, 232
- Pseudoplasmodia, 23
- Pseudopodia, 22, 23

- Psychrophiles, 233, 286  
 Psychrophilic zygomycetes, 211, 235, 237  
 Psychrotolerant zygomycetes, 211, 232, 237  
 Pucciniales  
   life cycle, 278  
 Pucciniomycotina  
   phylogenetic resolution, 276
- R**
- Resistant sporangia, 181  
 Resporulation, 217  
 Resting sporangium, 178, 181  
 Resting spores, 99, 145, 146, 161, 217, 222–224  
 Rhizoids, 217, 220–222, 228  
 Rhizomycelium, 181  
 Rhizonin, 213  
*Rhizopus*  
   head-rot, 211  
   rice seedling blight, 213  
 Rhizospheres, 278  
 Rhynie Chert, 234, 264  
 Ribosomal RNA, 297, 374  
   small subunit (SSUrRNA), 26, 62  
 RNA polymerase II, 374  
 Rodents, 230  
 Rohr, 100  
 Rooted cladistic analysis, 26  
 Rotifer eggs, 235  
 Rotifers, 55, 215, 235  
 Rumen, 143, 146, 165, 166  
 Rust fungi, 275, 288
- S**
- Salmon  
   microsporidia, 119  
 Saprobes, 210, 215, 223, 230, 233, 234  
 Saprobic, 211, 223  
   phase, 299  
   taxa, 217  
 Saprotophs, 49, 383  
 Sclerotium, 28  
 Sea urchin, 32  
 Seaweeds, 55  
 Septa, 210, 230, 232, 360  
 Septal plugs, 230, 232  
 Septal pore cap, 378  
   parenthesome, 337, 378  
 Septal pores, 279, 297, 308, 314  
 Septal pore ultrastructure, 376  
 Septate hyphae, 216, 217, 223, 230, 231  
 Sequence data, 230, 231, 234, 237  
   SSU rDNA, 297  
   SSU rRNA, 62  
 Sequence identification tools, 5  
 Sequestrate forms, 392  
 Sesquiterpenes, 404  
 Sex, 24, 25  
 Sexual pheromone, 213  
 Sexual reproduction, 230  
 Sikyospores, 214  
 Sikyotic cells, 214  
 Singlet microtubules, 223  
 Sirenin, 199  
 Skeletal hyphae, 398  
 Slime molds, 21, 27  
 Smut fungi, 287, 297  
   anther, 287  
   loose, 295  
 Smut syndrome, 299  
 Soft rot, 211  
 Soil, 210, 232, 233, 236, 237  
   baited, 232  
 Soil invertebrates, 210  
 Soils  
   agricultural, 25, 34  
   canopy, 25  
   dry, 25  
   forest, 25  
   grassland, 25  
   moist, 25  
   rain forest, 25  
   temperate, 26  
   tundra, 25  
 Sorocarp, 22, 23, 29  
 SPB. *See* spindle-pole body (SPB)  
 Speciation, 4  
 Species complexes, 233  
 Species concept, 23, 298  
 Species determination, 240  
 Species diversity, 283  
 Species recognition by population genomics, 5  
 Spindle-pole body (SPB), 223, 281, 282, 337  
 Sporangial vesicle, 71  
 Sporangial wall, 226  
 Sporangiogenesis, 239  
 Sporangiola, 213, 216, 225, 234  
   unisporous, 214, 227, 228  
 Sporangium, 226, 227  
 Sporangiothecium, 213, 214, 216, 233

- Sporangiospores, 215, 216, 225, 226  
 Sporangium, Sporangia, 70, 71, 99, 213, 216,  
     224–226, 227, 234  
     deciduous, 74  
     endosporangium, 181  
     unisporous, 231  
 Spore formation  
     mode of, 255, 258, 263  
 Spore germination  
     Glomeromycota, 253  
 Spores, 31, 234  
     appendages, 215  
     balls, 305, 311–313, 319  
     bodies, 231  
     dispersal, 215–216  
     drops, 216  
     endospores, 386, 389  
     entrophosporoid, 256  
     glomoid, 256  
     meispores, 229  
     microsporidia, 121–124  
     multinucleate, 253  
     ontogeny, 255  
     parthenospores, 216  
     sikyospores, 214  
     tetraradiate, 223  
 Sporidium, 55  
 Sporiferous saccule, 260, 263  
 Sporocarps, 210, 227, 233  
     Glomeromycota, 254, 255, 258  
 Sporocladium, Sporocladia, 225, 232  
     types, 232  
 Sporogenesis  
     asexual, 61  
 Sporogony, 127  
 Sporophores, 29, 226–228, 230  
 Sporosorus, 99  
 5S rRNA, 297  
     secondary structure, 274  
 Stachel, 100  
 Stem rot, *Gilbertella*, 211  
 Sterols, 214, 233  
     cycloartenol pathways, 48  
     lanosterol, 48, 58  
 Stichic basidia, 387  
 Stinkhorns, 380  
 Storage rots, 211  
 Stramenopile/alveolate/rhizaria (SAR)  
     superkingdom, 41  
 Stramenopiles, 39  
     marine, 48  
     picoeukaryote, 41  
 Streptomycin sulfate, 237  
 Strigolactones, 253  
 Substrate specificity, Dacrymycetes,  
     363–364  
 Suspensors, 214, 216, 227–229, 234  
     heterogamous, 226  
     hyphoid, 216  
     outgrowths, 235  
 Symbionts, 209, 230  
 Symplechosomes, 281  
 Synaptonemal complexes, 103  
 Synteny  
     microsporidia, 130  
 Systematics, Agaricomycetes, 411
- T**
- Tardigrades, 215, 222, 223  
 Taxonomic theory, 214–215  
 Taxonomy, 222–224, 411  
     Dacrymycetes, 364–368  
     microsporidia, 130  
 Teliospores, 299, 305, 312, 335  
 Temperature, 26, 31  
 Termite cultivars, 410  
     monocentric, 48  
     polycentric, 48  
 Thalloid liverworts, 234  
 Thallospores, 228  
 Thallus, Thalli, 210, 225, 231, 234, 236, 239  
     complexity, 147, 166  
     eucarpic, 71, 83  
     holocarpic, 71  
     monocentric, 48  
     polycentric, 48  
     separation, 231  
 Thelephoric acid, 399  
 Thermophilic zygomycetes, 211, 237  
 Thermotolerant zygomycetes, 211, 237  
 Thiamine, 237  
 Toads, 212  
 Tools for automatic identifications, 6  
 Transitional helix, 79  
 Translation elongation factor 1- $\alpha$ , 374  
 Transport  
     of nitrogen, 252  
     of phosphate, 252  
 Trap cultures, 262  
 Tremelloid haustoria, 281, 285, 287  
 Trichomyces website, 230

- Trichospores, 225, 230, 231, 239  
  basal color, 231  
  extrusion, 231
- Trimitic hyphae, 398
- Tripartite tubular hairs, 76
- Trisporic acid, 213–214, 229
- Trophic stages, 28, 32
- Trophocysts, 213, 215
- U**
- Ultrastructure, 312. *See also* Septal pores; Zoospores
- USDA-ARF Collection of Entomopathogenic Fungal Cultures (ARSEF), 239
- V**
- Vectors for chytrids, 145
- Vegetative structures, Entomophthoromycota, 217, 238
- Vertebrates, 302, 305
- W**
- Waxcaps, 410
- Whiskery beef, 211
- White blister rusts, 70
- White rot, 383, 398
- Wood decay, Dacrymycetes, 363–364
- Woronin-like bodies, 8, 279
- X**
- Xenoma, 128
- Y**
- Yeast cells, 216, 224, 227, 229, 234
- Yeast-like, Basidiobolales, 223
- Yeasts, 31, 299, 316, 340. *See also* Basidiomycete yeasts  
  phylloplane, 276
- Z**
- Zoomeiosporangia, 81
- Zoonosis  
  microsporidia, 120
- Zoosporangia, 181  
  filamentous, 72  
  globose, 72  
  irregularly inflated, 72  
  ovoid, 72
- Zoospores, 70, 76, 143, 145–148, 155, 157–164, 167  
  cleavage, 163, 164  
  diplanetic, 58, 62, 65  
  primary, 62, 65  
  secondary, 62, 65, 69  
  ultrastructural features, 146, 147, 167, 193
- Zygomycetes, 184, 209–212, 214, 237–239  
  fossils, 234  
  morphology, 210, 214  
  phylogenies, 215  
  website, 210
- Zygomycosis, 212  
  molecular methods, 212
- Zygomycota, 209, 210, 215, 220
- Zygomycotan fungi, 209, 210, 215
- Zygophores, 216, 229
- Zygosporangium, 227, 229, 234
- Zygosporos, 209, 214–217, 223–225, 227–235  
  parthenogenetic, 229  
  types (I–III), 231
- Zygosporogenesis, 216, 239
- Zygosporophore, 231