

Index

- analogy 451 – 452
- anemometer 231 – 248
- ammonia absorption method 19 – 34
- APV 279 – 292

- boiling 79, 95, 107, 121, 187, 201
 - convective 12 – 13
 - enhancement 95 – 105, 121 – 137
 - pool 10 – 12, 95 – 105, 107 – 120
- boundary stability 201 – 214
- broadband 391 – 404
- bubble 50 – 52, 79, 99, 107, 121, 187, 205, 217, 268, 275
 - dynamics 121 – 137
- burnout mechanism 91 – 94

- CARS 381
- CCD 79 – 87, 249 – 260, 265, 347
- CHF visualisation 79 – 87, 95
- cinematography 50 – 52, 329 – 343
- combustion 321 – 419, 329 – 343, 406 – 408
 - coal 350
- condensation 12 – 15, 50 – 52
 - direct 270 – 272
 - dropwise 171 – 172
- conductance 293 – 304
- convection 6 – 10, 48 – 50, 159
 - forced 6
 - free 6
 - Marangoni 121 – 137, 182 – 183
- concentration
 - field 248 – 260
 - of solids 293 – 304
- cylindrical 307, 312 – 315

- double-diffusion 73, 77
- droplets 171
 - growth rate 271
 - non-spherical 279 – 289
 - size 264 – 269, 279 – 289
- dual wavelength 249 – 260
- dust coal burner 386

- emission 347 – 376, 406 – 407, 413 – 415
- enhancement 159
 - active techniques 3 – 17
 - passive techniques 3 – 17
- evolutionary algorithm 384

- fibre optical sensor 188, 217, 219, 230 – 231
- films 185 – 187
- flame 321 – 327, 347 – 376, 387
- flow
 - field 265 – 266, 269, 391
 - particulate 347
 - secondary 159, 162 – 166
 - thermocapillary 121 – 137, 182 – 183
 - three-phase 233 – 248
 - two-phase 201 – 325
 - visualisation 307, 315, 321, 329 – 343
- fluorescence 391 – 404

- general method 421 – 459

- heat exchangers 4, 139, 153, 159, 171
 - compact 42, 139
- heat transfer 2 – 197, 102, 139, 321, 407, 434
 - augmental 3 – 17
 - enhanced 3 – 17, 303
 - intensified 3 – 17
 - local 19, 25, 33, 42 – 58
- hierarchical 421 – 459
- holography 37, 264 – 269
 - interferometry 38, 65 – 68, 77 – 79
- hot-wire probe 233 – 248

- IC engines 329 – 343, 405, 409, 411 – 413
- impingement 307 – 313
- infrared 97
 - photography 171 – 172
 - thermography 95 – 105, 159 – 169
- instrumentation 185 – 196

- interferometer 322
 - Mach-Zehnder 38, 321 – 327
 - two-wave-length 57 – 58, 67
- jet 303 – 309, 324, 329 – 343
- Lagrangian particle tracking 350
- LIF 329 – 343, 391
- LDV 159 – 169, 165 – 170, 329 – 343, 356
- liquid crystal 107 – 120
 - thermography 19 – 34
- local
 - concentration 293 – 304
 - heat transfer 19, 25, 33, 42 – 58
 - intensity of segregation 249 – 260
 - interfacial area 227 – 228
 - mass transfer 19, 22, 34, 65
 - void fraction 217
 - volume fraction 233– 248
- Marangoni convection 121 – 137, 182 – 183
- mass transfer 19, 22, 34, 65
- mesoscale 139 – 140, 153
- method
 - final difference 201, 208
 - general 421 – 459
 - interferometric 65 – 78
 - optical 19, 31 – 34
 - real-time 40 – 42
 - tomographical 52 – 55, 249 – 260
- microchannel 139 – 143, 147, 150 – 154
- microgravity 121 – 137
- non-equilibrium 201 – 214
- nucleation 79, 107, 121 – 137
- optical method 19, 31 – 34
- oscillation 201 – 214, 309, 327
- oxygen 391 – 404
- particulate flow 347
- PDA 279 – 292
- phase doppler technique 263, 279 – 292, 329 – 343
- photometry 249 – 260
- porous medium 406 – 408
- pressure 391 – 404
 - drop 139 – 157, 159 – 169, 201, 434
 - instabilities 201 – 214
- PTV 349, 363 – 374
- pyrometer 347
- Raman spectroscopy 198 – 200, 329 – 343, 381 – 387
- refractive index 65, 217 – 218, 283
- scaling 421 – 459
- size
 - distribution 271 – 276
 - measurement 354
- shadow doppler 349
- shadowgraph 65 – 78, 329 – 343
- slurry 293 – 304
- smoke wire 160 – 165, 170, 307
- solidification 65 – 78
- spectrum 381 – 386, 391
- spray 270 – 274
- stereo matching 269
- stirred vessels 249 – 277
- stroboscope 79 – 87, 315 – 321
- supercooling 65 – 78
- superheat 189 – 190, 193 – 195
- surfactant 95
- temperature 347
 - determination 383
 - fields 159 – 169, 171 – 179
 - measurement 381 – 386, 391 – 406
 - wall measurement 89 – 91
- thermal
 - non-equilibrium 201
 - oscillation 202
 - pattern 99
- thermography 95 – 105, 159, 167, 171
 - liquid crystal 19 – 34
- three-phase flow 233– 248
- tomography 52 – 55
- turbulence 329 – 343
- transient 185, 187, 189 – 192
- transport process 421 – 459
- two-phase flow 201 – 317
- ultraviolet 391 – 404
- vapour-liquid 185 – 196
- void fraction 207, 217, 220, 227
- volume fraction 233 – 247
- vortex 23, 307 – 309, 311 – 312, 321

Springer and the environment

At Springer we firmly believe that an international science publisher has a special obligation to the environment, and our corporate policies consistently reflect this conviction.

We also expect our business partners – paper mills, printers, packaging manufacturers, etc. – to commit themselves to using materials and production processes that do not harm the environment. The paper in this book is made from low- or no-chlorine pulp and is acid free, in conformance with international standards for paper permanency.



Springer