

Subject Index

- acetylsalicylic acid 155 f.
adenosine 155
age distribution, see: incidence of myocardial infarction
age gradient, see: incidence of myocardial infarction
aneurysm, see: ventricular aneurysm
angina pectoris
– at rest 130 ff., 141
– crescendo angina 134 ff.
– following myocardial infarction 20 f., 34, 36, 124 f., 126
– Prinzmetal angina 71, 114 f.
– prior to myocardial infarction 30, 56, 93, 104, 111 f., 124 f., 126
anterior wall infarction 51, 52 f., 56, 64 f., 71 f., 115
arrhythmias 34, 37, 83 f., 87 f., 119, 166 ff., 212 f., 215 ff.
autopsy findings 54 f., 92 ff., 104 ff., 135 f.
- β -blocker treatment 161 ff.
 β -thromboglobulin 148 ff.
- clinical course following myocardial infarction 21, 33 f., 56 f.
–, angina pectoris 20 f., 34, 36, 124 f., 126
–, arrhythmias 34, 57
–, congestive heart failure 34, 36
–, indifferent age groups 24, 34 f., 36 f.
–, reinfarction 21 f., 24 f., 27, 34, 36
– –, and β -blocker treatment 163 f.
coagulability 114 f., 140 f.
complications, see: clinical course
coronary angiographic findings 1 ff., 19 ff., 32 f., 47 ff., 56 ff., 61 ff., 108 f., 116 f., 133 f.
(see also: multilocular disease, multivessel disease, one-vessel disease, progression of coronary stenosis, regression of coronary stenosis, right coronary artery, three-vessel disease, unilocular disease, zero-vessel disease)
– after aortocoronary bypass surgery 201 ff.
– after fitness training 197 ff.
– and ECG 51 f., 53 f.
– and LV-function 65 f.
- and prognosis 83 f.
– and occupational situation 178 f.
– and risk factors 19 ff., 32 f., 61 ff., 151 f.
–, diffuse arteriosclerosis 1 f., 3 f., 126
– following intracoronary fibrinolysis 159 f.
– in coronary spasm 130 f.
– in different age groups 63 f., 158 f.
– in exercise myocardial infarction 116 f., 118 f.
– in women 123 ff.
–, normal coronary arteries 1 f., 2 f., 19 f., 32 f., 36 f., 51 f., 53 f., 57, 59 f., 63, 70 ff., 72, 78 ff., 89, 109, 114, 117, 118 f., 122 ff., 130 f., 133 f., 137 ff.
–, unidentifiable lesions 119
coronary arteriosclerosis, see: coronary angiographic findings, autopsy findings
coronary artery
–, congenital and dystrophic lesions 118
– dissection 116, 118
– fistulae 116, 118
–, unidentifiable lesions 119
coronary bypass surgery, see: treatment
coronary calcification 107 f.
coronary embolism 70, 119, 126, 130 f., 140 f.
coronary spasm 1 f., 59, 71, 88 f., 89, 113 ff., 119 f., 126, 129 ff., 137 ff.
coronary thrombosis 1 f., 59, 70, 71, 74 f., 88 f., 89 f., 114 f., 118 f., 122 ff., 129 f., 132, 136, 140, 141 f., 148 f., 155 f.
–, autopsy findings 94, 101 f.
–, lysis, spontaneous 1, 2 f., 74 f., 89 f., 114, 118 f., 122 ff., 136, 141 f.
– –, therapeutic 156 ff.
–, organisation 3 f., 4, 74, 136
–, recanalisation 3 f., 4, 70, 88 f., 89 f., 132 f., 133
- diabetes mellitus, see: risk factors
diffuse coronary arteriosclerosis 1 f., 3 f., 126
dipyridamol 155 f.
- ECG findings 51 f., 52 f., 110 f., 138 f.
– in coronary spasm 113 f., 130 f., 134 ff., 140 f.

- ECG findings
 – prior to infarction 111 ff.
 –, site of infarction 51, 52 f., 56, 115
 ejection fraction 58 f., 59, 87 f., 160 f.
 emotional lability 193 f.
 encircling endocardial ventriculotomy
 217 ff., 220 f.
 enddiastolic volume 160 f.
 endothelial injury 145 f.
 epidemiology 5 ff.
 (see also: incidence of myocardial in-
 farction)
 ergometrine 140, 141 f.
 exercise myocardial infarction 1, 30, 36 f.,
 59, 93, 100, 108 ff., 115 ff.
- family history, see: risk factors
 fibrinolysis, intracoronary, see: coronary
 thrombosis
 fitness training 196 ff.
 Framingham study 46 f.
- genetic predisposition 35 f.
 geographic differences, see: incidence of
 myocardial infarction
 graft occlusion 51, 53, 205 f.
- heart failure 34, 36, 57, 93
 heart volume
 – and occupational situation 178 f.
 heart weight 93
 history, see: individual history
 hyperlipidemia, see: risk factors
 hyperlipoproteinemia, see: risk factors
 hypertension, see: risk factors
 hyperuricemia, see: risk factors
 hyperthyreodism 32, 36
- incidence of myocardial infarction 6 f.,
 9 ff., 23, 56 f., 60
 –, age gradient 9 f.
 –, geographic differences 7 ff., 27 f., 38
 –, local time trends 11 f.
 –, origin differences 23 f.
 –, sex differences 9 f.
 individual history 14 f., 56 f., 93 f., 100 f.,
 104 f., 108 f., 115 f., 117 f., 124 f., 126 f.
 inferior wall infarction 51, 52 f., 56, 115
 intima
 – edema 89
 – hemorrhage 129 f.
 isotopic methods 78 f.
- job stressors 189 ff.
- left anterior descending artery 2 f., 49 f.,
 52, 57, 84
 left circumflex artery 49 f., 57, 84
 left main artery 49
- mortality 5 f., 6 f., 13 ff., 24 f., 27 f., 47 f.,
 82 ff., 87 f., 161 f.
 – after surgical treatment 51, 53, 104 f.,
 210 f., 212 f., 219 f.
 – and β -blocker treatment 162 ff.
 – in different age groups 34 f., 36 f.
 –, male-female ratio 5
 –, trends in Europe 5 f.
 multilocular disease 4, 84 f., 88
 multi-vessel disease 2 f., 49, 52, 63, 71, 83,
 87 f., 88, 89 f.
 myocardial revascularization, see treatment
- normal coronary arteries, see: coronary
 angiographic findings
- obesity, see: risk factors
 occupational situation 174 ff.
 one-vessel disease 1 f., 19 f., 32, 49, 57, 59,
 63, 67 f., 71 f., 83, 84 f., 89 f., 100 f., 109,
 116, 133, 201
 oral contraceptives, see: risk factors
 organisation of a thrombus, see: coronary
 thrombosis
 oxyhemoglobin-dissociation 119
- pathogenesis 1, 22 f., 30 f., 34 f., 45 f., 59 f.,
 70 f., 74 f., 89 f., 108 f., 115 ff., 122 ff., 129 ff.,
 137 ff., 146 f., 151 ff., 155 f., 159 f.
 perioperative infarction 51, 53, 205 f.
 personality structure 188 ff.
 physical exercise 18, 196 ff.
 – and myocardial infarction, see: exercise
 myocardial infarction
- platelet
 – aggregation 70, 114 f., 136, 146 f., 155 f.
 – factor 4 148 ff.
 – function 145 f., 148 f., 152 f.
 – survival time 143 ff.
- post partum state, see: risk factors
 pregnancy, see: risk factors
 prevalence of myocardial infarction 6 f.
 prevention, primary 46 f.
 –, secondary 198 ff.
- Prinzmetal angina syndrome 71, 114 f.
 prognosis 13 ff., 20 f., 22, 24 f., 47 f., 53 f.,
 82 f.
 – after surgical treatment 51 f., 53 f., 204 f.,
 210 ff., 219 f.
 – and risk factors 20 ff., 24 f., 85 f.
 – and β -blocker treatment 162 ff.
 – in different age groups 24 ff., 33 f., 36 f.,
 161 f.
 – in exertional myocardial infarction 109 f.
 – in unilocular disease 89 f.

- prognosis in zero-vessel disease 54 f.,
78 ff., 140 f.
- progression of coronary stenosis 4, 52, 82 ff.,
196 ff.
- and control of risk factors 85 f., 196 ff.
- prostacyclin 154
- psychosocial findings 26, 27, 187 ff.
- radionuclide angiography 79 ff.
- recanalisation of a thrombus, see: coronary
thrombosis
- regional ejection fraction 80
- registers
- WHO AMI Community Register Study
6, 7 ff.
- Heidelberg MI Register 13 ff.
- Göteborg Infarction Register 23 ff.
- Cleveland Clinic Cardiovascular
Information Registry 47 f.
- regression of coronary stenosis 1, 3 f., 70 f.,
71, 84 ff., 88 f., 89 f., 126 f., 196 ff.
- reinfarction 21 f., 24 f., 27, 34, 36
- and β -blocker treatment 163 f.
- risk factors 13 ff., 17 ff., 22 f., 29 ff., 43 f.,
45 f., 48 f., 52 f., 53, 65 ff., 93 f., 94 f., 100 f.,
104 f., 108 f., 148 ff., 201 f.
- after myocardial infarction 16
- and clinical course 20 ff., 24 f.
- and coronary angiographic findings
19 ff., 32 f., 61 ff., 137 f., 140 f., 151 f.
- and normal coronary arteries 19 ff., 137 f.,
140 f.
- and prognosis 20 ff., 24 f.
- , combination of 14 f., 19 f., 20 f., 32 f., 35 f.
- , diabetes mellitus 14, 31, 35 f., 36, 48, 52,
67, 73, 94, 125, 201
- , family history 18, 31 f., 32, 35 f., 36, 38 ff.,
48, 67, 69, 73 f., 94, 125, 152, 201
- , free of 13, 14, 18 f., 32 f., 35, 108
- , hyperlipidemia 18, 19, 20, 21, 32 f., 34 f.,
36, 52, 108, 201
- –, hypercholesterolemia 1, 13, 18, 26 f.,
27 f., 35, 45 f., 48, 52, 66, 67 f., 72 f., 125,
137, 140, 143, 201
- –, hypertriglyceridemia 13, 45 f., 66, 67,
72 f.
- , hyperlipoproteinemia 94, 151 f.
- , hypertension 1, 13, 18, 20, 26, 27 f., 31,
35 f., 36, 45 f., 48, 52, 67, 72 f., 94, 108,
137, 140, 201
- , hyperuricemia 13, 20, 21, 67, 73, 201
- in different age groups 29 ff., 69 f.
- in women 32 f., 36 f., 67 f., 73 f., 124 ff.,
126 f.
- , low physical exercise 18, 196 ff.
- , obesity 13, 18, 31, 32, 35 f., 48, 67, 73 f.,
201
- , oral contraceptives 1, 18, 32, 36, 54, 67 f.,
73 f., 79, 125 f., 126 f.
- , post partum state 54, 79
- , pregnancy 54
- , smoking 1, 13, 18, 20, 26 f., 27 f., 31,
35 f., 36, 48, 52, 66, 67, 69, 72 f., 73 f., 79,
85 f., 88, 108 ff., 116
- right coronary artery 49 f., 57, 84
- risk predictors of cardiac death 83 f., 87 f.
- risk reduction 196 ff.
- scintigraphy 78 ff.
- sex differences 5 f., 48, 53, 62, 209, 213
- smoking, see: risk factors
- socio-economic status 17 f., 25 f., 26, 175 f.
- spasm, see: coronary spasm
- sudden death 46, 71, 93, 117 f.
- and antiarrhythmic treatment 166 ff.
- and β -blocker treatment 162 ff.
- sulphinpyrazone 155 f.
- survival rate, see: mortality
- thallium imaging 78 ff.
- three vessel disease 20, 32, 49, 57, 59, 67 f.,
83, 100 f., 116, 133, 204
- thromboxane A₂ 114, 136
- treadmill performance 206 f.
- and occupational situation 177 f.
- in aortocoronary bypass patients 206 f.
- treatment
- , aneurysmectomy 51 f., 53 f., 208 ff.
- , antiarrhythmic treatment, medical 166 ff.
- –, surgical 212 f., 215 ff.
- , β -blockers 161 ff.
- , coronary bypass surgery 51 f., 53 f., 199 f.,
201 ff.
- –, graft occlusion 51, 53, 205 f.
- –, perioperative infarction 51, 53, 204 f.
- two-vessel disease 19, 32, 49, 57, 59, 67 f.,
83, 100 f., 109, 116, 133, 201
- type-A-behaviour 193 f.
- unilocular disease 1 f., 2 f., 67, 71 f., 84 f., 88
- variant angina 114 f.
- ventricular aneurysm 110, 211 f.
- resection, see: treatment
- , thromboembolic complications 213 f.
- ventricular fibrillation 34, 57, 119, 166
- ventricular function, see: ventriculographic
findings
- ventricular mapping 215 f., 221 f.
- ventricular premature beats 166 ff.
- ventricular stimulation 169 ff.
- ventricular tachycardia 34, 57, 166 ff., 215 ff.
- ventriculographic findings 51, 57 f., 59 f.,
63 ff., 117 f., 123 f., 140, 201

- ventriculographic findings
 - and ECG 51 f., 52 f., 140
 - and prognosis 83 f.
 - , ejection fraction 58 f., 59, 87 f., 160 f.
 - , enddiastolic volume 160 f.
 - , evolution of ventricular function 78 ff., 87 f.
- following intracoronary fibrinolysis 159 f.
- , normal ventricular wall motion 59 f.
- ventriculotomy 219 f., 221
- vocational aspects 174 ff., 187 ff.
- zero-vessel disease 1, 20, 22, 57, 59, 63, 67 f., 70 f., 71 f., 83, 89, 133