

Additional References with Titles

Chapter 2

- P. Vashishta, A. Rahman: Ionic motion in α -AgI. *Phys. Rev. Lett.* *40*, 1137 (1978)
- G. Jacucci, A. Rahman: Diffusion of F^- ions in CaF_2 . *J. Chem. Phys.* *69*, 4117 (1978)
- M.J. Gillan, D.D. Richardson: Disorder in superionic fluorites. *J. Phys. C* *12*, L61 (1979)
- T. Sakuma: Comment on 'The Structure of α - Ag_2S '. *J. Phys. C* *11*, L747 (1978)
- Y. Tsuchiya, Y. Waseda, S. Tamakai: A reply to "Comment on 'The Structure of α - Ag_2S '". *J. Phys. C* *12*, L93 (1979)
- S. Hoshino, T. Sakuma, Y. Fujii: The existence of the order phase in superionic conductor Ag_3SI . *J. Phys. Soc. Jpn.* *45*, 705 (1978)
- H.U. Beyeler, P. Brüesch, T. Hibma, W. Bührer: Phonon-induced diffuse X-ray scattering in β -AgI. *Phys. Rev. B* *18*, 4570 (1978)

Chapter 3

- J.P. Boilot, Ph. Colomban, R. Collongues, G. Collin, R. Comès: X-ray scattering evidence for sublattice phase transition in stoichiometric silver β -alumina. *Phys. Rev. Lett.* *42*, 785 (1979)
- R.J. Cava, F. Reidinger, B.J. Wuensch: Single crystal neutron diffraction study of the fast-ion conductor β - Ag_2S between 186° and 325°C. To be published
- M.H. Dickens, W. Hayes, M.T. Hutchings, C. Smith: Investigation of the structure of strontium chloride at high temperatures using neutron diffraction. *J. Phys. C* *12*, L97 (1979)
- M.H. Dickens, M.T. Hutchings, J.K. Kjems, R.E. Lechner: Quasielastic neutron scattering by superionic strontium chloride. *J. Phys. C* *11*, L583 (1978)

Chapter 4

- J. Bernasconi, H.U. Beyeler, S. Strässler, S. Alexander: Anomalous frequency. Dependent conductivity in disordered one-dimensional systems. *Phys. Rev. Lett.*, (March 1979)
- H.U. Beyeler, L. Pietronero: About the conductivity anomaly in $(Na,K)-Ga_2O_3$ mixed crystals. *Solid State Commun.* To appear (1979)
- H.U. Beyeler, S. Strässler: The state of order in α -AgI. Submitted to *Phys. Rev. B*
- J.C. Kimball, L.W. Adams, Jr.: Hopping conduction and superionic conductors. *Phys. Rev. B* *18*, 5851 (1978)
- L. Pietronero: Stability and melting of simple ionic systems. *Phys. Rev. B* *17*, 3946 (1978)
- L. Pietronero, S. Strässler: Conductivity of a polarizable ion. *Phys. Rev. B* *18*, 2016 (1978)
- L. Pietronero, S. Strässler: Anomalous specific heat of a one-dimensional disordered solid. *Phys. Rev. Lett.* *42*, 188 (1979)
- L. Pietronero, S. Strässler: Conductivity of a generalized hopping system with internal dynamics. Submitted to *Phys. Rev. B* (1979)
- L. Pietronero, S. Strässler, H.R. Zeller: The microwave conductivity of solid electrolytes. *Solid State Commun.* To appear (1979)

- P.M. Richards: Hopping conductivity in a quasi-one-dimensional lattice gas with three-dimensional ordering. *Phys. Rev. B* *18*, 945 (1978)
- J.B. Sokoloff, W. Widom: Theory of one-dimensional ionic and solitary wave conduction in potassium hollandite. *Phys. Rev. B* *18*, 2824 (1978)
- R.A. Vargas, M.B. Salamon, C.P. Flynn: Ionic Conductivity and heat capacity of the solid electrolytes $M\text{Ag}_1\text{I}_5$ near T_c . *Phys. Rev. B* *17*, 269 (1978)
- P. Vashista, A. Rahman: Ionic motion in $\alpha\text{-AgI}$. *Phys. Rev. Lett.* *40*, 1337 (1978)

Chapter 5

- S.J. Allen, Jr., A.S. Cooper, F. DeRosen, J.P. Remeika, S.K. Ulasi: Far infrared absorption and ionic conductivity of Na, K, Rb, Ag and Tl-alumina. *Phys. Rev. B* *17*, 4031 (1978)
- C.R.A. Catlow, J.D. Comins, F.A. Germano, R.T. Harley, W. Hayes: Brillouin scattering and theoretical studies of high temperature disorder in fluorite crystals. *J. Phys. C* *11*, 3197 (1978)
- H.R. Chandrasekhar, G. Burns, G.V. Chandrasekhar: Infrared spectra of superionic conductors Na, K, Rb, Ag and Tl-alumina. *Solid State Commun.* *27*, 829 (1978)
- W. Hayes, A.J. Rushworth, J.F. Ryan: "Effect on anharmonicity and disorder on the Raman spectrum in fluorite crystals at high temperatures", in *Lattice Dynamics*, Int. Conf. Paris 1977, ed. by M. Balkanski (Flammarion, Paris 1977) p. 519
- T. Kaneda, J.B. Bates, J.C. Wang: Raman scattering from ${}^6\text{Li}^+$ and ${}^7\text{Li}^+$ in lithium-alumina. *Solid State Commun.* *28*, 469 (1978)
- R.J. Nemanich, J.C. Mikkelsen, Jr.: "Raman scattering from the copper halides CuI, CuBr and CuCl in the high temperature phases", in Proc. of the 14th Int. Conf. on Semiconductors, Edinburgh, 1978)
- R.J. Nemanich, R.M. Martin, J.C. Mikkelsen, Jr.: Light scattering from correlated ion fluctuations in ionic conductors. Submitted to *Solid State Commun.*

Chapter 7

- J.P. Boilot, Ph. Colomban, R. Collongues, G. Collin, R. Comes: X-ray scattering evidence for sublattice phase transition in stoichiometric silver β -alumina. *Phys. Rev. Lett.* *42*, 785 (1979)
- J.B. Boyce, B.A. Huberman: Superionic conductors: Transitions, structures, and dynamics. *Phys. Rep.* (to be published)
- D. Brinkman, W. Freudenreich: Ion dynamics and transition to the superionic state in $\alpha\text{-AgI}$. *Solid State Commun.* *25*, 625 (1978)
- D. Brinkman, W. Freudenreich, H. Arend, J. Roos: Evidence for a first-order transitions at 209 K in the superionic conductor RbAg_4I_5 . *Solid State Commun.* *27*, 133 (1978)
- Yu.Ya. Gurevich, Y.I. Kharkats: Transitions in superionic crystals. *J. Phys. Chem. Sol.* *39*, 751 (1978)
- S. Hoshino, T. Sakuma, Y. Fujii: The existence of the order phase in superionic conductor Ag_3SI . *J. Phys. Soc. Jpn.* *45*, 705 (1978)

Chapter 8

- A.K. Das, P. Schwendiman: Fokker-Planck equation for a periodic potential. *Physica* *89A*, 605 (1977)
- R. Festa, E.G. d'Agliano: Diffusion coefficient for a Brownian particle in a periodic field of force. *Physica* *90A*, 229 (1978)
- R.A. Field, D.A. Gallagher, M.V. Klein: Rayleigh-Brillouin spectra of the solid electrolyte RbAg_4I_5 . *Phys. Rev. B* *18*, 2995 (1978)
- J. Jäckle: Long-wavelength density fluctuations in superionic conductors. *Z. Phys. B* *30*, 255 (1978)
- I. Peschel, W. Dieterich: The diffusion of interacting classical particles as a many boson problem. *Z. Phys. B* *31*, 195 (1978)
- H. Risken, H.D. Vollmer: Correlation functions for the diffusive motion of particles in a periodic potential. *Z. Phys. B* *31*, 209 (1978)
- R. Zeyher: Hydrodynamics of superionic conductors. *Z. Phys. B* *31*, 127 (1978)

Subject Index

- Absolute rate theory, breakdown of 164
- Acoustic properties 194
- Activation energy 1,56,142,149
 - NMR 157ff
- AgBr, alpha, second-order spectrum 118
 - melt, Raman spectrum 119
- AgCl, alpha, second-order spectrum 118
 - melt, Raman spectrum 119
- Ag₂HgI₄, phase transition 176,185
- AgI 5,58
 - alpha 19,53ff
 - beta 50,226
 - Brillouin scattering 131ff
 - conductivity 32,101,134ff,176,220ff
 - disorder entropy 93
 - dynamical properties 63ff,95
 - EXAFS 22ff,29ff
 - infrared conductivity 220
 - molecular dynamics 238
 - pair distribution function 25
 - phase transition 176
 - phonon density of states 98
 - phonon modes 62ff,97
 - potential 20
 - Raman 115ff,229ff
 - structure 22,51ff,92
 - table 52
- Ag₂S, structure 15ff,22,54
 - alpha 22
- Ag₃SBr, alpha 22
- Ag₂Se, alpha 22
- Ag₃SI, alpha 22
- Ag₂Te, alpha, EXAFS 33
- Anharmonic effects 69
 - model 19,35,36,39ff
 - parameters 48
 - terms 127
- Anharmonicity 118,123
- Anti-Beevers-Ross site 59,60,125
- Arrhenius behavior 216
- Atomic scattering factor 47
- Attempt frequency 2,117,121,142,161ff
 - modes 119
- BaF₂ 20,56-57
 - dynamics 66,68
- Barrier height 18
- BCC superionic conductors 22
- Beevers-Ross site 59,60,125
- β"-alumina, Na, theory 191
- β-alumina 59,60ff,69,124,154
 - Ag 61ff
 - dynamics 72
 - phonon modes 71
 - Raman 124ff
 - Rayleigh wing 229
 - K 61
 - Raman 124ff
 - Na 61ff,69
 - conductivity 222
 - phonons 71
 - Raman 124ff
 - T₁ 158-159
 - table 162

- β -alumina (continued)
 NH_4 72
 Raman 125-126
 β -eucryptite, (LiAlSiO_4) 102,154,163
 activation energy 158
 attempt frequency 162
 ${}^7\text{Li}$ resonance in 157
 T_1 minimum 160
 β -galate, Na 127
 EPR of Cu in 170
 Boltzmann gas 32
 BPP relaxation 151ff,153
 Bragg peaks 6,34
 scattering 46
 Williams order parameter 182
 Williams theory 178
 Brillouin scattering 111,128,234
 Bühner and Hälg model 26

 $(\text{C}_5\text{H}_5\text{NH})\text{Ag}_5\text{I}_6$ *see* (pyridinium) Ag_5I_6
 CaF_2 19-20,48,56,58,68
 molecular dynamics 238
 specific heat 190
 Cage 2,201,206
 potential 205,207,210ff
 Cation-anion correlations 21,42
 Central peak 62
 Charged cage-fluid approximation 130
 Class I transition 175
 IIA transition 175
 IIB transition 176
 III transition 176,177
 Coherent potential approximation 95,
 100
 Collective coordinate 89
 Conductivity *see* Ionic conductivity
 Configuration space 79
 Continuous models, dynamic 201ff
 Continued fraction expansion 213
 Continuum theories 208,234
 Correlated motion 244
 relaxation effects 155ff
 Correlation function, relaxation times
 from 149ff
 velocity 211
 functions 208
 Correlations 240
 Critical depolarization 196
 exponents 179,180
 phenomena 175
 Cross section, coherent 46
 Crystal field splitting 143
 effect in EPR 168-169
 CuBr 9,13,20,34,39
 EXAFS 10ff,34ff
 excluded volume 39
 NMR relaxation 196
 Raman 123ff
 CuCl 20,34
 EXAFS 40ff
 excluded volume 40
 NMR relaxation 196
 Raman 123 ff
 Cu_2HgI_4 , phase transition 185
 CuI 20,22,33,163
 activation energy 158
 attempt frequency 162
 EXAFS 35ff
 excluded volume 38
 NMR relaxation 196
 Raman 123ff
 RDF 38
 specific heat 190
 structural models 34ff
 table 162
 Cu_2S , alpha 33
 Cu_2Se , alpha 33
 Cuprous halides 33,41,123

 Damping, for solitons 90
 Debye lines 6,16,31
 Debye-Waller factor 8,24,30,34,47,
 58,62
 Degrees of freedom 178

- Density distribution 241
 - of states, one phonon 127
- Dielectric constant, fluctuations 112
- Difference Fourier method 49
- Diffuse scattering 45
 - neutron 71
 - X-ray 31,71
- Diffusion constant 2,50,56,72,208
 - molecular dynamics 239
 - single particle 143
 - dynamics 88
 - in lower dimensions 159
- Diffusive motion 234
- Dimensionality, effect on relaxation 150
- Displaced site model 36
- Dwell time 2,113,116,202,222
- Dynamical structure factor 49

- Effective damping force 90
 - medium 85
 - particles 90
- Elastic constants, PbF_2 , SrCl_2 133
 - HgAg_2I_4 195
 - RbAg_4I_5 194
- Electric field gradient 146ff
- Electron paramagnetic resonance 143, 167
 - paramagnetic resonance in β -eucryptite 166
- Enthalpy, interaction 192
- Entropy, AgI 92
- EXAFS 5,56
 - experiment 9ff
 - theory 6ff
- Excluded radius 21,58
 - volume model 20,21,28,31,37,42

- Fast relaxation limit 91
- FCC superionic conductors 33
- First-order scattering 112
 - transition, weak 188

- Fixed point 180
- Flight time 2,113,116,202
- Fluorine interstitials 57
- Fluorites 56ff,66ff,127ff
- Fokker-Planck equation 21,23,81,238
- Force-constant matrix 79
- Formation energy 18
- Free ion model 206
- Frenkel defect 60
- Friction 207ff
 - constant 210
 - retarded 238

- Ginzburg-Landau free energy 177
 - Hamiltonian 178,181
 - theory 188

- Hamiltonian for ionic conductors 204-205
- Hard-core interaction 92
 - sphere potential 21
- Haven ratio 62,156
- HgAg_2I_4 , acoustic prop 195
- Hollandite ($\text{K}_{2x}\text{Mg}_x\text{Ti}_{8-x}\text{O}_{16}$) 78,92
 - collective excitations 102ff
- Hopping frequency 141
 - model 206
 - regime 91
 - time 32
- H_xWO_3 , table 161
- Hydrodynamic models 208
 - regime 237
- Hyperfine coupling, transferred 145
 - interactions 143

- Incoherent scattering 50
- Inelastic neutron scattering 62ff
- Infrared absorption 134
- Interactions 205
- Interchannel hopping 155
- Interplane hopping 155

- Interstitials 80
- Invariants 178
- Ion-ion correlations 16,32
 - potential 88
- Ionic conductivity 2,5,21,208
 - diffusive contribution 84
 - dc 141,215
 - frequency dependent 81ff,134,208ff,217ff
 - frequency, AgI 32,134,176,220
 - frequency, β -alumina 222
 - high frequency 85ff
 - in excluded volume model 31
 - low frequency 83,91
 - many particle 243
 - microwave of AgI 92
 - near transition 191
 - pressure dep 193
 - structural considerations 17
 - temperature dependence 32
 - tracer 88
- Jahn-Teller model 196
 - transition 188
- Jump distance 2
 - frequency 2
 - time 65
 - diffusion model 2
- K-shell, EXAFS 9
- $K_{2x}Mg_xTi_{8-x}O_{16}$ *see* Hollandite
- K_2S , specific heat 190
- KAg_4I_5 , conductivity near T_c 192
 - Raman 120
 - specific heat 189
- Kolmogorov equation 212
- Kubo formula 81
- Landau criteria 179
 - expansion 182
 - model 184
 - rules 176
 - theory 178
 - transition 177
- Langevin equation 210,219,221
 - equation, generalized 236
- $LaNi_5H_6$, table 162
- Large friction limit 224
- Lattice gas Hamiltonian 185
 - model 79,183,206
 - model, dynamical properties 81
 - representation 80
 - liquid 54
 - vibrations 210
- Li_5AlO_4 , $7Li$ resonance 161
 - T_1 minimum 163
 - T_2 164
 - table 162
- $LiAlSiO_4$ *see* β -eucryptite
 - activation energy 158
- $Li_{2.15}B_{0.15}C_{0.85}O_3$, table 162
- $Li_2Ti_3O_7$ 160
 - table 162
 - T_1/T_2 ratio 166
- $Li_{1.12}V_3O_7$, γ , table 162
- Light scattering 209,229
 - see also* Raman scattering
- Light scattering inelastic 111
- Line narrowing 157,161
- Linewidth spectral 111
- Liouvillian 81,107,211,212,236
 - effective medium 87
 - transfer 82
- Many-body potential 191
 - particle case 240
- Master equation 91
 - approximation 83
- Mean-field theory 184
- Mean free path 91
 - square displacements 47,51,56ff,240
- Memory effect 24
 - function 219,237

- Metal halides, table 121
 Mid-oxygen site 59,60,62
 Mobility 208
 dynamic 217ff
 from continued fraction 214
 static 215ff
 Molecular dynamics 202,238
 simulations 19
 Molten sublattice 203
 Motional narrowing 149,154ff
- $\text{Na}_2\text{O}\cdot 11\text{Al}_2\text{O}_3$ *see* β -alumina
 Nernst-Einstein equation 141
 Neutron diffraction 6,14,45ff,56
 near T_C 195
 scattering 195
 inelastic 62,101
 quasielastic 223,225,228
 $\text{NH}_4\text{Ag}_4\text{I}_5$, conductivity near T_C 192
 phase transition 176
 Raman 120
 specific heat 189
 $(\text{NH}_4)_4\text{Fe}(\text{CN})_6$, table 162
 NH_4NO_3 , table 162
 $(\text{NH}_4)_{0.33}\text{WO}_3$, table 162
 NMR 141ff
- One-dimensional model 88
 diffusion 142
 superionic conductor 154
 Order parameter 178ff
 RbAg_4I_5 185
 -disorder transformation 5
 -disorder transition 160
- Pair correlation function 6,21,29,37
 correlations 15
 distribution function 25
 potential 18,58
 Paramagnetic impurities 143,145,147,
 165
- PbF_2 5,39,50
 activation energy 158
 attempt frequency 162
 Brillouin scattering 133
 conductivity 193
 doped with Mn 165
 EPR of Mn in 168
 ^{19}F resonance in 157
 neutron diffraction 56ff
 phonons 67ff
 Raman 65,127ff
 Rayleigh wing 229
 Peak function 13,25
 Phase transition, fluorites 68
 AgI, beta-alpha 62
 RbAg_4I_5 65
 Phonon density of states 62
 of states, CPA 98
 of states, PbF_2 68
 dispersion 62,96
 AgI 62
 PbF_2 67
 linewidth 69
 Phonons 202
 Pinning barrier 90
 Polarization, effect on light
 scattering 112
 Polaron 207
 Potential barrier 240
 cage 210
 Prefactor *see* Attempt frequency
 anomalies 164
 Probability density 48
 Pseudospin 186
 (pyridinium) Ag_5I_6 183
 conductivity 176,193
 phase transition 176,190
 specific heat 190
- Quadrupole coupling 143,146
 splitting 151

- Quadrupole splitting structure 170
 Quasichemical model 181,184
- Radial distribution function 7,30,38
- Raman scattering 68,111,114ff,231
 second-order 117,123
 low frequency 128
 theory 232ff
 spectral density, PbF_2 128
- Random forces 207,210
 walk 91
 model, relaxation 153
- Rayleigh wing 229
- Rb_2AgI_3 , Raman 122
- RbAg_4I_5 65,116ff
 acoustic properties 194ff
 alpha-beta transition 186
 birefringence 196
 Brillouin scattering 132ff
 conductivity near T_c 192ff
 critical exponent γ 196
 exponents 180
 inelastic neutron spectra 66
 order parameter 185ff
 Raman spectrum 116,120ff
 Rayleigh wing 229,230
 site occupancies 186
 specific heat 189
- Reaction coordinate 79,83,88,91
- Relaxation modes 129,223
 time 77
 electron 147
 longitudinal, T_1 144
 longitudinal, table 150
 quadrupolar 148
 rotating frame 144
 transverse T_2 144ff
 transverse, table 150
 via impurities 149
- Reliability-of-fit parameter 14
- Renormalization group 179,180
- Residence time 32
 see also Swell time
 mean 2,77
- Rope representation 86,99
- Saddle point 2,191
 density at 241
- Scattering length 47
- Second-order Raman 123
 scattering 112
- Short-range order 193
- Shell model, AgI 63
 PbF_2 67
- Site occupancies, RbAg_4I_5 186
 potential 48
- Smoluchowski equation 224
- Soliton model 88
- Solitons 103,241
- Sound velocity near T_c 194
- Specific heat 189
- Spin-lattice relaxation 142ff
- Spin-spin interaction 144ff
 relaxation 142ff
- SrCl_2 56,66,68
 Brillouin scattering 133
 specific heat 190
- SrF_2 20,56-57,68
- Static mobility 214ff
 for periodic potential 217
- Stochastic models 210ff
- Stoichiometry, effect on conductivity 243
- Stokes line 112
- Stretching (cage) modes 119
- Stroock model 23,26,53,92
- Structure factor 47,48,209
 dynamic 222,224ff
 halfwidth 223,228
- Superionic conductivity, structural model 31
 terminology 3
- Supertransition 182ff

- T_1 minimum 151,154,156ff,171
 T_1/T_2 ratio 151,166ff
 quadrupole effect 152
 TaS₂(NH₃), resonance 161
 Thermal bath 207
 Threshold energy 10
 TiH_{1.7}, T_1 158,159
 TO optical mode 68
 Tracer conductivity 88
 Transit time 2,78
 Transition probability 211
 temperature, fluorites 68
 Translational diffusion 63
 Trapping time 78,88
 Two-dimensional superionic conductor
 154
 Two-fluid case 91

 Ultrasonic attenuation 194
 Universality 180

 Vacancy 80
 Vacancy + distortion 89
 Variance-covariance matrix 47ff
 VD_{0.79} 54,56
 Velocity correlation matrix 81
 Virtual crystal approximation 86,95
 potential 191

 White line 10
 Window function 8,12
 Wurtzite structure 34

 X-ray diffraction 6,14

 Zincblende structure 34
 Zwanzig-Mori method 236

H. Haken

Synergetics

An Introduction

Nonequilibrium Phase Transitions and Self-Organization in Physics, Chemistry and Biology

2nd, enlarged edition 1978. 152 figures, 4 tables.
XII, 355 pages
ISBN 3-540-08866-0

Contents: Goal. – Probability. – Information. – Chance. – Necessity. – Chance and Necessity. – Self-Organization. – Physical Systems. – Chemical and Biochemical Systems. – Applications to Biology. – Sociology: A Stochastic Model for the Formation of Public Opinion. – Chaos. – Some Historical Remarks and Outlook.

Synergetics, deals with profound and striking analogies recently discovered between the self-organized behavior of seemingly quite different systems in physics, chemistry, biology, sociology and other fields. The cooperation of many subsystems such as atoms, molecules, cells, animals, or humans may produce spatial, temporal or functional structures. Their spontaneous formation out of chaos is often strongly reminiscent of phase transitions.

This book, written by the founder of synergetics, provides an elementary introduction into its basic concepts and mathematical tools. Numerous exercises, figures and simple examples greatly facilitate the understanding. The profound analogies are demonstrated by various realistic examples from fluid dynamics, laser physics, mechanical engineering, chemical and biochemical systems, ecology, sociology and theories of evolution and morphogenesis.

The second edition differs from the first by an additional chapter on chaotic motion, a rapidly growing field, and by new sections on laser pulses and on morphogenesis.

C. P. Slichter

Principles of Magnetic Resonance

2nd, revised and expanded edition 1978. 115 figures.
X, 397 pages
(Springer Series in Solid State Sciences, Volume 1)
ISBN 3-540-08476-2

Contents: Elements of Resonance. – Basic Theory. – Magnetic Dipolar Broadening of Rigid Lattices. – Magnetic Interactions of Nuclei with Electrons. – Spin-Lattice Relaxation and Motional Narrowing of Resonance Lines. – Spin Temperature in Magnetism and in Magnetic Resonance. – Double Resonance. – Advanced Concepts in Pulsed Magnetic Resonance. – Electric Quadrupole Effects. – Electron Spin Resonance. – Summary. – Problems. – Appendices.

Principles of Magnetic Resonance is a textbook for graduate students or others beginning research in magnetic resonance who wish to learn either nuclear magnetic resonance or electron spin resonance. It is intended for physicists, chemists, applied scientists, or others who have had a one year graduate course in quantum mechanics from one of the standard textbooks.

The text aims at developing a physical understanding of magnetic resonance and familiarity with the principal theoretical techniques needed to read resonance articles in scientific journals. The author seeks to develop depth of understanding of the most important topics rather than giving a comprehensive account of all of resonance.

The new edition differs from the original one, principally, in the addition of chapters on spin temperature in magnetic resonance, double resonance and on techniques for line-narrowing in solids (the Waugh-Mansfield-approach). There are two new appendices.

O. Madelung

Introduction to Solid-State Theory

Translated from the German by B. C. Taylor
1978. 144 figures. XI, 486 pages
(Springer Series in Solid-State Sciences, Volume 2)
ISBN 3-540-08516-5

Contents: Fundamentals. – The One-Electron Approximation. – Elementary Excitations. – Electron-Phonon Interaction: Transport Phenomena. – Electron-Electron Interaction by Exchange of Virtual Phonons: Superconductivity. – Interaction with Photons: Optics. – Phonon-Phonon Interaction: Thermal Properties. – Local Description of Solid-State Properties. – Localized States. – Disorder. – Appendix: The Occupation Number Representation.

This is a textbook in solid-state theory for graduate students of physics and material science. In addition, it provides the theoretical background needed by physicists doing research in both pure solid-state physics and solid-state physics as applied to electrical engineering.

The fundamentals of solid-state theory are developed starting from one unifying point of view: from the description by delocalized and localized states and – within the concept of delocalized states – by elementary excitations. The development of solid-state theory within the last ten years has shown that by a systematic introduction of these concepts, large parts of the theory can be described in a unified way. At the same time, this form of description gives a “pictorial” formulation of many elementary processes in solids, facilitating their understanding. The book is a revised and partly rewritten version of a German textbook published a few years ago.

Dynamics of Solids and Liquids by Neutron Scattering

Editors: S. W. Lovesey, T. Springer

1977. 156 figures, 15 tables. XI, 379 pages
(Topics in Current Physics, Volume 3)
ISBN 3-540-08156-9

Contents:

S. W. Lovesey: Introduction. – *H. G. Smith, N. Wakabayashi*: Phonons. – *B. Dorner, R. Comès*: Phonons and Structural Phase Transformations. – *J. W. White*: Dynamics of Molecular Crystals, Polymers, and Absorbed Species. – *T. Springer*: Molecular Rotations and Diffusion in Solids, in Particular Hydrogen in Metals. – *R. D. Mountain*: Collective Modes in Classical Monoatomic Liquids. – *S. W. Lovesey, J. M. Loveluck*: Magnetic Scattering.

Neutron Diffraction

Editor: H. Dachs

1978. 138 figures, 32 tables. XIII, 357 pages
(Topics in Current Physics, Volume 6)
ISBN 3-540-08710-9

Contents:

H. Dachs: Principles of Neutron Diffraction. – *J. B. Hayter*: Polarized Neutron. – *P. Coppens*: Combining X-Ray and Neutron Diffraction: The Study of Charge Density Distributions in Solids. – *W. Prandl*: The Determination of Magnetic Structures. – *W. Schmatz*: Disordered Structures. – *P.-A. Lindgård*: Phase Transitions and Critical Phenomena. – *G. Zaccai*: Application of Neutron Diffraction to Biological Problems. – *P. Chieux*: Liquid Structure Investigation by Neutron Scattering. – *H. Rauch, D. Petrascheck*: Dynamical Diffraction on Perfect Crystals and its Application in Neutron Physics.

Neutron Physics

1977. 40 figures, 11 tables. VII, 135 pages
(Springer Tracts in Modern Physics, Volume 80)
ISBN 3-540-08022-8

Contents:

I. Koester: Neutron Scattering Lengths and Fundamental Neutron Interactions. – *A. Steyerl*: Very Low Energy Neutrons.

T. Springer

Quasielastic Neutron Scattering for the Investigation of Diffusive Motions in Solids and Liquids

1972. 36 figures. II, 100 pages
(Springer Tracts in Modern Physics, Volume 64)
ISBN 3-540-05808-7

Contents:

Scattering Theory. – Methodical and Experimental Aspects. – Monoatomic Liquids with Continuous Diffusion. – Jump Diffusion in Liquids. – Diffusion of Hydrogen in Metals. – Rotational Diffusion in Molecular Solids. – Molecular Liquids. – Polymers and other Complicated Systems. – Effects of Coherent Scattering. – Quasielastic Scattering and other Methods.

Solid Electrolytes

Editor: S. Geller

1977. 85 figures, 24 tables. XI, 229 pages
(Topics in Applied Physics, Volume 21)
ISBN 3-540-08338-3

Contents:

S. Geller: Introduction. – *H. Sato*: Some Theoretical Aspects of Solid Electrolytes. – *S. Geller*: Halogenide Solid Electrolytes. – *B. B. Owens, J. E. Oxley, A. F. Sammells*: Applications of Halogenide Solid Electrolytes. – *J. H. Kennedy*: The Beta-Aluminas. – *W. L. Worrel*: Oxide Solid Electrolytes. – *L. Heyne*: Electrochemistry of Mixed Ionic-Electronic Conductors.



Springer-Verlag
Berlin
Heidelberg
New York