

## Index

ab initio MO SCF	19-21,156ff	DFP-update	51,52,54,58
absolute reaction rates	17-19	dimensionality problem	3
acidity		directional derivative	34,35
intrinsic -	154,162	directional vector	34
anharmonicity	86	direction of steepest	
ascent path	8	- ascent	34
B-matrix	97,130	- descent	7,34,122ff
basicity	155	dyadic product	49
- of amines	172	Eckart condition	85
basis		eigenvalue	9,78,82f,86,96
- orthogonal	85	eigenvector	9,86,101
- set	20,21,156	energy profile	
benzene-H <sup>+</sup>	145-147,160	4,82,86,106,112,141,171	
- -X <sup>+</sup>	147	entropic factors	23,157,165
BFGS-method	63,126	equipotential line	104,108,133
modified -	65	equipotential section	107
BFGS-update	54f,59f	Euler's formula	81
bifurcation	94,111ff,114,122	extremizer	128
Born-Oppenheimer approximation	4	Fletcher-Powell update	52
Broyden-method	62	force field calculations	20
Broyden's class of updates	55	force constant	6,83,97,137
Broyden's second update	51	formamidine dimer	166
Broyden update	49,50	formamidine-water	176
BSSE	21,157	free enthalpy surface	13,157,169
catastrophe	86f,94f	geometry optimization	83
center of mass	84	gradient	6,19,22,33,79,88,91,102,
chemical hysteresis	142	108ff,117,122f,131	
concave (function)	35	- extremal	7,8,108ff,121f
condition number	56	- field	33,130
continuum model	168ff,172	- norm	108,115
convex (function)	35	- revolution	19-22
coordinates		graph	32
Cartesian -	97,128,134	Hessian matrix	6ff,35,36,78ff,86,
curvilinear -	95,97,130	97,104f,109,117,120f,126	
guiding/leading -	9,139ff,147	hill	91ff
isoinertial -	132	HCN	83,101,134ff
- driving procedure	9,142	HX-amines	140,155ff,175
perimetric -	144	(HF) <sub>2</sub>	174f
- transformation	30,132	(HF) <sub>3</sub>	175
corner cutting	10	H <sub>3</sub> <sup>+</sup>	93
correlation energy	20,156	index of inertia	63f
critical points	9,10	inflection point	41,105,111
cross-section		inner product	32
rigid -	139-143	invariance	
relaxed -	140-143	rotational -	80ff
curvature	35,78,85	translational -	78ff
main direction of -	35	- from coordinates	11,128ff
CH <sub>n</sub> Cl <sub>m</sub> COOH	165	ion pairs	
defect functional	39,108	solvent separated - -	164ff
definite		inner/contact - -	152-166
negative -	35	kernel of a matrix	40,80,83
positive -	35		
degree of freedom	78,83,86,95f,136		
deprotonation energy			
descent method	45,66-71,124		
descent vector	7,66f,125		
DFP-method	63		

Lagrange function	128	single proton transfer	139ff,152ff
least-change update	49	double --	166,174ff
level surface	33	PSB-method	63
line search	66,68	PSB-update	51
locally convergent procedure	62	quasi-Newton equation	48
LiCN	95	quasi-Newton method	11,45,60-66
		quasi-Newton vector	47,62,67
malonaldehyde	15		
mass-weighting	9f,132ff	rate of convergence	43,44
maximizer	36	reaction coordinate	5,124,134
medium effect	16ff,162ff	intrinsic -- (IRC)	7,14,122
metric	131,134	reaction mechanism	11,23,140,152
minimizer	36,37,43,127f	reaction path (RP)	4,6,83,96
minimum energy path	4-10,136	-- bifurcation/branching	9,111ff,114,122
molecule, linear	78,137	-- curvature	14,83
quasilinear -	96	-- Hamiltonian	12-15
molecular dynamics	170	-- in ascent	7ff,101ff
molecular complex	152ff,156ff	-- in descent	7ff,122ff
- structure	2	intuitive --	142
More O'Ferrall-Jencks plot	147f	-- onset orientation problem	7,10
Monte-Carlo method	170ff	reaction theory	11-19
mountaineer's algorithm	108	ridge	111
Murtagh-Sargent (MS-)		rotation	78,80f,85
method	62		
update	50,53,56-58,64		
neighborhood of a point	36	saddle point	5,36-38,43,101,105f,
Newton-like method			129,132
global --	71-76	monkey --	88,92f,111
Newton process	41-48,126	-- of index 2	37,145
Newton vector	42,43,62	-- of index $\nu$	38
norm	32,108,115	proper --	37,145
normal modes	6,21,24	virtual --	37
number of efficiency	77	secant equation	48
NH <sub>3</sub>	96	semi-empirical quantum mechanics	
NH <sub>3</sub> ·HX	140,155ff,169f		25,173
optimal conditioning	56	Sherman-Morrison-Woodbury-formula	50
orthogonality	79,84	sigma-complex	145
paths	86,95,101,124ff,130	S <sub>2</sub> reaction	171ff
relief -	4f	solution reaction	16ff,162,167
perturbation	88,94	stationary point	13f,35-41,83
points		steepest descent	7,10ff,124,129ff
catastrophe -	86	-- method	48,70
stationary -	13f,35-41,83,86f,	-- vector	34,43,66
	124	stream bed path	7,9
potential		structurally stable	95
- energy barrier	18,19,145	superlinear convergence	44f
double minimum -	95,140ff,152ff	supermolecule approach	16,162,167f
- function	86f,96		
harmonic -	128	tangential plane	102,109
Hénon-Heiles -	93	total energy	3
single minimum -	140ff,156ff	transition structure	
Powell's symmetric Broyden update			5,18,23,129,161,174ff
	51	transition state	5,17,18
principal axes	103	-- spectroscopy	16
projector	83,108	-- theory (TST)	5,11,12,17,18
proton affinity	154	translation	78,80
proton transfer		tripel point	115
-- energy	154	truncated Newton method	46
		trust region method	46

umbilic	88ff,92,94,117	valence bond theory	21
update		valley floor line	
BFGS -	54f,59f	6-9,91,94,101,105f,111,119,132	
Broyden -	49,50	variational TST	12ff
Broyden's class of -	55	vibration	85f,132,134
Broyden's second -	51		
DFP -	51,52,54,58	zeolites	162ff
dual -	54	zero point vibration/energy	
Fletcher-Powell -	52		18,20f,155-161
general single-rank -	49		
least-change -	49		
MS -	50,53,56-58,64		
optimally conditioned -	58		
PSB -	51		

Closing remark

Another solution of the problems of PES would be part of a more general perspective indicated by the scriptural verse:

Every valley shall be exalted,  
and every mountain and hill made low,  
the crooked straight and  
the rough places plain.

Isaiah XL,4

# Editorial Policy

This series aims to report new developments in chemical research and teaching - quickly, informally and at a high level. The type of material considered for publication includes:

1. Preliminary drafts of original papers and monographs
2. Lectures on a new field, or presenting a new angle on a classical field
3. Seminar work-outs
4. Reports of meetings, provided they are
  - a) of exceptional interest and
  - b) devoted to a single topic.

Texts which are out of print but still in demand may also be considered if they fall within these categories.

The timeliness of a manuscript is more important than its form, which may be unfinished or tentative. Thus, in some instances, proofs may be merely outlined and results presented which have been or will later be published elsewhere. If possible, a subject index should be included. Publication of Lecture Notes is intended as a service to the international chemical community, in that a commercial publisher, Springer-Verlag, can offer a wider distribution to documents which would otherwise have a restricted readership. Once published and copyrighted, they can be documented in the scientific literature.

## Manuscripts

Manuscripts should comprise not less than 100 and preferably not more than 500 pages. They are reproduced by a photographic process and therefore must be typed with extreme care. Symbols not on the typewriter should be inserted by hand in indelible black ink. Corrections to the typescript should be made by pasting the amended text over the old one, or by obliterating errors with white correcting fluid. Authors receive 50 free copies and are free to use the material in other publications. The typescript is reduced slightly in size during reproduction; best results will not be obtained unless the text on any one page is kept within the overall limit of 18 x 26.5 cm (7 x 10<sup>1</sup>/<sub>2</sub> inches). The publishers will be pleased to supply on request special stationary with the typing area outlined.

Manuscripts should be sent to one of the editors or directly to Springer-Verlag, Heidelberg.

# Lecture Notes in Chemistry

For information about Vols. 1–18  
please contact your bookseller or Springer-Verlag

- Vol. 19: E. Clementi, Computational Aspects for Large Chemical Systems. V, 184 pages. 1980.
- Vol. 20: B. Fain, Theory of Rate Processes in Condensed Media. VI, 166 pages. 1980.
- Vol. 21: K. Varmuza, Pattern Recognition in Chemistry. XI, 217 pages. 1980. (out of print)
- Vol. 22: The Unitary Group for the Evaluation of Electronic Energy Matrix Elements. Edited by J. Hinze. VI, 371 pages. 1981.
- Vol. 23: D. Britz, Digital Simulation in Electrochemistry. X, 120 pages. 1981. (out of print) 2nd edition. ISBN 3-540-18979-3
- Vol. 24: H. Primas, Chemistry, Quantum Mechanics and Reductionism. XII, 451 pages. 1981. (out of print) 2nd edition, ISBN 3-540-12838-7
- Vol. 26: S. Califano, V. Schettino and N. Neto, Lattice Dynamics of Molecular Crystals. VI, 309 pages. 1981.
- Vol. 27: W. Bruns, I. Motoc, and K.F. O'Driscoll, Monte Carlo Applications in Polymer Science. V, 179 pages. 1982.
- Vol. 28: G.S. Ezra, Symmetry Properties of Molecules. VIII, 202 pages. 1982.
- Vol. 29: N.D. Epiotis, Unified Valence Bond Theory of Electronic Structure VIII, 305 pages. 1982.
- Vol. 30: R.D. Harcourt, Qualitative Valence-Bond Descriptions of Electron-Rich Molecules: Pauling "3-Electron Bonds" and "Increased-Valence" Theory. X, 260 pages. 1982.
- Vol. 31: H. Hartmann, K.-P. Wanczek, Ion Cyclotron Resonance Spectrometry II. XV, 538 pages. 1982.
- Vol. 32: H.F. Franzen Second-Order Phase Transitions and the Irreducible Representation of Space Groups. VI, 98 pages. 1982. (out of print)
- Vol. 33: G.A. Martynov, R.R. Salem, Electrical Double Layer at a Metal-dilute Electrolyte Solution Interface. VI, 170 pages. 1983.
- Vol. 34: N.D. Epiotis, Unified Valence Bond Theory of Electronic Structure Applications. VIII, 585 pages. 1983.
- Vol. 35: Wavefunctions and Mechanisms from Electron Scattering Processes. Edited by F.A. Gianturco and G. Stefani. IX, 279 pages. 1984.
- Vol. 36: J. Ugi, J. Dugundji, R. Kopp and D. Marquarding, Perspectives in Theoretical Stereochemistry. XVII, 247 pages. 1984.
- Vol. 37: K. Rasmussen, Potential Energy Functions in Conformational Analysis. XIII, 231 pages. 1985.
- Vol. 38: E. Lindholm, L. Åsbrink, Molecular Orbitals and their Energies, Studied by the Semiempirical HAM Method. X, 288 pages. 1985.
- Vol. 39: P. Vanyšek, Electrochemistry on Liquid/Liquid Interfaces. 2, 3–108 pages. 1985.
- Vol. 40: A. Plonka, Time-Dependent Reactivity of Species in Condensed Media. V, 151 pages. 1986.
- Vol. 41: P. Pyykkö, Relativistic Theory of Atoms and Molecules. IX, 389 pages. 1986.
- Vol. 42: W. Duch, GRMS or Graphical Representation of Model Spaces. V, 189 pages. 1986.
- Vol. 43: F.M. Fernández, E.A. Castro, Hypervirial Theorems. VIII, 373 pages. 1987.
- Vol. 44: Supercomputer Simulations in Chemistry. Edited by M. Dupuis. V, 312 pages. 1986.
- Vol. 45: M.C. Böhm, One-Dimensional Organometallic Materials. V, 181 pages. 1987.
- Vol. 46: S.J. Cyvin, I. Gutman, Kekulé Structures in Benzenoid Hydrocarbons. XV, 348 pages. 1988.
- Vol. 47: C.A. Morrison, Angular Momentum Theory Applied to Interactions in Solids. 8,9–159 pages. 1988.
- Vol. 48: C. Pisani, R. Dovesi, C. Roetti, Hartree-Fock Ab Initio Treatment of Crystalline Systems. V, 193 pages. 1988.
- Vol. 49: E. Roduner, The Positive Muon as a Probe in Free Radical Chemistry. VII, 104 pages. 1988.
- Vol. 50: D. Mukherjee (Ed.), Aspects of Many-Body Effects in Molecules and Extended Systems. VIII, 565 pages. 1989.
- Vol. 51: J. Koca, M. Kratochvíl, V. Kvasnicka, L. Matyska, J. Pospíchal. Synthon Model of Organic Chemistry and Synthesis Design. VI, 207 pages. 1989.
- Vol. 52: U. Kaldor (Ed.), Many-Body Methods in Quantum Chemistry. V, 349 pages. 1989.
- Vol. 53: G.A. Arteca, F.M. Fernández, E.A. Castro, Large Order Perturbation Theory and Summation Methods in Quantum Mechanics. XI, 644 pages. 1990.
- Vol. 54: S.J. Cyvin, J. Brunvoll, B.N. Cyvin, Theory of Coronoid Hydrocarbons. IX, 172 pages. 1991.
- Vol. 55: L.T. Fan, D. Neogi, M. Yashima. Elementary Introduction to Spatial and Temporal Fractals. IX, 168 pages. 1991.
- Vol. 56: D. Heidrich, W. Kliesch, W. Quapp, Properties of Chemically Interesting Potential Energy Surfaces. VIII, 183 pages. 1991.