


Literaturverzeichnis

- [1] M. M. Astrahan, M. W. Blasgen, D. D. Chamberlin, K. P. Eswaran, J. N. Gray, P. P. Griffiths, W. F. King, R. A. Lorie, P. R. McJones, J. W. Mehl, G. R. Putzolu, I. L. Traiger, B. W. Wade, and V. Watson. System R: Relational Approach to Database Management. *ACM Transactions on Database Systems (TODS)*, 1:97–137, 1976.
- [2] S. Bellamkonda, R. Ahmed, A. Witkowski, A. Amor, M. Zait, and C.-C. Lin. Enhanced Subquery Optimizations in Oracle. In *Proc. Intl. Conf. on Very Large Data Bases (VLDB)*, volume 2, pages 1366–1377, 2009.
- [3] M. Brantner, N. May, and G. Moerkotte. Unnesting Scalar SQL Queries in the Presence of Disjunction. In *Proc. Intl. Conf. on Data Engineering (ICDE)*, pages 46–55, 2007.
- [4] B. Cao and A. Badia. SQL Query Optimization Through Nested Relational Algebra. *ACM Transactions on Database Systems (TODS)*, 32, 2007.
- [5] E. F. Codd. A Relational Model of Data for Large Shared Data Banks. *Communications of the ACM*, 13:377–387, 1970.
- [6] U. Dayal. Of Nests and Trees: A Unified Approach to Processing Queries That Contain Nested Subqueries, Aggregates, and Quantifiers. In *Proc. Intl. Conf. on Management of Data (SIGMOD)*, pages 197–208, 1987.
- [7] C. Galindo-Legaria and M. Joshi. Orthogonal Optimization of Subqueries and Aggregation. In *Proc. Intl. Conf. on Management of Data (SIGMOD)*, pages 571–581, 2001.
- [8] R. A. Ganski and H. K. T. Wong. Optimization of Nested SQL Queries Revisited. In *Proc. Intl. Conf. on Management of Data (SIGMOD)*, pages 23–33, 1987.
- [9] G. Graefe. The Cascades Framework for Query Optimization. *Data Engineering Bulletin*, 18:19–29, 1995.
- [10] L. M. Haas, J. Freytag, G. Lohman, and H. Pirahesh. Extensible Query Processing in Starburst. In *Proc. Intl. Conf. on Management of Data (SIGMOD)*, pages 377–388, 1979.
- [11] G. Held, M. Stonebraker, and E. Wong. INGRES: A Relational Data Base System. In *Proc. of the National Computer Conference and Exposition*, pages 409–416, 1975.

-
- [12] W. Kim. On Optimizing an SQL-like Nested Query. *ACM Transactions on Database Systems (TODS)*, 7:443–469, 1982.
- [13] T. J. McCabe. A Complexity Measure. In *Proc. Intl. Conf. on Software Engineering (ICSE)*, pages 308 – 320, 1976.
- [14] T. Neumann and A. Kemper. Unnesting Arbitrary Queries. In *Proc. Datenbanksysteme für Business, Technologie und Web (BTW)*, 2015.
- [15] R. Ramakrishnanand and J. Gehrke. *Database Management Systems*. 3rd edition, 2003.
- [16] H.-J. Schek and M. H. Scholl. The Relational Model with Relation-Valued Attributes. *Information Systems*, 11:137–147, 1986.
- [17] M. H. Scholl. Theoretical Foundation of Algebraic Optimization Utilizing Unnormalized Relations. In *Proc. Intl. Conf. on Database Theory (ICDT)*, pages 380–396, 1986.
- [18] M. H. Scholl. *Das Modell geschachtelter Relationen – Effiziente Unterstützung einer relationalen Datenbankschnittstelle*. PhD thesis, Technischen Hochschule Darmstadt, 1988.
- [19] Q. Wang, D. Maier, and L. Shapiro. Algebraic Unnesting for Nested Queries. *CSE-Tech. Paper 252*, 1999.
- [20] C. Zuzarte, H. Pirahesh, W. Ma, Q. Cheng, L. Liu, and K. Wong. Winmagic: Subquery Elimination Using Window Aggregation. In *Proc. Intl. Conf. on Management of Data (SIGMOD)*, pages 652–656, 2003.

Anhang

Im Folgenden ist das Schema der TPC-H Datenbank gegeben, auf dem die Beispiel-Queries dieser Arbeit basieren.¹



¹Quelle: TPC-H Standard Specification Revision 2.17.1

Verfügbar unter: http://www.tpc.org/information/current_specifications.asp (Stand 15.06.2015)