

# Bibliography

- Abdul-Kader, W. and A. Gharbi, 2002: Capacity estimation of a multi-product unreliable production line. *International Journal of Production Research*, **40** (18), 4815–4834.
- Ahuja, I. and J. Khamba, 2008: Total productive maintenance: literature review and directions. *International Journal of Quality & Reliability Management*, **25** (7), 709–756, doi: 10.1108/02656710810890890.
- Altendorfer, K., T. Felberbauer, D. Gruber, and A. Hübl, 2013: Application of a generic simulation model to optimize production and workforce planning at an automotive supplier. *Proceedings of the 2013 Winter Simulation Conference*, 2689–2697.
- Altendorfer, K., A. Hübl, and H. Jodlbauer, 2014: Periodical capacity setting methods for make-to-order multi-machine production systems. *International Journal of Production Research*, doi: 10.1080/00207543.2014.886822.
- Altendorfer, K. and H. Jodlbauer, 2011: An analytical model for service level and tardiness in a single machine mto production system. *International Journal of Production Research*, **49** (7), 1827–1850, doi: 10.1080/00207541003660176.
- Altendorfer, K. and S. Minner, 2011: Simultaneous optimization of capacity and planned lead time in a two-stage production system with different customer due dates. *European Journal of Operational Research*, **213** (1), 134–146, doi: 10.1016/j.ejor.2011.03.006.
- Angelus, A. and E. L. Porteus, 2002: Simultaneous capacity and production management of short-life-cycle, produce-to-stock goods under stochastic demand. *Management Science*, **48** (3), 399–413, doi: 10.1287/mnsc.48.3.399.7726.
- Arakawa, M., M. Fuyuki, and I. Inoue, 2003: An optimization-oriented method for simulation-based job shop scheduling incorporating capacity adjustment function. *International Journal of Production Economics*, **85** (3), 359–369, doi: 10.1016/S0925-5273(03)00122-1.
- Arrow, K. J., T. Harris, and J. Marschak, 1951: Optimal inventory policy. *Econometrica*, **19** (3), 250–272, doi: 10.2307/1906813.
- Aspinwall, E. and M. Elgharib, 2013: Tpm implementation in large and medium size organisations. *Journal of Manufacturing Technology Management*, **24** (5), 688–710, doi: 10.1108/17410381311327972.

- Bahaji, N. and M. E. Kuhl, 2008: A simulation study of new multi-objective composite dispatching rules, conwip, and push lot release in semiconductor fabrication. *International Journal of Production Research*, **46 (14)**, 3801–3824, doi: 10.1080/00207540600711879.
- Balakrishnan, N., J. W. Patterson, and V. Sridharan, 1996: Rationing capacity between two product classes. *Decision Sciences*, **27 (2)**, 185–214, doi: 10.1111/j.1540-5915.1996.tb00850.x.
- Balakrishnan, N., J. W. Patterson, and V. Sridharan, 1999: Robustness of capacity rationing policies. *European Journal of Operational Research*, **115 (2)**, 328–338, doi: 10.1016/S0377-2217(98)00208-2.
- Barrett, R. T. and S. N. Kadipasaoglu, 1990: Dispatching rules for a dynamic flow shop. *Production & Inventory Management Journal*, **31 (1)**, 54–58.
- Bartezzaghi, E. and R. Verganti, 1995: Managing demand uncertainty through order overplanning. *International Journal of Production Economics*, **40 (2/3)**, 107–120, doi: 10.1016/0925-5273(95)00047-8.
- Bechte, W., 1988: Theory and practice of load-oriented manufacturing control. *International Journal of Production Research*, **26 (3)**, 375–395, doi: 10.1080/00207548808947871.
- Bednowitz, N., R. Batta, and R. Nagi, 2014: Dispatching and loitering policies for unmanned aerial vehicles under dynamically arriving multiple priority targets. *Journal of Simulation*, **8 (1)**, 9–24.
- Bitran, G. R. and A. C. Hax, 1977: On the design of hierarchical production planning systems. *Decision Sciences*, **8 (1)**, 28–55, doi: 10.1111/j.1540-5915.1977.tb01066.x.
- Blackstone, J. H., D. T. Phillips, and G. L. Hogg, 1982: A state-of-the-art survey of dispatching rules for manufacturing job shop operations. *International Journal of Production Research*, **20 (1)**, 27–45.
- Blazewicz, J., K. H. Ecker, E. Pesch, G. Schmidt, and J. Weglarz, 2007: *Handbook on Scheduling: From Theory to Applications*. International Handbook on Information Systems, Springer-Verlag, Berlin Heidelberg, doi: 10.1007/978-3-540-32220-7.
- Bradley, J. R. and P. W. Glynn, 2002: Managing capacity and inventory jointly in manufacturing systems. *Management Science*, **48 (2)**, 273–288, doi: 10.1287/mnsc.48.2.273.254.

- Brown, K. A. and T. R. Mitchell, 1991: A comparison of just-in-time and batch manufacturing: The role of performance obstacles. *Academy of Management Journal*, **34** (4), 906–917, doi: 10.2307/256395.
- Buyukkaramikli, N. C., J. Bertrand, and H. P. G. v. Ooijen, 2013: Periodic capacity management under a lead-time performance constraint. *OR Spectrum*, **35** (1), 221–249, doi: 10.1007/s00291-011-0261-4.
- Buzacott, J. A. and J. G. Shanthikumar, 1993: *Stochastic models of manufacturing systems*. Prentice-Hall International series in industrial and systems engineering, Prentice-Hall, Englewood Cliffs NJ.
- Callen, J. L., M. Morel, and C. Fader, 2005: Productivity measurement and the relationship between plant performance and jit intensity. *Contemporary Accounting Research*, **22** (2), 271–309, doi: 10.1506/GU78-6EDM-1G36-4YBQ.
- Carrillo, J. E. and C. Gaimon, 2000: Improving manufacturing performance through process change and knowledge creation. *Management Science*, **46** (2), 265–288, doi: 10.1287/mnsc.46.2.265.119.
- Chakraborty, R. K. and M. A. A. Hasin, 2013: Solving an aggregate production planning problem by using multi-objective genetic algorithm (moga) approach. *International Journal of Industrial Engineering Computations*, **4** (1), 1–12, doi: 10.5267/j.ijiec.2012.09.003.
- Chen, B. and T. I. Matis, 2013: A flexible dispatching rule for minimizing tardiness in job shop scheduling. *International Journal of Production Economics*, **141** (1), 360–365, doi: 10.1016/j.ijpe.2012.08.019.
- Chenery, H. B., 1952: Overcapacity and the acceleration principle. *Econometrica*, **20** (1), 1–28.
- Chong, M. Y., S. A. Mustafa, J. Prakash, and J. F. Chin, 2013: Parallel kanban-conwip for production system with rework entrance. *International Journal of Manufacturing Research*, **8** (4), 357–377, doi: 10.1504/IJMR.2013.057747.
- Co, H. C. and M. Sharafali, 1997: Overplanning factor in toyota’s formula for computing the number of kanban. *IIE Transactions*, **29** (5), 409–415, doi: 10.1080/07408179708966346.
- Corti, D., A. Pozzetti, and M. Zorzini, 2006: A capacity-driven approach to establish reliable due dates in a mto environment. *International Journal of Production Economics*, **104** (2), 536–554, doi: 10.1016/j.ijpe.2005.03.003.

- Cox, J. F. and J. H. Blackstone, 2002: *APICS dictionary*. 10th ed., APICS, Falls Church (Va.).
- Cua, K. O., K. E. McKone, and R. G. Schroeder, 2001: Relationships between implementation of tqm, jit, and tpm and manufacturing performance. *Journal of Operations Management*, **19** (6), 675–694, doi: 10.1016/S0272-6963(01)00066-3.
- Daugherty, P. J., D. S. Rogers, and M. S. Spencer, 1994: Just-in-time functional model: Empirical test and validation. *International Journal of Physical Distribution & Logistics Management*, **24** (6), 20–26, doi: 10.1108/09600039410066150.
- Defregger, F. and H. Kuhn, 2006: Revenue management for a make-to-order company with limited inventory capacity. *OR Spectrum*, **29** (1), 137–156, doi: 10.1007/s00291-005-0016-1.
- Deming, W. E., 2000: *Out of the crisis*. 1st ed., Cambridge Univ. Pr, Cambridge Mass.
- Duenyas, I., W. J. Hopp, and M. L. Spearman, 1993: Characterizing the output process of a conwip line with deterministic processing and random outages. *Management Science*, **39** (8), 975–988, doi: 10.1287/mnsc.39.8.975.
- Edwards, J., 1983: Mrp and kanban - american style. *Twenty-sixth annual international conference proceedings*, 586–603.
- Eilon, S., 1969: A simpler proof of  $L = \lambda W$ . *Operations Research*, **17** (5), 915–917.
- El-Bouri, A., S. Balakrishnan, and N. Popplewell, 2008: Cooperative dispatching for minimizing mean flowtime in a dynamic flowshop: Special section on advanced modeling and innovative design of supply chain. *International Journal of Production Economics*, **113** (2), 819–833, doi: 10.1016/j.ijpe.2007.11.005.
- Emde, S., M. Fliedner, and N. Boysen, 2012: Optimally loading tow trains for just-in-time supply of mixed-model assembly lines. *IIE Transactions*, **44** (2), 121–135, doi: 10.1080/0740817X.2011.575442.
- Felberbauer, T., K. Altendorfer, and A. Hübl, 2012: Using a scalable simulation model to evaluate the performance of production system segmentation in a combined mrp and kanban system. *Proceedings of the 2012 Winter Simulation Conference*, 1–12, doi: 10.1109/WSC.2012.6465053.

- Finch, B., 1986: Japanese management techniques in small manufacturing companies: A strategy for implementation. *Production & Inventory Management Journal*, **27** (3), 30–38.
- Fleischmann, B. and H. Meyr, 2003: Planning hierarchy, modeling and advanced planning systems. *Supply Chain Management: Design, Coordination and Operation*, Elsevier, Handbooks in Operations Research and Management Science, Vol. 11, 455–523, doi: 10.1016/S0927-0507(03)11009-2.
- Flynn, B. B., S. Sakakibara, and R. G. Schroeder, 1995: Relationship between jit and tqm: Practices and performance. *Academy of Management Journal*, **38** (5), 1325–1360, doi: 10.2307/256860.
- Framinan, J. M., P. L. González, and R. Ruiz-Usano, 2003: The conwip production control system: review and research issues. *Production Planning & Control*, **14** (3), 255–265, doi: 10.1080/0953728031000102595.
- Framinan, J. M., P. L. González, and R. Ruiz Usano, 2006: Dynamic card controlling in a conwip system. *International Journal of Production Economics*, **99** (1-2), 102–116, doi: 10.1016/j.ijpe.2004.12.010.
- Framinan, J. M., R. Ruiz-Usano, and R. Leisten, 2000: Input control and dispatching rules in a dynamic conwip flow-shop. *International Journal of Production Research*, **38** (18), 4589–4598, doi: 10.1080/00207540050205523.
- Gansterer, M., C. Almeder, and R. F. Hartl, 2014: Simulation-based optimization methods for setting production planning parameters. *International Journal of Production Economics*, **151**, 206–213, doi: 10.1016/j.ijpe.2013.10.016.
- Geraghty, J. and C. Heavey, 2004: A comparison of hybrid push/pull and conwip/pull production inventory control policies. *International Journal of Production Economics*, **91** (1), 75–90, doi: 10.1016/S0925-5273(03)00210-X.
- Gershwin, S. B. and L. M. Werner, 2007: An approximate analytical method for evaluating the performance of closed-loop flow systems with unreliable machines and finite buffers. *International Journal of Production Research*, **45** (14), 3085–3111, doi: 10.1080/00207540500385980.
- Gfrerer, H. and G. Zäpfel, 1995: Hierarchical model for production planning in the case of uncertain demand. *European Journal of Operational Research*, **86** (1), 142–161, doi: 10.1016/0377-2217(95)00066-Y.

- Gilland, W. G., 2002: A simulation study comparing performance of conwip and bottleneck-based release rules. *Production Planning & Control*, **13** (2), 211–219, doi: 10.1080/09537280110069784.
- Goldratt, E. M., 1988: Computerized shop floor scheduling. *International Journal of Production Research*, **26** (3), 443–455, doi: 10.1080/00207548808947875.
- Golhar, D. Y. and C. L. Stamm, 1991: The just-in-time philosophy: A literature review. *International Journal of Production Research*, **29** (4), 657–676, doi: 10.1080/00207549108930094.
- Gong, Q., Y. Yang, and S. Wang, 2014: Information and decision-making delays in mrp, kanban, and conwip. *International Journal of Production Economics*, **156** (0), 208–213, doi: 10.1016/j.ijpe.2014.06.010.
- Graves, S., 2011: Uncertainty and production planning. *Planning Production and Inventories in the Extended Enterprise*, K. G. Kempf, P. Keskinocak, and R. Uzsoy, Eds., Springer US, International Series in Operations Research & Management Science, Vol. 151, 83–101, doi: 10.1007/978-1-4419-6485-4\_5.
- Graves, S. C., 1982: Using lagrangean techniques to solve hierarchical production planning problems. *Management Science*, **28** (3), 260–275, doi: 10.1287/mnsc.28.3.260.
- Grosfeld-Nir, A. and M. Magazine, 2002: Gated maxwip: A strategy for controlling multistage production systems. *International Journal of Production Research*, **40** (11), 2557–2567, doi: 10.1080/00207540210128251.
- Gstettner, S. and H. Kuhn, 1996: Analysis of production control systems kanban and conwip. *International Journal of Production Research*, **34** (11), 3253–3273, doi: 10.1080/00207549608905087.
- Hax, A. C. and H. C. Meal, 1975: Hierarchical integration of production planning and scheduling. *Studies in The Management Science*, M. K. Starr, Ed., North Holland American Elsevier, New York, Vol. 1, 53–69.
- Hayya, J. C., T. P. Harrison, and X. J. He, 2011: The impact of stochastic lead time reduction on inventory cost under order crossover. *European Journal of Operational Research*, **211** (2), 274–281, doi: 10.1016/j.ejor.2010.11.025.
- Hegedus, M. G. and W. J. Hopp, 2001: Due date setting with supply constraints in systems using mrp. *Computers & Industrial Engineering*, **39** (3-4), 293–305, doi: 10.1016/S0360-8352(01)00007-9.

- Helber, S., K. Schimmelpfeng, and R. Stolletz, 2011: Setting inventory levels of conwip flow lines via linear programming. *BuR - Business Research*, **4** (1), 98–115.
- Heragu, S. S., X. Cai, A. Krishnamurthy, and C. J. Malmborg, 2011: Analytical models for analysis of automated warehouse material handling systems. *International Journal of Production Research*, **49** (22), 6833–6861, doi: 10.1080/00207543.2010.518994.
- Herer, Y. T. and M. Masin, 1997: Mathematical programming formulation of conwip based production lines; and relationships to mrp. *International Journal of Production Research*, **35** (4), 1067–1076, doi: 10.1080/002075497195542.
- Hines, P. and N. Rich, 1997: The seven value stream mapping tools. *International Journal of Operations & Production Management*, **17** (1), 46–64, doi: 10.1108/01443579710157989.
- Hodgson, T. J. and Dingwei Wang, 1991a: Optimal hybrid push/pull control strategies for a parallel multistage system: Part i. *International Journal of Production Research*, **29** (6), 1279.
- Hodgson, T. J. and Dingwei Wang, 1991b: Optimal hybrid push/pull control strategies for parallel multistage system: Part ii. *International Journal of Production Research*, **29** (7), 1453.
- Hopp, W. J. and M. L. Roof, 1998: Setting wip levels with statistical throughput control (stc) in conwip production lines. *International Journal of Production Research*, **36** (4), 867–882, doi: 10.1080/002075498193435.
- Hopp, W. J. and M. L. Roof Sturgis, 2000: Quoting manufacturing due dates subject to a service level constraint. *IIE Transactions*, **32** (9), 771–784.
- Hopp, W. J. and M. L. Spearman, 1996: *Factory physics: Foundations of manufacturing management*. Irwin, Chicago.
- Hopp, W. J. and M. L. Spearman, 2008: *Factory physics*. 3d ed., The McGraw-Hill/Irwin series, Irwin/McGraw-Hill, New York.
- Huang, G., J. Chen, X. Wang, and Y. Shi, 2015: A simulation study of conwip assembly with multi-loop in mass production, multi-products and low volume and okp environments. *International Journal of Production Research*, **53** (14), 4160–4175, doi: 10.1080/00207543.2014.980458.

- Huang, M., D. Wang, and W. H. Ip, 1998a: A simulation and comparative study of the conwip, kanban and mrp production control systems in a cold rolling plant. *Production Planning & Control*, **9** (8), 803–812, doi: 10.1080/095372898233579.
- Huang, M., D. Wang, and W. H. Ip, 1998b: Simulation study of conwip for a cold rolling plant. *International Journal of Production Economics*, **54** (3), 257–266, doi: 10.1016/S0925-5273(97)00152-7.
- Hübl, A., 2014: Selected topics of the supply chain matrix under customer and process uncertainties. *Proceedings of the 2014 Winter Simulation Conference*, 4023–4024.
- Hübl, A. and K. Altendorfer, 2014a: Inventory constraint definition for conwip in a make-to-order environment – a simulation study. *Working Paper*.
- Hübl, A. and K. Altendorfer, 2014b: Queuing model for optimal switching point for two capacity levels. *Working Paper*.
- Hübl, A. and K. Altendorfer, 2015: State probabilities for an m/m/1 queuing system with two capacity levels. *Proceedings of the 2015 Winter Simulation Conference*, IEEE Press, Huntington Beach, California, 2219–2226.
- Hübl, A., K. Altendorfer, H. Jodlbauer, M. Gansterer, and R. F. Hartl, 2011: Flexible model for analyzing production system with discrete event simulation. *Proceedings of the 2011 Winter Simulation Conference*, 1554–1565, doi: 10.1109/WSC.2011.6147873.
- Hübl, A., K. Altendorfer, H. Jodlbauer, and J. Pilstl, 2010: Customer driven capacity setting. *Advances in Production Management Systems. New Challenges, New Approaches, IFIP Advances in Information and Communication Technology*, **338**, 291–298, doi: 10.1007/978-3-642-16358-6\\_{37}.
- Hübl, A., K. Altendorfer, J. Pilstl, and H. Jodlbauer, 2009: Equipment performance measurement in production plants based on customer demand. *Proceedings of the IEEE 2nd International Symposium on Logistics and Industrial Informatics (Lindi 2009)*, 1–6, doi: 10.1109/LINDI.2009.5258750.
- Hübl, A. and R. Gmainer, 2008: Critical discussion of oee. *Proceedings FH Science Day 2008*, 321–329.
- Hübl, A. and H. Jodlbauer, 2008: A combined approach for capacity checking, due date setting and stock availability in an mto environment. *Proceedings FH Science Day 2008*, 372–381.



- Hübl, A. and H. Jodlbauer, 2013: Optimal utilization based on costs and revenue for a hierarchical decision model based on jit goals. *Working Paper*.
- Hübl, A., H. Jodlbauer, and K. Altendorfer, 2013: Influence of dispatching rules on average production lead time for multi-stage production systems. *International Journal of Production Economics*, **144** (2), 479–484, doi: 10.1016/j.ijpe.2013.03.020.
- Hung, Y.-F. and I.-R. Chen, 1998: A simulation study of dispatch rules for reducing flow times in semiconductor wafer fabrication. *Production Planning & Control*, **9** (7), 714–722, doi: 10.1080/095372898233722.
- Hung, Y.-F. and R. C. Leachman, 1999: Reduced simulation models of wafer fabrication facilities. *International Journal of Production Research*, **37** (12), 2685–2701, doi: 10.1080/002075499190473.
- Inman, R. A., R. S. Sale, K. W. J. Green, and D. Whitten, 2011: Agile manufacturing: Relation to jit, operational performance and firm performance. *Journal of Operations Management*, **29** (4), 343–355, doi: 10.1016/j.jom.2010.06.001.
- Jacobs, R. F. and F. C. T. Weston Jr., 2007: Enterprise resource planning (erp)—a brief history. *Special Issue Evolution of the Field of Operations Management SI/ Special Issue Organisation Theory and Supply Chain Management*, **25** (2), 357–363, doi: 10.1016/j.jom.2006.11.005.
- Jansen, M. M., T. G. d. Kok, and J. C. Fransoo, 2013: Lead time anticipation in supply chain operations planning. *OR Spectrum*, **35** (1), 251–290, doi: 10.1007/s00291-011-0267-y.
- Jayamohan, M. S. and C. Rajendran, 2000: New dispatching rules for shop scheduling: A step forward. *International Journal of Production Research*, **38** (3), 563–586, doi: 10.1080/002075400189301.
- Jodlbauer, H., 2005: Definition and properties of the input-weighted average lead-time. *European Journal of Operational Research*, **164** (2), 354–357, doi: 10.1016/j.ejor.2003.04.006.
- Jodlbauer, H., 2008a: Customer driven production planning. *International Journal of Production Economics*, **111** (2), 793–801, doi: 10.1016/j.ijpe.2007.03.011.
- Jodlbauer, H., 2008b: *Produktionsoptimierung: Wertschaffende sowie kundenorientierte Planung und Steuerung*. 2d ed., Springers Kurzlehrbücher der Wirtschaftswissenschaften, Springer, Wien.

- Jodlbauer, H., 2008c: A time-continuous analytic production model for service level, work in process, lead time and utilization. *International Journal of Production Research*, **46** (7), 1723–1744, doi: 10.1080/00207540601080498.
- Jodlbauer, H. and K. Altendorfer, 2010: Trade-off between capacity invested and inventory needed. *European Journal of Operational Research*, **203** (1), 118–133, doi: 10.1016/j.ejor.2009.07.011.
- Jodlbauer, H. and A. Huber, 2008: Service-level performance of mrp, kanban, conwip and dbr due to parameter stability and environmental robustness. *International Journal of Production Research*, **46** (8), 2179–2195, doi: 10.1080/00207540600609297.
- Jodlbauer, H. and W. Stöcher, 2006: Little’s law in a continuous setting. *International Journal of Production Economics*, **103** (1), 10–16, doi: 10.1016/j.ijpe.2005.04.006.
- Kerkhofs, M., H. Chung, and P. Ester, 2008: Working time flexibility across europe: a typology using firm-level data. *Industrial Relations Journal*, **39** (6), 569–585, doi: 10.1111/j.1468-2338.2008.00506.x.
- Keskinocak, P. and S. Tayur, 2004: Due-date management policies. *Handbook of quantitative supply chain analysis*, D. Simchi-Levi, S. D. Wu, and Z.-J. M. Shen, Eds., Springer Science + Business Media, New York NY, International series in operations research & management series, Vol. 74, 485–553.
- Kim, M. H. and Y.-D. Kim, 1994: Simulation-based real-time scheduling in a flexible manufacturing system. *Journal of Manufacturing Systems*, **13** (2), 85–93, doi: 10.1016/0278-6125(94)90024-8.
- Kleijnen, J. P. C., 1995: Verification and validation of simulation models. *European Journal of Operational Research*, **82** (1), 145–162, doi: 10.1016/0377-2217(94)00016-6.
- Kok, A. d., 1990: Hierarchical production planning for consumer goods. *European Journal of Operational Research*, **45** (1), 55–69, doi: 10.1016/0377-2217(90)90156-6.
- Kok, T. G. d., 2000: Capacity allocation and outsourcing in a process industry. *International Journal of Production Economics*, **68** (3), 229–239, doi: 10.1016/S0925-5273(99)00134-6.
- Kuik, R. and P. F. J. Tielemans, 1997: Setup utilization as a performance indicator in production planning and control. *International Journal of*

- Production Economics*, **49** (2), 175–182, doi: 10.1016/S0925-5273(97)00002-9.
- Kutanoglu, E. and I. Sabuncuoglu, 1999: An analysis of heuristics in a dynamic job shop with weighted tardiness objectives. *International Journal of Production Research*, **37** (1), 165–187, doi: 10.1080/002075499191995.
- Lagershausen, S., M. Manitz, and H. Tempelmeier, 2013: Performance analysis of closed-loop assembly lines with general processing times and finite buffer spaces. *IIE Transactions*, **45** (5), 502–515, doi: 10.1080/0740817X.2012.705450.
- Land, M., M. Stevenson, and M. Thürer, 2014: Integrating load-based order release and priority dispatching. *International Journal of Production Research*, **52** (4), 1059–1073, doi: 10.1080/00207543.2013.836614.
- Li, H., L. Hendry, and R. Teunter, 2009: A strategic capacity allocation model for a complex supply chain: Formulation and solution approach comparison. *International Journal of Production Economics*, **121** (2), 505–518, doi: 10.1016/j.ijpe.2007.02.033.
- Li Sun, S. S. Heragu, L. Chen, and M. L. Spearman, 2007: Simulation analysis of a multi-item mrp system based on factorial design. *Proceedings of the 2009 Winter Simulation Conference*, 2107–2114, doi: 10.1109/WSC.2009.5429655.
- Little, J. D. C., 1961: A proof for the queuing formula  $L = \lambda W$ . *Operations Research*, **9** (3), 383–387, doi: 10.1287/opre.9.3.383.
- Ljungberg, Ö., 1998: Measurement of overall equipment effectiveness as a basis for tpm activities. *International Journal of Operations & Production Management*, **18** (5), 495–507, doi: 10.1108/01443579810206334.
- Luss, H., 1982: Operations research and capacity expansion problems: A survey. *Operations Research*, **30** (5), 907–947, doi: 10.1287/opre.30.5.907.
- Manne, A. S., 1961: Capacity expansion and probabilistic growth. *Econometrica*, **29** (4), 632–649.
- Mantel, R. J. and H. R. Landeweerd, 1995: Design and operational control of an agv system. *International Journal of Production Research*, **41** (1–3), 257–266, doi: 10.1016/0925-5273(95)00018-6.
- Meal, H. C., 1984: Putting production decisions where they belong. *Harvard Business Review*, **62** (2), 102–111.

- Medhi, J., 1991: *Stochastic models in queueing theory*. 1st ed., Academic Press, Boston u.a.
- Merschmann, U. and U. W. Thonemann, 2011: Supply chain flexibility, uncertainty and firm performance: An empirical analysis of german manufacturing firms. *International Journal of Production Economics*, **130** (1), 43–53, doi: 10.1016/j.ijpe.2010.10.013.
- Meyr, H., 2004: Supply chain planning in the german automotive industry. *OR Spectrum*, **26** (4), doi: 10.1007/s00291-004-0168-4.
- Mieghem, J. A. v. and N. Rudi, 2002: Newsvendor networks: Inventory management and capacity investment with discretionary activities. *Manufacturing & Service Operations Management*, **4** (4), 313–335, doi: 10.1287/msom.4.4.313.5728.
- Mincsovcis, G. Z. and N. P. Dellaert, 2009: Workload-dependent capacity control in production-to-order systems. *IIE Transactions*, **41** (10), 853–865, doi: 10.1080/07408170802369391.
- Missbauer, H., 2002: Aggregate order release planning for time-varying demand. *International Journal of Production Research*, **40** (3), 699–718, doi: 10.1080/00207540110090939.
- Missbauer, H. and R. Uzsoy, 2011: Optimization models of production planning problems. *Planning Production and Inventories in the Extended Enterprise*, K. G. Kempf, P. Keskinocak, and R. Uzsoy, Eds., Springer US, Boston and MA, International Series in Operations Research & Management Science, Vol. 151, 437–507, doi: 10.1007/978-1-4419-6485-4\\_16.
- Muchiri, P. and L. Pintelon, 2008: Performance measurement using overall equipment effectiveness (oee): literature review and practical application discussion. *International Journal of Production Research*, **46** (13), 3517–3535, doi: 10.1080/00207540601142645.
- Mula, J., R. Poler, J. P. García-Sabater, and F. C. Lario, 2006: Models for production planning under uncertainty: A review. *International Journal of Production Economics*, **103** (1), 271–285, doi: 10.1016/j.ijpe.2005.09.001.
- Nakajima, S., 1988: *Introduction to TPM: Total Productive Maintenance*. Productivity Press, Cambridge Mass. u. a.
- Neely, A., M. Gregory, and K. Platts, 1995: Performance measurement system design: A literature review and research agenda. *International Journal of Operations & Production Management*, **15** (4), 80–116, doi: 10.1108/01443579510083622.

- Nyhuis, P. and H.-P. Wiendahl, 1999: *Logistische Kennlinien: Grundlagen, Werkzeuge und Anwendungen*. Springer, Berlin.
- Nyhuis, P. and H.-P. Wiendahl, 2009: *Fundamentals of production logistics: Theory, tools and applications*. Springer, Berlin.
- Obermaier, R. and A. Donhauser, 2012: Zero inventory and firm performance: a management paradigm revisited. *International Journal of Production Research*, **50** (16), 4543–4555, doi: 10.1080/00207543.2011.613869.
- Odoni, A. R. and E. Roth, 1983: An empirical investigation of the transient behavior of stationary queueing systems. *Operations research*, **31** (3), 432–455, doi: 10.2307/170616.
- Ohno, T., 1988: *Toyota production system: Beyond large-scale production*. Productivity Press, Cambridge MA.
- Olhager, J., 2013: Evolution of operations planning and control: from production to supply chains. *International Journal of Production Research*, **51** (23-24), 6836–6843, doi: 10.1080/00207543.2012.761363.
- Orlicky, J., 1975: *Material requirements planning; The new way of life in production and inventory management*. McGraw-Hill, New York.
- Panwalkar, S. S. and W. Iskander, 1977: A survey of scheduling rules. *Operations Research*, **25** (1), 45–61, doi: 10.1287/opre.25.1.45.
- Park, C.-W. and H.-S. Lee, 2013: Performance evaluation of a multi-product conwip assembly system with correlated external demands. *International Journal of Production Economics*, **144** (1), 334–344, doi: 10.1016/j.ijpe.2013.02.021.
- Perera, T. and K. Liyanage, 2000: Methodology for rapid identification and collection of input data in the simulation of manufacturing systems. *Simulation Practice and Theory*, **7** (7), 645–656, doi: 10.1016/S0928-4869(99)00020-8.
- Pibernik, R. and P. Yadav, 2009: Inventory reservation and real-time order promising in a make-to-stock system. *OR Spectrum*, **31** (1), 281–307, doi: 10.1007/s00291-007-0121-4.
- Pinedo, M. L., 2008: *Scheduling: Theory, algorithms, and systems*. 3d ed., Springer, New York NY.
- Ponsignon, T. and L. Mönch, 2014: Simulation-based performance assessment of master planning approaches in semiconductor manufacturing. *Omega*, **46** (0), 21–35, doi: 10.1016/j.omega.2014.01.005.

- Powell, D., J. Riezebos, and J. O. Strandhagen, 2012: Lean production and erp systems in small- and medium-sized enterprises: Erp support for pull production. *International Journal of Production Research*, **51** (2), 395–409, doi: 10.1080/00207543.2011.645954.
- Prakash, J. and J. Chin, 2014: Modified conwip systems: a review and classification. *Production Planning & Control*, 1–12, doi: 10.1080/09537287.2014.898345.
- Rafei, H., M. Rabbani, and M. Alimardani, 2013: Novel bi-level hierarchical production planning in hybrid mts/mto production contexts. *International Journal of Production Research*, **51** (5), 1331–1346, doi: 10.1080/00207543.2012.661089.
- Rajendran, C. and O. Holthaus, 1999: A comparative study of dispatching rules in dynamic flowshops and jobshops. *European Journal of Operational Research*, **116** (1), 156–170, doi: 10.1016/S0377-2217(98)00023-X.
- Randell, L. and G. Bolmsjo, 2001: Database driven factory simulation: a proof-of-concept demonstrator. *Proceedings of the 2001 Winter Simulation Conference*, **2**, 977–983, doi: 10.1109/WSC.2001.977402.
- Rees, L. P., P. R. Philipoom, B. W. Taylor, and P. Y. Huang, 1987: Dynamically adjusting the number of kanbans in a just-in-time production system using estimated values of leadtime: Iie transactions. *IIE Transactions*, **19** (2), 199–207, doi: 10.1080/07408178708975387.
- Rehder, R. R., 1989: Japanese transplants: In search of a balanced and broader perspective. *Columbia Journal of World Business*, **24** (4), 17–28.
- Rohde, J., H. Meyr, and M. Wagner, 2000: Die supply chain planning matrix. *PPS Management*, (1), 10–15.
- Satyam, K. and A. Krishnamurthy, 2013: Performance analysis of conwip systems with batch size constraints. *Annals of Operations Research*, **209** (1), 85–114, doi: 10.1007/s10479-011-0870-y.
- Schneeweiß, C., 2003: *Distributed Decision Making*. 2d ed., Springer, Berlin u.a.
- Schonberger, R., 1982: *Japanese manufacturing techniques: Nine hidden lessons in simplicity*. 23d ed., Free Press, New York NY u.a.
- Schonberger, R., 1986: *World class manufacturing: The lessons of simplicity applied*. The Free Press, New York NY.

- Schrageheim, E. and H. W. Dettmer, 2000: *Manufacturing at warp speed: Optimizing supply chain financial performance*. St. Lucie Press and APICS, Boca Raton and FL and Alexandria and VA.
- Schrageheim, E. and B. Ronen, 1991: Buffer management: A diagnostic tool for production control. *Production & Inventory Management Journal*, **32 (2)**, 74–79.
- Schuh, G., 2006: *Produktionsplanung und -steuerung: Grundlagen, Gestaltung und Konzepte*. Springer.
- Segerstedt, A., 1996: A capacity-constrained multi-level inventory and production control problem. *International Journal of Production Economics*, **45 (1-3)**, 449–461, doi: 10.1016/0925-5273(96)00017-5.
- Sepehri, M. M. and N. Nahavandi, 2007: Critical wip loops: a mechanism for material flow control in flow lines. *International Journal of Production Research*, **45 (12)**, 2759–2773, doi: 10.1080/00207540600787077.
- Shah, R. and P. T. Ward, 2003: Lean manufacturing: context, practice bundles, and performance. *Journal of Operations Management*, **21 (2)**, 129–149, doi: 10.1016/S0272-6963(02)00108-0.
- Shingo, S., 1985: *A revolution in manufacturing: The SMED system*. Productivity Press, Stamford Conn.
- Sim, K. L. and L. N. Killough, 1998: The performance effects of complementarities between manufacturing practices and management accounting systems. *Journal of Management Accounting Research*, **10**, 325–346.
- Spearman, M. L., D. L. Woodruff, and W. J. Hopp, 1990: Conwip: a pull alternative to kanban. *International Journal of Production Research*, **28 (5)**, 879–894, doi: 10.1080/00207549008942761.
- Spearman, M. L. and M. A. Zazanis, 1992: Push and pull production systems: Issues and comparisons. *Operations research*, **40 (3)**, 521–532, doi: 10.1287/opre.40.3.521.
- Stadtler, H., 2005: Supply chain management and advanced planning—basics, overview and challenges. *European Journal of Operational Research*, **163 (3)**, 575–588, doi: 10.1016/j.ejor.2004.03.001.
- Stadtler, H. and C. Kilger, 2008: *Supply chain management and advanced planning: Concepts, models, software, and case studies*. Springer, Berlin and Heidelberg.

- Steinrücke, M. and M. Jahr, 2012: Tactical planning in supply chain networks with customer oriented single sourcing. *International Journal of Logistics Management*, **23** (2), 259–279, doi: 10.1108/09574091211265387.
- Sugimori, Y., K. Kusunoki, F. Cho, and S. Uchikawa, 1977: Toyota production system and kanban system materialization of just-in-time and respect-for-human system. *International Journal of Production Research*, **15** (6), 553–564, doi: 10.1080/00207547708943149.
- Suzaki, K., 1987: *The new manufacturing challenge: Techniques for continuous improvement*. Free Press, New York.
- Tardif, V. and L. Maaseidvaag, 2001: An adaptive approach to controlling kanban systems. *European Journal of Operational Research*, **132** (2), 411–424, doi: 10.1016/S0377-2217(00)00119-3.
- Thompson, M. B., 1994: Expanding simulation beyond planning and design. *Industrial Engineering*, **26** (10), 64.
- Trybula, W. J., 1994: Building simulation models without data. *IEEE International Conference on Systems, Man, and Cybernetics, 1994. Humans, Information and Technology*, **1**, 209–214, doi: 10.1109/ICSMC.1994.399838.
- Verganti, R., 1997: Order overplanning with uncertain lumpy demand: a simplified theory. *International Journal of Production Research*, **35** (12), 3229–3248, doi: 10.1080/002075497194057.
- Vollmann, T. E., W. L. Berry, and D. C. Whybark, 1997: *Manufacturing planning and control systems*. 4th ed., Irwin/McGraw-Hill, New York.
- Wacker, J. G., 1996: A theoretical model of manufacturing lead times and their relationship to a manufacturing goal hierarchy. *Decision Sciences*, **27** (3), 483–517, doi: 10.1111/j.1540-5915.1996.tb00861.x.
- Waikar, A. M., B. R. Sarker, and A. M. Lal, 1995: A comparative study of some priority dispatching rules under different shop loads. *Production Planning & Control*, **6** (4), 301–310, doi: 10.1080/09537289508930284.
- Wedel, J. and K. Lumsden, 1995: The influence of lead-time reductions on decisions and rules in the production planning process. *Proceedings of the 12th International Conference on Production Research*, **41** (1–3), 399–404, doi: 10.1016/0925-5273(95)00039-9.
- White, R. E. and J. N. Pearson, 2001: Jit, system integration and customer service. *International Journal of Physical Distribution & Logistics Management*, **31** (5), 313–333, doi: 10.1108/EUM000000005515.



- White, R. E., J. N. Pearson, and J. R. Wilson, 1999: Jit manufacturing: A survey of implementations in small and large u.s. manufacturers. *Management Science*, **45** (1), 1–15, doi: 10.1287/mnsc.45.1.1.
- Wiendahl, H.-P. and J.-W. Breithaupt, 1999: Modelling and controlling the dynamics of production systems. *Production Planning & Control*, **10** (4), 389–401, doi: 10.1080/095372899233136.
- Wiendahl, H.-P., E. Ludwig, and W. Ullmann, 1994: Monitoring and diagnosis systems: New components of production planning and control - methodologies, applications and experience. *International Transactions in Operational Research*, **1** (1), 95–106, doi: 10.1111/1475-3995.d01-11.
- Wight, O. W., 1984: *Manufacturing resource planning: MRP II: unlocking America's productivity potential*. Rev. ed., O. Wight Ltd. Publications and Van Nostrand Reinhold, Essex Junction and VT and New York.
- Yang, M. G., P. Hong, and S. B. Modi, 2011: Impact of lean manufacturing and environmental management on business performance: An empirical study of manufacturing firms. *International Journal of Production Economics*, **129** (2), 251–261, doi: 10.1016/j.ijpe.2010.10.017.
- Yang, T., H. FU, and K. Yang, 2007: An evolutionary-simulation approach for the optimization of multi-constant work-in-process strategy—a case study. *International Journal of Production Economics*, **107** (1), 104–114, doi: 10.1016/j.ijpe.2006.02.014.
- Yang, W. and R. Y. K. Fung, 2014: An available-to-promise decision support system for a multi-site make-to-order production system. *International Journal of Production Research*, **52** (14), 4253–4266, doi: 10.1080/00207543.2013.877612.
- Yano, C. A., 1987: Stochastic leadtimes in two-level assembly systems. *IIE Transactions*, **19** (4), 371–378, doi: 10.1080/07408178708975409.
- Zäpfel, G., 1996: Production planning in the case of uncertain individual demand extension for an mrp ii concept. *International Journal of Production Economics*, **46-47**, 153–164, doi: 10.1016/0925-5273(95)00192-1.