

Literaturverzeichnis

- [Aken18] Akenine-Möller T., Haines E., Hoffman N., Pesce A., Iwanicki M., Hillaire S.: *Real-Time Rendering, 4th Edition*. A.K. Peters, 2018
- [Anne07] Annen T., Mertens T., Bekaert P., Seidel H-P., Kautz J.: *Convolution shadow maps*. in Proc. of EGSR 2007, pp. 51-60, 2007
- [Assa00] Assarsson U., Möller T.: *Optimized View Frustum Culling Algorithms for Bounding Boxes*. Journal of Graphics Tools, Vol. 5, No. 1, 9-22, 2000
- [Bart96] Barth R., Beier E., Pahnke B.: *Grafikprogrammierung mit OpenGL*. Addison-Wesley, Reading, 1996
- [Bavo09] Bavoil L., Sainz M.: *Image-Space Horizon-Based Ambient Occlusion*. in Shader X7, Charles River Media, 2009
- [Bend05] Bender M., Brill M.: *Computergrafik. 2. Auflage* Carl Hanser Verlag, München, 2005
- [Blin76] Blinn J.F., Newell M.E.: *Texture and reflection in computer generated images*. Communications of the ACM, Vol. 19, No. 10, 542-547, 1976
- [Blin77] Blinn J.F.: *Models of light reflection for computer synthesized pictures*. SIGGRAPH, 192-198, 1977
- [Bodn98] Bodner R.: *Fahr- und Verkehrsimulation - Fahren in der Virtuellen Stadt*. Kompendium der Vorträge zur Tagung Simulationstechnik der Deutschen Gesellschaft für Wehrtechnik mbH, Bad Godesberg, 285 - 300, 1998
- [Cakm00] Cakmak H. K., Kühnapfel U., Bretthauer G.: *Virtual Reality Techniques for Education and Training in Minimally Invasive Surgery*. Proceedings of VDE World Micro Technologies Conference MICRO.tec 2000, EXPO 2000, Hannover, 395-400, 2000
- [Calv00] Calvagno G., Mian G.A., Rinaldo R.: *3D Motion Estimation for Frame Interpolation and Video Coding*. Proc. Int. Workshop on Packet Video, Cagliari, 2000

- [Catm74] Catmull E.: *A Subdivision Algorithm for Computer Display of Curved Surfaces*. Ph.D.Thesis, Report UTEC-CSc-74-133, Computer Science Department, University of Utah, Salt Lake City, 1974
- [Chen09] Chen H., Tatarchuk N.: *Lighting Research at Bungie*. Advances in Real-Time Rendering in 3D Graphics and Games, SIGGRAPH, 2009
- [Clau97] Claussen U.: *Programmieren mit OpenGL: 3D-Grafik und Bildverarbeitung*. Springer, Berlin Heidelberg New York, 1997
- [Cok01] Cok K., True T.: *Developing Efficient Graphics Software: The Yin and Yang of Graphics*. SIGGRAPH, Course Notes, 2001
- [Donn06] Donnelly W., Lauritzen A.: *Variance Shadow Maps*. Proc. Symposium on Interactive 3D Graphics, 161-165, 2006
- [Dou14] Dou H., Yan Y., Kerzner E., Dai A., Wyman C.: *Adaptive Depth Bias for Shadow Maps*. Proc. Symposium on Interactive 3D Graphics, 97-102, 2014
- [Down01] Downs L., Möller T., Séquin C.: *Occlusion Horizons for Driving through Urban Scenery*. Proc. Symposium on Interactive 3D Graphics, 121-124, 2001
- [Dutr06] Dutré P., Bala K., Bekaert P.: *Advanced Global Illumination, Second Edition*. A.K. Peters, 2006
- [Ehm15] Ehm A., Ederer A., Klein A., Nischwitz A.: *Adaptive Depth Bias for Soft Shadows*. In Full Paper Proceedings of WSCG 2015, 2015
- [Eise10] Eisemann E., Assarson U., Schwarz M., Wimmer M.: *Shadow Algorithms for Real-time Rendering*. Eurographics Tutorial Notes, 2010
- [Enca96] Encarnacao J., Straßer W., Klein R.: *Graphische Datenverarbeitung I: Geräte-technik, Programmierung und Anwendung graphischer Systeme*. 4. Auflage. Oldenbourg, München Wien, 1996
- [Enca97] Encarnacao J., Straßer W., Klein R.: *Graphische Datenverarbeitung II: Modellierung komplexer Objekte und photorealistische Bilderzeugung*. 4. Auflage. Oldenbourg, München Wien, 1997
- [Enge06] Engel W.: *Cascaded Shadow Maps*. in ShaderX5, Charles River Media, 2006
- [Fern03] Fernando R., Kilgard M.J.: *The Cg Tutorial. The Definitive Guide to Programmable Real-Time Graphics*. Addison-Wesley, Reading, 2003
- [Fern05] Fernando R.: *Percentage-close soft shadows*. SIGGRAPH Sketches, 2005
- [Fors06] Forsyth T.: *Extremely Practical Shadows*. Game Developers Conference, 2006

- [Fung05] Fung J.: *Computer Vision on the GPU*. in GPU Gems 2, ed. by Matt Pharr, 649-666, Addison-Wesley, Reading, 2005
- [Gall00] Gallier, J.: *Curves and Surfaces in Geometric Modeling – Theory and Applications*. Morgan Kaufmann, San Francisco, 2000
- [Gieg07-1] Giegl M., Wimmer M.: *Queried virtual shadow maps*. in Proceedings of I3D, pp. 65-72, ACM Press, 2007
- [Gieg07-2] Giegl M., Wimmer M.: *Fitted virtual shadow maps*. in Proceedings of Graphics Interface 2007, pp. 159-168, 2007
- [Gins83] Ginsberg C.M., Maxwell D.: *Graphical Marionette*. in Proceedings of the SIGGRAPH/SIGART Interdisciplinary Workshop on Motion: Representation and Perception, Toronto, 172-179, 1983
- [Gira85] Girard M., Maciejewski A.A.: *Computational Modeling for the Computer Animation of Legged Figures*. SIGGRAPH, 263-270, 1985
- [Gour71] Gouraud H.: *Continuous Shading of Curved Surfaces*. IEEE Transactions on Computers, Vol. C-20, No. 6, 623-628, 1971
- [Gree86] Greene N.: *Environment Mapping and Other Applications of World Projections*. IEEE Computer Graphics and Applications, Vol. 6, No. 11, 21-29, 1986
- [Gree93] Greene N., Kass M., Miller G.: *Hierarchical Z-Buffer Visibility*. SIGGRAPH, 231-238, 1993
- [Grue10] Gruen H., Thibieroz N.: *OIT and Indirect Illumination with DX11 Linked Lists*. Game Developers Conference, 2010
- [Gumb10] Gumbau J., Chover M., Sbert M.: *Screen Space Soft Shadows*. in GPU Pro, A.K. Peters, pp. 477-491, 2010
- [Heck86] Heckbert P.S.: *Survey of Texture Mapping*. IEEE Computer Graphics and Applications, Vol. 6, No. 11, 56-67, 1986
- [Hert09] Hertel S., Hormann K., Westermann R.: *A hybrid GPU rendering pipeline for alias-free hard shadows*. Eurographics, Areas Paper, 2009
- [Hugh13] Hughes J.F., van Dam A., McGuire M., Sklar D.F., Foley J.D., Feiner S.K., Akeley K.: *Computer graphics: principles and practice*. 3rd ed. Pearson, 2013.
- [Iso85] International Standards Organisation ISO 7942: *Information Processing Systems - Computer Graphics - Graphical Kernel System (GKS) - Functional Description*. American National Standards Institute, New York, 1985

- [Iso88] International Standards Organisation ISO 8805: *Information Processing Systems - Computer Graphics - Graphical Kernel System for Three Dimensions (GKS-3D) - Functional Description*. American National Standards Institute, New York, 1988
- [Iso89] International Standards Organisation ISO 9592-(1-3): *Information Processing Systems - Programmer's Hierarchical Interactive Graphics System (PHIGS) - Functional Description. Part 1-3*. American National Standards Institute, New York, 1989
- [Iso91] International Standards Organisation ISO 9592-4: *Information Processing Systems - Programmer's Hierarchical Interactive Graphics System (PHIGS) - Functional Description. Part 4: Plus Lumire und Surfaces (PHIGS PLUS)*. American National Standards Institute, New York, 1991
- [Jans96] Janser A., Luther W., Otten W.: *Computergraphik und Bildverarbeitung*. Vieweg, Braunschweig Wiesbaden, 1996
- [John05] Johnson G.S., Lee J., Burns C.A., Mark W.R.: *The irregular z-buffer: Hardware acceleration for irregular data structures*. ACM Trans. on Graphics, Vol. 24(4), pp. 1462-1482, 2005
- [Jone05] Jones K., McGee J.: *SGI OpenGL Volumizer 2 Programmer's Guide, Version 2.8*. Silicon Graphics Inc., Mountain View, 2005
- [Kaja09] Kajalin V.: *Screen Space Ambient Occlusion*. in Shader X7, Charles River Media, 2009
- [Kers96] Kersten, D., Knill, D. C., Mamassian, P. and Bülthoff, I.: *Illusory motion from shadows*. Nature, 279, (6560), 31, 1996
- [Kess17] Kessenich J., Sellers G., Shreiner D., The Khronos OpenGL ARB Working Group: *OpenGL Programming Guide, 9th edition: The Official Guide to Learning OpenGL, Versions 4.5 with SPIR-V*. Addison-Wesley, Boston, 2017
- [Khr] Khronos OpenCL Working Group: *OpenCL - The open standard for parallel programming of heterogeneous systems*. <http://www.khronos.org/opengl> (abgerufen am 24.12.2018).
- [Khr10] Khronos OpenCL Working Group: *The OpenCL Specification, version 2.2*, Oktober 2018. https://www.khronos.org/registry/OpenCL/specs/2.2/pdf/OpenCL_API.pdf (abgerufen am 24.12.2018).
- [Khro18] The Khronos Vulkan Working Group: *Vulkan: A Specification, Version 1.1.71*. The Khronos Group Inc., 2018

- [Kilg96] Kilgard M.J.: *OpenGL Programming for the X Window System*. Addison-Wesley, Reading, 1996
- [Klei10] Klein A.: *Optimizing a GPU based ray tracer*. Master Thesis, Munich Univ. of Appl. Sc., 2010
- [Klei12] Klein A., Obermeier P., Nischwitz A.: *Contact Hardening Soft Shadows using Erosion*. in Proc. of WSCG'2012, pp. 53-58, 2012
- [Klei14] Klein A., Nischwitz A., Schätz P., Obermeier P.: *Incorporation of thermal shadows into real-time infrared three-dimensional image generation*. SPIE Optical Engineering 53(5), 053113, 2014
- [Klei16] Klein A., Oberhofer S., Schätz P., Nischwitz A., Obermeier P.: *Real-time simulation of thermal shadows with EMIT*. Proc. SPIE 9820, Infrared Imaging Systems: Design, Analysis, Modeling, and Testing XXVII, 982013, 2016
- [Kloe96] Klöckner W., Rogozik J., Möller H., Sachs G.: *Sichtunterstützung für die Flugführung bei schlechter Aussensicht*. Deutscher Luft- und Raumfahrtkongress, Bonn, DGLR-JT95-097, 1995
- [Lang96] Langkau R., Lindström G., Scobel W.: *Physik kompakt: Elektromagnetische Wellen*. Vieweg, Braunschweig Wiesbaden, 1996
- [Lapi17] Lapinski P.: *Vulkan Cookbook*. Packt Publishing, 2017
- [Laur07] Lauritzen A.: *Summed-Area Variance Shadow Maps*. in GPU Gems 3, Addison-Wesley, pp. 157-182, 2007
- [Laur08] Lauritzen A.: *Rendering Antialiased Shadows using Warped Variance Shadow Maps*. Master Thesis, Univ. of Waterloo, Canada, 2008
- [Laur10] Lauritzen A., Salvi M., Lefohn A.: *Sample Distribution Shadow Maps*. Advances in Real-Time Rendering in 3D Graphics and Games, SIGGRAPH 2010
- [Lefo07] Lefohn A.E., Sengupta S., Owens J.D.: *Resolution matched shadow maps*. in ACM Trans. on Graphics, Vol. 26(4), pp. 20:1-20:17, 2007
- [Leng11] Lengyel E.: *Mathematics for 3D Game Programming and Computer Graphics, Third Edition*. Course Technology PTR, 2011. <http://www.terathon.com/code/tangent.html> (abgerufen am 24.12.2018).
- [Loko00] Lokovic T., Veach E.: *Deep Shadow Maps*. SIGGRAPH, pp. 385-392, 2000
- [Maie10] Maier A.: *Ray Tracing Transparent Objects*. Master Thesis, Munich Univ. of Appl. Sc., 2010

- [MaiJ10] Maier J.: *Shader Composition in OpenSceneGraph*. Master Thesis, Munich Univ. of Appl. Sc., 2010
- [Meis99] Meißner M., Bartz D., Hüttner T., Müller G., Einighammer J.: *Generation of Subdivision Hierarchies for Efficient Occlusion Culling of Large Polygonal Models*. Technical Report WSI-99-13, WSI/GRIS, Universität Tübingen, 1999
- [Mic18a] Microsoft: *Announcing Microsoft DirectX Raytracing*, March 2018.
<https://blogs.msdn.microsoft.com/directx/2018/03/19/announcing-microsoft-directx-raytracing> (abgerufen am 24.12.2018).
- [Mic18b] Microsoft: *DirectX Raytracing and the Windows 10 October 2018 Update*, October 2018.
<https://blogs.msdn.microsoft.com/directx/2018/10/02/directx-raytracing-and-the-windows-10-october-2018-update> (abgerufen am 24.12.2018).
- [Mill84] Miller G.S., Hoffman C.R.: *Illumination and Reflection Maps: Simulated Objects in Simulated and Real Environments*. SIGGRAPH, Advanced Computer Graphics Animation course notes, 1984
- [Mitt07] Mittring M.: *Finding Next Gen: CryEnging 2*. SIGGRAPH, Advanced Real-time Rendering in 3D Graphics and Games course notes, 2007
- [Nach86] Nachtmann O.: *Phänomene und Konzepte der Elementarteilchenphysik*. Vieweg, Braunschweig Wiesbaden, 1986
- [NVIa] NVIDIA: *CUDA Programming Guide 10.0*, Oktober 2018.
<https://docs.nvidia.com/cuda/cuda-c-programming-guide/index.html> (abgerufen am 24.12.2018).
- [NVIb] NVIDIA: *NVIDIA CUDA Toolkit 10.0*, Oktober 2018.
<https://docs.nvidia.com/cuda/index.html> (abgerufen am 24.12.2018).
- [NVIc] NVIDIA: *Introduction to Real-Time Ray Tracing with Vulkan*, Oktober 2018.
<https://devblogs.nvidia.com/vulkan-raytracing> (abgerufen am 24.12.2018).
- [Owen05] Owens J.: *Streaming Architectures and Technology Trends*. in GPU Gems 2, ed. by Matt Pharr, 457-470, Addison-Wesley, Reading, 2005
- [Park98] Parker S., Shirley P., Smits B.: *Single sample soft shadows*. Technical Report, UUCS-98-019, Univ. of Utah, 1998
- [Peit86] Peitgen H.-O., Richter P.H.: *The Beauty of Fractals: Images of Complex Dynamical Systems*. Springer, Berlin, 1986
- [Pere02] Pereira F.C.N., Ebrahimi T.: *The MPEG-4 book*. IMSC Press multimedia series, New Jersey, 2002

- [Peso16] Peso D., Nischwitz A., Ippisch S., Obermeier P.: *Kernelized Correlation Tracker on Smartphones*. Journal of Pervasive and Mobile Computing. Elsevier. PMCJ719, 2016
- [Phar16] Pharr M., Wenzel J., Humphreys G.: *Physically Based Rendering, Third Edition*. Morgan Kaufmann, 2016.
- [Phon75] Phong B.: *Illumination for Computer Generated Pictures*. Communications of the ACM, 18 (6), 311-317, 1975
- [Rama88] Ramachandran V.S.: *Formwahrnehmung aus Schattierung*. Spektrum der Wissenschaft, 94-103, Oktober 1988
- [Reev83] Reeves W.T.: *Particle Systems - A Technique for Modeling a Class of Fuzzy Objects*. SIGGRAPH, 359-376, 1983
- [Reev85] Reeves W.T., Blau R.: *Approximate and Probabilistic Algorithms for Shading and Rendering Particle Systems*. SIGGRAPH, 313-322, 1985
- [Reev87] Reeves W.T., Salesin D., Cook R.: *Rendering Antialiased Shadows with Depth Maps*. SIGGRAPH, 283-291, 1987
- [Rost10] Rost R.J., Licea-Kane B.: *OpenGL Shading Language, Third Edition* Addison-Wesley, Reading, 2010
- [Rusi97] Rusinkiewicz S.: *A Survey of BRDF Representation for Computer Graphics*. CS348C, Stanford University, 1997
- [Salv08] Salvi M.: *Rendering filtered shadows with exponential shadow maps*. in ShaderX6, Wolfgang Engel, ed., Course Technology, pp. 257-274, 2008
- [Salv10] Salvi M., Vidimce K., Lauritzen A., Lefohn A.: *Adaptive Volumetric Shadow Maps*. Computer Graphics Forum (Proc. EGSR 2010), vol. 29(4), pp. 1289-1296, 2010
- [Salv11] Salvi M.: *Adaptive Order Independent Transparency: A Fast and Practical Approach to Rendering Transparent Geometry*. erscheint in Proc. Game Developers Conference, 2011
- [Scha00] Schaffler G., Dorsey J., Decoret X., Sillion F.: *Conservative Volumetric Visibility with Occluder Fusion*. SIGGRAPH, 229-238, 2000
- [Sega17] Segal M., Akeley K.: *The OpenGL Graphics System: A Specification, Version 4.6*. The Khronos Group Inc., 2017
- [Sell15] Sellers G., Wright R.S., Haemel N.: *The OpenGL Super Bible, 7th Edition*. Addison-Wesley, 2015

- [Sell17] Sellers G., Kessenich J.: *Vulkan Programming Guide: The Official Guide to Learning Vulkan*. Pearson Education, 2017
- [Sing16] Singh P.: *Learning Vulkan*. Packt Publishing, 2016
- [Sint08] Sintorn E., Eisemann E., Assarsson U.: *Sample based visibility for soft shadows using alias-free shadow maps*. Computer Graphics Forum (Proc. EGSR 2008), vol. 27(4), pp. 1285-1292, 2008
- [Strz03] Strzodka R., Ihrke I., Magnor M.: *A Graphics Hardware Implementation of the Generalized Hough Transform for Fast Object Recognition, Scale, and 3D Pose Detection*. in Proceedings of IEEE International Conference on Image Analysis and Processing, 188-193, 2003
- [Suma05] Sumanaweera T., Liu D.: *Medical Image Reconstruction with the FFT*. in GPU Gems 2, ed. by Matt Pharr, 765-784, Addison-Wesley, Reading, 2005
- [Tabb11] Tabbert B.: *Volumetric Soft Shadows*. Master Thesis, Munich Univ. of Appl. Sc., 2011
- [Top500] Top 500 Supercomputer Site: *Liste der Top 500 Supercomputer*. <http://www.top500.org> (abgerufen am 24.12.2018).
- [Ural05] Uralsky Y.: *Efficient soft-edged shadows using pixel shader branching*. in GPU Gems 2, Addison-Wesley, pp. 269-282, 2005
- [Vali08] Valient M.: *Stable Rendering of Cascaded Shadow Maps*. in ShaderX6, Wolfgang Engel, ed., Course Technology, pp. 231-238, 2008
- [Wang10] Wang R., Qian X.: *OpenSceneGraph 3.0. Beginner's Guide*. Packt Publishing, Birmingham, 2010
- [Wang12] Wang R., Qian X.: *OpenSceneGraph 3.0. Cookbook*. Packt Publishing, Birmingham, 2012
- [Warr02] Warren J., Weimer H.: *Subdivision Methods for Geometric Design*. Morgan Kaufmann, San Francisco, 2002
- [Watt02] Watt A.: *3D-Computergrafik. 3. Auflage*. Pearson Studium, München, 2002
- [Wilh87] Wilhelms J.: *Using Dynamic Analysis for Realistic Animation of Articulated Bodies*. CG & A, 7(6), 1987
- [Wimm04] Wimmer M., Scherzer D., Purgathofer W.: *Light space perspective shadow maps*. in Proc. EGSR 2004, Eurographics Association, 2004
- [Woo92] Woo A.: *The Shadow Depth Map Revisited*. in Graphics Gems III, David Kirk, ed., Academic Press, pp. 338-342, 1992

- [Wosc12] Woschofius J.: *Realistische Feuereffekte mit Hilfe von Partikelsystemen*. Master Thesis, Munich Univ. of Appl. Sc., 2012
- [Zhan97] Zhang H., Manocha D., Hudson T., Hoff K.E.: *Visibility Culling using Hierarchical Occlusion Maps*. SIGGRAPH, 77-88, 1997
- [Zhan06] Zhang F., Sun H., Xu L., Lun L.K.: *Parallel-split shadow maps for large-scale virtual environments*. Proc. VRCIA 2006, pp. 311-318, 2006
- [Zhan08] Zhang F., Sun H., Nyman O.: *Parallel-split shadow maps on programmable GPUs*. in GPU Gems 3, Addison-Wesley, pp. 203-237, 2008

Sachverzeichnis

- glAccum, 297
 - GL_ACCUM, 297
 - GL_ADD, 297
 - GL_LOAD, 297
 - GL_MULT, 297
 - GL_RETURN, 297
- glAlphaFunc, 285
- glAttachShader, 71
- glBeginQueries, 583
- glBegin, 154, 177
 - GL_LINES, 153, **159**
 - GL_LINE_LOOP, 153, **161**
 - GL_LINE_STRIP, 153, **161**
 - GL_POINTS, 153, **156**
 - GL_POLYGON, **162**
 - GL_QUADS, 153, **172**
 - GL_QUAD_STRIP, 153, **173**
 - GL_TRIANGLES, 153, **168**
 - GL_TRIANGLE_FAN, 153, **171**
 - GL_TRIANGLE_STRIP, 153, **169**
- glBindBuffer, 185
- glBindFramebuffer, 194
- glBindRenderbuffer, 194
- glBindSampler, 428
- glBindTextureUnit, 427
- glBindVertexArray, 187
- glBlendColor, 270
- glBlendEquationSeparatei, 270
- glBlendEquationSeparate, 270
- glBlendEquationi, 270
- glBlendEquation, 269
 - GL_FUNC_ADD, 269
 - GL_FUNC_REVERSE_SUBTRACT, 269
 - GL_FUNC_SUBTRACT, 269
 - GL_MAX, 270
 - GL_MIN, 269
- glBlendFuncSeparatei, 270
- glBlendFuncSeparate, 270
- glBlendFunci, 270
- glBlendFunc, 268, 293
 - GL_CONSTANT_ALPHA, 271
 - GL_CONSTANT_COLOR, 271
 - GL_DST_ALPHA, 271
 - GL_DST_COLOR, 271
 - GL_ONE_MINUS_CONSTANT_ALPHA, 271
 - GL_ONE_MINUS_CONSTANT_COLOR, 271
 - GL_ONE_MINUS_DST_ALPHA, 271
 - GL_ONE_MINUS_DST_COLOR, 271
 - GL_ONE_MINUS_SRC1_ALPHA, 271
 - GL_ONE_MINUS_SRC1_COLOR, 271
 - GL_ONE_MINUS_SRC_ALPHA, 271
 - GL_ONE_MINUS_SRC_COLOR, 271
 - GL_ONE, 271
 - GL_SRC1_ALPHA, 271
 - GL_SRC1_COLOR, 271
 - GL_SRC_ALPHA_SATURATE, 271
 - GL_SRC_ALPHA, 271
 - GL_SRC_COLOR, 271
 - GL_ZERO, 271
- glBufferData, 185
- glBufferSubData, 186
- glCallList, 179
- glClearColor, 265
- glClearDepth, 247
- glClearIndex, 268
- glClear
 - GL_COLOR_BUFFER_BIT, 247, 265
 - GL_DEPTH_BUFFER_BIT, 247, 265
- glColor*, 264
- glColorMaterial
 - GL_COLOR_MATERIAL, 343
- glColorPointer, 183
- glCompileShader, 71
- glCompressedTexImage2D, 375
- glCompressedTexSubImage2D, 375
- glCopyBufferSubData, 186
- glCopyTexImage2D, 383
- glCopyTexSubImage2D, 383
- glCreateProgram, 71
- glCreateSamplers, 428
- glCreateShader, 71
- glCreateTextures, 427
- glCullFace, 165
 - GL_BACK, 165
 - GL_FRONT_AND_BACK, 165
 - GL_FRONT, 165

glDeleteBuffers, 187
 glDeleteFramebuffers, 195
 glDeleteLists, 179
 glDeleteProgram, 71
 glDeleteShader, 71
 glDeleteVertexArrays, 188
 glDepthFunc, 247
 GL_ALWAYS, 247
 GL_EQUAL, 247
 GL_GEQUAL, 247
 GL_GREATER, 247
 GL_LEQUAL, 247
 GL_LESS, 247
 GL_NEVER, 247
 GL_NOTEQUAL, 247
 glDepthMask, 287
 glDepthRange, 233, 247
 glDisable, 48
 glDrawArraysInstanced, 191
 glDrawArrays, 190
 glDrawBuffers, 195
 glDrawElementsInstanced, 191
 glDrawElements, 181
 glDrawPixels, 256
 glEnableClientState, 181
 glEnableVertexAttribArray, 188
 glEnable, 48
 GL_ALPHA_TEST, 285
 GL_BLEND, 158, 268, 293
 GL_COLOR_MATERIAL, 343
 GL_CULL_FACE, 166
 GL_DEPTH_TEST, 246
 GL_FOG, 312
 GL_LIGHT0, 341
 GL_LIGHTING, 341
 GL_LINE_SMOOTH, 162, 293
 GL_MULTISAMPLE, 298
 GL_NORMALIZE, 345
 GL_POINT_SMOOTH, 158, 293
 GL_POLYGON_SMOOTH, 293
 GL_RESCALE_NORMALS, 345
 GL_SAMPLE_ALPHA_TO_COVERAGE, 299
 GL_SAMPLE_ALPHA_TO_ONE, 299
 GL_SAMPLE_COVERAGE, 299
 GL_TEXTURE_1D, 423
 GL_TEXTURE_2D, 423
 GL_TEXTURE_3D, 423
 GL_TEXTURE_CUBE_MAP, 423
 GL_TEXTURE_GEN_Q, 423
 GL_TEXTURE_GEN_R, 423
 GL_TEXTURE_GEN_S, 423
 GL_TEXTURE_GEN_T, 423
 glEndList, 179
 glEndQueries, 583
 glEnd, 154, 177
 glFog*, 310
 GL_FOG_COLOR, 311
 GL_FOG_COORDINATE_SOURCE, 311
 GL_FOG_COORDINATE, 311
 GL_FRAGMENT_DEPTH, 311
 GL_FOG_DENSITY, 311
 GL_FOG_END, 311
 GL_FOG_MODE, 311
 GL_EXP2, 311
 GL_EXP, 311
 GL_LINEAR, 311
 GL_FOG_START, 311
 glFogCoord, 315
 glFramebufferRenderbuffer, 195
 glFramebufferTexture1D, 196
 glFramebufferTexture2D, 196
 glFramebufferTexture3D, 196
 glFramebufferTextureLayer, 196
 glFramebufferTexture, 196
 glFrontFace, 165
 GL_CCW, 165
 GL_CW, 165
 glFrustum, 228
 glGenBuffers, 185
 glGenFramebuffers, 193
 glGenLists, 179
 glGenQueries, 583
 glGenRenderbuffers, 194
 glGenTextures, 425
 glGenVertexArrays, 187
 glGenerateMipmap, 389
 glGetIntegerv
 GL_MAX_TEXTURE_UNITS, 435
 glGetMultisamplefv, 399
 glGetUniformLocation, 66
 glHint, 371
 glIndex*, 267
 glInterleavedArrays, 183
 glLight*, 339

- GL_AMBIENT, 339
- GL_CONSTANT_ATTENUATION, 349
- GL_DIFFUSE, 339
- GL_LINEAR_ATTENUATION, 349
- GL_POSITION, 339
- GL_QUADRATIC_ATTENUATION, 349
- GL_SPECULAR, 339
- GL_SPOT_CUTOFF, 349
- GL_SPOT_DIRECTION, 349
- GL_SPOT_EXPONENT, 349
- glLightModel*, 346
 - GL_LIGHT_MODEL_AMBIENT, 346
 - GL_LIGHT_MODEL_COLOR_CONTROL, 346
 - GL_LIGHT_MODEL_LOCAL_VIEWER, 346
 - GL_LIGHT_MODEL_TWO_SIDE, 346
- glLineWidth, 159
- glLinkProgram, 71
- glLoadIdentity, 209
- glLoadMatrix*, 209
- glMapBufferRange, 186
- glMapBuffer, 186
- glMaterial*, 342
 - GL_AMBIENT_AND_DIFFUSE, 342
 - GL_AMBIENT, 342
 - GL_BACK, 342
 - GL_DIFFUSE, 342
 - GL_EMISSION, 342
 - GL_FRONT_AND_BACK, 342
 - GL_FRONT, 342
 - GL_SHININESS, 342
 - GL_SPECULAR, 342
- glMatrixMode, 237
 - GL_MODELVIEW, 237
 - GL_PROJECTION, 237
- glMultMatrix*, 209
- glMultiDrawArrays, 190
- glMultiDrawElements, 190
- glNewList, 179
- glNormal3*, 345
- glNormalPointer, 183
- glOrtho, 226
- glPixelStorei, 379
- glPointSize, 157
- glPolygonMode, 167
 - GL_BACK, 167
 - GL_FILL, 167
 - GL_FRONT_AND_BACK, 167
 - GL_FRONT, 167
 - GL_LINE, 167
 - GL_POINT, 167
- glPopMatrix, 237, 341
- glPushMatrix, 237, 341
- glReadPixels, 256
- glRenderbufferStorage, 194
- glRotate*, 213
- glSamplerParameteri, 428
- glScale*, 215
- glShadeModel
 - GL_FLAT, 353
 - GL_SMOOTH, 358
- glShaderSource, 71
- glTexCoord*, 410
- glTexCoordPointer, 183
- glTexEnv*, 406
 - GL_BLEND, 408
 - GL_COMBINE, 408
 - GL_DECAL, 407
 - GL_MODULATE, 407
 - GL_REPLACE, 407
 - GL_TEXTURE_ENV_COLOR, 407
 - GL_TEXTURE_ENV_MODE, 407
- glTexGen*, 417
 - GL_EYE_LINEAR, 417
 - GL_NORMAL_MAP, 418
 - GL_OBJECT_LINEAR, 417
 - GL_Q, 417
 - GL_REFLECTION_MAP, 418
 - GL_R, 417
 - GL_SPHERE_MAP, 418
 - GL_S, 417
 - GL_TEXTURE_EYE_PLANE, 417
 - GL_TEXTURE_GEN_MODE, 417
 - GL_TEXTURE_OBJECT_PLANE, 417
 - GL_T, 417
- glTexImage2DMultisample, 401
- glTexImage2D, 375
- glTexParameter*, 385
 - GL_CLAMP_TO_BORDER, 405
 - GL_CLAMP_TO_EDGE, 405
 - GL_CLAMP, 405
 - GL_GENERATE_MIPMAP, 389
 - GL_LINEAR_MIPMAP_LINEAR, 396
 - GL_LINEAR_MIPMAP_NEAREST, 396
 - GL_LINEAR, 386

GL_MIRRORED_REPEAT, 405
 GL_MIRROR_CLAMP_TO_EDGE, 405
 GL_NEAREST_MIPMAP_LINEAR, 396
 GL_NEAREST_MIPMAP_NEAREST, 395
 GL_NEAREST, 386
 GL_REPEAT, 405
 GL_TEXTURE_1D, 386
 GL_TEXTURE_2D, 386
 GL_TEXTURE_3D, 386
 GL_TEXTURE_MAG_FILTER, 386
 GL_TEXTURE_MAX_ANISOTROPY, 398
 GL_TEXTURE_MIN_FILTER, 386
 GL_TEXTURE_WRAP_S, 405
 GL_TEXTURE_WRAP_T, 405
 glTexSubImage2D, 381
 glTextureParameteri, 428
 glTranslate*, 211
 glUniform*, 66
 glUniformMatrix*, 67
 glUnmapBuffer, 186
 glUseProgram, 71
 glVertex*, 151
 glVertexAttribPointer, 188
 glVertexPointer, 181
 glViewport, 234
 gluBuild2DMipmapLevels, 389
 gluBuild2DMipmaps, 389
 gluLookAt, 219
 gluPerspective, 230
 gluScaleImage, 380
 glutInitDisplayMode
 GLUT_ACCUM, 297
 GLUT_DEPTH, 246
 GLUT_DOUBLE, 558
 GLUT_INDEX, 267
 GLUT_RGBA, 263
 glutMainLoop, 558
 glutPostRedisplay, 560
 glutSetColor, 267
 glutSwapBuffers, 558
 glutTimerFunc, 559
 vkAcquireNextImageKHR, 128
 vkAllocateCommandBuffers, 106, 110
 VkCommandBufferAllocateInfo
 VK_COMMAND_BUFFER_LEVEL_PRIMARY,
 105
 VK_STRUCTURE_TYPE_COMMAND_BUFFER
 ALLOCATE_INFO, 105
 VkCommandBufferBeginInfo
 VK_COMMAND_BUFFER_USAGE_SIMULTANEOUS
 USE_BIT, 106
 VK_STRUCTURE_TYPE_COMMAND_BUFFER
 BEGIN_INFO, 106
 vkAllocateDescriptorSets, 118
 VkDescriptorSetAllocateInfo
 VK_STRUCTURE_TYPE_DESCRIPTOR_SET
 ALLOCATE_INFO, 117
 vkAllocateMemory, 110
 VkMemoryAllocateInfo
 VK_STRUCTURE_TYPE_MEMORY_ALLOCATE
 _INFO, 110
 vkAcquireNextImageKHR, 84
 vkBeginCommandBuffer, 106
 vkBindBufferMemory, 110
 vkBindImageMemory, 122
 vkCmdBeginQuery, 583
 vkCmdBeginRenderPass, 106
 VK_SUBPASS_CONTENTS_INLINE, 106
 VkRenderPassBeginInfo
 VK_STRUCTURE_TYPE_RENDER_PASS
 BEGIN_INFO, 106
 vkCmdBindDescriptorSets, 107, 118
 vkCmdBindIndexBuffer, 107
 VK_INDEX_TYPE_UINT16, 107
 vkCmdBindPipeline, 107
 VK_PIPELINE_BIND_POINT_GRAPHICS, 107
 vkCmdBindVertexBuffers, 107
 vkCmdBlitImage, 393
 vkCmdClearColorImage, 266
 vkCmdClearDepthStencilImage, 252
 vkCmdCopyBufferToImage, 123
 VkBufferImageCopy
 VK_IMAGE_ASPECT_COLOR_BIT, 123
 VK_IMAGE_LAYOUT_TRANSFER_DST_OPTIMAL,
 123
 VK_IMAGE_LAYOUT_UNDEFINED, 123
 vkCmdCopyBuffer, 109, 110
 vkCmdDrawIndexed, 107
 vkCmdEndQuery, 583
 vkCmdEndRenderPass, 107
 vkCmdPipelineBarrier, 124, 132
 VkImageMemoryBarrier
 VK_IMAGE_ASPECT_COLOR_BIT, 124

VK_QUEUE_FAMILY_IGNORED, 124
 VK_STRUCTURE_TYPE_IMAGE_MEMORY
 _BARRIER, 124
 VkPipelineStageFlags
 VK_IMAGE_LAYOUT_SHADER_READ_ONLY
 _OPTIMAL, 123
 VK_IMAGE_LAYOUT_TRANSFER_DST_OPTIMAL,
 123
 VK_PIPELINE_STAGE_TOP_OF_PIPE_BIT,
 124
 vkCmdPushConstants, 84, 119
 vkCmdSetSampleLocationsEXT, 305
 vkCmdWaitEvents, 133
 vkCreateBuffer, 109
 VkBufferCreateInfo
 VK_BUFFER_USAGE_TRANSFER_DST_BIT,
 112
 VK_BUFFER_USAGE_TRANSFER_SRC_BIT,
 111
 VK_BUFFER_USAGE_VERTEX_BUFFER_BIT,
 112
 VK_MEMORY_PROPERTY_DEVICE_LOCAL_BIT,
 112
 VK_MEMORY_PROPERTY_HOST_COHERENT_BIT,
 111, 112
 VK_MEMORY_PROPERTY_HOST_VISIBLE_BIT,
 111
 VK_SHARING_MODE_EXCLUSIVE, 109
 VK_STRUCTURE_TYPE_BUFFER_CREATE_INFO,
 109
 vkCreateCommandPool, 105
 VkCommandPoolCreateInfo
 VK_STRUCTURE_TYPE_COMMAND_POOL
 _CREATE_INFO, 105
 vkCreateDebugUtilsMessengerEXT, 140
 VkDebugUtilsMessengerCreateInfoEXT
 VK_DEBUG_UTILS_MESSAGE_SEVERITY
 _ERROR_BIT_EXT, 140
 VK_DEBUG_UTILS_MESSAGE_SEVERITY
 _INFO_BIT_EXT, 140
 VK_DEBUG_UTILS_MESSAGE_SEVERITY
 _VERBOSE_BIT_EXT, 140
 VK_DEBUG_UTILS_MESSAGE_SEVERITY
 _WARNING_BIT_EXT, 140
 VK_STRUCTURE_TYPE_DEBUG_UTILS
 _MESSENGER_CREATE_INFO_EXT, 140
 vkCreateDescriptorPool, 117
 VkDescriptorPoolCreateInfo
 VK_STRUCTURE_TYPE_DESCRIPTOR_POOL
 _CREATE_INFO, 117
 vkCreateDescriptorSetLayout, 117
 VkDescriptorSetLayoutBinding
 VK_DESCRIPTOR_TYPE_SAMPLED_IMAGE,
 114
 VK_DESCRIPTOR_TYPE_STORAGE_BUFFER
 _DYNAMIC, 114
 VK_DESCRIPTOR_TYPE_STORAGE_BUFFER,
 114
 VK_DESCRIPTOR_TYPE_STORAGE_IMAGE,
 114
 VK_DESCRIPTOR_TYPE_STORAGE_TEXEL
 _BUFFER, 114
 VK_DESCRIPTOR_TYPE_UNIFORM_BUFFER
 _DYNAMIC, 114
 VK_DESCRIPTOR_TYPE_UNIFORM_BUFFER,
 114
 VK_DESCRIPTOR_TYPE_UNIFORM_TEXEL
 _BUFFER, 114
 VkDescriptorSetLayoutCreateInfo
 VK_STRUCTURE_TYPE_DESCRIPTOR_SET
 _LAYOUT_CREATE_INFO, 117
 vkCreateDevice, 90
 VkDeviceCreateInfo
 VK_STRUCTURE_TYPE_DEVICE_CREATE_INFO,
 90
 VkDeviceQueueCreateInfo
 VK_STRUCTURE_TYPE_DEVICE_QUEUE
 _CREATE_INFO, 90
 vkCreateEvent, 133
 vkCreateFence, 135
 VkFenceCreateInfo
 VK_FENCE_CREATE_SIGNALED_BIT, 135
 VK_STRUCTURE_TYPE_FENCE_CREATE_INFO,
 135
 vkCreateFramebuffer, 105
 VkFramebufferCreateInfo
 VK_STRUCTURE_TYPE_FRAMEBUFFER
 _CREATE_INFO, 104
 vkCreateGraphicsPipelines, 104
 VkGraphicsPipelineCreateInfo
 VK_STRUCTURE_TYPE_GRAPHICS_PIPELINE
 _CREATE_INFO, 103
 VkPipelineColorBlendAttachmentState
 VK_BLEND_FACTOR_CONSTANT_ALPHA,

274
 VK_BLEND_FACTOR_CONSTANT_COLOR,
 274
 VK_BLEND_FACTOR_DST_ALPHA, 274
 VK_BLEND_FACTOR_DST_COLOR, 274
 VK_BLEND_FACTOR_ONE_MINUS_CONSTANT_ALPHA,
 274
 VK_BLEND_FACTOR_ONE_MINUS_CONSTANT_COLOR,
 274
 VK_BLEND_FACTOR_ONE_MINUS_DST_ALPHA,
 274
 VK_BLEND_FACTOR_ONE_MINUS_DST_COLOR,
 274
 VK_BLEND_FACTOR_ONE_MINUS_SRC1_ALPHA,
 274
 VK_BLEND_FACTOR_ONE_MINUS_SRC1_COLOR,
 274
 VK_BLEND_FACTOR_ONE_MINUS_SRC_ALPHA,
 274
 VK_BLEND_FACTOR_ONE_MINUS_SRC_COLOR,
 274
 VK_BLEND_FACTOR_ONE, 274
 VK_BLEND_FACTOR_SRC1_ALPHA, 274
 VK_BLEND_FACTOR_SRC1_COLOR, 274
 VK_BLEND_FACTOR_SRC_ALPHA_SATURATE,
 274
 VK_BLEND_FACTOR_SRC_ALPHA, 274
 VK_BLEND_FACTOR_SRC_COLOR, 274
 VK_BLEND_FACTOR_ZERO, 274
 VK_BLEND_OP_ADD, 273
 VK_BLEND_OP_MAX, 274
 VK_BLEND_OP_MIN, 273
 VK_BLEND_OP_REVERSE_SUBTRACT, 273
 VK_BLEND_OP_SUBTRACT, 273
 VK_COLOR_COMPONENT_A_BIT, 103
 VK_COLOR_COMPONENT_B_BIT, 103
 VK_COLOR_COMPONENT_G_BIT, 103
 VK_COLOR_COMPONENT_R_BIT, 103
 VkPipelineColorBlendStateCreateInfo
 VK_STRUCTURE_TYPE_PIPELINE_COLOR
 BLEND_STATE_CREATE_INFO, 103
 VkPipelineDepthStencilStateCreateInfo
 VK_COMPARE_OP_ALWAYS, 253
 VK_COMPARE_OP_EQUAL, 253
 VK_COMPARE_OP_GREATER_OR_EQUAL, 253
 VK_COMPARE_OP_GREATER, 253
 VK_COMPARE_OP_LESS_OR_EQUAL, 253
 VK_COMPARE_OP_LESS, 102, 253
 VK_COMPARE_OP_NEVER, 253
 VK_STRUCTURE_TYPE_PIPELINE_DEPTH
 STENCIL_STATE_CREATE_INFO, 102
 VkPipelineInputAssemblyStateCreateInfo
 VK_PRIMITIVE_TOPOLOGY_LINE_LIST
 WITH_ADJACENCY, 154
 VK_PRIMITIVE_TOPOLOGY_LINE_LIST,
 154
 VK_PRIMITIVE_TOPOLOGY_LINE_STRIP
 WITH_ADJACENCY, 154
 VK_PRIMITIVE_TOPOLOGY_LINE_STRIP,
 154
 VK_PRIMITIVE_TOPOLOGY_POINT_LIST,
 154
 VK_PRIMITIVE_TOPOLOGY_TRIANGLE_FAN,
 154
 VK_PRIMITIVE_TOPOLOGY_TRIANGLE_LIST
 WITH_ADJACENCY, 154
 VK_PRIMITIVE_TOPOLOGY_TRIANGLE_LIST,
 101, 154
 VK_PRIMITIVE_TOPOLOGY_TRIANGLE_STRIP
 WITH_ADJACENCY, 154
 VK_PRIMITIVE_TOPOLOGY_TRIANGLE_STRIP,
 154
 VK_STRUCTURE_TYPE_PIPELINE_INPUT
 ASSEMBLY_STATE_CREATE_INFO, 101
 VkPipelineMultisampleStateCreateInfo
 VK_SAMPLE_COUNT_16_BIT, 300
 VK_SAMPLE_COUNT_1_BIT, 102, 300
 VK_SAMPLE_COUNT_2_BIT, 300
 VK_SAMPLE_COUNT_32_BIT, 300
 VK_SAMPLE_COUNT_4_BIT, 300
 VK_SAMPLE_COUNT_64_BIT, 300
 VK_SAMPLE_COUNT_8_BIT, 300
 VK_STRUCTURE_TYPE_PIPELINE_MULTISAMPLE
 STATE_CREATE_INFO, 102
 VkPipelineRasterizationStateCreateInfo
 VK_CULL_MODE_BACK_BIT, 102
 VK_FRONT_FACE_CLOCKWISE, 102
 VK_POLYGON_MODE_FILL, 102
 VK_STRUCTURE_TYPE_PIPELINE
 RASTERIZATION_STATE_CREATE_INFO,
 102
 VkPipelineShaderStageCreateInfo
 VK_SHADER_STAGE_FRAGMENT_BIT, 98
 VK_SHADER_STAGE_VERTEX_BIT, 98

VK_STRUCTURE_TYPE_PIPELINE_SHADER_STAGE_CREATE_INFO, 98
 VkPipelineVertexInputStateCreateInfo
 VK_STRUCTURE_TYPE_PIPELINE_VERTEX_INPUT_STATE_CREATE_INFO, 101
 VkPipelineViewportStateCreateInfo
 VK_STRUCTURE_TYPE_PIPELINE_VIEWPORT_STATE_CREATE_INFO, 102
 VkVertexInputAttributeDescription
 VK_FORMAT_R32G32B32_SFLOAT, 101
 VK_FORMAT_R32G32_SFLOAT, 101
 VkVertexInputBindingDescription
 VK_VERTEX_INPUT_RATE_VERTEX, 101
 vkCreateImageView, 95, 125
 VkImageViewCreateInfo
 VK_COMPONENT_SWIZZLE_IDENTITY, 95
 VK_IMAGE_ASPECT_COLOR_BIT, 95
 VK_IMAGE_ASPECT_DEPTH_BIT, 95, 249
 VK_IMAGE_VIEW_TYPE_2D, 95
 VK_STRUCTURE_TYPE_IMAGE_VIEW_CREATE_INFO, 95
 vkCreateImage, 122
 VkImageCreateInfo
 VK_IMAGE_LAYOUT_COLOR_ATTACHMENT_OPTIMAL, 302
 VK_IMAGE_LAYOUT_DEPTH_STENCIL_ATTACHMENT_OPTIMAL, 249
 VK_IMAGE_LAYOUT_UNDEFINED, 122
 VK_IMAGE_TILING_LINEAR, 249
 VK_IMAGE_TILING_OPTIMAL, 121, 249
 VK_IMAGE_TYPE_2D, 122
 VK_IMAGE_USAGE_DEPTH_STENCIL_ATTACHMENT_BIT, 248
 VK_IMAGE_USAGE_SAMPLED_BIT, 121
 VK_IMAGE_USAGE_TRANSFER_DST_BIT, 121
 VK_STRUCTURE_TYPE_IMAGE_CREATE_INFO, 122
 vkImageCreateInfo
 VK_IMAGE_USAGE_TRANSFER_DST_BIT, 391
 VK_IMAGE_USAGE_TRANSFER_SRC_BIT, 391
 vkCreateInstance, 86
 VkApplicationInfo
 VK_API_VERSION_1_1, 86
 VK_MAKE_VERSION, 86
 VK_STRUCTURE_TYPE_APPLICATION_INFO, 86
 VkInstanceCreateInfo
 VK_STRUCTURE_TYPE_INSTANCE_CREATE_INFO, 86
 VkInstance, 86
 vkCreatePipelineLayout, 103
 VkPipelineLayoutCreateInfo
 VK_STRUCTURE_TYPE_PIPELINE_LAYOUT_CREATE_INFO, 103
 vkCreateQueryPool, 583
 vkCreateRenderPass, 100
 VkAttachmentDescription
 VK_ATTACHMENT_LOAD_OP_CLEAR, 99
 VK_ATTACHMENT_LOAD_OP_DONT_CARE, 99
 VK_ATTACHMENT_STORE_OP_DONT_CARE, 99
 VK_ATTACHMENT_STORE_OP_STORE, 99
 VK_FORMAT_D32_SFLOAT, 250
 VK_FORMAT_FEATURE_DEPTH_STENCIL_ATTACHMENT_BIT, 250
 VK_IMAGE_LAYOUT_PRESENT_SRC_KHR, 99
 VK_IMAGE_LAYOUT_UNDEFINED, 99
 VK_IMAGE_TILING_OPTIMAL, 250
 VK_SAMPLE_COUNT_1_BIT, 99
 VkAttachmentReference
 VK_IMAGE_LAYOUT_COLOR_ATTACHMENT_OPTIMAL, 99
 VkRenderPassCreateInfo
 VK_STRUCTURE_TYPE_RENDER_PASS_CREATE_INFO, 100
 VkSubpassDependency
 VK_ACCESS_COLOR_ATTACHMENT_READ_BIT, 100
 VK_ACCESS_COLOR_ATTACHMENT_WRITE_BIT, 100
 VK_ACCESS_DEPTH_STENCIL_ATTACHMENT_READ_BIT, 497
 VK_ACCESS_DEPTH_STENCIL_ATTACHMENT_WRITE_BIT, 497
 VK_ACCESS_SHADER_READ_BIT, 497
 VK_DEPENDENCY_BY_REGION_BIT, 497
 VK_PIPELINE_STAGE_BOTTOM_OF_PIPE_BIT, 497
 VK_PIPELINE_STAGE_COLOR_ATTACHMENT_OUTPUT_BIT, 99

VK_PIPELINE_STAGE_FRAGMENT_SHADER_BIT, 497
 VK_PIPELINE_STAGE_LATE_FRAGMENT_TESTS_BIT, 497
 VK_SUBPASS_EXTERNAL, 99
 VkSubpassDescription
 VK_PIPELINE_BIND_POINT_GRAPHICS, 99
 vkCreateSampler, 126
 VkSamplerCreateInfo
 VK_BORDER_COLOR_FLOAT_OPAQUE_BLACK, 406
 VK_BORDER_COLOR_FLOAT_OPAQUE_WHITE, 406
 VK_BORDER_COLOR_FLOAT_TRANSPARENT_BLACK, 406
 VK_BORDER_COLOR_INT_OPAQUE_BLACK, 125, 406
 VK_BORDER_COLOR_INT_OPAQUE_WHITE, 406
 VK_BORDER_COLOR_INT_TRANSPARENT_BLACK, 406
 VK_COMPARE_OP_ALWAYS, 125
 VK_FILTER_LINEAR, 125, 387
 VK_FILTER_NEAREST, 387
 VK_SAMPLER_ADDRESS_MODE_CLAMP_TO_BORDER, 406
 VK_SAMPLER_ADDRESS_MODE_CLAMP_TO_EDGE, 406
 VK_SAMPLER_ADDRESS_MODE_MIRRORED_REPEAT, 406
 VK_SAMPLER_ADDRESS_MODE_MIRROR_CLAMP_TO_EDGE, 406
 VK_SAMPLER_ADDRESS_MODE_REPEAT, 125, 406
 VK_SAMPLER_MIPMAP_MODE_LINEAR, 126, 396
 VK_SAMPLER_MIPMAP_MODE_NEAREST, 387, 395
 VK_STRUCTURE_TYPE_SAMPLER_CREATE_INFO, 125
 vkCreateSemaphore, 128
 VkSemaphoreCreateInfo
 VK_STRUCTURE_TYPE_SEMAPHORE_CREATE_INFO, 128, 135
 vkCreateShaderModule, 97
 VkShaderModuleCreateInfo
 VK_STRUCTURE_TYPE_SHADER_MODULE_CREATE_INFO, 97
 vkCreateSwapchainKHR, 94
 VkSwapchainCreateInfoKHR
 VK_IMAGE_USAGE_COLOR_ATTACHMENT_BIT, 94
 VK_SHARING_MODE_EXCLUSIVE, 94
 VK_SURFACE_TRANSFORM_ROT90_BIT_KHR, 94
 vkDestroyBuffer, 112
 vkDestroyDebugUtilsMessengerEXT, 141
 vkDestroyEvent, 133
 vkEndCommandBuffer, 107
 vkEnumerateDeviceExtensionProperties
 VkSwapchainKHR
 VK_KHR_SWAPCHAIN_EXTENSION_NAME, 92
 vkEnumerateInstanceLayerProperties, 139
 VkLayerProperties
 VK_LAYER_GOOGLE_threading, 137
 VK_LAYER_GOOGLE_unique_objects, 138
 VK_LAYER_LUNARG_api_dump, 138
 VK_LAYER_LUNARG_assistant_layer, 138
 VK_LAYER_LUNARG_core_validation, 138
 VK_LAYER_LUNARG_device_simulation, 138
 VK_LAYER_LUNARG_monitor, 139
 VK_LAYER_LUNARG_object_tracker, 138
 VK_LAYER_LUNARG_parameter_validation, 138
 VK_LAYER_LUNARG_screenshot, 139
 VK_LAYER_LUNARG_standard_validation, 137
 vkEnumeratePhysicalDevices, 88
 vkFlushMappedMemoryRanges, 77
 vkFreeCommandBuffers, 111
 vkFreeMemory, 112
 vkGetBufferMemoryRequirements, 109
 vkGetDeviceQueue, 90
 vkGetEventStatus, 133
 vkGetImageMemoryRequirements, 122
 vkGetInstanceProcAddr, 141

- vkGetPhysicalDeviceFeatures, 88
 - VkPhysicalDeviceFeatures
 - VK_TRUE, 88
- vkGetPhysicalDeviceFormatProperties
 - VkFormatProperties
 - VK_FORMAT_FEATURE_SAMPLED_IMAGE_FILTER_LINEAR_BIT, 392
- vkGetPhysicalDeviceProperties, 88
 - VkPhysicalDeviceProperties
 - VK_PHYSICAL_DEVICE_TYPE_DISCRETE_GPU, 88
- vkGetPhysicalDeviceQueueFamilyProperties, 88
 - VkQueueFamilyProperties
 - VK_QUEUE_COMPUTE_BIT, 89
 - VK_QUEUE_GRAPHICS_BIT, 89
 - VK_QUEUE_SPARSE_BINDING_BIT, 89
 - VK_QUEUE_TRANSFER_BIT, 89
- vkGetPhysicalDeviceSurfaceCapabilitiesKHR, 92
- vkGetPhysicalDeviceSurfaceFormatsKHR
 - VkSwapchainCreateInfoKHR
 - VK_COLOR_SPACE_ADOBERG_LINEAR_EXT, 92
 - VK_COLOR_SPACE_SRGB_NONLINEAR_KHR, 92
 - VK_FORMAT_B8G8R8A8_UNORM, 92
 - VK_FORMAT_D32_SFLOAT, 92
- vkGetPhysicalDeviceSurfacePresentModesKHR, 92
 - VkSwapchainCreateInfoKHR
 - VK_PRESENT_MODE_FIFO_KHR, 93
 - VK_PRESENT_MODE_FIFO_RELAXED_KHR, 93
 - VK_PRESENT_MODE_IMMEDIATE_KHR, 92
 - VK_PRESENT_MODE_MAILBOX_KHR, 93
 - VK_PRESENT_MODE_SHARED_CONTINUOUS_REFRESH_KHR, 93
 - VK_PRESENT_MODE_SHARED_DEMAND_REFRESH_KHR, 93
- vkGetPhysicalDeviceSurfaceSupportKHR, 89
- vkGetSwapchainImagesKHR, 94
- vkMapMemory, 111
- vkQueuePresentKHR, 80, 84, 129
- vkQueueSubmit, 80, 129
- vkQueueWaitIdle, 111, 134
- vkResetEvent, 133
- vkResetFences, 136
- vkSetEvent, 133
- vkUnmapMemory, 111
- vkUpdateDescriptorSets, 118
 - VkWriteDescriptorSet
 - VK_STRUCTURE_TYPE_WRITE_DESCRIPTOR_SET, 118
- vkWaitForFences, 80, 134
- texelFetch(), 401
- textureSize(), 402
- 3D-Modellierung, 201
- 3D-Visualisierung, 35
- 4-4-Matrix, 207
- Absorptionsgesetz, 307
- Abtast-Artefakte, 290
- Abtastfrequenz, 290
- Abtastung, 384
- Abtastwerte, 563, 564
- Accumulation Buffer, 295
- additives Farbmodell, 278
- Alpha-Test, 285
- Alpha-Wert, 259, 293, 591
- Alpha Blending, 259, 592
- Animation, 555, 576
 - Artikulation, 564
 - Morphing, 566
- Partikelsysteme, 568
- Pfad-, 561
- Schwärme, 568
- Techniken, 561
- Anti-Aliasing, 289
 - Flächenabtastung, 293
 - Hardware, 298
 - Multisample, 298
 - Post-Filterungs-Methode, 293
 - Pre-Filterungs-Methode, 293
 - stochastisches Multisample, 299
 - Subpixel, 298
 - Zeitliches, 305
- Applikations-Prozess (App), 598
- Architecture Review Board (ARB), 39
- Artikulation, 564
- atmosphärische Effekte, 307, 329
- Augenpunkt
 - Vektor, 346

- lokaler, 345
 - unendlich entfernt, 346
- Augmented Reality, 36
- back buffer, 556
- Backface-Culling, 164, 585
- Bedeckungswert (*coverage*), 293
- Beleuchtung, 317
 - ambiente Komponente, 330
 - diffuse Komponente, 330
 - emissive Komponente, 330
 - Formel, 318, 337
 - Globales Modell, 327
 - Lambert'sches Modell, 323
 - Lokales Modell, 327
 - Modell, 318, 369
 - Phong'sches Modell, 330, 334
 - Phong-Blinn-Modell, 324, 329
 - spekulare Komponente, 331
 - vollständige Formel, 350
 - zweiseitig, 346
- Beleuchtungsrechnung, 323, 485, 567
 - in Augenpunkt-Koordinaten, 367
 - in Objekt-Koordinaten, 367
- Beschleunigungsverfahren, 571
- bewegter Mittelwert, 295, 387
- Bezier-Flächen, 146
- Bidirectional Reflectance Distribution
 - Function (BRDF), 324
- Bidirectional Transmission Distribution
 - Function (BTDF), 326
- Bildbasiertes Rendering, 19
- Bilddatencodierung, 15
- Bilddatenkompression, 17
- Bildgeneriererate, 26, 555, 603
- Bildmatrix, 374
- Bildschirm-Refresh-Rate, 27
- Bildspeicher, 28, 53, 246, 261, 556
- Bildverarbeitung
 - auf Grafikkarten, 466
- Billboard, 23, 284, 572, **593**
 - animierte Texturen auf, 17, 596
 - axiale, 594
 - blickpunktabhängiges, 22, 596
- bounding box, 575
- bounding sphere, 575
- bounding volume, 575
 - bounding volume hierarchy, 576
- Brechung, 319, 456
 - Gesetz, 322
- Buffer Objects, 184
 - Copy Buffer Objects (CBO), 185
 - Index Buffer Objects (IBO), 184
 - Pixel Buffer Objects (PBO), 184, **431**
 - Texture Buffer Objects (TBO), 184, **432**
 - Transform Feedback Buffer Objects (TFBO), 185
 - Uniform Buffer Objects (UBO), 185
 - Vertex Buffer Objects (VBO), 184
- Bump Map, 370, 457
- Busbandbreite, 603
- Busbandbreiten-Limitierung, 607
- Client-Server-Prinzip, 59
- Clipping, 206, **578**
- clipping planes, 51, 148, 225, 227
- coalesced memory access, 632
- color buffer, 244
- Computergrafik, 1
 - Fotorealistische, 369
- Constructive Solid Geometry (CSG), 148
- Control Shader, 56
- CPU-Limitierung, 606
- Cube Map, 449
- CUDA
 - (Streaming) Multiprocessor, 616
 - Block, 617
 - Core, 616
 - Device, 616
 - Grid, 617
 - Host, 616
 - Kernel, 617
 - Thread, 616
- CUDA (Compute Unified Device
 - Architecture), 612
- Cull-Prozess (Cull), 598
- Culling, 572, 576, **578**
 - Backface, 585
 - Detail, 588
 - Occlusion, 582
 - Portal, 587
 - Viewing Frustum, 580
- database traversal, 577

- Debugging in Vulkan, **137**
- depth complexity, 604
- Differenzbildung von Kanälen, 440
- Differenzenoperator, 458
- digitale Bildverarbeitung, 2
- Dispersion, 319, 456
- Display Listen, 51, 178, 579
- Doppelbilder, 26
- double buffer, 261, 555
- Draw-Prozess (Draw), 598
- Draw Indirect, 199

- Echtzeit, 318, 323, 370, 444, 567, 571
 - Harte, 14, 26
 - Weiche, 13, 29
- Echtzeit-3D-Computergrafik, 25
- Echtzeit-Anforderung, 13, 26
- Echtzeit 3D-Computergrafik, 571
- Einheitsvektor, **344**
- Elektromagnetische Wellen, 318
- Entfernungsmessung, 257
- Environment Map, 370, 444
- Evaluation Shader, 56

- Farb-Index-Modus, 262
- Farbauflösung, 261
- Farbe, 259, 317, 369
 - Fragment-, 261
 - Indexbilder, 262
 - Pixel-, 261
 - Separate spekulare, 351
 - Textur-, 261
 - Vertex-, 261, 331
 - vier Komponenten (R,G,B,A), 259
 - vierte Komponente A (Transparenz), 259
- Farbmischung, 259, **268**, 310, 330, 591
 - 3D-Probleme, 285
 - Additive, 278
 - Farbfilter, 282
 - Farbmisch-Faktoren, 283
 - Klassische, 277, 294
 - Mehrfach-, 280
 - Primitive, 276
 - Subtraktive, 281
- Farbspeicher, 244
- far clipping plane, 227
- Filterkern(-maske), 387

- Fixed Function Rendering Pipeline, 50
- Flaschenhals, 602
- Flat-Shading, 353
- Flicker-Problem, 556
- Fragment, 318
- Fragment-Operationen, 52
- Fragment-Programm, 364, 461
- Fragment Shader
 - für den allgemeinen Faltungs-Operator, 472
 - für den Bewegten Mittelwert, 470
 - für den Dilations-Operator, 475
 - für den Erosions-Operator, 474
 - für den Gauß-Tiefpassfilter, 471
 - für den Median-Operator, 476
 - für den Sobelbetrags-Operator, 473
 - für die Kantendetektion mit dem Laplace-Operator, 472
 - für Faltungsoperatoren, 469
 - für Farbraumkonversion, 469
 - für Farbsättigung, 468
 - für Gamma-Korrektur, 467
 - für Helligkeit, 467
 - für Kontrast, 467
 - für Punktoperatoren, 466
 - für Rangordnungsoperatoren, 474
- Frame, 28
- Frame-Drop, 28
- Framebuffer, 53, 246, 556
- Framebuffer-Operationen, 53
- Framebuffer Objects, 193
 - Render Buffer Objects (RBO), 193
 - Texturen, 193
- Fresnel'sche Gleichungen, 322, 456
- front buffer, 556

- Gauß-Pyramide, 387, 584
- Geometrie-Limitierung, 606
- Geometrie-Stufe, 598
- Geometrische Grundobjekte, 145
- Geometry Shader, 56
- glBegin/glEnd, 177
- GLSL
 - in** Variablen, 60
 - out** Variablen, 60
 - Attributes (vertex-bezogene **in**-Variablen), 60

- Beispiel, 69
- Compilieren und Binden von Shadern, 71
- Datentransfer, 59
- Datentypen, 62
- Eingebaute Funktionen, 67
- Konstanten, 62
- Shader Storage Buffer, 60
- Texturen, 60
- Uniforms, 60
- Variablen, 62
- GLSL (OpenGL Shading Language), **59**
- GPGPU
 - Programmbeispiel, 618
 - Speicherhierarchie, 630
- GPGPU (General Purpose Computing on Graphics Processing Units), 612
- Gradient, 458
- Grafik-Primitive, **149**
 - Dreiecks-Fächer, 171
 - Einzelne Dreiecke, 168
 - Einzelne Vierecke, 172
 - Linien, 159
 - Polygone, 162
 - Punkte, 156
 - Verbundene Dreiecke, 169
 - Verbundene Linien, 161
 - Verbundene Vierecke, 173
- Grafik-Programmierschnittstelle, 39
 - Direct3D, 39
 - GKS, 39
 - GKS-3D, 39
 - OpenGL, 39
 - OpenGL ES, 40
 - PHIGS, 39
 - Vulkan, 39, 41
 - WebGL, 41
- Halbschatten (Penumbra), 482
- Halfway-Vektor, 335
- Hard Shadows, 484
- hierarchische Datenstruktur, 574
- Höhenlinien, 255
- Homogene Koordinaten, 152, **207**
- Huygen'sches Prinzip, 321
- Impostors, 23, 596
- Indexbild, 262
- Instanced Rendering, 199
- Interaktive 3D-Computergrafik, 17, **25**, 571
- Interpolation Qualifier
 - `flat`, 354
 - `smooth`, 358
- Inverse Dynamik, 566
- Inverse Kinematik, 566
- inverser Streckungsfaktor, 152, **207**, 231, 340, 371
- kalligrafische Lichtpunkte, 572
- Kalman-Filter, 18
- Kernschatten (Umbra), 482
- Key Frame-Technik, 564
- Klothoide, 562
- Knoten, 574
 - bounding volume, 575
 - End-, 574
 - Gruppen-, 574
 - Hülle, 575
 - interne, 574
 - LOD-, 575
 - Sequence-, 575
 - Switch-, 574
 - Transformations-, 575
 - Wurzel-, 574
- Kollisionserkennung, 572, 576
- Konstruktive Körpergeometrie, 148
- Koordinatensystem, 202
 - Augenpunkt-, 205, 257, 341
 - Bildschirm-, 205, 362, 371
 - Definition des, 202
 - Euklidisches, 202, 203
 - gespiegelter, 215
 - Normiertes Projektions-, 205
 - Objekt-, 205, 362, 371
 - OpenGL, 202
 - Projektions-, 205, 362
 - Textur-, 371
 - Vulkan, 203
 - Welt-, 205
- künstliche Intelligenz, 3
- Leistungsnachweis, 12, 29, 34
- Level-of-Detail, 572, **589**
 - Continuous, 593
 - Fade LOD, 591

- Morph LOD, 592
- Skalierungsfaktor, 611
- Switch LOD, 590
- Lichtfeld-Rendering, 23
- Lichtquelle
 - Abschwächungsfaktor, 341, 347
 - ausgedehnte, 327
 - Eigenschaften, 339
 - Lokale, 340
 - punktförmige, 327
 - Richtungs-, 340
 - Spotlight, 347
- Lichtvektor, 321
- Lighting Model, 345
- Line Loop, 161
- Lines, 159
- Line Strip, 161
- Maler-Algorithmus, 243, 287
- maschinelles Lernen, 3
- Materialeigenschaften, 342
- Matrix
 - Einheits-, 225
 - Normierungs-, 232
 - Projektions-, 226
 - Rotations-, 214
 - Skalierungs-, 216
 - Translations-, 211
 - Viewport-, 234
- Matrizen Stapel, 236, 576
 - Modelview-, 219, 236, 341, 362
 - Projektions-, 236, 362
 - Textur-, 422
- Mehrkernsysteme, 572, 598
- MipMap, 387
 - Erzeugung, 389
 - Level, 388
- Moiré-Muster, 290
- Morphing, 566, 592
 - Level-Of-Detail-, 566
- motion-capturing, 564
- Motion Blur, 306
- MPEG-4, 15, 37, 573
- Multipass Rendering, 382, 445
- Multiprozessorsysteme, 572, 598
- Multitexturing, 434
- Mustererkennung, 3
- natural video object, 17
- near clipping plane, 227
- Nebel, 307
 - Boden-, 315
 - Dichte, 311
 - Faktor, 311
 - Farbe, 309
- Normalenvektor, 321, **344**, 585
 - Flächen-, 353
 - Pixel-, 360
 - Vertex-, 356
- NURBS, 146
- Oberflächenmessung, 256
- Occlusion Query, 583
- opak, 145
- Opazität, 259
- OpenCL
 - Compute Unit, 616
 - Device, 616
 - Host, 616
 - Kernel, 617
 - NDRange, 617
 - Plattform, 616
 - Processing Element, 616
 - Work-Group, 617
 - Work-Item, 616
- OpenCL (Open Compute Language), 612
- OpenGL, 42
 - Compatibility Profile, 45
 - Core Profile, 45
 - ES (Embedded Systems), 42
 - Extension, 43
 - Fixed Function Rendering Pipeline, 50
 - GLSL (OpenGL Shading Language), 43
 - Implementierung, 44
 - Kommando Syntax, 48
 - Kurzbeschreibung, 46
 - Library, 47
 - ML (Media Library), 43
 - OpenCL (Open Compute Language), 43
 - Programmierbare Rendering Pipeline, 54
 - Rendering Pipeline, 50
 - Shading Language (GLSL), **59**
 - Utility Library, 47
 - Utility Toolkit (GLUT), 47, 246
 - Zustandsautomat, 48

- OpenGL Shading Language (GLSL), **59**
- OpenGL Zeichentechniken, 177
 - Display Listen, 178
 - glBegin/glEnd, 177
 - Indizierte Vertex Arrays, 182
 - Interleaved Vertex Array, 183
 - Vertex Array Objects, 187
 - Vertex Arrays, 180
 - Vertex Buffer Objects, 187
- Optik
 - Geometrische, 318
 - Physikalische, 318
- Order Independent Transparency (OIT), 553
- Ortsauflösung, 261
- Ortsfrequenz, 290

- PAL-System, 28
- Partikelsysteme, 568
- Penumbra (Halbschatten), 482
- Phong-Shading, 360, 370
- Pixel, 259, 318, 372
- Pixel-Operationen, 52
- Pixel-Shader, 323
- Pixel Buffer Objects (PBO), 431
- Pixelfüll-Limitierung, 607
- Pixelfüll-Rate, 604
- plenoptische Funktion, 20
- Points, 156
- Polygon-Netze, 19, 37, 145, 373
- Polygon-Rate, 604
- Polygone, **162**
 - gekrümmte, 146
 - Konkave, 163
 - nicht-planare, 163
 - Orientierung, 164
 - planare, 145
 - Polygonfüllung, 166
 - winding, 164
- pop-up-Effekt, 566, 590
- Primitive Restart, 198
- Programmierbare Rendering Pipeline, 54
 - Eingangs-, 260
 - interne, 260
- Radiosity, 26, **328**, 370
- Rasterisierung, 52, 372
- Rasterisierungs-Stufe, 598
- Ratio, 440
- Raytracing, 26, **327**, 370, 382, 444
- REDUCE-Operator, 584
- Reflexion, 319
 - ambiente, 342
 - diffuse, 342
 - Gesetz, 321
 - ideal diffuse, 323
 - ideal spiegelnde, 323
 - real spiegelnde, 323
 - spekulare, 342
- render-to-texture, 384
- Render-to-Texture, 196
- Rendering, **26**, 145
 - Geschwindigkeit, 174
 - Volume, 148
- Rendering Pipeline, 50, 78, 440, 578, 598
- RGB-Farbmodell, 259
- RGBA-Modus, 262, 337
- Rotation, 213, 575

- Scan Line-Algorithmus, **356**, 360, 371
- Schatten, **480**
 - Texturierung, 485
 - Adaptive Volumetric Shadow Mapping (AVSM), 552
 - Ambient Occlusion (AO), 542
 - Anpassung des sichtbaren Volumens (Lighting Frustum Fitting), 506
 - Aufteilung des sichtbaren Volumens (Cascaded Shadow Mapping), 508
 - Exponential Shadow Maps (ESM), 527
 - Exponential Variance Shadow Maps (EVSM), 529
 - harte-, **484**
 - Konstante Halbschattenbreite (Fixed-Size Penumbra), 519
 - Korrektur der Perspektive, 514
 - Order Independent Transparency (OIT), 553
 - Percentage-Closer Filtering (PCF), 519
- Quad-Strips, 173
- Quads, 172
- Quantentheorie, 318
- Quantisierung, 20, 374
 - Ausgangs-, 260

- Percentage Closer Soft Shadows (PCSS), 532
- Ray Tracing, 516
- Screen Space Soft Shadows (4S), 540
- Summed-Area Variance Shadow Maps (SA-VSM), 538
- Tiefenkorrektur (Depth Bias), 502
- Variable Halbschattenbreite (Variable-Size Penumbra), 531
- Variance Shadow Maps (VSM), 523
- Volumen-, 549
- von transparenten Objekten mit binären Alpha-Werten, 546
- von transparenten Objekten mit kontinuierlichen Alpha-Werten, 549
- weiche-, **517**
- Schattierung, 317, **352**
 - Flat-Shading, 353
 - Formwahrnehmung aus, 317
 - Phong-Shading, 360
 - shape from shading, 317
 - Smooth-/Gouraud-Shading, 355
- Schattierungsverfahren, 318
- Schnittebenen, 51, 148, 225
- Schwärme, 568
- Segmentierung, 18
- Shader
 - Fragment-, 370, 440
 - Geometry-, 56
 - GLSL Version, 61
 - Pixel-, 567
 - Programmierbare, 54
 - Tessellation-, 56
 - Tessellation Control-, 56
 - Tessellation Evaluation-, 56
 - Vertex-, 370, 567
 - zur Bildverarbeitung, 7, **466**
- Shading, **352**
- Shading-Programmiersprachen, 58
- Shadow Map, 370
- Shadow Mapping, 485
- Shannon'sches Abtasttheorem, 290, 387
- sichtbares Volumen, 226, 571, 580
- SIMD (Single Instruction, Multiple Data), 614
- SIMT (Single Instruction, Multiple Threads), 615
- Simulation
 - Ausbildungs-, 26, 30
 - closed loop, 11
 - Entwicklungs-, 32
 - Fahr-, 26, 30
 - Flug-, 26, 30
 - Hardware-In-The-Loop (HIL), 14, 28, 34
 - LKW-, 26
 - Mathematisch Digitale, (MDS), 11, 29, 33
 - Medizin-, 32
 - open loop, 11
 - Unterhaltungs-, 29
 - von kameragesteuerten Geräten, 10
- Simulator
 - Flug-, 571
- Skalierung, 215, 575
- Sky Box, 454
- Smooth-/Gouraud-Shading, 355
- Sobeloperator, 460
- Soft Shadows, 517
- Spektral-Rot/Grün/Blau, 319
- Spektrum, 319
- Sphere Map, 445
- Spiegelungsexponent, 342
- SPiR-V, **130**
- Statistik-Werkzeuge, 572
- Stereoprojektion, 319
- Stressfaktor, 611
- subtraktives Farbmodell, 281
- Swizzling, 64
- synthetic video object, 17
- Szenen Graph, 15, 572, **574**
- Szenenkomplexität, 571
- Telepräsenz, 34
- Tesselerierung, 369, 371
- Tessellation Shader, 56
- Texel, 372
- Textur, **369**
 - Abbildungen, 412
 - Buffer Objects (TBO), 432
 - Buffer Texture, 432
 - Environment, 406
 - Filter, 372, 384
 - Fortsetzungsmodus, 403
 - Koordinaten, 384

- Koordinaten,
 - Automatische Zuordnung von, 417
 - Explizite Zuordnung von, 410
 - Lineare Interpolation von, 371
 - vier Komponenten (s, t, r, q), 410
 - Zuordnung von, 409
- Matrizen Stapel, 422
- Objekte, 425
- Vergrößerung, 384
- Verkleinerung, 384
- Wraps, 403
- programmierbare Filter, 399
- 1-dimensionale, 371
- 2-dimensionale, 371
- 3-dimensionale, 371
- Anisotrope MipMap-Filter, 398
- Beleuchtungs-, 370
- Foto-, 13, 369, 593
- Foto-, **371**
- fraktale, 371
- Gauß-Pyramiden-, 387
- Glanz-, 370
- kubische, 21
- Kubische, 449
- Mehrfach-, 434
- MipMap-, 387
- MipMap-Filter, 395
- Projektive, 441
- Projektive Schatten-, 443
- prozedurale, 371
- Relief-, 13, 370, 457
- Schatten-, 13, 370
- Spezifikation, 373
- Sphärische, 445
- transparente, 18
- transparente., **284**
- Umgebungs-, 370, 444
- Textur-Speicher, 52
- Texture-Mapping, 369
 - Einschalten des -, 423
- Texture Buffer Objects (TBO), 432
- Texturmerkmal, 18
- Tiefpassfilterung, 293, 384
- Transformation, 202
 - Augenpunkt-, 218
 - inverse Projektions-, 257
 - Matrizen-, 208, 575
 - Modell-, 210
 - Normierungs-, 232
 - Orthografische, 225
 - Perspektivische, 227
 - Projektions-, 225, 371
 - Reihenfolge der, 216
 - Viewport-, 233, 371
- Translation, 211, 575
- Transmission, 325
- Transparenz, 259, **268**, 314, 330
 - Komponente A (Alpha), 259, 371, 594
- Transport-Verzögerung, 28, 558, 600
- traversal
 - application, 577, 598
 - cull, 577, 598
 - draw, 579
 - intersection, 577
- Triangle-Fan, 171
- Triangle-Strips, 170
- Triangles, 168
- Umbra (Kernschatten), 482
- Validation, 13, 34
- Validation Layers in Vulkan, **137**
- Verdeckung, 242, 329, 582
- Verdeckungsgrad, 604
- Verschiebungsvektor, 18, 22, 38
- Verschiebungsvektorfeld, 22
- Vertex, Mz. Vertices, 148, **151**, 208, 318, 571
- Vertex-Operationen, 51
- Vertex-Programm, 363, 460
- Vertex Array Objects, 187
- Vertex Arrays, 180
- Vertex Buffer Objects, 187
- Videobandbreite, 604
- Videobandbreiten-Limitierung, 607
- Videosignalgenerier-Stufe, 599
- viewing volume, 226
- visuelle Datenbasis, 575
- Volumenmessung, 256
- Voxel, 147
- Vulkan, 75
 - Aufbau einer Grafikanwendung, 85
 - Buffer Memory Barrier, 132
 - Command Buffer, 105
 - Command Buffer Recording, 106

- Command Pool, 105
- Compute Pipeline, 78
- Debugging, **137**
- Descriptor Layout, 116
- Descriptor Pool, 117
- Descriptor Set, 115
- Device, 77
 - Logical Device, 77
 - Physical Device, 77
- Device Features, 88
- Durchführung des Zeichnens, 127
- Events, 133
- Fences, 134
- Framebuffer, 104
- Graphics Pipeline, 78
- Graphics Queue Handle, 90
- Host, 77
- Image Buffer, 121
- Image Memory Barrier, 132
- Image Views, 95
- Instanz, 86
- Kurzbeschreibung, 77
- Logical Device, 89
- Memory Barrier, 132
- Memory Type, 77
 - device local, 77
 - host cached, 78
 - host coherent, 77
 - host visible, 77
 - lazily allocated, 78
- Pipeline Barrier, 132
- Presentation Queue Handle, 91
- Push Konstanten, 118
- Queue, 77
- Queue Families, 88
- Rendering Pipeline, 78, 79, 100
- Renderpass, 98
- Renderpasses, 133
- Resource, 78
 - Buffer, 78
 - Image, 78
- Resource View, 78
- Semaphore, 128, 133
- Shader-Compilierung in SPIR-V, 96
- Shader Module, 97
- Shading Language (SPIR-V), **130**
- Staging Buffer, 109, 121
- Surface (Oberfläche), 87
- Swapchain, 92
- Swapchain Image Handles, 94
- Synchronisation, **132**
- Transfer 3D-Geometrie, 108
- Transfer Allgemein, 113
- Transfer Images (Texturen), 120
- Transfer Index Buffer, 112
- Transfer Texturen (Images), 120
- Überblick einer Grafikanwendung, 83
- Validation Layers, **137**
- Vorbereitung der Anwendung, 85
- Vorbereitung der Präsentation, 91
- Vorbereitung des Daten-Transfers, 108
- Vorbereitung des Zeichnens, 96
- Vulkan-Objektmodell, 81
- Vulkan-Prozessmodell, 80
- Vulkan Shading Language (SPIR-V), **130**
- Vulkan Zeichentechniken, 196
 - Draw Indirect, 199
 - Indizierte Vertex Buffer Objects, 197
 - Instanced Rendering, 199
 - Primitive Restart, 198
 - Vertex Buffer Objects, 196
- Wellenlänge, 319, 324
- Write Masking, 64
- z-Buffer, **244**, 310
 - Algorithmus, 243, 286, 582
 - Flimmern, 246
- z-Pyramide, 584
- z-Wert (Tiefeninformation), 243