
Index

- μ c-Si thin film, 101
- 3E-Trilemma, 1, 2, 4
- a-Si//poly or μ c (microcrystalline or nanocrystalline)-Si thin-film stacked solar cell, 90
- a-Si//poly-Si stacked solar cell, 95
- a-Si:H single-junction solar cells, 105
- absorption coefficient, 165
- Agency of Industrial Science and Technology (AIST), 5
- ALC panel integrating a-Si:H PV modules, 115
- all-dry processes, 191
- alloys, 171
- amorphous silicon (a-Si), 90, 150
- amorphous silicon solar cells, 17
 - double-junction, 19
 - growth, 20
 - hydrogen-collision model, 22
 - multijunction, 18
 - photodegradation, 21
 - research issues, 24
 - single-junction, 19
 - stabilized efficiency, 19
 - technology development, 23
 - triple-junction, 18
- amorphous-silicon solar-cell, 91
- applications of large-scale a-Si:H solar modules, 114
- atomic layer deposition (ADL), 192
- average dipole matrix element, 50
- back reflector ZnO/Ag, 127
- back surface field (BSF) effect, 91
- bandgap profiling, 185
- “Best Mix” Age of different energy forms, 7
- bilayer process, 174
- building integrated PV (BIPV), 220
- buried junction, 188, 194
- buried pn homojunction, 190
- carrier mobility, 52, 58
- CAT (hot-wire)-CVD, 99
- CBD process, 185, 188
- Cd-free buffers, 189
- Cd-free window, 194
- CdTe-based solar cells, 24
 - cell and module efficiency, 26
 - device fabrication, 24
 - device structure, 25
 - key issues, 28
 - morphology, 26
 - processing sequence, 27
 - technology development, 26
- chalcopyrite-based solar cells, 163
- chemical-bath deposition, 188
- CIGS (Cu-In-Ga:Se) thin-film solar cells, 183
- circuit or submodule, 200
- CIS (Cu-In-Se) -based solar cells, 28
 - device fabrication, 28
 - device structure, 29
 - high efficiency modules, 31
 - morphology, 29
 - performance characteristics, 30
 - research issues, 31

- technology development, 30
- coevaporation, 173
- conduction band offset, 194
- conductivity spectrum, 44
- Cu_xSe phase, 188
- $\text{Cu}(\text{In}_{1-x}\text{Ga}_x)(\text{Se}_{1-y}\text{S}_y)_2$, 164
- $\text{Cu}(\text{InGa})_3\text{Se}_5$, 185
- $\text{Cu}(\text{InGa})\text{Se}_2$, 183
- current continuity law, 91
- CVD (Chemical Vapor Deposition), 151

- defect chalcopyrite structure, 191
- defect structures, 169
- defects, 167
- density-of-states, 43
- doping effect, 60
- dual light source solar simulator, 157
- durability, 206

- Eco-energy City, 7
- eco-friendly device structure, 202
- effects of alloying, 58
- electrical devices, 213
- electrodeposition, 177
- energy payback time (EPT), 200
- energy-saving technologies, 5
- Environmental Technology Project, 6

- film growth, 172
- flexible a-Si solar cell, 218
- flexible CIGS solar cells, 195
- flexible substrates, 195
- four-terminal stacked solar cell, 94, 99
- four-terminal tandem solar cell, 98
- Fundamental Principle to Promote
New Energy Developments and
Utilization, 1, 9, 11

- GENESIS Project, 229
- germane gas, 123
- Gobi project, 13
- graded-bandgap profiling, 125
- graded-bandgap structures, 174
- grain boundaries, 170
- Great Principle of Economy, 2
- growth temperature, 166

- Hall conductivity, 54
- heterojunction, 171
- heterojunction stacked cell, 93
- high-efficiency solar cells, 38, 163
 - novel approaches, 38
- high-resistivity ZnO, 193
- HIT, 223
- HIT (heterojunction with intrinsic thin
layer) cell, 99
- HOMULAC (horizontally multilayered
photovoltaic cell), 91
- honeymoon cell, 99
- hybrid cell, 150
- hydrogen plasma doping, 108

- I-III-VI₂, 164
- impurities, 167
- In-Ga-Se precursors, 186
- in-situ monitoring, 186
- integrated-type structure, 214
- inverted process, 174

- Kyoto protocol, 1

- lateral graphoepitaxy, 99
- light weight substrate, 207
- light-induced degradation, 126
- liquid-solid growth, 172

- mass-production, 150
- maximum obtainable conversion
efficiency, 93
- mean free path, 52
- metal organic chemical vapor deposition
(MOCVD), 177
- microcrystalline silicon ($\mu\text{c-Si}$), 90
- microwave-plasma CVD (MW-PCVD),
122
- mobility edge, 43
- mobility edge transport, 54
- mobility gap, 48
- module, 200
- module efficiency, 200
- module performance of a-Si:H
single-junction solar cells, 110
 - integrated large-scale a-Si:H
single-junction solar cells, 110
- molecular beam epitaxy (MBE), 177
- monolithic structure, 200
- monolithically integrated circuit, 202
- Moonlight Project, 6

- MoSe₂, 185
 multibandgap stacked solar cell, 90
 Na, 163
 Na diffusion, 184
 network disorder, 62
 New Sunshine Program, 6
 next-generation solar cells, 31
 - dye-sensitized TiO₂, 34
 - microcrystalline silicon, 33
 - organic solar cells, 37
 - STAR cell, 32
 - thin-film GaAs, 33
 - thin-film silicon, 31
 nonstoichiometry, 168
 novel multinary compounds, 35
 one-step coevaporation method, 202
 open-circuit voltage V_{oc} , 93
 optical absorption spectrum, 46
 optical gap, 48
 optical-confinement effects, 96
 optimization of the stacked cell, 91
 Optoelectronic Industry Technology and Development Association (OITDA), 8
 outdoor exposure test, 206
 oxygenation, 170
 passivation, 170
 patterning technique, 204
 phase segregations, 168
 photogenerated carrier confinement, 96
 photoinduced structural change, 63
 pin, 84
 plasma spray of Si growth (PSSG), 99
 polarized electroabsorption, 49
 poly-Si thick film, 101
 polymer sheets, 196
 post-deposition light-soaking, 203
 process control, 204
 PV field test experiments, 9
 PV house planning of the field testing, 9
 PV roof-tile, 155
 Q -function, 56
 radiation hardness, 163, 207
 rapid thermal processing, 175
 reactive processes, 175
 recrystallization, 177
 renormalization-group (scaling) equation, 55
 roll-to-roll process, 121
 roof
 - batten-and-seam, 133
 - flat, 133
 - stepped, 133
 roofing-material integrated PV module, 129
 roofing-tile photovoltaic generation, 7
 S-VHF p-CVD, 107
 safety issue, 206
 see-through a-Si solar cells, 216
 see-through-type a-Si:H solar modules, 116
 selenization method, 183, 196
 selenization/sulfurization, 202
 short-circuit current I_{sc} , 93
 silane gas, 123
 single-junction, 152
 slab cells, 134
 solid-phase crystallization (SPC), 99
 space application, 207
 stacked elemental layers, 176
 stacked solar cell, 91
 stacked solar-cell
 - a-Si:H/a-SiGe:H/a-SiGe:H, 121
 Staebler–Wronski effect, 63, 95
 standalone systems, 215
 STAR structure, 155
 structural defects, 167
 sulfurization process, 185
 Tauc's plot, 97
 theoretical limit of the conversion efficiencies, 94
 thin-film solar cells, 16
 - efficiencies, 16
 - first generation, 16
 - next generation, 31
 three-stage evaporation, 183, 184
 three-stage process, 174
 triple-junction, 122
 two-terminal stacked solar cell, 94
 VLS-PV (very large scale photovoltaic), 13

WENET (World Energy Network), 7

WG-p (wide gap p-type) film, 108

ZMR (zone melting recrystallization),
99

ZMR poly-Si solar cell, 101

Zn compound buffer, 189

$\text{Zn}_{1-x}\text{Mg}_x\text{O}$, 194

ZnIn_xSe_y , 191

ZnO , 192