
Index

A

- Abrasion, 13
 - anchor type, 41
 - knot type, 41
 - mechanical properties, 22
 - resistance, 6, 40, 41
 - suture material, 26, 27, 41
 - testing conditions, 41
- Absorbable sutures
 - caprolactone/glycolide, 15
 - Catgut, 14
 - clinical performance, 18
 - monocryl, 15
 - phantom fiber, 16
 - plain gut suture, 14
 - polydioxanone (PDS II®), 15
 - polyglactin 910, 14–15
 - polyglycolic acid, 14
 - polyglyconate, 15
 - polyglytone, 15
- Absorbable synthetic suture materials, 178
- Absorption rate, 6, 11
- Anchors/bone tunnels, 27–28
- Antibacterial suture coatings, 17
- Arthroscopic knot tying, 109–111, 113, 114
 - cannulas, 110, 111
 - knot pusher, 111–113
 - sutures
 - absorbable monofilament, 109
 - absorbable sutures, 109
 - half hitches, 110
 - high-strength sutures, 109, 110
 - lassos, 113
 - mechanical features, 110
 - nonabsorbable sutures, 109
 - passage, 113, 114
 - retrievers, 111
- Arthroscopic sliding knots, 40

B

- Barbed (knotless) suture, 28
- Bight, 4
- Biologic augmentations

- antibacterial suture coatings, 17
- butyric acid, 16
- drug-eluting sutures, 17
- EDC, 17
- growth factors and bioactive substrates, 16
- mesenchymal stem cells, 16
- nanoparticle suture coatings, 17
- polytribolate, 16
- Biological properties
 - absorbable sutures, 14–16
 - biologic augmentations, 16–18
 - nonabsorbable sutures, 12–14
- Biomechanics
 - abrasion resistance, 40–41
 - cycling loading, 43
 - dynamic creep, 41–42
 - elasticity, 38–39
 - elongation, 36, 37
 - ethilon, 40
 - friction, 37
 - knot security
 - cyclic loading, 36
 - definition, 34
 - internal interference, 35
 - knot configuration, 35
 - knot slippage or unraveling, 35
 - RHAPs, 36
 - Snyder vs. Duncan, 35
 - suture loop/loop length, 35
 - suture type, 35
 - tensile strength, 35
 - load to failure, 42
 - loop circumference, 34
 - loop elongation, 34
 - loop security, 33, 34, 36
 - mode to failure, 43
 - prolene, 40
 - static creep, 41
 - strength, 38
 - ticron, 40
 - viscoelasticity, 39, 40
 - yield load, 43
- Bowline, 8
- Braided polyester sutures, 12, 22, 23, 42, 102

Breaking strength, 5, 22, 24
 Breaking strength retention (BSR), 6
 Butyric acid (BA), 16

C

Capsizing, 5
 Catgut, 14
 Chitin, 17
 Coefficient of friction, 5, 37, 38
 Components, knot, 4
 Creep, 6, 40–42
 Cyanoacrylate, 28
 Cycling loading, 43

D

Damaged sutures, 25–26
 Diamondback SutureBridge technique, 141
 Dines knot, 170–171
 Double overhand knot, 9
 Drug-eluting sutures, 17
 Duncan loop, 40, 43, 162, 163, 183–186
 Dynamic creep, 41–42

E

Elasticity, 22, 38, 39
 Elongation, 36, 37
 Eminence avulsion fracture, 100
 Eminence fixation, 100–102
 Ethibond, 13, 14, 17, 22, 26, 27, 34, 40–43, 178, 179
 Ethilon, 13, 40, 41
 1-ethyl-3-(3-dimethylaminopropyl)carbodiimide
 (EDC) hydrochloride, 17, 28

F

Failure modes
 break/unraveling, 47, 50
 configurations, 51
 loosening/slippage
 break/unraveling, 50
 characteristics, 49
 cyclic loading, 48
 technical errors, 48, 49
 post limb, 51
 selection, 51
 sliding knots, 51
 tissue tension, 50
 FiberWire, 22, 23, 42
 Field knot, 174
 Figure-of-eight knot, 9
 Fisherman's knot, 163
 Flexibility, 24
 Fracture reduction, 103, 104
 French knot, 42
 Friction, 37

G

Giant knot, 166

H

Half hitches, 183
 advancement, post limb, 148, 149
 clinical settings, 89
 loop security, 84, 88
 overhand half hitch, 82, 83
 past pointing, 84
 post limb and loop/working limb, 81
 post switching, 81, 82
 symbols for knots, 150, 151
 technique, 143
 History, 3–4

I

Internal interference, 35

K

Knot configuration, 35
 Knot configuration symbols, 150, 151
 Knot efficiency, 5
 Knot fixation, 25
 Knot pusher, 111–113
 Knot security, 5
 cyclic loading, 36
 definition, 34
 internal interference, 35
 knot configuration, 35
 knot slippage/unraveling, 35
 RHAPs, 36
 Snyder vs. Duncan, 35
 suture loop/loop length, 35
 suture type, 35
 tensile strength, 35

Knot tying

arthroscopy (*see* Arthroscopic
 knot tying)
 biomechanics (*see* Biomechanics)
 configurations, 181
 high-strength suture materials, 182
 inter-surgeon variability, 185, 186
 knot failure, 182
 loop security, 182
 soft tissue fixation, 182
 Knot-pull tensile strength, 22, 24

L

Locking effect, 183
 Locking sliding knots, 162, 165, 173, 183
 Loop circumference, 5, 34
 Loop elongation, 34
 Loop security, 5, 33, 34, 36

M

- Mason-Allen technique, 51, 135
- Mechanical properties
 - abrasion, 22
 - anchors/bone tunnels, 27–28
 - barbed (knotless) suture, 28
 - cyanoacrylate, 28
 - damaged sutures, 25–26
 - EDC, 28
 - elasticity, 22
 - flexibility, 24
 - knot and loop security, 25
 - knot strength, 22
 - knot-pull tensile strength, 22, 24
 - material abrasion, 26–27
 - memory, 22
 - plasticity, 22
 - pliability, 22
 - stiffness, 24
 - suture memory, 27
 - suture slippage, 25
 - tensile strength, 24
- Memory, 6, 22, 24, 27
- Mersilene, 22
- Mesenchymal stem cells (MSCs), 16
- Meyers-McKeever classification, 100
- Midshipman's (Taut Line) Hitch, 164
- Modified Revo knot, 158
- Monofilament suture, 6, 12, 13, 178
- Multifilament sutures, 6, 178

N

- Nanoparticle suture coatings, 17
- Natural suture materials, 177
- Nice knot, 93, 95, 96, 103
- Nicky's knot, 42, 164
- Non-absorbable braided polyester sutures, 178
- Non-absorbable sutures, 11–14
- Non-sliding knots, 162, 163, 183
 - advantages, 154
 - degenerative tissue repair, 153
 - disadvantages, 154
 - indications, 153
 - knot pusher designs, single vs. double-diameter, 155
 - loop and knot security, 154
 - modified Revo knot, 156, 158
 - reversed half hitches, 159
 - Revo knot, 156–158
 - square knot, 155, 156
 - superior biomechanical properties, 159
 - suture type, 155

O

- One-way ratchet effect, 183
- OrthoCord, 16
- Overhand half hitch, 147, 148, 150

P

- Panacryl, 15
- Partially absorbable suture, 16
- Phantom fiber, 16
- Picks per inch (PPI), 13
- Plain gut suture, 14
- Plasticity, 22
- Pliability, *see* Flexibility
- Poliglecaprone 25 (Monocryl Plus), 15, 17
- Polydioxanone (PDS Plus), 15, 17
- Polyglactin 910, 14
- Polyglycolic acid (PGA), 14, 22
- Polyglyconate, 15
- Polyglytone, 15
- Polypropylene polymer suture, 22
- Polytribolate, 16
- Post switching, 81–83, 149
- Pretzel knot, 171, 173, 174
- Properties, knot, 5–6
- Prolene, 22, 40

R

- Reef knot, 4, 7
- Regenerative medicine, 180
- Revo knot, 8, 156–159, 183
- Roeder knot, 168
- Ropes, 9, 10

S

- Samsung Medical Center (SMC)
 - knot, 166
- Sawing knot, 5, 27
- Scorpion, 114
- Self-locking effect, 183
- Side-locking loop suture (SLLS)
 - technique, 104
- Silver (AgNPs) nanoparticles, 17
- Sixth Finger device, 112
- Sliding knots, 5, 182
 - absorbable monofilament suture, 162
 - clinical outcome, 92
 - locking vs. nonlocking, 162, 183, 184
 - loop and knot security, 92, 163
 - musculoskeletal system diseases, 91
 - nice knot, 93, 95, 96, 103
 - vs. non-sliding knots, 185
 - resistance, 92
 - soft tissue entrapment, 162
 - surgeon's knot, 93, 94
 - suture anchor, 161
 - suture material, 162
 - tenodesis/ligament repairs, 93
 - tissue fixation, 162
 - training and improvement, 92
- Slip knots, 5, 7, 8
- Snyder knot, 173

- Soft tissue handling
 - arthroscopy incisions, 117
 - half hitches, 122
 - lasso loop for reduction, 120
 - lasso-loop stitch, 122, 123
 - lesion pattern, 117
 - margin convergence, 119
 - passing suture, 123
 - retrograde suture, 124
 - scapular spine, 118
 - sliding and non-sliding knots, 121, 122
 - strain reduction, 121
 - suture lasso, 122, 123
 - suture passing, 124
 - suture positioning, maximum tissue grab, 124
 - suture traction, 118
 - tendon release, 119, 121
 - with tissue graspers, 117
 - traction sutures, 117
- Square knot, 156, 157
 - left-handed tying, 56, 58
 - right-handed tying, 58, 60, 61
 - security maintainance, 55, 62
 - surgical instruments, 62–64
- Square knots, 155
- Static creep, 41
- Static knots, *see* Non-sliding knots
- Stiffness, 5, 24, 38
- Strength, 5, 38
- Surgeon's knot
 - definition, 65
 - general surgery, 78
 - to maintain loop security, 77
 - needle holder, 74–77
 - obstetrics and gynecology, 78
 - one-handed technique
 - left hand, 69–72
 - right hand, 72–74
 - palatal surgery, 78
 - tissue approximation, 77, 78
 - two-handed technique, 66–69
- Suture architecture, 13
- Suture manipulation
 - arthroscopy, 127, 128
 - in arthroscopic repairs, 142
 - double-row technique, 129
 - horizontal mattress stitch, 132
 - meniscal repairs, 127
 - musculotendinous junction, 129
 - in shoulder surgeries, 127
 - single row repairs, 128, 129
 - suture bridge technique, 137
 - transosseous-equivalent technique, 129
 - types, 128
- Suture materials, 14–18, 22, 24–28
 - absorbable sutures, 11, 12, 177
 - caprolactone/glycolide, 15
 - Catgut, 14
 - clinical performance, 18
 - monocryl, 15
 - phantom fiber, 16
 - plain gut suture, 14
 - polydioxanone (PDS II®), 15
 - polyglactin 910, 14
 - polyglycolic acid, 14
 - polyglyconate, 15
 - polyglytone, 15
 - biologic augmentations
 - antibacterial suture coatings, 17
 - butyric acid, 16
 - drug-eluting sutures, 17
 - EDC, 17
 - growth factors and bioactive substrates, 16
 - mesenchymal stem cells, 16
 - nanoparticle suture coatings, 17
 - polytribolate, 16
 - braided polyester sutures, 23
 - FiberWire sutures, 23
 - history of, 21–22
 - mechanical properties
 - abrasion, 22
 - anchors/bone tunnels, 27–28
 - barbed (knotless) suture, 28
 - breaking strength, 22
 - capillarity, 22
 - cyanoacrylate, 28
 - damaged sutures, 25–26
 - EDC, 28
 - elasticity, 22
 - flexibility, 24
 - knot and loop security, 25
 - knot strength, 22
 - Knot-pull tensile strength, 22, 24
 - material abrasion, 26–27
 - memory, 22
 - plasticity, 22
 - pliability, 22
 - stiffness, 24
 - suture memory, 27
 - suture slippage, 25
 - tensile strength, 22, 24
 - wound breaking strength, 22
 - monofilament/multifilament, 177
 - natural, 177
 - nonabsorbable sutures, 11–14, 23, 177
 - in orthopedic procedures, 11
 - partially absorbable sutures, 12, 16
 - synthetic, 177
 - types, 180
 - UHMWPE, 23
 - USP classification system, 22, 23
- Suture memory, 27
- Suture slippage, 25
- Switching the post, 149
- Synthetic absorbable materials, 177

Synthetic non-absorbable materials, 177
Synthetic suture materials, 177

T

Tennessee slider, 163
Tensile strength, 6, 22, 24
Tension band technique, 102, 103
Ticron, 40
Tissue engineering, 180
Total knee arthroplasty (TKA), 28
Traction knot, 8
Trans-osseous suture fixation, 97
Triclosan (5-Chloro-2-(2,4-dichlorophenoxy)phenol), 17
Tubercle fixation
 arrangement, 99
 diaphysis, 99
 humeral head, 98
 metaphysical area, 97, 98
 non-absorbable sutures, 99
 shaft fragment, 100

Tuckahoe knot, 171
Tying load tests, 179
Tying technique, 51

U

Ultrahigh molecular weight polyethylene (UHMWPE),
 12, 23, 178, 179

V

Viscoelasticity, 5, 39

W

Weston knot, 165, 167
Wound breaking strength, 22

Y

Yield load, 43