

Index

A

AAO template technique, 115
Absorption, 395, 396, 398, 408, 411, 413, 416, 419, 421
 coefficient, 162, 164, 165
 edge, 164, 193–195, 197, 200
 spectra, 197
 viscoelastic layer, 298
AC electroosmosis (ACEO), 341
Acoustic resonators, 292
Activation barrier, 19
Activation energy, 126, 132
Adsorption, 384–387, 389, 401–403, 408, 417, 420, 421
 of nanoparticle, 83
 rate, 83
AFM, *see* Atomic force microscopy (AFM)
Ag, 214, 215, 218
Ag/Au, 115–116, 145, 148
 core-shell, 117–118
Aggregation, 17
Alzheimer's disease (AD), 308–310
Ambient conditions, 223, 237, 240, 243–245
Ambipolar behavior, 42
AMOLED display, 41
Amorphous solids, 193
Amplified electrochemical impedimetric aptasensor, 273
Amplitude, 165
Analyte
 selectivity, 330
 sensitivity, 331
Analytical chromatography, 73
Angle resolved photoemission spectroscopy (ARPES), 224–226, 235–240, 244
Annealing, 180
Antibody-coated QCM, 310

Aqueous electron, 9
Aqueous solutions, 7, 10–11
Artemis, 166, 198
Aspect ratio, 110, 121, 125, 144
Athena, 166, 198, 203
Atomic background, 164
Atomic force microscopy (AFM), 134, 359
Attenuated total-internal reflection (ATR), 410, 411
Au nanoparticles, *see* Gold (Au) nanoparticles
Autocatalytic surface growth, 214
Averaged frame time, 80
Avian influenza viruses (AIV), 313
Avrami model, 49, 50

B

Back reactions, 11
Backscattering, 164
 electron, 164
Bacterial cellulose, 320
Bacterial detection, 313
Ball-milling, 174
 β amyloid ($A\beta$) detection, 308
Band structure, 224, 236–238, 240, 244, 245
Battery, 169, 172–175
Beam, 164
 damage, 6
Beamline, 180, 190, 196
Beer Lambert law, 196
Beer's law, 165
Binding, 5
Binding energy, 162, 196
Bioavailability, of MWCNTs, 368
Biomolecules, 372
Bio-nanocomposites
 characterization, 272
 electrodes, 270

- Bio-sensing applications, 266, 292
Bio-sensors, 75, 310
Bi₂Te₃ thin films, 224–226, 229, 231, 234, 237, 239, 242, 244, 245
Block copolymer, 192, 212
Blood coagulation, 307–308
Bond distances, 192, 196
Bond length, 162
Bragg angle, 200
Brownian motion, 13, 17
Bubble, 25
Bulging, 6
Bulk heterojunction, 45
Bulk-insulating, 224, 225, 237, 239
Bulk liquid, 63
Butterworth-Van Dyke (BVD) method, 293–294
BVD, *see* Butterworth-Van Dyke (BVD) method
- C**
C60, 367
Calibration, 88, 165
Capping, 230, 234, 239
 ligands, 170
Carbon-epoxy composites, 274
Carbon nanoforms, 366–371
Carbon nanostructures, 269
Carbon nanotubes (CNTs), 174, 253, 265, 330–331
Catalysis, 129–132, 137, 140–143, 175–179
Catalysts, 179
 characterization, 419–423
 transformations, 160
Cathodes, 175
CdSe/ZnS QDs, 365
CdTe quantum dots, 362
Cell health, 304
Cell responses, measurement of, 304
Cell-surface interaction, 304
CEM microwave, 208
Centrosymmetry, 194
Characterization
 of SAM structures, 337
 techniques, 255
 tool, 274, 277
Charged nanoparticles, 84
Charge mobilities, 47
Charging, 16–17, 19, 25
Chemical characterization, 67
Chemical composition, 96
Chemical reaction, 40
 kinetics, 45
Chemical vapor deposition (CVD), 353
Chemisorption, 318
Chemo-sensors, 75
Chip reactors, 167
Citrate synthesis, 209
Citrus canker, 322
Click chemistry, 137
Clot formation, 307
Clusters, 191, 211, 213
Coating films, 316
CO₂ electroreduction, 418–419, 424–427
Colloidal synthesis, 168–172
Color change, 138, 148
Colorimetric assay, 148
Competing reactions, 10
Complementary techniques, 192, 207
Complex composition, 88
Composite proportions, optimization of, 269
Conductance, 294–295
Constructive/destructive interference, 80
Consumer products, 83
Convex shape, 326
CoO, 217, 218
Coordination, 172
Coordination geometry, 169, 194
Coordination number, 168, 196
Core levels, 194
Core shell, 162, 196
CO stripping, 384, 388, 421
Coulombic efficiency, 174
Coulomb interactions, 19
Coupling effect, 117–121, 145
Cr metal, 194, 195
Cr₂O₃, 194
CrO₃, 194
Cryo-EM, 6–7, 13, 14
Crystal growth, 37, 53, 55
Crystalline sample, 194
Crystallization kinetics, 37
Crystal nucleation, 37, 55
Cubic spline, 166
Cu doped ceria, 203
Cumulative analysis, 70
Customized distribution, 259
Cu-TCNQF4 nanowires, 49
Cyclic voltammetry (CV), 270, 337, 386–388
 and differential pulse, 70
Cyclic voltammogram, 386–389
Cycling, 160
Cytoskeletal changes, 304

D

Dark-field LSPR spectroscopy, 121
Dark-field microscopy, 135, 137, 140, 152
Dark-field optical microscopy, 66, 120
Dark-field scattering microscopy, 108, 135
Dark-field spectroscopy, 119
Data acquisition, 200, 201
Data analysis, 189, 198, 199, 203, 218
DDA, *see* Discrete dipole approximation (DDA)
Debye-Waller factor, 164
Decomposition, 170
Defocusing, 76
Degradation, 21, 27, 138
Delithiation, 173
Density of states, 194, 241
Density-viscosity product, of liquid, 291
Derjaguin, Landau, Verwey and Overbeek (DLVO) theory, 354
Desorption, 386, 391
Detection techniques
 of changes, 80
 combination of, 343
 limit, 69, 76
 rate, 96
Detector, 40
DEXAFS, 200, 201, 211, 215
DFT (developed theories), 177
Dielectric environment, 108, 115–117, 125, 129, 132, 137, 140–141, 144–145, 148
Dielectrophoresis (DEP), 341
Differential centrifugal sedimentation (DCS), 74
Differential dynamic microscopy, 66
Differential electrochemical mass spectrometry (DEMS)
 electrocatalyst selectivity for CO₂ electroreduction, 424–427
 ethanol electro-oxidation, 427–430
 principle of, 423–424
Diffusion, 5, 17–20
 coefficient, 64
 flux, 86
 limited reaction, 10
 one-dimensional mechanism, 52
Dimers, 119–120
Dimethylformamide, 38
Dimethyl sulfoxide (DMSO), 22, 23, 38
Dirac cone, 225, 237, 239, 241
Discrete dipole approximation (DDA), 109–110, 112, 115
Disorder factor, 196
Dispersive-EXAFS, 193

Dissipation energy, 356, 362
Dissolution, 92
 current, 94
 potential, 94
Distortion, 77
Distribution of charges, 16
DLVO theory, *see* Derjaguin, Landau, Verwey and Overbeek (DLVO) theory
DMSO, *see* Dimethyl sulfoxide (DMSO)
DNA, 361
Donnan exclusion effect (DEE), 257
Dopant, 169
Doping, 169
Dose
 delivery, 15
 rate, 10, 25
 thresholds, 25
Dynamic light scattering (DLS), 64

E

Ea, *see* Activation energy (Ea)
Edge energy, 166
Edge-on orientation, 44
Edge step, 166
E-E assembly, *see* End-to-end (E-E) assembly
Effective refractive index, 71
Eigenvalues, 203, 204
Eigenvectors, 203
Elastic scattering, 193
Electrical potential, 92
Electrocatalysis, 384, 388, 400, 420
Electrocatalysts, 177
 by in-situ FTIRS, 419–423
 selectivity for CO₂ electroreduction by DEMS, 424–427
 using TEM (*see* Transmission electron microscopy (TEM))
Electrocatalytic reduction of CO₂, 418–419
Electrochemical impedance spectroscopy (EIS), 70, 270
Electrochemically active surface area (EASA), 386
Electrochemically modulated infrared spectroscopy (EMIRS), 408, 411
Electrochemical quartz crystal microbalance (EQCM), 357, 372
Electrochemistry, 22, 25, 143
 analysis, 92–96
 characterization, 269–272
 combined surface plasmon resonance, 92
 dissolution, 94
 electrodes, 274

- Electrochemistry (*cont.*)
 oxidation, 94
 properties, 270
 sensing, 68
- Electrode, 24
- Electrokinetic QCM (EKQCM), 341–343
- Electroless copper deposition (ECD), 372
- Electrolyte, 25
 solutions, 21, 22
- Electromagnetic, 108, 117, 119–120, 144–145
- Electron beam
 charging, 16–17
 effects, 22
- Electron dose rate, 10
- Electron energy loss spectroscopy (EELS), 391
- Electron scattering, 16
- Electrooxidation, 388, 420, 421
 ethanol, 413–416
 glycerol, 416–418
 of organic molecules, 413–419
 PM-IRRAS, 411
- Electroreduction
 catalyst selectivity using DEMS, 424–427
 FTIRS, 418–419
- Electrostatic(s)
 interactions, 84
 model, 16
- Electrothermal effect (ETE), 341
- EMIRS, *see* Electrochemically modulated infrared spectroscopy (EMIRS)
- Encapsulation, 268
- End-to-end (E-E) assembly, 119–120
- Energy-disperse, 173
- Energy dissipation, 297–298
- Energy-storage, 172
- Engineered NPs (ENPs), 62
- Environmental monitoring, 330
- EQCM, 338
- Ethanol electrooxidation
 by in-situ FTIRS, 413–419
 using DEMS, 62–66, 427–430
- Ethylenediamine tetraacetic acid (EDTA), 339
- EU FP7 funded project Nanodetector, 64
- Evanescence wave, 71
- Evanescence wave scattering microscopy, 72
- EXAFS, *see* Extended X-ray absorption fine structure (EXAFS)
- Ex-situ*
 characterization, 62
 contaminations, 223, 225
 exposure, 244
 reaction monitoring, 135
 studies, 190, 191
- Extended X-ray absorption fine structure (EXAFS), 160–166
 pre-edge, 162
 spectroscopy, 192, 193, 195, 197–202, 204, 207–209, 211–215
- Extinction spectra, 109, 111–112, 115–117, 119, 122, 125–127, 147
- F**
- FEFF6, 166
- Fermi's Golden rule, 196
- Fick's law, 86
- Field of view, 76
- Filters, 164
- Finite-difference time-domain (FDTD), 109, 126
- Fixed wavelength, 79
- Flexible electronics, 54
 devices, 35
- Flow-field-fractionation (FFF), 74
- Fluorescence, 165, 176, 196–198, 200, 201, 208
 spectroscopy, 66
 technique, 336–337
- Formaldehyde, 320
- Fourier transform, 162, 166, 178
- Fourier transform infrared spectroscopy (FTIRS)
 electrocatalysts, 419–423
 electroreduction of CO₂, 418–419
 electrooxidation (*see* Electrooxidation)
 EMIRS, 408
 external reflection configuration, 409
 instruments, 409
 internal reflection geometries, 410
 potential modulation techniques, 411–412
 solid–liquid interface, 409
 time-resolved in situ FTIR spectroelectrochemistry, 412–413
- Free electron lasers, 219
- Frequency
 response, 300
 sweep, 301
- FT-EXAFS, 198, 202
- Fullerene, 368
 C60, 366
- Full width at half-maximum (FWHM), 140, 146

Functional groups, 258, 261, 265
Functionalization, 326
Furfural, 177

G

Galvanic replacement, 135–136
Gas monitoring sensors, 316
General ellipsometry, 71
Generalized ellipsometry, 374
GIWAXS, 40
Glass transition temperature, 38
Glassy carbon electrode, 373
Glycerol electrooxidation, 416–418
Gold (Au) nanoparticles, 214, 215, 310
 Au₄ cluster, 211
 nanoplate, 118–120
 nanosphere, 115, 119–120
Gold nanospheres, 365
Graphene oxide (GO), 316, 359, 362, 369
 thin film, 327–329
Growth, 10, 25
 behavior, 49
 kinetics, 47, 191, 214
 mechanism, 42
G-values, 8, 21

H

Half band half width, 301
Harmonic rejection, 164
Harpeth fulvic acid (HFA), 366
Harpeth humic acid (HHA), 366, 368
Hemostasis, 307
Heterogeneous catalysis, 162, 192
Heterogeneous catalysts, 176
Hexagonal packing, 44
HFA, *see* Harpeth fulvic acid (HFA)
Hg adsorption, 339
HHA, *see* Harpeth humic acid (HHA)
High numerical aperture (NA) objective, 75
High resolution TEM (HRTEM), 391
High resolution X-ray diffraction (HRXRD),
 166, 180
Homogeneous
 catalysis, 162
 catalysts, 176
 reactions, 209
 sample, 196
Hopping, 18
Human serum albumin (HSA), 332–33

Humidity compensation, 317
Hybridization, 194
Hybrid materials, 253, 266
Hybrid organic–inorganic materials, 35
Hydrocarbons, 21
 detection, 330
Hydrogenation, 177
Hydrothermal synthesis, 191
Hyphenated technologies, 73
Hyphenation, 92

I

Identical-location transmission electron
 microscopy (IL-TEM), 393, 398
IFEFFIT, 198, 199
Image intensity, 88
Image pattern, 80
Image processing, 80
Immersion probe, 208, 215, 216
Immunosensor, 320
Impact electrochemistry, 68
Indirect nanoplasmonic sensing (INPS),
 129–132
Inductively coupled plasma (ICP), 67
Inelastic scattering, 193
Infrared reflection-absorption spectroscopy
 (IRRAS), 36, 409
In-operando
 characterization, 22
 studies, 177
 XAS techniques, 202
In-plane dipole, 109, 112, 126–128
In-plane quadrupole, 109
In-situ
 analysis, 226, 245
 cell, 207–211
 characterization, 223–225, 231
 DEXAFS, 215
 EXAFS, 192, 214
 experiments, 191
 GIWAXS, 54
 growth, 200
 LSPR spectroscopy of single nanoparticle,
 132–143
 macroscale UV–vis–NIR extinction
 spectroscopy, 123–132
 measurement, 189, 190
 microscopy measurements, 55
 QEXAFS, 211
 reaction, 192

In-situ (cont.)

- storage, 242, 244
 - studies, 190, 218
 - techniques, 190
 - TR-XAFS, 203
 - XAFS, 213
 - XANES, 211
 - XAS techniques, 192, 202, 205, 214, 217
 - X-ray diffraction, 37
 - XRD, 206
- In-situ* characterizations, of nanoparticles, 62
- analytical techniques for, 64–74
 - surface plasmon resonance microscopy, 74–78
- Insulating membrane, 16
- Integrated system scanning probe microscope-quartz microbalance, 358–359
- Integration time, 200, 201
- Intensity, 165
- Interaction potential, 18
- Interatomic distances, 160
- Intercalation, 173, 174
- Interface (surface) liquid, 63
- Interference, 162, 196
- Interferometric reflectance imaging sensor, 73
- Interferometric scattering microscopy, 73
- Interferometry, 71
- Intermatrix synthesis (IMS), 257
- Intermediate, 190, 193, 202–204, 214–216, 218
- Internalization, 170
- Inverse task, 90
- Iodine and chorine ions competition, 53
- Ion chambers, 165
- Ion exchange reactions, 49
- Ionic referencing, 84
- Ionic strength, 86
- Ionizing radiation, 2, 7
- IR, 192, 206
- Isopropanol, 12
- Isosbestic points, 202
- Isothermal reaction, 40

J

J-T effects, 173

K

- Kapton, 166
- Kapton window, 207
- Kelvin probe, 360

- Kinetics, 123, 125–128, 132–133, 140, 169
- Kretschmann configuration, 77
- k*-space, 162

L

- Lab-on-a-chip, 167, 168
- Lamellar stacking, 44
- Lamer nucleation burst, 212
- Large application potential, 97
- Large surface area, 77
- Lattice constant, 230, 242
- Layer-by-layer (LBL), 117
 - gold nanoparticles, 376
- LCF, *see* Linear combination fitting (LCF)
- Lead halides, 38
- LET radiation, 8
- Ligand, 168, 170, 194
- Light transmission aggregometry (LTA), 362, 376
- Li intercalation, 173
- Limit of detection, 323
- Linear combination fitting (LCF), 194, 202, 211
- Liquid cell, 2, 13
- Liquid cell electron microscopy (LCEM), 3–4, 13, 14, 17–20, 26, 70
- Liquid phase TEM (LP-TEM), 191
- Liquid suspensions, 62
- Lithiation, 173
- Lithium battery, 24
- Localized surface plasmon resonance (LSPR)
 - spectroscopy, 3, 66
 - colorimetric assay, 148
 - design principles, 143–148
 - imaging, 149–152
 - influencing factors, 109–121
 - refractive index assay, 148–149
 - in situ LSPR spectroscopy of single nanoparticle, 132–143
 - in situ macroscale UV–vis-NIR extinction spectroscopy, 123–132
 - spectroscopic measurements, 121–123
- Local spatiotemporal intensity changes, 81
- Local structure, 160, 161, 189, 192, 195, 206, 207
- Long-range migration behavior, 49
- Long range order, 192–194
- Low bandgap polymers, 42
- Low-cost sensors, 292
- Low-dose, 15

- LSPR spectroscopy, *see* Localized surface plasmon resonance (LSPR) spectroscopy
- Luminosity, 161
- M**
- Macromolecule, 6, 13–14
- Magnetic ions stability, 338
- Magnetic nanoparticle, 374
- Magnetic stirrer, 207–209
- Mason model, 293
- Mass deposited, on sensor, 291
- Mass spectrometry (MS), 74
- Mass spectroscopy, 192
- Matrix, 203, 205, 258
 components, 82
- MCR-ALS, *see* Multivariate curve resolution with alternating least squares (MCR-ALS)
- Mean free path, 164, 196, 199
- Measurement time, 87
- Medical monitoring, 343
- Membrane electrode assemblies (MEAs), 393, 394
- Membrane potential, 17
- Membranes, 2, 3, 5, 13, 16, 20, 26
 surface, 18
- Mesa shape, 326
- Metal ion migration, 49
- Methylammonium iodide, 38, 51
- Micelles, 268
- Microarray immunoassay, 151
- Microfluid reactors, 167
- Micropatterned surface, 84
- Microscale thermogravimetric analysis (μ -TGA), 376–377
- Microscopy, 42
- Microspotting, 83
- Mie theory, 65
- Milk adulteration, 321
- Millifluid reactors, 167
- Mixing capability, 341
- Modulation, 164
- Molecular beam epitaxy (MBE), 224, 226, 228, 232, 245
 grown, 224, 232, 245
- Molecular ordering, 44
- Molecular orientation, 36
- Molecular packing, 36, 44
- Monochromator, 161, 164
- Monolithic multichannel quartz crystal microbalances (MQCMs)
 design, 325
- MoO₂, 216, 218
- Morphological changes, 260, 263
- Morphologic evolution, 134
- Multichannel quartz crystal resonator (MQCR), 325–326
- Multi-dimensional *in-situ* spectroscopy, 219
- Multisensor applications, 344
- Multistep FTIRS (MS-FTIRS), 409, 411
- Multivariate curve resolution with alternating least squares (MCR-ALS), 192, 202, 205, 217, 218
- Multiwalled carbon nanotubes (MWCNTs), 359, 362, 368, 373
- N**
- Nanoalloys, 134
- Nanocages, 145, 148
- Nano-carbonaceous materials, 327
- Nanoclusters, 167, 168
- Nanocomposites, 173, 174, 253, 269, 277
 materials, 255, 269
- Nanocubes, 109, 110, 112, 117
- Nanodecahedra, 110
- Nanomaterials, 160–162, 173, 182
 application of QCM (*see* Quartz crystal microbalance (QCM))
 cyclic voltammetry, 386–388
 DEMS technique (*see* Differential electrochemical mass spectrometry (DEMS))
 electrochemistry, 386
 in situ FTIR spectroscopy (*see* Fourier Transform Infrared Spectroscopy (FTIRS))
 underpotential deposition (UPD), 388–391
 using TEM (*see* Transmission electron microscopy (TEM))
 XAS (*see* X-ray absorption spectroscopy (XAS))
- Nanomaterials (NMs), 252, 253, 255, 266
- Nanoparticles (NPs), 160, 189, 191, 192, 208–212, 216–218, 266, 276, 372
 adsorption, 93
 composition, 92
 concentration of, 86–88
 distribution, 261

- Nanoparticles (NPs) (*cont.*)
 formation, 190, 206, 214, 215
 growth, 4, 10
 images, 81
 in-situ characterizations of (*see* In-situ characterizations, of nanoparticles)
 size and size distribution of, 88–92, 96
 surface modification with, 275
Nanoparticle tracking analysis (NTA), 66
Nanopharmacology, 354
Nanoplasmonic, 129, 143, 149
Nanorod, 109, 110, 117, 119, 125, 137, 143, 145, 182
Nanoscience, 353
Nanosphere, 111, 112, 115, 116, 118–120, 144
Nanostars, 127, 144
Nanotechnology, 161, 162, 168, 182, 353
Nanotoxicology, 354, 362–364
nC60, 368
Near-field, 117, 145
Nitroaromatics compounds (NAC), 336
Nitrogen-doped graphene, 359
Nonpolar solvent, 21
Nonspecific binding, 343
Normalization, 197, 203
Normalized correlation coefficient, 92
Nucleation, 10, 190–192, 211–216, 218
Nuclei, 210, 211, 214, 216, 218
Number concentration, 87, 96
Numerical simulation, 89
Nyquist theorem, 199
- O**
- Octahedral Cr(III) cation, 195
One dimensional, diffusion-controlled growth behavior, 49
One-dimensional structures, 47
Optical aberrations, 77
Optical design, 77
Optical shifts, 140
Optoelectronics, 50
Organic electronic devices, 42
Organic–inorganic hybrid perovskites, 50
Organic molecules, 41
Organic nanowires, 36
Organic photovoltaics, 35
Organic pollutants, in aqueous media, 318
Organic soft materials, 35
Organic solvents, 2, 21
Organic thin films, 36
 transistors, 36, 42
- Organometallic trihalide perovskites, 36
Oscillations, 162, 195–197, 199
Ostwald ripening, 212, 214, 254
Out-of-plane
 dipole, 109
 direction, 43
 quadrupole, 109
Oxidation, 168–170, 177
 states, 189, 192, 194, 206
- P**
- Pair distribution function (PDF), 166, 180
Pair production, 193
Pancreatic cancer, 311
Particle growth, 2, 11–13
Particle-particle interaction, 257
Particle size, 165, 191
Particle tracking analysis (PTA), 66
Part per billion range, 88
PCA, *see* Principal Component Analysis (PCA)
 π -conjugated organic materials, 35
Pd, 214, 215, 218
PEEK, 208
Penetration depth, 71
Pentacene, 41
Peristaltic pump, 208
Permittivity, 16
Perovskite
 crystal lattice, 53
 solar cells, 50
Perspective analytical technique, 96
pH, 8, 18, 25, 84
Phase shift, 162, 164, 196, 199
Phase transformation, 55
Phase transition, 51
Photoelectric effect, 193, 196
Photoelectron, 162, 164, 193, 196, 197, 199
Photon, 162, 193, 196
Photoreduction, 192, 214, 215
Photosensitivity, 138
Photothermal effect, 66
Phthalocyanines (Pcs), 318
Physical vapor deposition (PVD), 353
Physisorption, 318
Piranha solution, 79
Planck constant, 164
Plasmon hybridization, 145
Plasmon resonance Rayleigh scattering (PRRS), 137
Platinum, 206, 212
Point of care (POC) detecting devices, 310

- Pollution, 318
Polyacrylic-acid (PAA), 365
Polychromator, 201
Polycondensation, 216
Polycrystalline, 42
Polydisperse samples, 90
Polyelectrolyte layers, 329, 330
Polyethylene glycol (PEG), 365, 376
Polyethylene terephthalate (PET), 332–334
Polymeric matrix, 257, 262
Polymeric resin, 260
Polymeric support, 257
Polyol synthesis, 192, 211
Portability, 300
Position sensitive detector (PSD), 201
Post mortem analysis, 392
Potential modulation techniques, 408, 411–412
Potential sweep, 95
Powder X-ray diffractometer, 40
Power conversion efficiency, 35
 π - π stacking, 35, 41, 44, 46, 47, 54
Precursor, 167, 170, 209–211, 214–216, 218
Pre-edge peaks, 194
Preparation methodology, 255
Price, 300
Primary species, 9
Principal Component Analysis (PCA), 192, 202–204, 218
Prostate cancer, 310
Protein imaging, 14
Proton exchange membrane fuel cell (PEMFC), 392, 427
PSD, *see* Position sensitive detector (PSD)
Pt nanoparticles, 191, 214
PXRD, 208, 217
- Q**
QCM, *see* Quartz crystal microbalance (QCM)
QCM with dissipation monitoring (QCM-D), 297
QCR, *see* Quartz crystal resonators (QCR)
Q-factor, 291
Quantitative analysis, 90
Quantum dots, 66, 171, 265
Quartz crystal, 299
Quartz crystal microbalance (QCM), 70, 291
 applications, 353
 carbon nanoforms, 366–371
 with dissipation monitoring, 357
 ecological aspects with metals/metal compound nanoparticles, 365–366
 electrochemical, 357
 historical background, 353
 integrated system scanning probe microscope, 358–359
 for microscale thermogravimetric analysis, 376–377
 miniaturization, 325
 nanodetection in sensor systems, 361–362
 nanomaterials for sensors, 359–360
 nanostructure deposition and interactions with other materials, 371–374
 for nanotoxicology research, 362–364
 shape transformations of nanostructured systems, 374–376
 working principle, 355–357
Quartz crystal microbalance with dissipation monitoring (QCM-D), 357
Quartz crystal resonator (QCR), 291, 353, 355, 358, 376
Quartz microbalance (QMB), *see* Quartz crystal microbalance (QCM)
Quick-EXAFS (QEXAFS), 160, 161, 170, 174, 193, 200
Quick XAFS, 200, 202, 206, 207, 211, 215, 216
Quick-XANES (QXANES), 160, 161, 169, 170, 173, 174
Quick X-ray absorption spectroscopy (QXAS), 161, 166, 168, 173
- R**
Radiation chemistry, 6, 11, 12
 of organic solvents, 21
 of water, 7–10
Radiation damage, 3, 22, 25
Radical, 15
 scavengers, 5, 12
Radiolysis, 3, 4, 8, 21, 22, 25
 of water, 8
Raman, 192, 206
Raman spectroscopy
Range, 191–195, 199–201, 206
Raster, 167
Ratiometric image referencing, 80
Reaction kinetics, 10, 11
Reaction rate, 10
Real complex samples, 96
Real media, of complex composition, 81
Real time analysis, of adsorbed analyte mass, 337
Real-time characterization, 47
Real-time monitoring, 134–135, 137–138, 153

- Redox reaction, 148
Reducing conditions, 22
Reflection high energy electron diffraction (RHEED), 224, 228–231
 pattern, 229, 230
Reflectometric interference spectroscopy, 70, 73
Refractive index, 108–109, 115–117, 134, 143–144, 147–149
Region, 193–195
Regression coefficient, 92
Relative reactivity, 12
Reproducibility, 4
Residual light, 79
Residuals, 203
Resolution, 193, 201, 203, 211, 218
 millisecond, 190, 192, 200
 multivariate curve, 205
 spatial, 202
Resonance frequency, of crystal, 291
Resonator, 298
Resveratrol, 310
Reversible hydrogen electrode (RHE), 386, 390, 392, 396, 398, 402–405, 417, 418, 421, 422
RF voltage supply, 299
Rh, *see* Rhodium (Rh)
RHEED, *see* Reflection high energy electron diffraction (RHEED)
Rhodium (Rh), 207, 214, 215, 218
Roll-to-roll printing, 38, 45, 46
Rotavirus, 13
- S**
Salmonella, 313
Sample damping, 299
SAMs, *see* Self-assembled monolayers (SAMs)
Sauerbrey model, 355
SAXS, *see* Small angle X-ray scattering (SAXS)
Scanning electrochemical microscopy, 69
Scanning electron microscopy (SEM), 177
Scanning ion occlusion sensing, 68
Scanning probe microscope (SPM), 69, 359
Scanning tunneling microscope (STM), 224, 241–245, 352
Scattering, 193, 195, 196, 199, 216
 paths, 164
Scattering spectroscopy, 108–109
Scheimpflug intersection, 76
Selective adsorption, 85
Selectivity, 385, 416, 418, 430
Self-assembled monolayers (SAMs), 79, 296, 344, 354
Sensing area, 69
Sensor, 290
 area, 97
 coating, 297
 functionalization, 296
Shiffrin-Brust method, 192, 211
Short range order, 195
Shot noise, 79
Sigmoidal-like profile, 214
Signal-to-noise, 134, 147
 ratio, 82
Silicon nitride, 5
Silicon slanted columnar thin films (SCTFs), 374
Silver (Ag) nanocubes, 372
Silver nanoparticles, 372
Simultaneous analysis, 96
Single particles, 62, 63
 level, 137, 140, 143
Single potential infrared spectroscopy (SPAIRS), 409, 411, 416, 417
Single-walled carbon nanotubes (SWCNTs), 361, 376
Size dependence, 90
Size distribution, 91
Small angle X-ray scattering (SAXS), 67, 134, 166, 180, 191, 206, 209
S/N ratio, 200
Sol-gel, 170
Solid electrolyte interface (SEI), 24, 25
Solid, liquid or gaseous media, 62
SPAIR procedure, *see* Single potential infrared spectroscopy (SPAIRS)
Specimen charging, 17
Spectroelectrochemical cell, 400, 401
Spectroelectrochemistry, 143
 internal and external reflection, 409–411
 time-resolved in situ FTIR, 412, 413
Spin-coating, 38, 45
Spray-coating, 376
SPR imaging, *see* Surface plasmon resonance (SPR) microscopy
SPR peak, 190
Stabilization, 212, 255
Stable oscillations, 299
Standard additions technique, 82
Static light scattering, 65
Step-scan time-resolved FTIR, 412

- Step-scan time-resolved microscope FTIR reflection spectroscopy (SSTR-MFTIRS), 412
- Stirring methods, 341
- Stoichiometry, 175
- Stokes-Einstein equation, 65
- Subtractively normalized interfacial Fourier transform infrared spectroscopy (SNIFTIRS), 409, 412
- Superlattices, 181
- Supported lipid bilayers (SLBs), 362
- Supporting matrix, 261
- Surface, 254
- Surface charges, 84
- Surface coverage, 81
- Surface diffusion, 18
- Surface enhanced infrared absorption spectroscopy (SEIRAS), 411
- Surface-enhanced Raman scattering (SERS), 108
- Surface functionalization, 96
- Surface modification, 266
- Surface oxides, 401–403
- Surface plasmon resonance (SPR) microscopy, 71, 72, 74–77, 337
- data analysis, 79–83
- electrochemical analysis, 92–96
- experimental and instrumental methodology, 78–79
- nanoparticles concentration, 86–88
- size and size distribution of nanoparticles, 88–92
- surface properties and adsorption, 83–86
- Surface plasmon scattering microscopy, 73
- Surface sensing, 69
- Surface topography, 241, 242
- Surrounding, effect of, 116–117
- Surrounding medium refractive index, 115
- Susceptance, 296
- Suwannee River fulvic acid (SRFA), 370
- Suwannee River humic acid (SRHA), 365, 370
- Suzuki cross coupling reaction (SCCR), 260
- Synchrotron, 161, 164, 180, 195, 200, 201, 207, 211, 218
- T**
- Teflon, 207, 208, 212
- TEM, *see* Transmission electron microscopy (TEM)
- TEM in scanning mode (STEM), 391
- Temperature programmed reduction (TPR), 178
- Template matching, 82
- Tetrahedral coordination, 195
- TGA, *see* Microscale thermogravimetric analysis (μ -TGA)
- Theoretical approaches, 89
- Thermal annealing, 44
- Thermal evaporation, 41
- Thiol-derivative compounds, 83
- Thiol self-assembled monolayer (SAM) based on a MUA (MUA/EA), 312
- Three-dimensional (3D) TIs, 224
- Tilt, 76
- Time-resolved in situ FTIR spectroelectrochemistry, 412–413
- Time resolved X ray absorption spectroscopy (TR-XAS), 193, 200–206, 218
- TiO₂, 206, 215, 216, 218
- nanoparticles, 364
- Titanium and hydroxyapatite nanostructures, 362
- Tolerable dose, 7
- Top-down nucleation process, 52
- Topological insulators (TIs), 224
- nanomaterials, 224, 226, 229, 232–245
- Topological surface states (TSS), 223–226, 237, 239, 242
- Total internal reflection fluorescence microscopy, 72
- Total internal reflection microscopy, 72
- Toxicity
- of nanomaterials, 365
- of nanoparticles, 62
- TPR, *see* Temperature programmed reduction (TPR)
- Transmission, 165, 191, 196, 197, 201, 211, 216
- Transmission electron microscopy (TEM), 168, 169, 174, 191, 213
- ageing, 392
- classical microscopy techniques, 391
- degradation mechanisms, 392
- EDX/EELS, 391
- high resolution TEM, 391
- identical-location TEM, 393
- IL-EELS, 393
- IL-tomography, 395
- in scanning mode, 391
- Transmission X-ray microscope (TXM), 191
- Trimers, 119, 145
- Tuberculosis, 313
- Tunable resistive pulse sensing, 68

- Turkevich method, 192
Two-dimensional correlation spectroscopy (2DCOS), 128
TXM, *see* Transmission X-ray microscope (TXM)
- U**
Ultrafast, 161
Ultra-high vacuum (UHV), 224–228, 232, 234, 237, 238, 244
 chamber, 225, 227
 conditions, 223, 224, 227, 228, 232, 234, 237, 238, 240, 242, 243
Ultramicroscopy, 65
Ultrasensitive detection, 75
Underpotential deposition (UPD), 384, 385, 388–391
Undulator, 182
Unscavenged solutions, 10, 21
Unstirred layer, 88
UV–vis absorption spectroscopy, 168
UV–vis-NIR spectroscopy, 121, 123–132
UV–vis spectroscopy, 66, 190, 192, 206, 214, 216
- V**
Vacuum suitcase, 224, 226, 237, 244, 245
Valence states, 193, 194
Vapor-solid chemical reaction, 47
Virus, 13, 313
Viscoelasticity response, 329
Viscosity, 17, 18
Vitrification, 46
Voigt-based model, 356
Voigt function, profile, 232
Voltage controller crystal oscillator (VCXO), 299
Voltammetry, 337
Voltammogram, 24, 25
- W**
Water, 2, 21
 radiation chemistry, 7–10
 treatment, 370
Wave, 164
Waveguide based sensors, 71
Wave number, 164
White line, 194, 211
Wide dynamic range, 81
Wide-field prism based SPRM, 75, 78
Wiggler beamlines, 177
- X**
XANES, *see* X-ray absorption near edge structure (XANES)
XAS, *see* X-ray absorption spectroscopy (XAS)
X-axis inversion, 326
X-ray, 15
 absorption coefficient, 193, 202
X-ray absorption near-edge spectroscopy (XANES), 162–166, 206, 209, 211, 212, 215, 216, 398
 information, 194, 201
 reduction, 204
 spectra, 195, 202, 203
 technique, 192
 XAS spectrum, 193
X-ray absorption spectroscopy (XAS)
 adsorption by XANES, 401–403
 analytical tools, 202–203
 battery applications, 172–175
 beamline, 201
 catalytic nanomaterials, 175–179
 colloidal metal, metal-oxide, and doped metal-oxide nanoparticles, 168–172
 compositional variations by, 405–407
 electrode structural changes by, 403–405
 EXAFS, 398–400
 in-situ SAXS, 182
 local probe, 218
 metal nanoclusters, 167–168
 nucleation and formation process, 191
 principles, 395–398
 spectroelectrochemical cell, 400–401
 spectrum, 194, 205, 217
 techniques, 192–193
 unoccupied states, 160
 XANES, 398–400
X-ray diffraction (XRD), 134, 192, 206
X-ray energy, 40
X-ray free electron laser (XFEL), 182
X-ray photoelectron spectroscopy (XPS), 177
X-ray photoemission spectroscopy (XPS), 224, 231–235
X-ray tube, 195
X-ray wavelength, 40
- Z**
Zeolites, 177
Zinc oxide (ZnO), 191, 206, 216, 218
 colloid particles, 316
 nanoparticle, 206