

Index

A

A-B binary system, 294
A-site atoms, 242
AA, *see* Acetylacetone
Absorption/adsorbed, 119, 155, 277, 315, 388, 392, 394–404, 408, 411, 428, 451–453, 459, 460, 504
AC, *see* Activated carbons
Acetylacetone (AA), 341
Activated carbons (AC), 18, 446
Activation energy, 240, 284, 311, 347
Activation polarization, 229, 230, 243, 262
Adaptive fuel consumption minimization strategy (AFCMS), 371
Adsorbed molecules, 93
Adsorbed oxygen atoms, 176
Advanced fuel cycle initiatives, 9
AE, *see* Alkaline earth
AES, *see* Auger electron spectroscopy
AFC, *see* Alkaline fuel cell
AFCMS, *see* Adaptive fuel consumption minimization strategy
Ag, *see* Argentum/Silver
Air start (AS), 71–74
Alanates, 449
ALD, *see* Atomic layer deposition
Alkaline earth (AE), 291
Alkaline fuel cell (AFC), 40–44, 50, 183
Alloy/alloying, 17–19, 117, 118, 129, 131, 147, 161, 173–175, 178, 179, 181, 183–189, 192, 215, 216, 219, 241, 293, 295, 341, 348, 353, 392, 416–417, 426, 427, 434, 451–453, 474
Amides, 448–449
Ammonium persulfate (APS), 211
Amorphous, 62, 92, 93, 161, 182, 292, 304, 305, 326–328, 448, 456, 480
Amorphous phase modeling, 305

Anode

flow field, 200
polarization, 235
Anode/electrolyte layer (A/E) interface, 504
Anodic catalyst layer, 252
Anodic oxidation catalyst, 202
Antimony-doped tin oxide (ATO), 155
APS, *see* Ammonium persulfate
Argentum/Silver (Ag), 171, 173, 187, 188, 215, 234, 342
ARSM, *see* Atmospheric resistive switching mechanism
AS, *see* Air start
Atmospheric resistive switching mechanism (ARSM), 54, 101–106
ATO, *see* Antimony-doped tin oxide
Atomic energy commission (AEC), 5, 7, 10
Atomic layer deposition (ALD), 187, 233, 237
Atomic oxygen, 340–342, 348
Atoms for Peace, 3
Au, *see* Auric/Gold
Auger electron spectroscopy (AES), 289
Auric/Gold (Au), 161, 171, 173, 181, 184, 186–188, 189, 191, 192, 203, 215, 340, 342

B

B, *see* Boron
B-site atoms, 242, 289, 308–310, 318, 324
BAAEDI, *see* Bisacetylacetonethylenediimine
Balance of plants (BoP), 388, 419
Barium strontium cobalt (BSCF), 232–234
Battery, 18, 20, 146, 172, 361, 362, 364–366, 367, 369, 370, 372, 374, 376–381, 471
Battery electric vehicle(s) (BEV), 361–364, 369, 380, 381
Benzene-1,4-dicarboxylate (BDC), 447

- BEV, *see* Battery electric vehicle(s)
- Binding energy, 178, 180, 183, 311, 340–343, 348, 350, 354, 446, 448
- Biomass, 8, 11, 14, 411
- Bioreclamation process, 192
- Bipolar plate (BP), 18, 254, 261, 277, 278, 389, 474, 478–485
material, 485
- Birnessite type, 456
- Bis-acetylacetone-ethylene-diimine (BAAEDI), 341
- Bis-salicyl-aldehyde-ethylene-diimine (BSAEDI), 341
- BN, *see* Boron nitrides
- BoP, *see* Balance of plants
- Boranes, 451
- Borohydride(s), 149, 210, 211, 449, 450
- Boron (B), 450–451
- Boron nitrides (BN), 160
- Boundary conditions, 262–264, 478
- Braking energy, 19, 368
- Bridge carbonyls, 127
- Brouwer diagram(s), 287, 306, 307, 315, 316, 329
- Bruggemann's correction, 257
- BSAEDI, *see* Bis-salicyl-aldehyde-ethylene-diimine
- BSCF, *see* Barium strontium cobalt
- Butler-Volmer
equation, 255, 256
kinetics, 426
- C**
- C, *see* Carbon
- C/A, *see* Cubic/amorphous
- Calcination, 155, 237, 242
- CALCulation of PHase Diagram (CALPHAD), 293, 295, 305–330
- CALPHAD, *see* CALCulation of PHase Diagram
- Capture and storage technologies, 15
- Carbide(s), 88–90, 118, 147, 157–159, 163
- Carbon (C), 3, 40, 56, 116, 147, 172, 202, 228, 342, 361, 386, 411, 445, 474, 519
- Carbon black (CB), 58, 147, 149, 173, 185, 188, 216, 217, 483
- Carbon capture, 9
- Carbon dioxide (CO₂), 13–15, 17, 200, 201, 414, 446, 519
- Carbon monoxide (CO), 12, 17, 117, 118, 120, 121, 123, 127–129, 130, 140, 141, 151, 175, 212, 216, 228, 423, 429, 522
- Carbon nanotube (CNT), 163, 183, 202–206, 218, 219, 346, 432, 433, 446, 483, 484, 491, 492
film, 163, 183, 202–209, 218, 346, 432, 433, 446, 483, 491
- Carbon nanotube-membrane electrode assembly (CNT-MEA), 204–206
- Carbon oxidation reaction (COR), 58, 59, 75, 76, 78, 79, 106
- Carbon paper (CP), 202, 203, 205
- Carbon powders, 116, 123
- Carbon sequestration, 9
- Carbonyl ligands, 120, 127
- Catalyst
stability, 353
supported, 62, 66, 88, 92, 101, 147, 155, 159, 161, 210–217, 451
- Catalyst coated membrane (CCM), 75, 203, 389, 411
- Catalyst layer (CL), 18, 57, 58, 98, 153, 157, 190, 201–203, 209, 212, 234, 250–252, 254–256, 259–261, 272, 277, 409, 411, 416, 417, 419, 422, 423, 425–427, 428, 475, 477, 490, 491
- Catalytic activity, 66, 93, 103, 117–119, 121, 122, 126, 128–130, 131, 133, 141, 149, 151, 153, 155, 159, 161, 162, 185, 189, 190, 210, 211, 215, 216, 220, 230, 231, 235, 238–242, 285, 341, 344, 348, 350, 417, 429, 449
- Cathode
catalyst layer, 58, 98, 153, 201
current collector, 203, 204, 237
thickness, 317
- CB, *see* Carbon black
- CCM, *see* Catalyst coated membrane
- CEM, *see* Compound energy model
- Ceria (CeO), 213, 233, 234, 237–239, 240, 242, 285, 286, 324, 507–510, 521
- CGO, *see* Gadolinium doped ceria
- Charge carrier, 94, 251, 288, 307, 514
- Charge disproportionation, 287, 288, 296, 297, 301, 306, 308, 309
- Charge-transfer, 32, 33
- Chemical energy conversion, 29, 33–35
- Chemical vapor deposition (CVD), 181, 234, 447
- CHP, *see* Cogeneration of heat and power
- Chromium (Cr), 118, 155, 238–240, 292, 341, 342, 447, 451, 453, 483
- Chronoamperometry, 123
- CL, *see* Catalyst layer
- Clean Air Act, 13

- Close-loop, 267, 398
Clusters, 101, 115–141, 190, 210, 216, 218, 235, 287, 288, 341, 353, 447, 489, 501
CNT, *see* Carbon nanotubes
CO, *see* Carbon monoxide
Co, *see* Cobalt
CO Co-Oxidation, 151, 215
Co hydrogenation, 127
CO poisoning, 17, 18, 183, 213, 215, 428–432
CO sorption, 426
CO₂, *see* Carbon dioxide
Coal, 3, 5, 8–14, 20, 21, 386, 518–520
Cobalt (Co), 118, 174, 217, 233, 239, 241, 284, 341, 342, 344, 416, 452, 521
Coefficient of thermal expansion (CTE), 284, 324, 330, 475, 476
Cogeneration of heat and power (CHP), 386, 387, 396, 398, 404
Cohesive energy, 353, 354
Coking, 228, 237, 239, 241
Columbia charge, 215
Competitive adsorption, 425
Complex hydride, 448–450, 464
Compound energy model (CEM), 294
Compressed gas/compressed hydrogen
 gas/compression of hydrogen, 18, 19, 278, 445, 520
Concentration polarization, 229, 230, 235
Concus-Finn condition, 277
Condensation/condenser, 121, 259, 260
Cooling system, 264, 270, 271
COR, *see* Carbon oxidation reaction
Core-shell/core-shelled, 161, 174, 183, 184, 187–189, 192
Corrosion, 19, 59, 60, 62–68, 70, 73, 86, 88, 99, 101, 103, 104, 106, 147, 149, 159, 160, 163, 173, 204, 210, 426, 480–482
Corundum, 319
Cost, 5, 8, 10, 11, 14, 17, 20, 21, 117–119, 136, 141, 163, 172–174, 181, 186, 187, 191–193, 209, 215, 216, 221, 228, 229, 240, 267, 268, 283, 285, 338, 363, 378, 386, 387, 393, 408, 428, 434, 445, 447, 454, 474, 479–481, 482, 484–486, 491, 493, 500, 507, 508, 510, 512, 513
Cost of electricity, 388
Coulomb/Coulomb's Law, 31, 32, 35, 256, 340, 369
Covalent compounds, 120, 157, 448, 454, 492, 532
CP, *see* Carbon paper
Cr, *see* Chromium
Critical radius, 190
Crossover, 82–84, 202, 207, 209, 216, 373, 374, 411, 487, 491, 492, 512, 513
CTE, *see* Coefficient of thermal expansion
Cu, *see* Cuprum/Copper
Cubic phase, 292, 449
Cubic/amorphous (C/A), 328
Cuboctahedral arrangement, 127
Cuprum/Copper (Cu), 118, 124, 174, 183, 237–238, 342, 392, 448, 450, 451
Current density, 41, 47, 48, 80–87, 94, 97, 99, 104, 118, 124, 131, 133, 134, 136–138, 154, 208–210, 212, 215, 221, 241, 255, 275, 276, 321, 323, 390–392, 410, 413, 414, 419, 420, 422, 423, 425, 430, 434
Current-potential curves/IV performance (I-Es), 61, 64, 72–74, 80, 82, 83, 97, 99, 100, 105, 130, 132
CV, *see* Cyclic voltammetry/cyclic voltammograms
CVD, *see* Chemical vapor deposition
Cyclic voltammetry/cyclic voltammograms (CV), 64, 66–69, 74, 80, 121, 123, 127–129, 132, 134, 151, 210–212, 213, 221, 415, 416, 425, 429
Cytotoxicity, 21
- D**
DARPA, *see* Defense Advanced Research Projects Agency
Decarbonylation, 121, 125, 126, 129, 135
Decomposition, 17, 29–34, 36, 37, 39, 40, 125, 129, 153, 182, 184, 239, 252, 432, 433, 449–451
Defect reaction, 288, 295, 296, 301, 302, 306, 308, 309
Defense Advanced Research Projects Agency (DARPA), 7
Density functional theory (DFT), 176, 210, 290, 311, 339–340, 430, 457, 465
Department Of Energy (DOE), 5–12, 67, 173, 174, 192, 480–486
DFT, *see* Density functional theory
DHW, *see* Domestic hot water
Dibenzotetraazaanulenes (TAA), 118
Dichlorofluorescein, 525, 532
Diesel particulate matter, 12
Diffusion barrier, 290
Diffusion coefficient, 131, 255, 257, 258, 260, 265, 311, 416
Diffusion layer (DL), 16, 17, 183, 190, 200–202, 207, 254, 259, 277, 278, 389, 474, 477

- Diffusion/diffusivity, 16–18, 44, 88–90, 97, 101, 131, 132, 157, 183, 189–191, 200–202, 207, 209, 230, 234, 235, 239, 242, 250, 254, 255, 257–259, 260, 265, 275, 276, 278, 290, 291, 311, 314, 347, 389, 411, 416, 418, 424, 429, 433, 452, 474, 479, 484, 504, 512, 532
- Direct electrostatic-to-chemical energy conversion, 33–35
- Direct methanol fuel cells (DMFC), 133, 157, 175, 183, 187, 191, 200–219, 221
- Dissolution, 57, 68, 74, 79–83, 85, 86, 100, 119, 156, 160, 183, 184, 189, 339, 350–353
- Dissolution potential, 339, 350–353, 414
- DMFC, *see* Direct methanol fuel cells
- DOE, *see* Department Of Energy
- Domestic hot water (DHW), 386
- Domestic oil production and usage, 4
- Dose-response, 536
- Drivetrain, 365–370, 378
- DTU, *see* Technical University of Denmark
- Dwight Eisenhower, 2, 3
- Dynamic viscosity, 259
- E**
- E-Tek, 154, 173
- ECA, *see* Electrochemical area
- ECSA, *see* Electrochemical surface area
- EDS, *see* Energy dispersive spectroscopy
- EELS, *see* Electron energy loss spectroscopy
- EL, *see* Water electrolyzer
- Electric power, 10, 27–50, 361–362, 367, 370, 372, 380
- Electrical conductivity, 18, 88, 89, 91, 93–95, 97, 98, 147–149, 151, 153, 156, 157, 159, 160, 183, 210, 218, 230, 233–235, 239, 242, 256, 285–289, 291, 292, 306–311, 480, 481, 483, 484
- Electrical energy, 16, 28, 29, 32, 200, 338, 396, 485
- Electro catalysts/electrocatalysis/
electrocatalyst, 16, 60, 115–141, 146, 171–193, 220, 337–335, 408, 520
- Electro catalytic activity, 118, 127, 131, 149, 159, 162, 179, 181, 182, 184–186, 212, 218, 219, 239, 324, 350, 408, 409, 416, 434
- Electrocatalyst poisoning, 175, 178
- Electrocatalytic activity, 118, 127, 131, 149, 159, 162, 179, 181, 182, 184–186, 212, 218, 219, 239, 324, 350, 408, 409, 416, 434
- Electrochemical activity, 88, 128, 155, 159, 221, 242, 424, 427
- Electrochemical area (ECA), 60–62, 64–68, 71, 72, 82, 85, 86, 88, 89, 99–101, 104, 105, 338
- Electrochemical degradation, 350
- Electrochemical kinetics, 258
- Electrochemical quartz crystal microbalance (EQCM), 66
- Electrochemical reaction, 116, 117, 127, 191, 200–202, 230, 252, 256, 259–261, 275, 338, 345, 409, 416, 434, 474
- Electrochemical stability, 116, 147, 148, 155, 160, 350, 353
- Electrochemical surface area (ECSA), 159, 182, 211–215, 216, 221, 411, 414, 417–419, 421–423, 425, 426, 428
- Electrochemical surface area (ESA), 159, 221, 434
- Electrochemistry, 317, 343
- Electrode(s), 16, 29, 57, 116, 148, 174, 203, 227–243, 250, 284, 346, 389, 409, 474, 498, 520
- Electrolyte, 30, 97, 116, 149, 171–193, 210, 229, 250, 281–330, 387, 416, 459, 470, 498
- Electrolytic cells (ECs), 28–32, 39, 41, 44–48, 49
- Electrolytic polymer membrane, 16
- Electrolyzer, 28, 29, 38, 40–44, 50, 387
- Electromotive force (Emf), 31, 32, 36, 38–40
- Electron conduction, 94, 235
- Electron energy loss spectroscopy (EELS), 338
- Electron-holes, 287, 309, 310
- Electronic conducting phases, 162, 163
- Electronic conductivity, 116, 147, 148, 155, 156, 161–163, 179, 232, 237, 242, 284, 286, 287, 308–310, 324
- Electrons/electron mobility, 309, 329
- Electrooxidation/electro-oxidation, 80, 151, 155, 213, 215, 234, 417, 418
- Electrostatic energy, 29, 31, 33–35, 41
- Electrostatic-induction potential-superposed electrolysis (ESI-PSE), 28, 29, 36–42, 44–48, 50
- Electrostatic-induction potential-superposed water electrolysis, 29, 36–30
- Emf, *see* Electromotive force
- End plates, 17, 476, 478
- Energy consumption, 13, 365, 374, 386, 403, 518, 519
- Energy conversion, 28, 29, 33–35, 219, 228, 387, 433, 517–538

- Energy cycle, 28, 29, 40, 42–44, 50
Energy demand, 2, 3, 518, 519
Energy dispersive spectroscopy (EDS), 135, 240, 289, 524, 526, 527
Energy policy, 3–6, 9, 20
Energy-related research, 7, 9
Entropy, 262, 272, 294, 298, 300–302
Epitaxial growth or grows, 184
EQCM, *see* Electrochemical quartz crystal microbalance
EREVs, *see* Extended range electric vehicles
ESA, *see* Electrochemical surface area
ESI-PSE, *see* Electrostatic-induction potential-superposed electrolysis
Ethanol, 8, 128, 129, 149, 155, 219, 239, 502, 521, 522
Ethanol oxidation, 149, 219
Ethylene glycol (EG), 149, 211–213, 393
EUDC, *see* European union driving cycle
European union driving cycle (EUDC), 374
EXAFS, *see* Extended X-ray absorption fine structure
Exchange-correlation functional, 340
Exposure assessment, 536
Extended range electric vehicles (EREVs), 361
Extended X-ray absorption fine structure (EXAFS), 155, 428
- F**
F, *see* Fluorine/fluoride
Face centered cubic (FCC), 181, 338
Faraday's law, 460, 461
FCC, *see* Face centered cubic
FCCJ, *see* Fuel Cell Commercialization Conference of Japan
FCHJU, *see* Fuel Cells and Hydrogen Joint Undertaking
FCs, *see* Fuel cells
FCVs, *see* Fuel cell powered vehicles
FCX, *see* Fuel Cell eXperimental (vehicle)
Feedback controller, 265–268
Ferrum (iron/ferrous/ferric) (Fe)
FIB, *see* Focus(ed) ion beam
Fickian, Stefan-Maxwell, 257
First principle calculations, 324
Flood/flooding, 17, 98, 201–206, 251, 275–277, 279, 390, 392, 398
Flow field plate, 17
Flow rate, 63, 66, 201, 204, 236, 264, 266, 268–270, 272, 275, 276, 278, 389, 390, 392–394, 397–399, 401–403, 404, 460, 500
Fluorine/fluoride (F), 18, 31, 33, 35, 41, 342, 430, 491
Focus(ed) ion beam (FIB), 428
Forced convection, 272, 273
Fossil fuels, 4, 8–10, 12, 14, 15, 172, 200, 221, 360–362, 364, 386, 408, 444
Four-electron transfer step(s), 217, 347
Fourth nearest-neighbor interactions, 311
FSZ, *see* Fully stabilized zirconia
Fuel cell(s) (FCs), 1–21, 28, 53–106, 115–141, 145–167, 171–193, 199–221, 227–243, 249–279, 281–330, 338, 359–381, 386, 408, 444, 469–493, 497–514, 519
Fuel Cell Commercialization Conference of Japan (FCCJ), 57, 63, 64, 67
Fuel Cell eXperimental (vehicle) (FCX), 18–20, 172, 362
Fuel cell powered vehicles (FCVs), 8, 19, 48, 54–56, 57, 63, 66, 71, 74, 75, 78, 80, 105, 172, 362, 363, 365, 475
Fuel cell tests, 124, 136, 153, 159
Fuel Cells and Hydrogen Joint Undertaking (FCHJU), 445
Full-Width-At-Half-Maximum (FWHM), 135
Fully stabilized zirconia (FSZ), 292
Fun, *see* Functional Unit
Functional Unit (Fun), 536
Future energy, 6–8, 361, 362, 364, 419, 424, 426, 427, 434, 513
FWHM, *see* Full-Width-At-Half-Maximum
- G**
GA, *see* Graphene Aerogel or Genetic Algorithm
Gadolinium-doped ceria (GDC), 240, 285, 286
Gas diffusion, 18, 88, 89, 101, 230, 235, 504, 512
Gas diffusion electrodes (GDEs), 44, 45, 88, 183, 184, 207, 429, 477, 478, 484
Gas diffusion layers (GDLs), 16–18, 183, 190, 202, 203, 205, 206, 254, 256, 257, 259–263, 275–277, 278, 389, 474, 475, 477
Gas exchange process, 64
Gas prices, 519
Gasoline, 5, 8, 12–14, 15, 19, 21, 361, 362, 519, 523
GCB, *see* Graphitized carbon black
GDC, *see* Gadolinium-doped ceria
GDEs, *see* Gas diffusion electrodes
GDLs, *see* Gas diffusion layers

- Generalized differential quadrature (GQD), 218
Generalized gradient approximation (GGA), 340
Geothermal, 11
GGA, *see* Generalized gradient approximation
GHG, *see* Greenhouse gases
Gibbs energy/Gibbs free energy, 34, 289, 290, 292–295, 297–306, 315, 320, 326, 328, 344–346, 522
Glancing incidence X-ray diffraction (GIXD), 71, 73
GNTs, *see* Graphene nanotubes
GOA, *see* Graphene oxide aerogel
GOs, *see* Graphene oxides
GQD, *see* Generalized differential quadrature
Grain boundaries, 94, 102, 289, 505, 510
Graphene (G), 60, 149, 185, 202, 339, 430, 446, 483
Graphene nanotubes (GNTs), 350
Graphene oxide (GOs), 185, 207, 210, 211, 215, 220, 221, 450, 452
Graphene oxide aerogel (GOA), 220, 221
Graphene substrate, 210
Graphitized carbon black (GCB), 59–63, 69, 70, 78, 80, 86–90, 95, 97–103
Greenhouse gases (GHG), 3, 12, 13, 172, 360, 361, 522
Gross domestic product, 10
- H**
H, *see* Hydrogen/H₂/H sorption
HA, *see* Hygrophila Auriculata plant extract
HAADF, *see* High-angle angular dark-field
Hard X-ray photoelectron spectroscopy (HAXPES), 289, 290
HAXPES, *see* Hard X-ray photoelectron spectroscopy
Hazard identification, 536
HCP, *see* Hexagonal close packing/packed
Heat transfer, 251, 264, 273, 279, 415
Heat treated/treatment (HT), 60, 94, 211, 289, 290, 313, 314
Heptanuclear, 121
Hexafluoro acetylacetone (HFAA), 341
Hexagonal close packing/packed (HCP), 184
Heyrovsky reaction, 134
HFAA, *see* Hexafluoro acetylacetone
HFR, *see* High-frequency resistance
Hg, *see* Hydrargyrum (mercury)
High-angle angular dark-field (HAADF), 524
Highest occupied molecular orbital (HOMO), 349, 350
High-frequency resistance (HFR), 419, 420, 429
High-potential, 149
High resolution transmission electron microscope (HRTEM), 411
High superficial area, 277
HLG, *see* HOMO-LUMO gap
HOMO, *see* Highest occupied molecular orbital
HOMO-LUMO gap (HLG), 349, 350
Honda, 17–19, 20, 55, 56, 172, 362, 363
HOR, *see* Hydrogen oxidation reaction
HREG system, *see* Hydrogen generation system
HRTEM, *see* High resolution transmission electron microscope
HT, *see* Heat treated/treatment
Humidified/humidifier/humidity, 17, 18, 70, 84, 86, 97, 99, 124, 136, 233, 237, 241, 250–252, 259, 264–267, 277, 279, 302, 352, 392, 410, 418, 461, 474, 475, 485, 486, 489–491
Hydrargyrum (mercury) (Hg), 122, 173
Hydration, 204, 206, 250, 251, 257, 275–277, 487
Hydrocarbon fuels, 235, 237, 241, 426
Hydrogel, 202, 207, 208, 220
Hydrogen fuel, 8, 15, 216, 229, 235, 236, 266, 285, 493
Hydrogen fuel cells, 21, 127, 172, 359–381
Hydrogen generation (HREGs) system, 33, 40–50
Hydrogen oxidation reaction (HOR), 58, 116–118, 119, 121, 123, 126, 127, 129–134, 140, 141, 175, 215–217, 219, 235, 240, 252, 409, 426, 521
Hydrogen passivation, 75–79
Hydrogen pressure, 272, 389, 391, 451, 456
Hydrogen storage, 16, 19, 252, 387, 388, 392–397, 443–465, 523
Hydrogen/H₂/H sorption (H), 8, 27–50, 54, 116, 146, 172, 200, 229, 251, 285, 342, 359–381, 385–404, 408, 443–465, 473, 512, 520
Hydrolysis, 414, 415, 451
Hydrophilic/hydrophilicity, 97, 124, 151, 203, 277, 416, 485, 489, 492, 523
Hydrophobic, 97, 203, 523
Hydrothermal, 153, 159, 220, 445, 508, 512
Hydroxide/hydroxyl ion, 211, 445, 521
Hygrophila Auriculata plant extract (HA), 523, 527–529, 530, 532, 536

I

- I-Es, *see* Current-potential curves/IV performance
ICEs, *see* Internal combustion engines
Imides, 445, 448–449
Import quotas, 5, 6
Impregnation-thermal decomposition method, 153
Incrustation processes, 119
Indium oxides (ITOs), 155
Indium tin oxide (ITO), 483
INT, *see* Interface
Inter-electrode voltage, 31
Inter-particle distance, 189, 190
Interaction parameter, 294, 300, 304
Interface (INT), 31–33, 40, 73, 147, 149, 151, 160, 232, 237, 262, 275–277, 278, 286, 289–291, 338, 410, 411, 414, 416, 417
Intermetallic compounds, 451, 452
Internal combustion engines (ICEs), 15, 16, 172, 360–364, 408, 519
Internal reforming (IR), 69, 85, 97, 99, 100, 105, 235
Interstitial compounds, 157
Intrinsic microporosity, 448
Ionic, 31, 33, 35, 74, 85, 120, 229, 232, 233, 240, 252, 254–257, 283–285, 291, 292, 294–295, 304, 305, 309–311, 454, 492, 510
Ionic conduction, 232, 240
Ionization potential, 346, 347
Iridium, 121, 122, 125–127, 129, 133–135, 138, 140, 149, 521
Isothermal/isothermic state, 254, 445, 452
ITO, *see* Indium tin oxide

J

- J, *see* Joule
Jobs, 10, 13–15
Joule, 390

K

- K, *see* Kalium (Potassium)
Kalium (Potassium), 416
Kinetic Monte Carlo simulation(s), 311
KMC(s), *see* Kinetic Monte Carlo simulation(s)
Kroger-Vink notation, 284, 296

L

- Lanthanum strontium chromium manganite, 238–240, 242
Lanthanum strontium cobalt ferrite, 241, 284, 289, 290, 301, 302, 318–325
Lanthanum strontium cobaltite, 232, 233
Lanthanum strontium gallium magnesium oxide(s), 236, 237, 240, 242
Lanthanum strontium gallium/Linear systems theory, 242
Lanthanum strontium manganite, 232–234, 284, 286–292, 301, 302, 306–310, 312, 314–316, 324–325, 329, 512
Lanthanum zirconium oxide(s), 290, 312, 313, 330
Lattice Constant, 188
LCA, *see* Life cycle assessment
LDA, *see* Local density approximation
Lewis base, 120
Li, *see* Lithium
Li-ion batteries, 366
Life cycle assessment, 532, 535, 536
Lifshitz-Slyozov-Wagner, 425
Linear sweep voltammetry, 116, 121, 123, 127, 129
Lithium, 416, 448, 449
Load, 35, 43, 53–106, 117, 215, 216, 254, 266, 277, 291, 366, 387, 388, 398, 401, 404, 464, 475–478, 487, 489, 520
Local density approximation, 340
Low efficiency, 209, 362, 444
Lowest unoccupied molecular orbital, 349, 350
LSC, *see* Lanthanum strontium cobaltite
LSCF, *see* Lanthanum strontium cobalt ferrite
LSCM, *see* Lanthanum strontium chromium manganite
LSGM(s)/LSGM(s) electrolyte, *see* Lanthanum strontium gallium magnesium oxide(s)
LSM, *see* Lanthanum strontium manganite
LST, *see* Lanthanum strontium gallium/Linear systems theory
LUMO, *see* Lowest unoccupied molecular orbital
LZO(s), *see* Lanthanum zirconium oxide(s)

M

- M/T, *see* Monoclinic/tetragonal
Macroporous support, 157
Magneli phase, 148–151, 163
Magnetic nanoparticle(s), 523–534, 536

- Manganese, 238, 292, 308, 316, 341, 342, 354, 451, 457, 459, 521
- Manganese/manganese oxide, 238, 454–456, 464, 521
- Mass flow controller, 270, 393, 461, 462
- Mass fraction, 252, 257, 258, 262
- Mass transfer/mass transport, 32, 59, 88, 182, 201, 203, 205–207, 208, 229, 239, 262, 275, 277, 392, 408, 409, 421, 429
- Materials of Institut Lavoisier, 447
- MATLAB, 267, 367, 374
- Membrane electrode assembly, 16–18, 57, 58, 61, 64, 66, 68, 69, 72, 73, 88, 89, 95–101, 104–106, 124, 136, 138, 140, 200, 202–204, 207, 209, 251, 389, 408, 409, 422, 426, 474, 477, 478, 481, 488, 490, 491, 521
- MEMS, *see* Microelectromechanical system
- Metal hydride tank, 387–389, 392–404
- Metal hydride(s), 386–388, 393, 445, 448–454, 464
- Metal organic framework, 445, 447, 448
- Metal retrodonation, 120
- Metallic phthalocyanines, 118
- Methane, 8, 13, 230, 238, 239, 520, 522
- Methanol, 14, 17, 117, 119, 121, 123, 127–135, 140, 155, 175, 180, 200, 202–204, 206–218, 414, 492, 520–522
- Methanol oxidation, 129, 134, 212
- Methanol oxidation reaction, 119, 123, 129–135, 151–153, 158, 162, 164–166, 175, 179–181, 185, 186, 210–218, 220, 221
- MFC, *see* Mass flow controller
- MFFCS, *see* Multifunctional fuel cell system
- MHT, *see* Metal hydride tank
- Microcalorimetry, 292
- Microelectromechanical system, 200, 203
- Microwave irradiation/microwave-assisted method, 211, 213
- MIEC, *see* Mixed ionic and electronic conductor
- MIL, *see* Materials of Institut Lavoisier
- Mixed ionic and electronic conductor, 232, 233, 284, 330
- Mn, *see* Manganese
- MNP(s), *see* Magnetic nanoparticle(s)
- Mo, *see* Molybdenum
- Model/Modeling, 9, 14, 18, 30, 31, 82, 121, 228, 249–279, 287–289, 293–307, 309, 310, 315, 321, 329, 338, 340–342, 344, 345, 347, 350, 352, 353, 360, 364, 367–372, 374, 380, 421–428, 434, 457, 464, 471, 478, 536
- MOF, *see* Metal organic framework
- Molar fraction, 275
- Molybdenum, 117–119, 150, 151, 242, 451
- Monoclinic phase, 305
- Monoclinic/tetragonal, 292
- Monte Carlo simulation, 426
- MOR, *see* Methanol oxidation reaction
- Multi-walled carbon nanotube(s), 203, 446
- Multifunctional fuel cell system, 251
- MWNT(s), *see* Multi-Walled Carbon Nanotube(s)
- N**
- N₂, *see* Nitrogen
- Nafion/Nafion ionomer, 61, 64, 68, 69, 72, 75, 82, 97, 123, 124, 157, 190, 203, 207, 251, 390, 411, 416, 427, 429, 477, 478, 485–490, 492
- Nano cage(s)/Nanocage(s), 181, 187, 188, 192
- Nano electrocatalyst(s), 179, 190
- Nano-catalyst(s), 147, 149, 179–186, 218, 236
- Nanomaterial(s)/Nanostructured, 119, 149, 152, 162, 171, 173, 179, 190, 192, 199–221, 227–243, 407–434, 449, 497–514, 517–539
- Nanoparticle(s), 53–106, 117, 119, 121, 132, 133, 147, 149, 151–153, 155, 157, 159–161, 166, 173, 178–180, 182–186, 189, 190, 192, 209, 211–213, 215, 216, 218, 220, 221, 232–235, 237–241, 292, 304–305, 325–330, 350, 352, 353, 409–411, 414, 416–418, 422, 427, 433, 434, 447, 491, 506–509, 511, 513, 514, 536
- Nanoporous, 450
- Nanosafety, 517–539
- Nanosheet/Nanosheet(s)/Nano-sheet(s), 152, 153, 184, 211, 215, 217, 220, 450
- Nanotube(s), 163, 166, 181, 183, 185, 233, 353, 521
- Nanowire(s), 87, 149, 182–187, 192, 219, 234, 353
- National Science Foundation, 6

- Natural gas, 3, 5, 8–11, 14, 16, 21, 362, 386, 387, 518, 519, 522, 523
- Natural oil, 5
- NCL-RGO(s), *see* Nitrogen-doped carbon layer-reduced graphene oxide(s)
- NEDC, *see* New European Driving Cycle
- Net exporter of energy, 3
- New European Driving Cycle, 366, 374, 376, 378, 379, 381
- Ni, *see* Nickel
- Nickel, 12, 118, 174, 229, 235–237, 239–241, 242, 285, 292, 340–342, 344, 348, 416, 417, 426, 433, 450, 451, 483, 499, 500, 506, 507, 512, 513, 521
- Niobium, 155, 450, 483
- Nitrogen, 13, 73, 80, 92, 116, 118, 123, 125, 126, 135, 203, 207, 217, 254, 258, 317, 342, 344, 346, 390, 415, 418, 433, 446, 450, 520, 521
- Nitrogen hydride(s), 450–451
- Nitrogen oxide(s), 12, 48, 520
- Nitrogen-doped carbon layer-reduced graphene oxide(s), 211–213
- NO, *see* Nitrogen oxide(s)
- Noble metal, 118, 147, 149–151, 157, 161, 165, 166, 171–193, 211, 215
- Noble metal lixiviation, 118
- Non-carbon catalysts support materials, 154
- Non-metal hydride(s), 448, 450–451
- Nonfaradaic process, 31
- Nonlinear dynamics, 268, 269
- NP(s), *see* Nanoparticle(s)
- Nuclear energy, 3, 8–10, 20
- Nuclearity, 121, 127, 353
- Numerical solution, 36, 49
- Nusselt number correlation, 264
- O**
- O, *see* Atomic Oxygen
- O₂, *see* Oxygen
- OCV, *see* Open circuit voltage
- ODA, *see* Oxygen depleted air
- OER, *see* Oxygen evolution reaction
- OH binding, 189, 341, 342
- Ohmic losses/Ohmic resistance, 59, 64, 97–99, 229, 230, 236, 240, 277, 409, 419, 422, 491
- Onboard fuel reforming, 17
- Onboard high-pressure hydrogen tank(s), 19
- One-dimensional, 35, 162, 181–184, 219, 421, 422, 425
- OP, *see* Optimization problem
- Open circuit, 39, 124, 133, 136, 202, 234, 255 voltage, 41, 42, 47, 54, 56, 58, 80–87, 106, 486, 487, 512–514
- Optimization problem, 372
- ORR, *see* Oxygen reduction reaction
- Os, *see* Osmium
- Osmium, 119, 121, 122, 125–127, 135, 140, 173
- Ostwald ripening, 56, 80, 84, 100, 183, 186, 411, 414, 425, 434
- Outlook survey, 2
- Over potential or Overpotential(s), 117, 119, 134, 202, 229, 255, 262, 291, 346, 390, 392, 403, 417, 422, 423, 425–427, 429, 432
- Oxidation environments, 154
- Oxidation/Oxidizing/Oxide layer/Oxide(s), 13, 17, 41, 42, 56–58, 66, 79–83, 85, 102, 117, 119, 120, 127–129, 147, 153, 154, 157, 159, 160, 163, 165, 173, 175, 182, 202, 212, 213, 215, 230, 238, 239, 242, 283, 287, 291, 417, 421, 425, 432, 434, 450, 480, 523, 525, 529, 530, 532
- Oxidation reaction, 17, 28, 41, 43, 146, 200, 230, 237–239, 243
- Oxygen
- deficiency, 295–297, 301, 308
- depleted air, 251, 270, 271
- evolution reaction, 58, 59, 128
- reduction reaction, 58, 59, 70, 78, 88, 95, 104, 106, 116–119, 121, 123, 126, 127, 129–134, 140, 141, 146, 149–155, 158, 159, 161, 164–166, 173, 176–184, 186–189, 191, 192, 215–217, 220, 230–234, 243, 252, 283–286, 323, 330, 338–355, 409–411, 414, 416–419, 421–423, 428, 429, 432–434, 512, 521
- surface exchange process, 234
- transfer, 239
- vacancy concentration, 292, 310
- Ozone, 12, 13
- P**
- P, *see* Phosphorus
- p*-type oxide(s), 308, 309
- PAHs, *see* Polycyclic aromatic hydrocarbon(s)

- Palladium, 118, 149, 152, 161, 162, 173, 178, 180, 181, 183, 184, 186–189, 191, 192, 215, 216, 219, 239, 242, 341, 342, 353, 450
- PANI, *see* Polyaniline
- Partially stabilized zirconia, 292
- Particle growth, 79–82, 85, 86, 189, 427
- Particulate matter, 12, 13, 520, 536
- PBCO(s), *see* Praseodymium barium cobaltite oxide(s)
- PBFM(s), *see* Praseodymium barium ferrite magnesium oxide(s)
- PBMO(s), *see* Praseodymium barium magnesium oxide(s)
- Pc, *see* Phthalocyanine
- PCI, *see* Pressure-concentration isotherm
- PD, *see* Polydopamine
- Pd, *see* Palladium
- PDU, *see* Power Distributor Unit
- PEC, *see* Predictive environmental concentration
- PEEK, *see* Poly-ether-ether-ketone
- PEFC(s), *see* Polymer electrolyte fuel cell(s)
- PEM, *see* Proton exchange membrane
- PEMFC(s), *see* Polymer Electrolyte Membrane Fuel Cell(s)
- Pentanuclear, 121
- Perfluorosulfonic acid, 17, 250, 251, 485–490, 492
- Perovskite, 118, 230, 232, 233, 238–242, 284, 286, 289, 291–302, 306, 307, 309, 314–325
- Petroleum, 3, 9, 10, 14, 21, 522
importation, 3
- PFSA, *see* Perfluorosulfonic acid
- PGM(s), *see* Platinum group metal(s)
- Phase structure, 233, 242
- PHEV(s), *see* Plug-in hybrid electric vehicle(s)
- Phosphoric acid electrolyte, 153
- Phosphorus, 462
- Photovoltaic(s), 15, 191, 386, 401–404
- Phthalocyanine, 341, 448
- Physisorbed hydrogen, 448
- Physisorption, 445–448, 464
- PIM, *see* Intrinsic microporosity
- Platinum catalyst/Platinum electrocatalyst(s), 16, 17, 118, 129, 131–133, 138, 139, 141, 434
- Platinum group metal(s), 173, 191, 428, 429
- Platinum nanoparticle(s), 132, 133, 409, 411
- Platinum/Platinum alloy, 15, 53–106, 117–119, 127, 128, 132, 134, 137, 138, 140, 141, 146, 147, 158, 162, 164, 172, 173, 184, 191, 210–213, 251, 409, 411, 417, 418, 428, 434, 450, 474, 483, 520, 521
- Plug-in hybrid electric vehicle(s), 361–363
- Polarization curve(s), 69, 129–132, 141, 150, 151, 154, 159, 217, 418
- Policy/Policies, 1–21, 361, 363
- Poly(vinylidene fluoride) cross-linked with divinylbenzene, 17
- Poly-ether-ether-ketone, 454, 456, 464
- Polyaniline, 119, 162, 166
- Polycyclic aromatic hydrocarbon(s), 13, 408, 520
- Polydopamine, 447
- Polymer electrolyte fuel cell(s), 63, 66, 67, 70, 71, 75, 78, 86–88, 95, 101, 106, 172–175, 177, 178, 181, 182, 184, 185, 187, 189, 190, 192, 193, 459, 461
- Polymer electrolyte membrane fuel cell(s), 250
- Polymer membrane conductivity, 118
- Polymorph(s), 292, 303, 304, 326, 327
- Polynuclear metal transition(s), 121
- Polypyrrole, 118, 162, 344
- Polytetrafluoroethylene, 17, 203, 485, 486, 489, 491
- Polyvinylidene fluoride, 203, 483, 491
- Porous electrode, 230, 254, 322, 475
- Porous/Porosity, 95, 116, 135, 136, 147, 149, 157, 160, 161, 163, 182–184, 186, 190, 201, 202, 204, 207–209, 219, 230, 232, 233, 235–237, 238, 242, 254, 256, 259–261, 278, 284, 285, 322, 427, 428, 446–448, 451, 474, 475, 477, 478, 491, 501, 502, 504–506, 508, 510–512
- Potential energy surface, 339, 342–345
- Potential/Potential cycling, 57, 62, 63, 70, 71, 74, 79, 80, 83, 180, 184, 416–419
- Power cycling, 422, 426
- Power density, 124, 136, 137, 141, 206, 233–237, 240–242, 460, 470, 480–482, 507, 512, 514
- Power distributor unit, 364, 370, 375
- PPy, *see* Polypyrrole
- Pr, *see* Platinum/Platinum alloy
- Praseodymium barium cobaltite oxide(s), 242
- Praseodymium barium ferrite magnesium oxide(s), 242
- Praseodymium barium magnesium oxide(s), 241
- Praseodymium strontium cobalt iron niobium oxide(s), 241
- Pre-exponential factor, 311
- Predictive environmental concentration, 536
- President Eisenhower, 3–6, 9, 10, 20
- Pressure-concentration isotherm, 452

- Proton exchange membrane, 175, 200, 250, 387, 470, 485–492
- Proton-transfer activation energy, 347
- PSCFN(s), *see* Praseodymium strontium cobalt iron niobium oxide(s)
- PSZ, *see* Partially stabilized zirconia
- Pt cluster(s), 216
- Pt dissolution, 57, 74, 80, 82, 83, 85, 86, 189, 410, 411, 414, 421, 422, 425
- Pt loading, 61, 62, 64, 68, 69, 72, 75, 82, 88, 92–94, 97, 99, 154, 155, 158, 160, 164, 165, 172, 173, 175, 190, 192, 216, 218, 221, 417, 521
- Pt nanoparticle(s), 59, 60, 63, 66, 69, 87, 88, 92–94, 100, 101, 106, 147, 149, 151, 153, 155, 159, 160, 166, 173, 179, 180, 189, 190, 211–213, 216, 218, 220, 221, 239, 350, 409–411, 414, 416–418, 433, 447
- Pt oxidation/Pt oxide/Pt oxide(s), 66, 68, 76–78, 81, 82, 106, 189, 421
- Pt reduction, 421
- PTFE, *see* Polytetrafluoroethylene
- PV(s), *see* Photovoltaic(s)
- PVDF, *see* Polyvinylidene fluoride
- Pyrolysis, 122, 124–126, 134, 135, 138, 502, 512
- Q**
- Q-HQ, *see* Quinone-hydroquinone
- Quaternary, 179, 306
- Quinone-hydroquinone, 68
- R**
- RA, *see* Risk Assessment
- Radical oxidative degeneration, 176
- Radio frequency, 88
- Raman, 59–63, 73, 101, 103, 106, 124, 428, 528, 530
- Random-defect model, 287, 288, 307
- Rd, *see* Reductant
- RDE, *see* Rotating disk electrode(s)
- Reactive oxygen species, 520, 524, 525, 528, 529, 532, 533, 536
- Red seed extract of *Hygrophilia auriculata* (RS), 530
- Redox couple, 151, 242
- Reduced graphene oxide(s), 207
- Reductant, 210
- Regulatory framework, 5
- Rehydrogenation, 252
- Relative humidity/humidities, 70, 81, 124, 136, 259, 265, 275–277, 279, 392, 491
- Renewable energy sources, 10, 14, 386, 388, 404
- Renewable(s)
energies, 10, 14, 15, 386, 401, 513
portfolio standards, 11
- RES, *see* Renewable energy sources
- Resistance/Resistivity, 19, 36, 37, 59, 60, 64, 88, 94, 97–99, 101–105, 118, 119, 133, 159, 160, 163, 173, 175, 190, 201, 203, 204, 207, 210, 215, 228–231, 233–237, 239–241, 243, 261, 272, 275–277, 278, 285, 291, 368, 419, 420, 422, 473, 481, 485, 491, 499, 506
- Retinal pigment epithelium, 524, 525, 527–529, 531–534, 536
- Reversible hydrogen electrode, 60, 63, 64, 66, 72, 88, 94, 147, 410, 418
- RF, *see* Radio frequency
- RGO(s), *see* Reduced graphene oxide(s)
- Rh, *see* Rhodium
- RH(s), *see* Relative Humidity/humidities
- RHE, *see* Reversible hydrogen electrode
- Rhodium, 122, 125–127, 129, 138, 140, 173, 242
- Riccati equation, 267, 268
- Rietveld refinements, 453
- Risk assessment, 532, 535, 536
- Risk characterization, 536
- Risk quotient, 536
- Room temperature, 40, 95, 122, 138, 148, 208, 210, 211, 278, 292, 304, 314, 316, 319, 326, 327, 444–446, 485, 530, 532
- ROS, *see* Reactive oxygen species
- Rotating disk electrode(s), 88, 92–95, 121–123, 127, 129, 131, 150, 161, 217, 429, 432, 433
- Rotating ring disk electrode, 151, 217, 414
- RPE, *see* Retinal pigment epithelium
- RRDE, *see* Rotating ring disk electrode; Rotating ring-disk electrode
- RS, *see* Red seed extract of *Hygrophilia auriculata* (RS)
- RT, *see* Room temperature
- Ru, *see* Ruthenium
- Ruthenium, 117, 119, 121, 122, 127, 140, 153, 158, 173, 210, 212, 239, 426, 450, 521 oxide, 153
- S**
- S, *see* Sulfur
- Samaria strontium cobaltite, 232, 234, 235
- Santa Barbara Amorphous Type Mesoporous Silica, 161

- SBA, *see* Santa Barbara Amorphous Type Mesoporous Silica
- Scanning electron microscope, 64, 65, 68, 95, 98, 105, 124, 135, 136, 204, 207, 208, 221, 238, 240, 428, 502, 510, 511, 524, 526
- Scanning transmission electron microscopy, 64, 240, 524
- Scientific Group Thermodata Europe, 293, 300
- Segregation kinetics, 290
- SEM, *see* Scanning electron microscope
- SGTE, *see* Scientific Group Thermodata Europe
- SHE, *see* Standard hydrogen reference electrode
- Single voltage source electrolysis, 31, 32, 37, 38
- Single-walled carbon nanotube(s), 446
- SMMO(s), *see* Strontium magnesium molybdenum oxide(s)
- Smoluchowski, 425
- SMSI(s), *see* Strong metal-support interaction(s)
- Sn, *see* Tin
- SnO, *see* Tin oxide
- SoC, *see* State of charge
- Sodium nitrite, 525, 529
- SOFC(s), *see* Solid oxide fuel cell(s)
- Solar, 8, 10–12, 14, 386, 401–404, 444, 519, 523
- Solid oxide fuel cell(s), 15, 227–243, 250, 281–330, 498, 501, 504, 506, 507, 509, 510, 512, 513
- Specific heats, 272–274
- Spinel, 118, 230, 319, 321, 527
- Square wave cycling, 64, 65
- SSC, *see* Samaria strontium cobaltite
- SSE, *see* Single voltage source electrolysis
- SSFF, *see* Stainless steel fiber felt
- Stack temperature, 270, 272, 391, 392
- Stack/fuel stack, 15, 17, 19, 117, 474
- Stainless steel fiber felt, 207, 208
- Standard hydrogen reference electrode, 347, 353, 409, 414, 418
- Start-up/Shutdown, 53–106
- State of charge, 366, 369, 370, 374, 376–380
- Steady state, 251, 266, 267, 279, 324, 409, 413, 425, 471, 512
- STEM, *see* Scanning transmission electron microscopy
- Stoichiometric coefficient/Stoichiometries/Stoichiometry, 242, 251, 270, 276, 277, 279, 290, 308, 330, 420, 431, 460
- Storage tank, 13, 362, 377, 445
- Strong metal-support interaction(s), 149, 151, 153–155, 158, 159
- Strontium magnesium molybdenum oxide(s), 239
- Strontium zirconate, 290, 312, 313, 330
- Strontium zirconia, 233
- SU/SD, *see* Start-up/Shutdown
- Sublattice, 293–298, 300, 301, 304, 305, 310
- Submonolayer, 161
- Sulfonated polybenzimidazoles, 17
- Sulfonated polyether ketones, 17
- Sulfur, 151, 228, 237, 239, 241, 345, 417, 418, 520, 521
- Sulfur oxide(s), 12
- Surface cohesive energy, 353
- Surface diffusion, 242
- Surface energy, 182, 292, 304, 326–328, 353, 411
- Surface segregation, 289
- Sweep mode, 64
- Sweep rate(s), 80, 128, 130
- SWNT(s), *see* Single-walled carbon nanotube(s)
- Symmetry, 60, 127
- SZO, *see* Strontium zirconate
- T**
- T/C, *see* Tetragonal/cubic
- TaC, *see* Tantalum carbide
- Tafel curve(s), 132
- Tafel kinetics, 422, 423, 426
- Tafel reaction, 133
- Tafel slope, 68, 70, 88, 132, 133, 151, 422
- Tantalum carbide, 220
- Tax credits/Tax credits and incentives/Taxation, 5, 6, 11, 12, 15, 20
- Technical University of Denmark (DTU), 447
- Teflon, 251
- TEM, *see* Transmission electron microscope
- Temperature-programmed reduction, 240
- Ternary, 117, 118, 174, 286, 306
- Tetragonal phase, 292, 305, 328
- Tetragonal/cubic, 292, 304, 326, 328
- Tetrametoxiphenyl porphyrins, 118
- Tetraphenyl porphine, 341
- TGA, *see* Thermogravimetric analysis
- Thermal conductivity, 18, 210, 261, 277, 278
- Thermal model, 270–273
- Thermodynamic equilibrium, 314, 316
- state, 34
- Thermodynamic model parameters, 306

- Thermogravimetric analysis, 125, 295
Thermolysis/Thermolytic reaction, 121, 122,
124, 125, 129, 134, 135, 138, 139, 218,
451, 499, 505
Threshold diagram, 319–321, 323
Ti, *see* Titanium
TiB, *see* Titanium boride(s)
TiC, *see* Titanium carbide(s)
TiN, *see* Titanium nitride(s)
Tin, 521
Tin oxide, 94, 155, 483
Titanium, 238, 240, 390, 449, 480,
483, 491
Titanium boride(s), 87
Titanium carbide(s), 87–90, 106, 157, 165
Titanium nitride(s), 87–90, 98, 106, 153, 159,
160, 165
TMPP, *see* Tetrametoxiphenyl porphyrins
Total energy, 10, 29, 33, 40, 41, 339, 386,
396, 397, 403
Total reflection X-ray fluorescence,
289, 322
Toxicology, 525, 536
TPB, *see* Triple phase boundary
TPP, *see* Tetraphenyl porphine
TPR, *see* Temperature-programmed reduction
Transition metals, 119–121, 127, 155,
219, 232, 238, 241, 338, 416, 446,
448, 453
Transmission electron microscope (TEM), 60,
65, 68, 71, 80, 83, 86, 88, 89, 91–93,
95, 98, 100, 102, 155, 156, 188,
211–213, 214, 425, 524
Transport/Transport pathways/Transportation,
8–10, 13, 44, 49, 50, 59, 81, 85,
88, 102, 147, 172, 174, 182, 190,
193, 200, 201, 205–208, 229, 230,
251, 254, 257, 261–262, 264,
275–279, 285, 360–362, 392, 416,
421, 423, 425, 427, 428, 445, 470,
471, 474, 481, 485, 499, 511, 512,
514, 519, 532
Triangular potential cycle, 57, 63
Triangular wave cycling, 64, 65
Trifluoro styrene, 17
Triple phase boundary, 232, 234, 237, 242,
290, 312–313, 322, 416, 498
Tubular structure, 233, 483
Tungsten, 151, 521, 525
carbide, 157
oxide, 151
TXRF, *see* Total reflection X-ray
fluorescence
- U**
Ultrasonic spray pyrolysis, 157
Ultraviolet, 13, 338
Unitized reversible fuel cell(s), 387–393,
395–399, 401, 402, 404
Uranium, 3, 5
URFC(s), *see* Unitized reversible fuel cell(s)
USP, *see* Ultrasonic spray pyrolysis
UV, *see* Ultraviolet
- V**
V, *see* Vanadium
Vacancy/Vacancies, 148, 210, 232, 238,
242, 284, 287, 290–292, 296–298,
301, 303, 309–311, 315, 316, 342, 354,
417, 507
Van Der Waals/Van Der Waals force, 446, 454
Vanadium, 12
Viability, 172, 191, 193, 434, 525, 532
Volatile organics, 12, 13
Volcano plots/Volcano-shaped, 178, 179,
340, 348
- W**
W, *see* Tungsten
Water circulation, 389
Water content, 81, 85, 201, 251, 257, 265,
485, 491
Water electrolysis, 29–31, 33, 45, 50, 386
Water electrolyzer (EL), 29, 40, 41, 50, 387,
389–391, 392, 395–404
Water evaporation, 205, 206
Water gas shift reaction(s), 151
Water management, 201, 202, 251, 276,
277, 491
WC, *see* Tungsten carbide(s)
WGSR, *see* Water gas shift reaction(s)
Wind, 8, 10–12, 14, 15, 386, 401–404, 444
- X**
X-ray absorption spectroscopy, 180, 220,
428, 429
X-ray diffraction, 71, 74, 90, 124, 135, 136,
155, 193, 221, 453, 456, 457, 459,
464, 527

-
- X-ray photoelectron spectroscopy, 149, 151,
155, 156, 159, 180, 193, 220, 290, 338,
414, 432
- XAS, *see* X-ray absorption spectroscopy
- XPS, *see* X-ray photoelectron spectroscopy
- XRD, *see* X-ray diffraction
- Z**
- Zeolite template carbon, 447
- Zeolites, 445, 447, 448
- Zinc, 342, 447
- Zn, *see* Zinc
- ZTC, *see* Zeolite template carbon