

Bibliography

- [1] Abbot, I.H. and von Doenhoff, A.E. (1959). *Theory of Wing Section* Dover Publications. New York.
- [2] Aizin, L.B. and Polyakov, N.F. (1979). Acoustic generation of Tollmien-Schlichting waves over local unevenness of surfaces immersed in stream. *Preprint 17, Akad. Nauk USSR, Siberian Div., Inst. Theor. Appl. Mech., Novosibirsk* (In Russian).
- [3] Allen, L.D., and Burrows, F.M. (1956). Flight Experiments on the boundary layer characteristics of a swept back wing. *Cranfield, College of Aero.Rept. No. 104*.
- [4] Allen, L. and Bridges, T.J. (2002). Numerical exterior algebra and the compound matrix method, *Numerische Mathematik* **92**:197-232.
- [5] Allen, L. and Bridges, T.J. (2003). Hydrodynamic stability of the Ekman boundary layer including interaction with a compliant surface. *Euro. J. Mechanics B/ Fluids* **22**, 239-258.
- [6] Anscombe, A. and Illingworth, L.N. (1952). Wind tunnel observations of boundary layer transition on a wing at various angles of sweep back. *ARC R and M 2968*.
- [7] Anderson, J.D. Jr. (1991). *Fundamentals of Aerodynamics*, McGraw Hill, New York.
- [8] Arnal, D. (1984). Description and prediction of transition in two-dimensional incompressible flow. *AGARD Report No. 709*, **2.1 - 2.71**.
- [9] Arnal, D., Coustols, R. and Jullien, J. (1984). Experimental and theoretical study of transition phenomena on infinite swept wing. *La Recherche Aerospatiale* No. **1984-4**, 275-290.
- [10] Arnal, D., Habiballah, M. and Coustols, E. (1984a). Laminar instability theory and transition criteria in two- and three-dimensional flow. *La Recherche Aerospatiale* No. **1984-2**.
- [11] Arnal, D. (1986). Three-dimensional boundary layer: Laminar-turbulent transition. *AGARD eport No. 741* 1-34.
- [12] Arnal, D. and Jullien, J.C. (1987). Three dimensional transition studies at ONERA/CERT. *AIAA Paer No.87-1335*. 87-1335.
- [13] Arnal, D., Casalis, G. and Jullien, J.C. (1989). Experimental and theoretical analysis of natural transition on infinite swept wing. In the IUTAM Symp. Proc. on *Laminar- Turbulent Transition* (Eds. D. Arnal, R. Michel), Springer-Verlag, 311-326.
- [14] Ashpis, D.E. and Reshotko, E. (1990). Vibrating problem revisited. *J. Fluid Mech.*, **213** 531-547.

- [15] Bartlett, D.W. (1975). Application of a supercritical wing to an executive type jet transport model. *NASA TM-X 3251*, June 1975.
- [16] Batchelor, G.K. (1988). *An Introduction to Fluid Dynamics*. Cambridge Univ. Press, U.K.
- [17] Bauer, F., Garabedian, P. and Korn, D. (1972). *A Theory of Supercritical Wing Sections, With Computer Programs and Examples*. Springer Verlag, New York.
- [18] Beasley, J.A. (1973). Calculation of the laminar boundary layer and the prediction of transition on a sheared wing. *ARC R and M 3787*.
- [19] Bender, C.M. and Orszag, S.A. (1987). *Advanced Mathematical Methods for Scientists and Engineers*. McGraw Hill Book Co., International Edition, Singapore.
- [20] Bers, A. (1975). *Physique des Plasmas*. (Eds. C. Dewitt and J. Peyraud) Gordon and Breach, New York.
- [21] Betchov, R. and Criminale, W.O. Jr. (1967). *Stability of Parallel Flows*. Academic press, New York.
- [22] Breuer, K.S. and Haritonidis, J.H. (1990). The evolution of a localized disturbance in a laminar boundary layer. Part I. Weak disturbances. *J. Fluid Mech.*, **220**, 569-594.
- [23] Breuer, K.S. and Landahl, M.T. (1990). The evolution of a localized disturbance in a laminar boundary layer. Part II. Strong disturbances. *J. Fluid Mech.*, **220**, 595-621.
- [24] Breuer, K.S. and Kuraishi, T. (1993). Bypass transition in two and three dimensional boundary layers. *AIAA paper no. 93-3050*.
- [25] Brewster R.A. and Gebhart B. (1991). Instability and disturbance amplification in a mixed-convection boundary layer. *J. Fluid Mech*, **229**:115-133.
- [26] Bridges, T.J. and Morris, P. (1984). Differential eigenvalue problems in which the parameters appear nonlinearly, *J. Comp. Phys.* **55**:437-460.
- [27] Brillouin, L. (1960). *Wave Propagation and Group Velocity*. Academic press, New York.
- [28] Brinckman, K.W. and Walker, J.D.A. (2001). Instability in a viscous flow driven by streamwise vortices. *J. Fluid Mech.*, **432**, 127-166.
- [29] Burrows, F.M. (1956). A theoretical and experimental study of the boundary layer flow on a 45° swept back wing. *Cranfield College of Aero. Rept.No. 109*.
- [30] Buter, T.A. and Reed, H.L. (1993). Numerical investigation of receptivity to freestream vorticity. *AIAA-93-0073*.
- [31] Chattopadhyay, M. (2001). Instability and Transition of Wall Bounded Flows by Free-Stream Excitation. M. Eng. Thesis, Dept of Mech. Engg. National University of Singapore.

- [32] Chaudhari, M. and Streett, C.L. (1990). Boundary layer receptivity phenomena in three-dimensional and high speed boundary layer. *AIAA-90-5258*.
- [33] Chaudhari, M. (1996). Boundary-layer receptivity to three-dimensional unsteady vortical disturbances in free stream. *AIAA-96-0181*.
- [34] Chen, T.S., Sparrow, E.M., and Mucoglu, A. (1977). Mixed convection in boundary layer flow on a horizontal plate, *ASME J. Heat Transfer* **99**:66-71.
- [35] Chen, T.S. and Moutsoglu. (1979). Wave instability of mixed convection flow on inclined surfaces. *Num. Heat Transfer*, **2**:497-509.
- [36] Chen, T.S. and Mucoglu, A. (1979). Wave instability of mixed convection flow over a horizontal flat plate, *Int. J. Heat Mass Transfer* **22**:185-196.
- [37] Collis, S.S. and Lele, S.K. (1996). A computational approach to swept leading-edge receptivity. *AIAA-96-0180*.
- [38] Crabtree, L.F., Kuchemann, D. and Sowerby, L. (1963). Three-dimensional boundary layers. In *Laminar Boundary Layers*. (Ed.L.Rosenhead) Clarendon Press, U.K.
- [39] Croom, C.C. and Holmes, B.J. (1985). Flight evaluation of an insect contamination protection system for laminar flow wings. *SAE Paper No.* 850860.
- [40] Crouch, J.D. (1992). Non-localized receptivity of boundary layers. *J. Fluid Mech.*, **244**, 567-581.
- [41] Crouch, J.D. (1993). Receptivity to three-dimensional boundary layers. *AIAA-93-0074*.
- [42] Dam, R.F., Egmond, J.F. and Sloof J.W. (1994). Optimization of target pressure distribution. In *Optimum Design Methods for Aerodynamics*. AGARD-R-803.
- [43] Davies, S.J. and White, C.M. (1928). An experimental study of the flow of water in pipes of rectangular section. *Proc. Royal Soc. London Ser. A* **119**, 92.
- [44] Degani, A.T., Walker, J.D.A. and Smith, F.T. (1998). Unsteady separation past moving surfaces. *J. Fluid Mech.*, **375**, 1-38.
- [45] Diaz, F., Gavalda, J., Kawall, J.G. and Giralt, F. (1983). Vortex shedding from a spinning cylinder. *Phys. Fluids* **26**(12), 3454-3460.
- [46] Dietz, A.J. (1999). Local boundary layer receptivity to a convected free stream disturbance. *J. Fluid Mech.* **378**, 291-317.
- [47] Dipankar, A., Sengupta, T.K. and Talla, S.B. (2007). Suppression of vortex shedding behind a circular cylinder by another control cylinder at low Reynolds numbers. *J. Fluid Mech.* **573**, 171-190.

- [48] Dodbele, S.S., Van Dam, C.P., Vijgen, P.M.H.W. and Holmes, B.J. (1987). Shaping of airplane fuselages for minimum drag. *J. Aircraft*, **24**(5), 298-304.
- [49] Doligalski, T.L., Smith C.R., and Walker J.D.A. (1994). Vortex interaction with wall. *Ann. Rev. Fluid Mech.*, **26**, 573-616.
- [50] Drazin, P.G. and Reid, W.H. (1981). *Hydrodynamic Stability*. Cambridge Univ. Press, U K.
- [51] Dryden, H.L. (1959). Transition from laminar to turbulent flow. In *Turbulent Flows and Heat Transfer, High Speed Aerodynamics and Jet Propulsion*. Edited by C. C. Lin.
- [52] Eckert, E.R.G. and Soehngen, E. (1951). Interferometric studies on the stability and transition to turbulence in a free-convection boundary-layer, *Proc. Gen. Disc. Heat Transfer, ASME and IME*, London, pp. 321.
- [53] Elsaadawy, E.A. and Britcher, C.P. (2002). The extent of a laminar boundary layer under the influence of a propeller slipstream. AIAA Applied Aerodynamics Conf. paper no. *AIAA 2002-2930*.
- [54] Eppler, R. and Somers, D. (1980). A computer program for the design and analysis of low-speed airfoils. *NASA TM-80210*.
- [55] Fasel, H. and Konzelmann, U. (1990). Nonparallel stability of a flat plate boundary layers using complete Navier-Stokes equations. *J. Fluid Mech.*, **221**, 331-347.
- [56] Fjørtoft, R. (1950). Application of integral theorems in deriving criteria of stability for laminar flows and for baroclinic circular vortex. *Geophys. Publ. Oslo* **17**(6), 1-51.
- [57] Fujino, M., Yoshizaki, Y. and Kawamura, Y. (2003). Natural-laminar-flow airfoil development for a lightweight business jet. *J. of Aircraft*, **40**(4), 609-615.
- [58] Fujino, M. and Kawamura, Y. (2003). Wave drag characteristics of an over-the-wing nacelle business-jet configuration. *J. Aircraft*, **40**(6), 1177-1184.
- [59] Gaster, M. (1962). A note on the relation between temporally-increasing and spatially- increasing disturbances in hydrodynamic stability. *J. Fluid Mech.* **14**, 222-224.
- [60] Gaster, M. (1965a). A simple device for preventing turbulent contamination on swept leading edges. *J. Roy. Aero. Soc.* **69**, 788-789.
- [61] Gaster, M. and Sengupta, T.K. (1993). The generation of disturbance in a boundary layer by wall perturbation: The vibrating ribbon revisited once more. In *Instabilities and Turbulence in Engineering Flows* (eds. D.E. Ashpis, T.B. Gatski and R. Hirsch), 31-49.

- [62] Gaster, M., Grosch, C.E. and Jackson, T.L. (1994). The velocity field created by a shallow bump in a boundary layer. ICASE Rept. 94-21, NASA Langley RC, (also published in *Physics of Fluids*), **6(9)**, 3079-3085.
- [63] Gebhart, B., Jaluraj, Y., Mahajan, R.L., and Sammakia, B. (1988). *Buoyancy-Induced Flows and Transport*. Hemisphere Publication, Washington DC.
- [64] Gilpin, R.R., Imura, H. and Cheng, K.C. (1978). Experiments on the onset of longitudinal vortices in horizontal Blasius flow heated from below, *ASME J. Heat Transfer* **100**:71-77.
- [65] Goldstein, S. (1938). *Modern Development in Fluid Mechanics*, Volume 1 and 2, Clarendon Press, Oxford, U.K.
- [66] Golstein, M.E., Sockol, P.M. and Sanz, J. (1983). The evolution of Tollmien- Schlichting waves near a leading edge. Part 2. Numerical determination of amplitudes. *J. Fluid Mechanics*, **129**, 443-453.
- [67] Goldstein, M.E. (1983). The evolution of Tollmien- Schlichting waves near a leading edge. *J. Fluid Mech.*, **127**, 59-81.
- [68] Goldstein, M.E. (1985). Scattering of acoustic waves into Tollmien- Schlichting waves by small streamwise variation in surface geometry. *J. Fluid Mech.*, **154**, 509-529.
- [69] Goldstein, M.E. and Hultgren, L.S. (1989). Boundary-layer respectivity to long-wave free-stream disturbances. *Ann. Rev. Fluid Mech.*, **21**, 137-166.
- [70] Gray, W.E. and Fullam, P.W.J. (1950). Comparison of flight and wind tunnel measurements of transition on a highly finished wing (King Cobra). *RAE report no. 2383*, June 1950.
- [71] Gregory, N., Stuart, J.T. and Walker, J.S. (1955). On the stability of three dimensional boundary layer with application to the flow due to a rotating disc. *Phil. Trans. Roy. Soc. London, Series A*, **248**, 155-199.
- [72] Haaland, S.E. and Sparrow, E.M. (1973). Vortex instability of natural convection flows on inclined surfaces, *Int. J. Heat Mass Transfer* **16**:2355-2367.
- [73] Hall, P., Malik, M.R. and Poll, D.I.A. (1984). On the stability of an infinite swept attachment-line boundary layer. *Proc. R. Soc. Lond. A* **395**, 229-245.
- [74] Hall, P. and Malik, M.R. (1986). On the instability of three-dimensional attachment-line boundary layer: weakly non-linear theory and numerical approach. *J. Fluid Mech.*, **395**, 229-245.
- [75] Hall, P. and Morris, H. (1992). On the instability of boundary layers on heated flat plates, *J. Fluid Mech.* **245**:367-400.
- [76] Helmholtz, H. von (1868). On discontinuous movements of fluids. *Phil. Mag.* **(4)36**, 337-346.

- [77] Henningson, D.S., Lundbladh, A. and Johansson, A.V. (1993). A mechanism for bypass transition from localized disturbances in wall-bounded shear flows. *J. Fluid Mechanics*.
- [78] Holmes, P., Lumley, J.L. and Berkooz, G. (1996). *Coherent Structures, Dynamical Systems and Symmetry*. Cambridge Univ. Press., U.K.
- [79] Homann, F. (1936). Einfluss grosser zahigkeit bei stromung um zylinder. *Firsch. auf dem Gebeite des Ingenieurwesens* **7(1)**, 1-10, 1936.
- [80] Huerre, P. and Monkewitz, P.A. (1985). Absolute and convective instabilities in free shear layers. *J. Fluid Mech.* **159**, 151.
- [81] Hughes, T.H. and Reid, W.H. (1965). On the stability of the asymptotic suction boundary layer profile. *J. Fluid Mech.*, **23**, 715-735.
- [82] Iyer, P.A. and Kelly, R.E. (1974). The instability of the laminar free convection flow induced by a heated, inclined plate, *Int. J. Hear Mass Transfer* **17**:517-525.
- [83] Jackson., C.P. (1987). A finite element study of the onset of vortex shedding in flow past variously shaped bodies. *J. Fluid Mech.* **182**, 23-45, 1987.
- [84] Jacobs, E.N. (1939). Preliminary report on laminar-flow airfoils and new methods adopted for airfoil and boundary layer investigations. *NACA WR L-345*.
- [85] Jacobs, R.G. and Durbin, P.A. (2001). Simulation of bypass transition. *J. Fluid Mech.*, **428**, 185-212.
- [86] Jaffe, N.A., Okamura, T.T. and Smith, A.M.O. (1970). Determination of spatial amplification factors and their application to predicting transition. *AIAA*, **8(2)** 301-308.
- [87] Jameson, A. (1988). Aerodynamic design via control theory. *J. Scientific Computing*, **3**, 233-260.
- [88] Joslin, R.D. (1995). Direct simulation of evolution and control of three-dimensional instabilities in attachment-line boundary layers. *J. Fluid Mech.* **291**, 369-392.
- [89] Joslin, R.D. (1996). Simulation of non-linear instabilities in an attachment-line boundary layer. *Fluid Dyn. Res.* **18**, 81-97.
- [90] Joslin, R.D. (1998). Aircraft laminar flow control. In *Ann. Rev. Fluid Mech.* **30**, 1-29.
- [91] Kaups, K. and Cebeci, T. (1977). Compressible laminar boundary layers with suction on swept and tapered wings. *J. of Aircraft*, **14(7)**.
- [92] Kelvin, Lord (1871). Hydrokinetic solutions and observations. *Phil Mag.(4)* **42**, 362-377.
- [93] Kendall, J.M. (1987). Experimental study of laminar boundary layer receptivity to a traveling pressure field. *AIAA paper no.* 87-1257.
- [94] Kendall, J.M. (1990). Boundary layer receptivity to free stream turbulence. *AIAA paper no.* 90-1504.

- [95] Kerschen, E.J. (1991). Linear and non-linear receptivity to vortical free-stream disturbances. In *Boundary Layer Stability and Transition to Turbulence*. (eds. D.C. Reda, H.L. Reed & R.K. Kobayashi) *ASME FED* **114**, 43-48.
- [96] Klebanoff, P.S. and Tidstrom, K.D. (1959). Evolution of amplified waves leading to transition in a boundary layer with zero pressure gradient. NASA TN D- 195.
- [97] Klebanoff, P.S. (1971). Effect of free stream turbulence on the laminar boundary layer, *Bull. Am. Phys. Soc.* **10**, 1323.
- [98] Koch, W. (1985). Local instability characteristics and frequency determination of self excited wake flow. *J. Sound and vib.*, **99**, 53-83.
- [99] Kosambi, D.D. (1943) Statistics in function space. *J. Indian Math. Soc.* **7**, 76-88.
- [100] Kovaszny, L.S.G. (1949). Hot-wire investigation of the wake behind cylinders at low Reynolds numbers. Proc. Roy. Soc. London A. **198**, 174-190.
- [101] Landahl, M.T. (1980). A note on an algebraic instability of inviscid parallel shear flows. *J. Fluid Mech.*, **98**, 243-251.
- [102] Landahl, M.T. and Mollo-Christensen, E. (1992). *Turbulence and Random Processes in Fluid Mechanics*, Cambridge Univ. Press, U.K.
- [103] Landau, L.D. and Lifshitz, E.M. (1959). Fluid Mechanics- vol.6. Addison- Wesley, Pergamon Press, London.
- [104] Leehey, P. and Shapiro, P. (1979). Leading edge effect in laminar boundary layer excitation by sound. In *Laminar Turbulent Transition (eds. R. Eppler and H. Fasel)*, 321-331, Springer Verlag.
- [105] Leib, S.J., Wundrow, D.W. and Goldstein, M.E. (1999). Generation and growth of boundary-layer disturbances due to free-stream turbulence. *AIAA-99-0408*.
- [106] Lin, C.C. (1955). *Theory of Hydrodynamic Stability*. Cambridge Univ. Press, Cambridge, U.K.
- [107] Lin, N., Reed, H.L. and Saric, W.S. (1992). Effect of leading edge geometry on boundary-layer receptivity to freestream sound. In *Instability, Transition and Turbulence*. (Eds. M.Y. Hussaini, A. Kumar and C.L. Streett), Springer, New York.
- [108] Lin, N., Stuckert, G.K. and Herbert, Th. (1995). Boundary layer receptivity to freestream vortical disturbances. *AIAA-95-0772*.
- [109] Lim, T.T., Sengupta, T.K. and Chattopadhyay, M. (2004). A visual study of vortex-induced subcritical instability on a flat plate laminar boundary layer. *Expts. In Fluids.* **37**, 47-55.
- [110] Liu, X. and Rodi, W. (1991). Experiments on transitional boundary layers with wake induced unsteadiness. *J. Fluid Mech.* **231**, 229-256.

- [111] Liu, Z. and Liu, C. (1994). Fourth order finite difference and multigrid methods for modeling instabilities in flat plate boundary layer- 2D and 3D approaches. *Computers and Fluids*, **23**, 955-982.
- [112] Lloyd, J.R. and Sparrow, E.M. (1970). On the instability of natural convection flow on inclined plates, *J. Fluid Mech.* **42**:465-470.
- [113] Lundbladh, A. and Johansson, A.V. (1991). Direct simulation of turbulent spots in plane Couette flow. *J. Fluid Mech.*, **229**, 499-576.
- [114] Mack, L.M. (1969). Boundary layer stability theory, *Doc. 900-277, Rev. A*, Jet Prop. Lab, Pasadena, Calif.
- [115] Mack, L.M. (1977) Transition and laminar instability. *JPL Publication* 77-15.
- [116] Mack, L.M. (1984). Boundary layer stability theory. Special course on *Stability and Transition of Laminar Flow*. AGARD Report No.709.
- [117] Maddalon, M.D. and Braslow, A.L. (1990) Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system. *NASA TP 2966*.
- [118] Malik, M.R. (1982). COSAL- a black box compressible stability analysis code for transition prediction in three-dimensional boundary layer. *NASA CR 165 925*.
- [119] Malik, M.R. and Poll, D.I.A. (1985). Effect of curvature on three-dimensional boundary-layer stability. *AIAA J.*, **23**, 1362-1369.
- [120] Masad, J.A. (1996). Effect of surface waviness on transition in three-dimensional boundary layer flow. *NASA CR 201641*.
- [121] McGhee, R.J. and Beasley, W.D. (1973) Low-speed aerodynamic characteristics of a 17-percent thick airfoil section designed for general aviation applications. *NASA TN D-7428*.
- [122] McGhee, R.J., Beasley, W.D. and Whitcomb, R.T. (1980). NASA low- and medium-speed airfoil development. In *Advanced Technology Airfoil Research II*, NASA CP 2046.
- [123] Michel, R. (1952). Etude de la transition sur les profils d'aile-establishment d'un point de transition et calcul de la traînée de profil en incompressible. *ONERA report no. 1/1578A*.
- [124] Michel, R., Arnal, D., Coustols, E. and Jullien, J.C. (1984). Experimental and theoretical studies of boundary layer transition on a swept infinite wing. In Proc. of IUTAM Symp. On *Laminar-Turbulent Transition* Novosibirsk, USSR, Springer Verlag.
- [125] Miley, S.J. and von Lavante, E. (1985). Propeller propulsion integration- state of technology surveys. *NASA CR-3882*.
- [126] Miley, S.J., Howard, R.M. and Holmes, B.J. (1988). Wing laminar boundary layer in the presence of a propeller slipstream. *J.Aircraft*, **25(7)**, 606-611.

- [127] Moens, F., Perraud, J., Krumbein, A., Toulorge, T., Iannelli, P., Eliasson, P. and Hanifi, A. (2007). Transition prediction and impact on 3D high-lift wing configuration. *AIAA Paper No. 2007-4302*.
- [128] Monin, A.S. and Yaglom, A.M. (1971). *Statistical Fluid Mechanics: Mechanics of Turbulence*. The MIT Press, USA.
- [129] Moresco, P. and Healey, J.J. (2000). Spatio-temporal instability in mixed convection boundary layers, *J. Fluid Mech.* **402**:89-107.
- [130] Morkovin, M.V. (1958). Transition from laminar to turbulent flow - a review of the recent advances in its understanding. *ASME Transaction*, **80**, 1121-1128.
- [131] Morkovin, M.V. (1969). Critical evaluation of transition from laminar to turbulent shear layer with emphasis on hypersonically traveling bodies. *AFFDL-TR-68-149*.
- [132] Morkovin, M.V. (1978). Instability, Transition to Turbulence and Predictability. AGARDOGRAPH No. 236, NATO Document.
- [133] Morkovin, M.V. (1990). On receptivity to environmental disturbances. In *Instability and Transition, vol. 1 and 2* (eds. MY Hussaini & RG Voigt), 272-280, Springer Verlag, New York.
- [134] Morkovin, M.V. (1991). Panoramic view of changes in vorticity distribution in transition instabilities and turbulence. In *Transition to Turbulence* (eds. DC Reda, HL Reed and R Kobayashi). ASME FED Publication, volume **114**, 1-12.
- [135] Moutsoglu, A., Chen, T.S. and Cheng, K.C. (1981). Vortex instability of mixed convection flow over a horizontal flat plate, *ASME J. Heat Transfer* **103**:257-261.
- [136] Mucoglu, A. and Chen, T.S. (1978). Wave instability of mixed convection flow along a vertical flat plate, *Num. Heat Transfer* **1**:267-283.
- [137] Murdock, J.W. (1980). The generation of Tollmien-Schlichting wave by a sound wave. *Proc. R. Soc. London A*, **372**, 517-534.
- [138] Murri, D.G., McGhee, R.J., Jordan, F.L., Davis, P.J. and Viken, J.K. (1987). Wind tunnel results of the low speed NLF(1)-0414F airfoil. *NASA CP 2487, Part 3*, 673-695.
- [139] Nayfeh, A.H. (1980). Stability of three-dimensional boundary layers. *AIAA J.*, **18**, 406-416.
- [140] Nemeć, M. and Zingg, D.W. (2002). Newton-Krylov algorithm for aerodynamic design using the Navier-Stokes equations. *AIAA J.*, **40**(6), 1146-1154.
- [141] Ng, B.S. and Reid, W.H. (1980). On the numerical solution of the Orr-Sommerfeld problem: Asymptotic initial conditions for shooting method. *J. Comp. Phys.*, **38**, 275-293.
- [142] Ng, B.S. and Reid, W.H. (1985). The compound matrix method for ordinary differential systems. *J. Comp. Phys.* **58**, 209-228.

- [143] Nishioka, M. and Sato, H. (1973). Measurements of velocity distributions in the wake of a circular cylinder at low Reynold numbers. *J. Fluid Mech.* **65**, 97-112.
- [144] Nishioka, M. and Morkovin, M.V. (1986). Boundary-layer receptivity to unsteady pressure gradients: Experiments and overview. *J. Fluid Mech.*, **171**, 219-261.
- [145] Obabko, A.V. and Cassel, K.W. (2002) Navier-Stokes solutions of unsteady separation induced by a vortex. *J. Fluid Mech.* **465**, 99-130.
- [146] Obara, C.J., Hastings, E.C., Schoenster, J.A., Parrott, T.L. and Holmes, B.J. (1986). Natural laminar flow flight experiments on a turbine engine nacelle fairing. *AIAA Paper* 86-9756.
- [147] Obrenski, H.G., Morkovin, M.V. and Landahl, M. (1969). A porfolio of stability characteristics of incompressible boundary layer, *AGARDOGRAPH* No. 134.
- [148] Obrist, D. and Schmid, P.J. (2003) On the linear stability of swept attachment-line boundary layer flow. Part 2. Non-modal effect and receptivity. *J. Fluid Mech.* **493**, 31-58.
- [149] Orr, W. McF. (1907). The stability or instability of the steady motions of a perfect liquid and of a viscous liquid. Part I: A perfect liquid. Part II A viscous liquid. *Proc. Roy. Irish Acad.* **A27**, 9-138.
- [150] Papoulis, A. (1962). *Fourier Integral and Its Applications*. McGraw Hill, New York.
- [151] Peridier, V.J., Smith, F.T. and Walker, J.D.A. (1991). Vortex-induced boundary-layer separation. Part 1. The unsteady limit problem. $Re \rightarrow \infty$. *J. Fluid Mech.*, **232**, 99-131.
- [152] Peridier, V.J., Smith, F.T. and Walker, J.D.A. (1991a). Vortex-induced boundary-layer separation. Part 2. Unsteady interacting boundary-layer theory. *J. Fluid Mech.* **232**, 133-165.
- [153] Pfenninger, W. (1947). Investigations on reductions of friction on wings, in particular by means of boundary layer suction. *NACA TM* 1181.
- [154] Pfenninger, W., Gross, L. and Bacon, J. W. Jr. (1957). Experiments on a 30° swept 12% thick symmetrical laminar section in the 5ft by 7ft Michigan tunnel. *Northrop Aircraft Inc. Rep. NAI-57-317* (BLC-93).
- [155] Pfenninger, W. (1965) Some results from the X-21A program. Part I. Flow phenomenon at the leading edge of swept of swept wings. *AGAR-Dograph* 97.
- [156] Pfenninger, W. and Bacon, J.W. (1969). Amplified laminar boundary-layer oscillation and transition at the front attachment-line of a 45° swept flat-nosed wing with and without suction. In *Viscous Drag Reduction* (Ed. C.S. Wells), 85-105, Plenum Press.

- [157] Poll, D.I.A. (1979). Transition in the infinite swept attachment-line boundary layer. *Aero. Quart.*, **30**, 607-629.
- [158] Poll, D.I.A. (1985) Some observations of the transition process on the windward face of a long yawed cylinder. *J. Fluid Mech.*, **150**, 329-356.
- [159] Poll, D.I.A., Danks, M. and Yardley, M. (1996). The effects of suction and blowing on stability and transition at a swept attachment-line. In *Transitional Boundary Layers in Aeronautics* (Eds.: R. Henkes & J. Van Ingen), Elsevier, Amsterdam, Holland.
- [160] Prandtl, L. (1935). In *Aerodynamic Theory* (ed. W.F. Durand) **3**, 178-190. Springer, Berlin.
- [161] Prandtl, L. (1946). On boundary layers in three-dimensions. Rept. Aero. Res. Council, London No. 9828.
- [162] Provansal, M., Mathis, C. and Boyer, L. (1987). Benard-von Karman instability: transient and forced regimes. *J. Fluid Mech.*, **182**, 1-22.
- [163] Rayleigh, L. (1880). On the stability or instability of certain fluid motions. In *Scientific Papers*. **1**, 361-371.
- [164] Rayleigh, L. (1887). On the stability or instability of certain fluid motions. In *Scientific Papers*. **3**, 17-23.
- [165] Reynolds, O. (1883). An experimental investigation of the circumstances which determine whether the motion of water shall be direct or sinuous and of the law of resistance in parallel channels. *Phil. Trans. Roy. Soc.*, **174**, 935-982.
- [166] Robertson, J.M. (1969). *Hydrodynamics in Theory and Application*. Dover Publication, New York.
- [167] Robertson, G.E., Seinfeld, J.H. and Leal, L.G. (1973). Combined forced and free convection flow past a horizontal flat plate, *AICHE*, **19(5)**:998-1008.
- [168] Robinson, S.K. (1991). Coherent motions in the turbulent boundary layer. *Ann. Rev. Fluid Mech.* **23**, 601-639.
- [169] Rogler, H.L. and Reshotko, E. (1975). Disturbances in a boundary layer introduced by a low intensity array of vortices. *SIAM J. Appl. Maths.* **28**, 431-462.
- [170] Roshko A. (1954). On the drag and shedding frequency of two-dimensional bluff bodies. *NACA TN*. 3169.
- [171] Ruban, A.I. (1985). On the generation of Tollmien- Schlichting waves by sound. *Fluid Dyn.*, **19**, 709-716.
- [172] Saric, W.S. and Yeates, L.G. (1985). Experiments on the stability of crossflow vortices in swept-wing flows. *AIAA Pap. No.* 85-0493.
- [173] Saric, W.S., White, E.B. and Reed, H.L. (1999). Boundary-layer receptivity to freestream disturbances and its role in transition. *AIAA-99-3788*.

- [174] Schlichting, H. (1933). Zur entstehung der turbulenz bei der plattenströmung. *Nach. Gesell. d. Wiss. z. Gött., MPK*, 181-208.
- [175] Schlichting, H. (1935). Amplitudenverteilung und energiebilanz der kleinen storungen bei der plattenströmung. *Nach. Gesell. d. Wiss. z. Gött., MPK*, **1**, 47-78.
- [176] Schlichting, H. (1979). *Boundary Layer Theory*, McGraw Hill, New York, USA.
- [177] Schmid, P.J. (2000). Linear stability theory and bypass transition in shear flows. *Phys. Plasmas*. **7**, 1788.
- [178] Schmid, P.J. and Henningson, D.S. (2001). *Stability and Transition in Shear Flow*. Springer Verlag, New York.
- [179] Schneider, W. (1979). A similarity solution for combined forced and free convection flow over a horizontal plate, *Int. J. Heat Mass Transfer* **22**:1401-1406.
- [180] Schubauer, G.B. and Skramstad, H.K. (1947). Laminar boundary layer oscillations and the stability of laminar flow, *J. Aero. Sci.* **14**(2):69-78.
- [181] Scott, M.R. and Watts, H.A. (1977). Computational solution of linear two point boundary value problems via orthonormalization. *SIAM J. Num. Analysis*. **14**, 40.
- [182] Sengupta, T.K. (1991). Impulse response of laminar boundary layer and receptivity. In *Proc. Of 7th Inter. Conf. on Numerical Meth. for Laminar and Turbulent Layers*. (Ed. C.Taylor).
- [183] Sengupta, T.K. (1992). Solution of the Orr-Sommerfeld equation for high wave numbers. *Comput. and Fluids*, **21**(2), 302-304.
- [184] Sengupta, T.K., Ballav, M. and Nijhawan, S. (1994). Generation of Tollmien-Schlichting waves by harmonic excitation. *Physics Fluids*, **6**(3), 1213-1222.
- [185] Sengupta, T.K., Chattopadhyay, M., Wang, Z-Y. and Yeo, K.S.(2002) By-pass mechanism of transition to turbulence. *J. Fluid Struct.*, **16**, 15-29.
- [186] Sengupta, T.K., Chaturvedi, V., Kumar, P. and De, S. (2004). Computation of leading edge contamination. *Comput. Fluids*. **33**, 927-951.
- [187] Sengupta, T.K., De, S. and Sarkar, S. (2003). Vortex-induced instability of an incompressible wall-bounded shear layer. *J. Fluid Mech.* **493**, 277-286.
- [188] Sengupta, T.K. and De, S (2004). Proper orthogonal decomposition of direct numerical simulation data of by-pass transition. *Comput. Struct.* **82**, 2693-2703.
- [189] Sengupta, T.K. and Dipankar, A. (2005). Subcritical instability on the attachment-line of an infinite swept wing. *J. Fluid Mech.* **529**, 147-171.

- [190] Sengupta, T.K., Ganeriwal, G and De, S.(2003a). Analysis of central and upwind compact schemes. *J. Comp. Phys.* **192**, 677-694.
- [191] Sengupta, T.K., Guntaka, A. and Dey, S. (2004a). Navier-Stokes solution by new compact scheme for incompressible flows. *J. Sci. Comput.* **21**, 269-282.
- [192] Sengupta, T.K., Kameswara Rao, A. and Venkatasubbaiah, K. (2006a). Spatio-temporal growth of disturbances in a boundary layer and energy based receptivity analysis. *Physics of Fluids*, **18**, 094101.
- [193] Sengupta, T.K., Kameswara Rao, A. and Venkatasubbaiah, K. (2006). Spatiotemporal growing wave fronts in spatially stable boundary layer. *Phys. Rev. Letters*, **96**, 224504.
- [194] Sengupta, T.K., Lim, T.T. and Chattopadhyay, M. (2001). An experimental and theoretical investigation of a by-pass transition mechanism. *IIT Kanpur Rept. No. IITK/Aero/AD/2001/02*.
- [195] Sengupta, T.K. and Nair, M.T. (1997). A new class of waves for Blasius boundary layer. In Proc. 7th Asian Cong. Fluid Mech. 785-788, Allied Publishers, Chennai, India.
- [196] Sengupta, T.K., Nair, M.T. and Rana, V. (1997). Boundary layer excited by low frequency disturbances- Klebanoff mode. *J. Fluids Struct.*, **11**, 845-853.
- [197] Sengupta, T.K. and Rao, A.K. (2006). Spatio-temporal receptivity of boundary-layers by Bromwich contour integral method. In Proc. Boundary And Interior Layers (BAIL 2006) held at Goettingen, Germany (eds. G. Lube and G. Rapin).
- [198] Sengupta, T.K. and Sinha, A.P. (1995). Surface mass transfer: A receptivity mechanism for boundary-layers. In Proc. 6th Asian Cong. Fluid Mech., (Eds. Y.T. Chew and C.P. Tso), 1242-1245.
- [199] Sengupta, T.K., Sircar, S.K. and Dipankar, A. (2006b). High accuracy compact schemes for DNS and acoustics. *J. Sci. Comput.* **26(2)**, 151-193.
- [200] Sengupta, T.K. and Venkatasubbaiah, K. (2006). Spatial stability for mixed convection boundary layer over a heated horizontal plate. *Stud. In Appl. Math.*, **117**, 265-298.
- [201] Sengupta, T.K., Wang, Z-Y., Pin, L.Y. and Chattopadhyay, M. (1999). Receptivity to stationary pulsating vortex. In Proc. 8th Asian Cong. Fluid Mech. (Ed.: E Cui), 959-963.
- [202] Sengupta, T.K., Wang, Z-Y., Yeo, K.S. and Chattopadhyay, M. (1999). Receptivity to convected vortices- by-pass route. In Proc. 8th Asian Cong. Fluid Mech. (Ed.: E Cui), 964-968.
- [203] Sewall, W.G., McGhee, R.J., Hahne, D.E. and Jordan, F.L. (1987). Wind tunnel results of the high-speed NLF(1)-0213 airfoil. *NASA CP 2487*, Part 3, 697-726.

- [204] Shaukatullah, H. and Gebhart, B. (1978). An experimental investigation of natural convection flow on an inclined surface, *Int. J. Heat Mass Transfer* **21**:1481-1490.
- [205] Shu, C. and Chew, Y.T. (1998). On the equivalence of generalized differential quadrature and highest order finite difference scheme. *Comp. Meth. Appl. Mech. Engg.*, **155**, 249-260.
- [206] Sirovich, L. (1987). Turbulence and the dynamics of coherent structures. Part I-III. *Quart. J. Appl. Math.* **45(3)**, 561-590.
- [207] Smith, A.M.O. and Gamberoni, N. (1956). Transition, pressure gradient and stability theory. *Douglas Aircraft Rept. No. ES-26338*.
- [208] Smith, C.R. (1993). Use of 'Kernel' experiments for modeling of near-wall turbulence. In *Near Wall Turbulent Flows* (Eds. R.M.C. So, C.G. Speziale and B.E. Lauanders), pp 33-42. Elsevier, Amsterdam, Holland.
- [209] Smith, C.R., Walker, J.D.A, Haidari, A.H. and Soburn, U. (1991). On the dynamics of near-wall turbulence. *Phil. Trans. R. Soc. Lond. A* **336**, 131-175.
- [210] Sommerfeld, A.(1908). Ein Beitrag zur hydrodynamiscen Erklarung der turbulenten Flussigkeitsbewegung. In *Proc. 4th Int. Cong. Mathematicians*, Rome, 116-124.
- [211] Sommerfeld, A. (1949). *Partial Differential Equation in Physics*. Academic Press, New York.
- [212] Spalart, P. (1988). Direct numerical study of leading edge contamination. *AGARD CP 438*, 5.1-5.13.
- [213] Spangler, J.G. and Wells, C.S. Jr. (1968). Effect of freestream disturbances on boundary layer transition. *AIAA J.* **6**, 534-545.
- [214] Sparks, S.P. and Miley, S.J. (1983). Development of a propeller afterbody analysis with contracting slipstream. *SAE TP 830743*.
- [215] Sparrow, E.M. and Husar, R.B. (1969). Longitudinal vortices in natural convection flow on inclined plates, *J. Fluid Mech.* **37**:251-255.
- [216] Sparrow, E.M. and Minkowycz, W.J. (1962). Buoyancy effects on horizontal boundary-layer flow and heat transfer, *Int. J. Heat Mass Transfer*, **5**:505-511.
- [217] Srokowski, A.J. and Orszag, S.A. (1977). Mass flow requirements for LFC wing design. *AIAA Paper No. 77-1222*.
- [218] Steinruck, H. (1994). Mixed convection over a cooled horizontal plate: Non-uniqueness and numerical instabilities of the boundary layer equations, *J. Fluid Mech.* **278**:251-265.
- [219] Stratford, B.S. (1959). The prediction of separation of the turbulent boundary. *J. Fluid Mech.*, **5(1)**, 1-16.
- [220] Strykowski, P.J., and Sreenivasan, K.R. (1990). On the formation and suppression of vortex shedding at low Reynolds number. *J. Fluid Mech.*, **218**, 74-104.

- [221] Stuart, J.T. (1953). The basic theory of the stability of three-dimensional boundary layer. *ARC 15904*.
- [222] Stuart, J.T. (1963). in *Laminar Boundary Layer*. (Ed. L. Rosenhead). Clarendon Press, Oxford, U.K.
- [223] Tam, C.K.W. (1971). Directional acoustic radiation from a supersonic jet generated by shear layer instability. *J. Fluid Mech.*, **46**, 757-768.
- [224] Tani, I. (1952). On the design of airfoils in which the transition of the boundary layer is delayed. *NACA TM 1351*.
- [225] Taylor, G.I. (1936). Statistical theory of turbulence. V Effects of turbulence on boundary layer. *Proc. Roy. Soc. A* 156, no. 888, 307-317.
- [226] Taylor, G.I. (1939). Some recent developmetns in the study of turbulence. In *Proc. Vth International Con. for Applied Mech.* (eds. J.P. Den Hartog and H. Peters).
- [227] Theofilis, V. (1998). On linear and non-linear instability of the incompressible swept attachment-line boundary layer. *J. Fluid Mech.* **355**, 193-227.
- [228] Theofilis, V., Fedorov, A., Obrist, D. and Dallmann, U. (2003). The extended Goertler-Haemmerlin model for linear instability of three-dimensional incompressible swept attachment-line boundary layer flow. *J. Fluid Mech.* **487**, 271-313.
- [229] Tokumaru, P.T. and Dimotakis, P.E. (1993). The lift of a cylinder rotary motion in a uniform flow. *J. Fluid Mech.* **255**, 1-10.
- [230] Tollmien, W. (1931). The production of turbulence. *NACA TM 609*.
- [231] Trefethen, L.N., Trefethen, A.E., Reddy, S.C. and Driscoll, T.A. (1993). Hydrodynamic stability without eigenvalues. *Science*, **261**, (5121), 578-584.
- [232] Tritton, D.J. (1970). A note on vortex streets behind circular cylinders at low Reynolds numbers. *J. Fluid Mech.* **45(1)**, 203-208.
- [233] Tropea, C., Yarin, A.L. and Foss, J.F. (2007). *Springer Handbook of Experimental Fluid Mechanics*. Springer Verlag, Berlin.
- [234] Tumin, A. (2003). The spatial stability of natural convection flow on inclined plates, *ASME J.Fluid Engg.* **125**:428-437.
- [235] Vander Pol, B. and Bremmer, H. (1959). *Operational Calculus Based on Two-Sided Laplace Integral*, Cambridge University Press, U.K.
- [236] Van Driest, E.R. (1951). Turbulent boundary layer in compressible fluids. *J. Aero. Sci.* **18**, 145-160.
- [237] Van Ingen, J.L. (1956). A suggested semi-empirical method for the calculation of the boundary layer transition region. *Inst. Of Technology, Dept. of Aeronautics and Engg.Rept. VTH-74*.
- [238] Viken, J.K. (1983). Aerodynamic design considerations and theoretical results for a high Reynolds number natural laminar flow airfoil. M.S. Thesis. *The School of Engineering and Applied Science, George Washington Univ, USA*.

- [239] Wang, X.A. (1982). An experimental study of mixed, forced, and free convection heat transfer from a horizontal flat plate to air, *ASME J. Heat Transfer* **104**:139-144.
- [240] Wazzan, A.R., Gazley, C. Jr. and Smith, A.M.O. (1981). H - R, method for predicting transition. *AIAA J.*, **19**(6), 109-114
- [241] Wells, C.S. Jr. (1967). Effects of freestream turbulence on boundary layer transition. *AIAA J.*, **5**(1), 172-174.
- [242] White, F.M. (1991). *Viscous Fluid Flow*, McGraw Hill Int. Edn., New York.
- [243] Wiesenfeld, K. and McNamara, B. (1986). Small-signal amplification in bifurcating dynamical systems. *Physical Review A* **33**(1), 629-642.
- [244] Williamson, C.H.K. (1989). Oblique and parallel modes of vortex shedding in the wake of a circular cylinder at low Reynold numbers. *J. Fluid Mech.* **206**, 579-627.
- [245] Wu, R.S. and Cheng, K.C. (1976). Thermal instability of Blasius flow along horizontal plates, *Int. J. Heat Mass Transfer* **19**:907-913.
- [246] Wu, X., Jacobs, R.G., Hunt, J.C.R. and Durbin, P.A. (1999). Simulation of boundary layer transition induced by periodically passing wakes. *J. Fluid Mech.* **399**, 109-153.
- [247] Zebib, A. (1987). Stability of viscous flow past a circular cylinder. *J. Eng. Math.* **21**, 155-165.
- [248] Zuccher, S., Bottaro, A. and Luchini, P. (2006). Algebraic growth in a Blasius boundary layer. *Eur. J. Mech. B/Fluids.* 25,1.
- [249] Zuercher, E.J., Jacobs, J.W. and Chen, C.F. (1998). Experimental study of the stability of boundary-layer flow along a heated inclined plate, *J. Fluid Mech.* **367**:1-25.
- [250] S. S. Abarbanel and A. E. Chertock. Strict stability of high-order compact implicit finite-difference schemes: the role of boundary conditions for hyperbolic PDEs, I. *J. Comput. Phys.*, 160:42-66, 2000.
- [251] R. G. Abdel-Gayed, D. Bradley, M. N. Hamid, and M. Lawes. Lewis number effects on turbulent burning velocity. *Proc. Combust. Inst.*, 20: 505-512, 1984.
- [252] K. Akselvoll and P. Moin. Large eddy simulation of a backward facing step flow. In W. Rodi and F. Martelli, editors, *Proc. of the 2nd International Symposium on Eng. Turb. Modelling and Exp.*, volume 2, pages 303-313. Elsevier, 1993.
- [253] V. M. Alipchenkov and L. I. Zaichik. Modeling of the turbulent motion of particles in a vertical channel. *J. Fluid Dynamics*, 41(4), 2006.
- [254] C. Angelberger, D. Veynante, F. Egolfopoulos, and T. Poinso. Large eddy simulations of combustion instabilities in premixed flames. In *Proc. of the Summer Program*, pages 61-82. Center for Turbulence Research, NASA Ames/Stanford Univ., 1998.

- [255] S. V. Apte, M. Gorokhovski, and P. Moin. Large-eddy simulation of atomizing spray with stochastic modeling of secondary breakup. *Int. J. Multiphase Flow*, 29:1503–1522, 2003.
- [256] S. V. Apte, K. Mahesh, P. Moin, and J. C. Oefelein. Large-eddy simulation of swirling particle-laden flows in a coaxial-jet combustor. *Int. J. Multiphase Flow*, 29(8):1311–1331, 2003.
- [257] H. Aref. Integrable, chaotic and turbulent vortex motion in two-dimensional flows. *Ann. Rev. Fluid Mech.*, 15:345–389, 1983.
- [258] L. Benoit and F. Nicoud. Numerical assessment of thermo-acoustic instabilities in gas turbines. *Int. J. Numer. Meth. Fluids*, 47(8-9):849–855, 2005.
- [259] M. Benson, T. Tanaka, and J. K. Eaton. Effects of wall roughness on particle velocities in a turbulent channel flow. *J. Fluids Eng.*, 127(2): 250–256, 2005.
- [260] P. Billant, J.-M. Chomaz, and P. Huerre. Experimental study of vortex breakdown in swirling jets. *J. Fluid Mech.*, 376:183–219, 1998.
- [261] M. Boger, D. Veynante, H. Boughanem, and A. Trouvé. Direct numerical simulation analysis of flame surface density concept for large eddy simulation of turbulent premixed combustion. In *27th Symp. (Int.) on Combustion*, pages 917–927, Boulder, 1998. The Combustion Institute, Pittsburgh.
- [262] M. Boivin, O. Simonin, and K. D. Squires. On the prediction of gas-solid flows with two-way coupling using large eddy simulation. *Phys. Fluids*, 12(8):2080–2090, 2000.
- [263] S. Candel. Combustion instabilities coupled by pressure waves and their active control. In *24th Symp. (Int.) on Combustion*, pages 1277–1296. The Combustion Institute, Pittsburgh, 1992.
- [264] F. Chaitin-Chatelin and V. Frayssé. *Lectures on Finite Precision Computations*. SIAM, Philadelphia, 1996.
- [265] S. Chapman and T. G. Cowling. *The Mathematical Theory of Non-Uniform Gases*. Cambridge University Press, cambridge mathematical library edition, 1939 (digital reprint 1999).
- [266] P. Clavin. Dynamics of combustion fronts in premixed gases: from flames to detonations. *Proc. Combust. Inst.*, 28:569–586, 2000.
- [267] C. M. Coats. Coherent structures in combustion. *Prog. Energy Comb. Sci.*, 22:427 – 509, 1996.
- [268] O. Colin and M. Rudgyard. Development of high-order taylor-galerkin schemes for unsteady calculations. *J. Comput. Phys.*, 162(2):338–371, 2000.
- [269] O. Colin, F. Ducros, D. Veynante, and T. Poinso. A thickened flame model for large eddy simulations of turbulent premixed combustion. *Phys. Fluids*, 12(7):1843–1863, 2000.

- [270] D. G. Crighton, A. P. Dowling, J. E. Ffowcs Williams, M. Heckl, and F. Leppington. *Modern methods in analytical acoustics*. Lecture Notes. Springer Verlag, New-York, 1992.
- [271] E. Cuthill and J. McKee. Reducing the bandwidth of sparse symmetric matrices. In *Proceedings of the 24th National Conference of the ACM*, pages 157–172, 1969.
- [272] A. K. Das. *Computational fluid dynamics simulation of gas-solid risers: reactive flow modelling*. Phd thesis, Universiteit Gent, 2002.
- [273] P. G. Drazin and W. H. Reid. *Hydrodynamic stability*. Cambridge University Press, London, 1981.
- [274] O. A. Druzhinin and S. Elghobashi. On the decay rate of isotropic turbulence laden with microparticles. *Phys. Fluids*, 11(3):602–610, 1999.
- [275] C. Duwig, L. Fuchs, P. Griebel, P. Siewert, and E. Boschek. Study of a confined turbulent jet: influence of combustion and pressure. *AIAA Journal*, 45(3):624–661, 2007.
- [276] H. El-Asrag and S. Menon. Large eddy simulation of bluff-body stabilized swirling non-premixed flames. *Proc. Combust. Inst.*, 31:1747–1754, 2007.
- [277] H. Enwald, E. Peirano, and A.-E. Almstedt. Eulerian two-phase flow theory applied to fluidization. *Int. J. Multiphase Flow*, 22:21–66, 1996.
- [278] P. Fede, O. Simonin, P. Villedieu, and K. D. Squires. Stochastic modeling of the turbulent subgrid fluid velocity along inertial particle trajectories. In *Proc. of the Summer Program*, pages 247–258. Center for Turbulence Research, NASA Ames/Stanford Univ., 2006.
- [279] P. Fede, O. Simonin, and L. Zaichik. Pdf approach for the collision modelling in binary mixture of particles. In *Symp. on Fluid-particle Interactions in Turbulence*. ASME-FED, 2006.
- [280] P. Février, O. Simonin, and K. Squires. Partitioning of particle velocities in gas-solid turbulent flows into a continuous field and a spatially uncorrelated random distribution: Theoretical formalism and numerical study. *J. Fluid Mech.*, 533:1–46, 2005.
- [281] V. Fraysse, L. Giraud, and S. Gratton. A set of flexible-gmres routines for real and complex arithmetics. Technical Report TR/PA/98/20, CERFACS, 1998.
- [282] M. Freitag and J. Janicka. Investigation of a strongly swirled premixed flame using les. *Proc. Combust. Inst.*, 31:1477–1485, 2007.
- [283] F. Gao. A large-eddy simulation scheme for turbulent reacting flows. *Phys. Fluids*, 5(6):1282–1284, 1993.
- [284] J. Gao, C. Xu, S. Lin, and G. Yang. Simulations of gas-liquid-solid 3-phase flow and reaction in FCC riser reactors. *AIChE Journal*, 47(3): 677–692, 2001.

- [285] A. Giauque, L. Selle, T. Poinso, H. Buechner, P. Kaufmann, and W. Krebs. System identification of a large-scale swirled partially premixed combustor using LES and measurements. *J. Turb.*, 6(21):1–20, 2005.
- [286] P. Givi. Model-free simulations of turbulent reactive flows. *Prog. Energy Comb. Sci.*, 15:1–107, 1989.
- [287] P. Givi. Spectral and random vortex methods in turbulent reacting flows. In F. Williams and Libby P., editors, *Turbulent Reacting Flows*, pages 475–572. Academic Press, 1994.
- [288] I. Glassman. *Combustion*. Academic Press, New York, 1987.
- [289] A. Gobin, H. Neau, O. Simonin, J.-R. Linas, V. Reiling, and J.-L. S elo. Fluid dynamic numerical simulation of a gas phase polymerization reactor. *Int. J. Numer. Meth. Fluids*, 43:1199–1220, 2003.
- [290] I. G okalp, C. Chauveau, C. Morin, B. Vieille, and M. Birouk. Improving droplet breakup and vaporization models by including high pressure and turbulence effects. *Atomization and Sprays*, 10:475–510, 2000.
- [291] O. Gulder. Turbulent premixed flame propagation models for different combustion regimes. In *23rd Symp. (Int.) on Comb.*, pages 743–835, Orleans, 1990. The Combustion Institute, Pittsburgh.
- [292] F. Ham, S. V. Apte, G. Iaccarino, X. Wu, M. Herrmann, G. Constantinescu, K. Mahesh, and P. Moin. Unstructured LES of reacting multiphase flows in realistic gas turbine combustors. In *Annual Research Briefs*, pages 139–160. Center for Turbulence Research, NASA Ames/Stanford Univ., 2003.
- [293] Z. Han, S. Parrish, P. V. Farrell, and R. D. Reitz. Modeling atomization processes of pressure-swirl hollow-cone fuel sprays. *Atomization and Sprays*, 7(6):663–684, 1997.
- [294] G. Hanrot, V. Lefevre, D. Stehl e, and P. Zimmermann. Worst cases for a periodic function with large arguments. In Peter Kornerup and Jean-Michel Muller, editors, *Proceedings of the 18th IEEE Symposium on Computer Arithmetic*, pages 133–140, Los Alamitos, CA, 2007. IEEE Computer Society Press.
- [295] J. R. Herring, S. A. Orszag, and R. H. Kraichnan. Decay of two-dimensional homogeneous turbulence. *J. Fluid Mech.*, 66:417–444, 1974.
- [296] C. Hirsch. *Numerical Computation of Internal and External Flows*. John Wiley, New York, 1988.
- [297] C. M. Ho and P. Huerre. Perturbed free shear layers. *J. Fluid Mech.*, 16:365, 1984.
- [298] F. Hussain and J. Jeong. On the identification of a vortex. *J. Fluid Mech.*, 285:69–94, 1995.
- [299] J. Jim enez. Turbulence and vortex dynamics. Technical Report Ecole Polytechnique, 2004.

- [300] K. Kailasanath, J. H. Gardner, E. S. Oran, and J. P. Boris. Numerical simulations of unsteady reactive flows in a combustion chamber. *Combust. Flame*, 86:115–134, 1991.
- [301] A. Kaufmann. *Vers la simulation des grandes échelles en formulation Euler/Euler des écoulements réactifs diphasiques*. Phd thesis, INP Toulouse, 2004.
- [302] A. Kaufmann, O. Simonin, T. Poinso, and J. Hélie. Dynamics and dispersion in Eulerian-Eulerian DNS of two-phase flows. In *Proc. of the Summer Program*, pages 381–392. Center for Turbulence Research, NASA Ames/Stanford Univ., 2002.
- [303] A. R. Kerstein, W. Ashurst, and F. A. Williams. Field equation for interface propagation in an unsteady homogeneous flow field. *Phys. Rev. A*, 37(7):2728–2731, 1988.
- [304] L. E. Kinsler, A. R. Frey, A. B. Coppens, and J. V. Sanders. *Fundamental of Acoustics*. John Wiley, 1982.
- [305] W. Krebs, P. Flohr, B. Prade, and S. Hoffmann. Thermoacoustic stability chart for high intense gas turbine combustion systems. *Combust. Sci. Tech.*, 174:99–128, 2002.
- [306] K. K. Kuo. *Principles of Combustion*. John Wiley, New York, 1986.
- [307] P. Laffitte. *La propagation des flammes dans les melanges gazeux*. Hermann et Cie, Actualites scientifiques et industrielles, PARIS, 1939.
- [308] G. Lartigue. *Simulation aux grandes échelles de la combustion turbulente*. Phd thesis, INP Toulouse, 2004.
- [309] J. C. Lasheras and E. J. Hopfinger. Liquid jet instability and atomisation in a coaxial gas stream. *Ann. Rev. Fluid Mech.*, 32:275–308, 2000.
- [310] A. H. Lefebvre. *Gas Turbines Combustion*. Taylor & Francis, 1999.
- [311] J.-Ph. L egier, T. Poinso, and D. Veynante. Dynamically thickened flame LES model for premixed and non-premixed turbulent combustion. In *Proc. of the Summer Program*, pages 157–168. Center for Turbulence Research, NASA Ames/Stanford Univ., 2000.
- [312] S.K. Lele. Compact finite difference schemes with spectral like resolution. *J. Comput. Phys.*, 103:16–42, 1992.
- [313] T. Lieuwen and V. Yang. Combustion instabilities in gas turbine engines. operational experience, fundamental mechanisms and modeling. In *Prog. in Astronautics and Aeronautics AIAA*, volume 210, 2005.
- [314] W.-H. Liu and A. H. Sherman. Comparative analysis of the cuthill-mckee and the reverse cuthill-mckee ordering algorithms for sparse matrices. *SIAM Journal of Numerical Analysis*, 13(2):198–213, 1976.
- [315] E. N. Lorenz. Deterministic nonperiodic flow. *J. Atmos. Sci.*, 20:130–141, 1963.

- [316] O. Lucca-Negro and T. O'Doherty. Vortex breakdown: a review. *Prog. Energy Comb. Sci.*, 27:431–481, 2001.
- [317] K. Mahesh, G. Constantinescu, S. Apte, G. Iaccarino, F. Ham, and P. Moin. Progress toward large-eddy simulation of turbulent reacting and non-reacting flows in complex geometries. In *Annual Research Briefs*, pages 115–142. Center for Turbulence Research, NASA Ames/Stanford Univ., 2002.
- [318] K. Mahesh, G. Constantinescu, and P. Moin. A numerical method for large-eddy simulation in complex geometries. *J. Comput. Phys.*, 197(1):215–240, 2004. ISSN 0021-9991.
- [319] C. Marchioli, M. Picciotto, and A. Soldati. Particle dispersion and wall-dependent fluid scales in turbulent bounded flow: Implications for local equilibrium models. *J. Turb.*, 7(60):1–12, 2006.
- [320] C. Martin, L. Benoit, F. Nicoud, and T. Poinso. Analysis of acoustic energy and modes in a turbulent swirled combustor. In *Proc. of the Summer Program*, pages 377–394. Center for Turbulence Research, NASA Ames/Stanford Univ., 2004.
- [321] C. Martin, L. Benoit, Y. Sommerer, F. Nicoud, and T. Poinso. Les and acoustic analysis of combustion instability in a staged turbulent swirled combustor. *AIAA Journal*, 44(4):741–750, 2006.
- [322] K. McManus, T. Poinso, and S. Candel. A review of active control of combustion instabilities. *Prog. Energy Comb. Sci.*, 19:1–29, 1993.
- [323] S. Menon, P. A. McMurthy, and A. R. Kerstein. A linear eddy mixing model for large eddy simulation of turbulent combustion. In B. Galperin and S.A. Orzag, editors, *Large eddy simulation of complex engineering and geophysical flows*, pages 87 – 314. Cambridge University Press, 1993.
- [324] P. Moin. Large eddy simulation of multi-phase turbulent flows in realistic combustors. *Prog. Comput. Fluid Dynamics*, 4:237–240, 2004.
- [325] P. Moin and J. Kim. Numerical investigation of turbulent channel flow. *J. Fluid Mech.*, 118:341–377, 1982.
- [326] P. Moin and K. Mahesh. Dns: a tool in turbulence research. *Ann. Rev. Fluid Mech.*, 30:539–578, 1998.
- [327] P. Moin, K. D. Squires, W. Cabot, and S. Lee. A dynamic subgrid-scale model for compressible turbulence and scalar transport. *Phys. Fluids*, A 3(11):2746–2757, 1991.
- [328] M. Moreau, B. Bédât, and O. Simonin. A priori testing of subgrid stress models for euler-euler two-phase LES from euler-lagrange simulations of gas-particle turbulent flow. In *18th Ann. Conf. on Liquid Atomization and Spray Systems*. ILASS Americas, 2005.
- [329] V. Moureau, G. Lartigue, Y. Sommerer, C. Angelberger, O. Colin, and T. Poinso. High-order methods for DNS and LES of compressible multi-component reacting flows on fixed and moving grids. *J. Comput. Phys.*, 202(2):710–736, 2005.

- [330] F. Nicoud and F. Ducros. Subgrid-scale stress modelling based on the square of the velocity gradient. *Flow, Turb. and Combustion*, 62(3):183–200, 1999.
- [331] F. Nicoud, L. Benoit, and C. Sensiau. Acoustic modes in combustors with complex impedances and multidimensional active flames. *AIAA Journal*, 45:426–441, 2007.
- [332] S. Nukiyama and Y. Tanasawa. Experiments in on the atomization of liquids in air stream. report 3: on the droplet-size distribution in an atomized jet. *Trans. Soc. Mech. Eng. Japan*, 5:62–67, 1939.
- [333] B. Oesterlé and L. I. Zaichik. On lagrangian time scales and particle dispersion modeling in equilibrium turbulent shear flows. *Phys. Fluids*, 16(9):3374–3384, 2004.
- [334] E. S. Oran and J. P. Boris. *Numerical simulation of reactive flow. 2nd edition*. Cambridge University Press, New-York, 2001.
- [335] E. Peirano and B. Leckner. Fundamentals of turbulent gas-solid flows applied to circulating fluidized bed combustion. *Prog. Energy Comb. Sci.*, 24:259–296, 1998.
- [336] A. D. Pierce. *Acoustics: an introduction to its physical principles and applications*. McGraw Hill, New York, 1981.
- [337] C. D. Pierce and P. Moin. Progress-variable approach for large eddy simulation of non-premixed turbulent combustion. *J. Fluid Mech.*, 504:73–97, 2004.
- [338] H. Pitsch. Large eddy simulation of turbulent combustion. *Ann. Rev. Fluid Mech.*, 38:453–482, 2006.
- [339] T. Poinso and S. Lele. Boundary conditions for direct simulations of compressible viscous flows. *J. Comput. Phys.*, 101(1):104–129, 1992.
- [340] T. Poinso and D. Veynante. *Theoretical and Numerical Combustion*. R.T. Edwards, 2nd edition., 2005.
- [341] T. Poinso, A. Trouvé, D. Veynante, S. Candel, and E. Esposito. Vortex driven acoustically coupled combustion instabilities. *J. Fluid Mech.*, 177:265–292, 1987.
- [342] T. Poinso, S. Candel, and A. Trouvé. Application of direct numerical simulation to premixed turbulent combustion. *Prog. Energy Comb. Sci.*, 21:531–576, 1996.
- [343] S. B. Pope. Ten questions concerning the large-eddy simulation of turbulent flows. *New Journal of Physics*, 6:35, 2004.
- [344] L. Rayleigh. The explanation of certain acoustic phenomena. *Nature*, July 18:319–321, 1878.
- [345] R. D. Reitz and F. V. Bracco. Mechanism of atomization of a liquid jet. *Phys. Fluids*, 25(10):1730–1742, 1982.

- [346] E. Riber. *Développement de la méthode de simulation aux grandes échelles pour les écoulements diphasiques turbulents*. Phd thesis, INP Toulouse, 2007.
- [347] E. Riber, M. Moreau, O. Simonin, and B. Cuenot. Towards large eddy simulation of non-homogeneous particle laden turbulent gas flows using euler-euler approach. In *11th Workshop on Two-Phase Flow Predictions*, Merseburg, Germany, 2005.
- [348] E. Riber, M. García., V. Moureau, H. Pitsch, O. Simonin, and T. Poinso. Evaluation of numerical strategies for LES of two-phase reacting flows. In *Proc. of the Summer Program*, pages 197–211. Center for Turbulence Research, NASA Ames/Stanford Univ., 2006.
- [349] S. Richard, O. Colin, O. Vermorel, A. Benkenida, C. Angelberger, and D. Veynante. Towards large eddy simulation of combustion in spark ignition engines. *Proc. Combust. Inst.*, 31(3059-3066), 2007.
- [350] S. Roux, G. Lartigue, T. Poinso, U. Meier, and C. Bérat. Studies of mean and unsteady flow in a swirled combustor using experiments, acoustic analysis and large eddy simulations. *Combust. Flame*, 141: 40–54, 2005.
- [351] Y. Saad. A flexible inner-outer preconditioned gmres algorithm. *SIAM J. Sci. Comput.*, 14:461–469, 1993.
- [352] P. Sagaut. *Large eddy simulation for incompressible flows*. Springer, 2002.
- [353] J.-M. Samaniego, B. Yip, T. Poinso, and S. Candel. Low-frequency combustion instability mechanism in a side-dump combustor. *Combust. Flame*, 94(4):363–381, 1993.
- [354] V. Sankaran and S. Menon. Les of spray combustion in swirling flows. *J. Turb.*, 3:011, 2002.
- [355] P. Schmitt, T. J. Poinso, B. Schuermans, and K. Geigle. Large-eddy simulation and experimental study of heat transfer, nitric oxide emissions and combustion instability in a swirled turbulent high pressure burner. *J. Fluid Mech.*, 570:17–46, 2007.
- [356] T. Schönfeld and M. Rudgyard. Steady and unsteady flows simulations using the hybrid flow solver avbp. *AIAA Journal*, 37(11):1378–1385, 1999.
- [357] L. Selle. *Simulation aux grandes échelles des interactions flamme-acoustique dans un écoulement vrillé*. Phd thesis, INP Toulouse, 2004. URL http://www.cerfacs.fr/cfdbib/repository/TH.CFD-04_35.pdf.
- [358] L. Selle, G. Lartigue, T. Poinso, R. Koch, K.-U. Schildmacher, W. Krebs, B. Prade, P. Kaufmann, and D. Veynante. Compressible large-eddy simulation of turbulent combustion in complex geometry on unstructured meshes. *Combust. Flame*, 137(4):489–505, 2004.

- [359] L. Selle, F. Nicoud, and T. Poinso. The actual impedance of non-reflecting boundary conditions: implications for the computation of resonators. *AIAA Journal*, 42(5):958–964, 2004.
- [360] L. Selle, L. Benoit, T. Poinso, F. Nicoud, and W. Krebs. Joint use of compressible large-eddy simulation and helmoltz solvers for the analysis of rotating modes in an industrial swirled burner. *Combust. Flame*, 145(1-2):194–205, 2006.
- [361] A. Sengissen, A. Giaque, G. Staffelbach, M. Porta, W. Krebs, P. Kaufmann, and T. Poinso. Large eddy simulation of piloting effects on turbulent swirling flames. *Proc. Combust. Inst.*, 31:1729–1736, 2007.
- [362] T. K. Sengupta. *Fundamentals of Computational Fluid Dynamics*. Universities Press, Hyderabad (India), 2004.
- [363] T. K. Sengupta, G. Ganerwal, and A. Dipankar. High accuracy compact schemes and gibbs’ phenomenon. *J. Sci. Comput.*, 21(3):253–268, 2004.
- [364] Y. Sommerer, D. Galley, T. Poinso, S. Ducruix, F. Lacas, and D. Veynante. Large eddy simulation and experimental study of flashback and blow-off in a lean partially premixed swirled burner. *J. Turb.*, 5, 2004.
- [365] M. Sommerfeld and J. Kussin. Analysis of collision effects for turbulent gas-particle flow in a horizontal channel. part ii. integral properties and validation. *Int. J. Multiphase Flow*, 29(4):701–718, 2003.
- [366] D. B. Spalding. The combustion of liquid fuels. In *4th Symp. (Int.) on Combustion*, pages 847–864. The Combustion Institute, Pittsburgh, 1953.
- [367] J. S. Stoer and R. Bulirsch. *An Introduction to Numerical Analysis*. Springer, Berlin, 1980.
- [368] S. R. Stow and A. P. Dowling. Modelling of circumferential modal coupling due to helmholtz resonators. In *ASME Paper 2003-GT-38168*, Atlanta, Georgia, USA, 2003.
- [369] N. Syred. A review of oscillation mechanisms and the role of the precessing vortex core in swirl combustion systems. *Prog. Energy Comb. Sci.*, 32(2):93–161, 2006.
- [370] V. E. Taylor and B. Nour-Omid. A study of the factorization fill-in for a parallel implementation of the finite element method. *Int. J. Numer. Meth. Eng.*, 37:3809–3823, 1994.
- [371] H. Tennekes and J. L. Lumley. *A first course in turbulence*. M.I.T. Press, Cambridge, 1972.
- [372] L. Vervisch and T. Poinso. Direct numerical simulation of non pre-mixed turbulent flames. *Ann. Rev. Fluid Mech.*, 30:655–692, 1998.

- [373] D. Veynante and T. Poinso. Reynolds averaged and large eddy simulation modeling for turbulent combustion. In J. Ferziger O. Metais, editor, *New tools in turbulence modelling. Lecture 5*, pages 105–135. Les editions de Physique, Springer, 1997.
- [374] R. Vichnevetsky and J. B. Bowles. *Fourier analysis of numerical approximations of hyperbolic equations*. SIAM Studies in Applied Mechanics, Philadelphia, 1982.
- [375] B. Vreman, B. Geurts, and H. Kuerten. Subgrid modeling in LES of compressible flow. *Appl. Sci. Res.*, 54:191–203, 1995.
- [376] C. Weber and Z. Angrew. The decomposition of a liquid jet. *Math. Mech.*, 11:136–154, 1931.
- [377] R. V. Wheeler. *J. Chem. Soc.*, 113:840, 1918.
- [378] R. V. Wheeler. *J. Chem. Soc.*, 115:81, 1919.
- [379] F. A. Williams. *Combustion Theory*. Benjamin Cummings, Menlo Park, CA, 1985.
- [380] F. A. Williams. The role of theory in combustion science. In *24th Symp. (Int.) on Combustion*, pages 1–18, Sydney, 1992. The Combustion Institute, Pittsburgh.
- [381] R. D. Williams. Performance of dynamic load balancing algorithms for unstructured mesh calculations. *Concurrency: Practice, and Experience*, 3(5):451–481, 1991.
- [382] H. Yamashita, M. Shimada, and T. Takeno. A numerical study on flame stability at the transition point of jet diffusion flame. In *26th Symp. (Int.) on Combustion*, pages 27 – 34. The Combustion Institute, Pittsburgh, 1996.
- [383] A. Yoshizawa. Statistical theory for compressible turbulent shear flows, with the application to subgrid modeling. *Phys. Fluids*, 29(7): 2152–2164, 1986.