
Further Reading

- Adamska M, Larroux C, Adamski M, Green K, Lovas E, Koop D, Richards GS, Zwafink C, Degnan BM (2010) Structure and expression of conserved Wnt pathway components in the demosponge *Amphimedon queenslandica*. *Evol Dev* 12(5):494–518
- Adamska M, Degnan BM, Green K, Zwafink C (2011) What sponges can tell us about the evolution of developmental processes. *Zoology (Jena)* 114(1):1–10, Review
- Ainsworth TD et al (2015) The coral core microbiome identifies rare bacterial taxa as ubiquitous endosymbionts. *ISME J*. doi:10.1038/ismej.2015.39
- Alegado RA, King N (2014) Bacterial influences on animal origins. *Cold Spring Harb Perspect Biol* 6:a016162
- Alegado RA, Brown LW, Cao S, Dermenjian RK, Zuzow R, Fairclough SR, Clardy J, King N (2012) A bacterial sulfonolipid triggers multicellular development in the closest living relatives of animals. *Elife* 1:e00013
- Altura MA, Heath-Heckman EA, Gillette A, Kremer N, Krachler AM et al (2013) The first engagement of partners in the *Euprymna scolopes*–*Vibrio fischeri* symbiosis is a two-step process initiated by a few environmental symbiont cells. *Environ Microbiol* 15:2937–2950
- Ancil M (2009) Chemical transmission in the sea anemone *Nematostella vectensis*: a genomic perspective. *Comp Biochem Physiol D* 4:268–289
- Ardehshir A, Narayan NR, Méndez-Lagares G, Lu D, Rauch M, Huang Y, Van Rompay KK, Lynch SV, Hartigan-O'Connor DJ (2014) Breast-fed and bottle-fed infant rhesus macaques develop distinct gut microbiotas and immune systems. *Sci Transl Med* 6(252):252ra120
- Artamonova II, Mushegiand AR (2013) Genome sequence analysis indicates that the model eukaryote *Nematostella vectensis* harbors bacterial consorts. *Appl Environ Microbiol* 79(22):6868–6873
- Augustin R and Bosch TCG (2010) Cnidarian immunity: a tale of two barriers. In: Söderhäll K (ed) *Invertebrate immunity* Landes bioscience and Springer Science+Business Media, LLC, New York, USA
- Augustin R, Bosch TCG (2011) Cnidarian immunity: a tale of two barriers. *Adv Exp Med Biol* 708:1–16
- Augustin R, Siebert S, Bosch TCG (2009a) Identification of a kazal-type serine protease inhibitor with potent anti-staphylococcal activity as part of *Hydra*'s innate immune system. *Dev Comp Immunol* 33:830–837
- Augustin R, Anton-Erxleben F, Jungnickel S, Hemmrich G, Spudy B, Podschun R, Bosch TCG (2009b) Activity of the novel peptide arminin against multiresistant human pathogens shows the considerable potential of phylogenetically ancient organisms as drug sources. *Antimicrob Agents Chemother* 53:5245–5250
- Augustin R, Fraune S, Bosch TCG (2010) How *Hydra* senses and destroys microbes. *Semin Immunol* 22:54–58
- Augustin R, Fraune S, Franzenburg S, Bosch TCG (2012) Where simplicity meets complexity: *hydra*, a model for host-microbe interactions. *Adv Exp Med Biol* 710:71–81

- Bach JF (2002) The effect of infections on susceptibility to autoimmune and allergic diseases'. *N Engl J Med* 347(2002):911–920
- Ball E, Hayward D, Saint R et al (2004) A simple plan – Cnidarians and the origins of developmental mechanisms. *Nat Genet* 5:567–577
- Ball E, DeJong D, Schierwater B et al (2007) Implications of cnidarian gene expression patterns for the origins of bilaterality – is the glass half full or half empty? *Integr Comp Biol* 47(5):701–711
- Barash Y, Sulam R, Loya Y, Rosenberg E (2005) Bacterial Strain BA-3 and a filterable factor cause a white plague-like disease in corals from the Eilat coral reef. *Aquat Microbiol Ecol* 40:183–189
- Barr JJ, Auro R, Furlan M, Whiteson KL, Erb ML, Pogliano J, Stotland A, Wolkowicz R, Cutting AS, Doran KS, Salamon P, Youle M, Rohwer F (2013) Bacteriophage adhering to mucus provide a non-host-derived immunity. *Proc Natl Acad Sci U S A* 110(26):10771–10776
- Barrangou R, Fremaux C, Deveau H, Richards M, Boyaval P, Moineau S, Romero DA, Horvath P (2007) CRISPR provides acquired resistance against viruses in prokaryotes. *Science* 315:1709–1712
- Barton ES, White DW, Cathelyn JS, Brett-McClellan KA, Engle M, Diamond MS, Virgin HW (2007) Herpesvirus latency confers symbiotic protection from bacterial infection. *Nature* 447:326–329
- Bates JM, Mittge E, Kuhlman J, Baden KN, Cheesman SE, Guillemin K (2006) Distinct signals from the microbiota promote different aspects of zebrafish gut differentiation. *Dev Biol* 297(2):374–386
- Bell G (1998) Model metaorganism. A book review. *Science* 282(5387):248
- Ben-Haim Y, Rosenberg E (2002) A novel *Vibrio* sp. pathogen of the coral *Pocillopora damicornis*. *Mar Biol* 141:47–55
- Ben-Haim Y, Zicherman-Keren M, Rosenberg E (2003) Temperature-regulated bleaching and lysis of the coral *Pocillopora damicornis* by the novel pathogen *Vibrio coralliilyticus*. *Appl Environ Microbiol* 69(7):4236–4242
- Ben-Haim Y, Thompson FL, Thompson CC, Cnockaert MC, Hoste B, Swings J, Rosenberg E (2013) *Vibrio coralliilyticus* sp. nov., a temperature-dependent pathogen of the coral *Pocillopora damicornis*. *Int J Syst Evol Microbiol* 53(Pt 1):309–315
- Bevins CL, Salzman NH (2011) The potter's wheel: the host's role in sculpting its microbiota. *Cell Mol Life Sci* 68:3675–3685
- Biagi E, Candela M, Fairweather-Tait S, Franceschi C, Brigidi P (2012) Ageing of the human metaorganism: the microbial counterpart. *Age (Dordr)* 34(1):247–267
- Blanc G et al (2010) The *Chlorella variabilis* NC64A genome reveals adaptation to photosymbiosis, coevolution with viruses, and cryptic sex. *Plant Cell* 22:2943–2955
- Blaser MJ (2014) The microbiome revolution. *J Clin Invest* 124(10):4162–4165
- Boehm AM, Hemmrich G, Khalturin K, Puchert M, Anton-Erxleben F, Wittlieb J, Klostermeier UC, Rosenstiel P, Oberg H-H, Bosch TCG (2012) FoxO is a critical regulator of stem cell maintenance and immortality in *Hydra*. *Proc Natl Acad Sci U S A* 109(48):19697–19702
- Boehm AM, Rosenstiel P, Bosch TCG (2013) Stem cells and aging from a quasi-immortal point of view. *BioEssays* 35(11):994–1003
- Bordenstein SR (2014) Genomic and cellular complexity from symbiotic simplicity. *Cell* 158(6):1236–1237
- Bordenstein SR, Theis KR (2015) Host biology in light of the microbiome: ten principles of holobionts and hologenomes. *PLoS Biol* 13(8):e1002226
- Bosch TCG (2007) Why polyps regenerate and we don't: towards a cellular and molecular framework for *Hydra* regeneration. *Dev Biol* 303:421–433
- Bosch TCG (2012a) What *Hydra* has to say about the role and origin of symbiotic interactions. *Biol Bull* 223:78–84
- Bosch TCG (2012b) Understanding complex host-microbe interactions in *Hydra*. *Gut Microb* 3(4):1–7
- Bosch TCG (2013) Cnidarian-microbe interactions and the origin of innate immunity in metazoans. *Ann Rev Microbiol* 67:499–518, pdficon

- Bosch TCG (2014) Rethinking the role of immunity: lessons from Hydra. *Trends Immunol* 35(2014):495–502
- Bosch TCG, David CN (1986) Immunocompetence in hydra: epithelial cells recognize self-nonsel and react against it. *J Exp Biol* 238:225–234
- Bosch TCG, McFall-Ngai M (2011) Metaorganisms as the new frontier. *Zoology* 114(2011):185–190
- Bosch TCG, Augustin R, Anton-Erxleben F, Fraune S, Hemmrich G, Zill H, Rosenstiel P, Jacobs G, Schreiber S, Leippe M, Stanisak M, Grotzinger J, Jung S, Podschun R, Bartels J, Harder J, Schroder JM (2009) Uncovering the evolutionary history of innate immunity: the simple metazoan Hydra uses epithelial cells for host defence. *Dev Comp Immunol* 33:559–569
- Bosch TCG, Adamska M, Augustin R, Domazet-Lošo T, Foret S, Fraune S, Funayama N, Grasis J, Hamada M, Hatta M, Hobmayer B, Kawai K, Klimovich A, Manuel M, Shinzato C, Technau U, Yum S, Miller DJ (2014) How do environmental factors influence life cycles and development? An experimental framework for early-diverging metazoans. *Bioessays* 36(12):1185–1194
- Bosch TCG, Grasis JA, Lachnit T (2015) Microbial ecology in Hydra: why viruses matter. *J Microbiol* 53(3):193–200
- Bourne D et al (2008) Changes in coral-associated microbial communities during a bleaching event. *ISME J* 2:350–363
- Bourne DG et al (2009) Microbial disease and the coral holobiont. *Trends Microbiol* 17:554–562
- Bourne DG et al (2013a) Coral reef invertebrate microbiomes correlate with the presence of photosymbionts. *ISME J* 7:1452–1458
- Bourne D, Webster NS et al (2013b) Coral reef bacterial communities. In: Rosenberg E et al (eds) *The prokaryotes – prokaryotic communities and ecophysiology*. Springer, Berlin
- Broadbent AD, Jones GB (2004) DMS and DMSP in mucus ropes, coral mucus, surface films and sediment pore waters from coral reefs of the Great Barrier Reef. *Mar Freshw Res* 55: 849–855
- Brodie J et al (2005) Are increased nutrient inputs responsible for more outbreaks of crown of thorns starfish – an appraisal of the evidence. *Mar Pollut Bull* 51:266–278
- Brucker RM, Bordenstein SR (2012a) Speciation by symbiosis. *Trends Ecol Evol* 27(8):443–451
- Brucker RM, Bordenstein SR (2012b) The roles of host evolutionary relationships (genus: *Nasonia*) and development in structuring microbial communities. *Evolution* 66(2):349–362
- Brucker RM, Bordenstein SR (2013a) The hologenomic basis of speciation: gut bacteria cause hybrid lethality in the genus *Nasonia*. *Science* 341(6146):667–669
- Brucker RM, Bordenstein SR (2013b) The capacious hologenome. *Zoology (Jena)* 116(5):260–261
- Brucker RM, Bordenstein SR (2014) Response to Comment on “The hologenomic basis of speciation: gut bacteria cause hybrid lethality in the genus *Nasonia*”. *Science* 345:1011
- Buddemeier RW, Fautin DG (1993) Coral bleaching as an adaptive mechanism. *BioScience* 43:320–326
- Campbell RD (1990) Transmission of symbiotic algae through sexual reproduction in Hydra: movement of algae into the oocyte. *Tissue Cell* 22:137–147
- Cartwright P, Collins A (2007) Fossils and phylogenies: integrating multiple lines of evidence to investigate the origin of early major metazoan lineages. *Integr Comp Biol* 47:744–751
- Chanishvili N (2012) Phage therapy-history from Twort and d’Herelle through Soviet experience to current approaches. *Adv Virus Res* 83:3–40
- Chapman JA, Kirkness EF, Simakov O, Hampson SE, Mitros T, Weinmaier T, Rattei T, Balasubramanian PG, Borman J, Busam D, Disbennett K, Pfannkoch C, Sumin N, Sutton GG, Viswanathan LD, Walenz B, Goodstein DM, Hellsten U, Kawashima T, Prochnik SE, Putnam NH, Shu S, Blumberg B, Dana CE, Gee L, Kibler DF, Law L, Lindgens D, Martinez DE, Peng J, Wigge PA, Bertulat B, Guder C, Nakamura Y, Ozbek S, Watanabe H, Khalturin K, Hemmrich G, Franke A, Augustin R, Fraune S, Hayakawa E, Hayakawa S, Hirose M, Hwang JS, Ikeo K, Nishimiya-Fujisawa C, Ogura A, Takahashi T, Steinmetz PR, Zhang X, Aufschnaiter R, Eder MK, Gorny AK, Salvenmoser W, Heimberg AM, Wheeler BM, Peterson KJ, Bottger A, Tischler P, Wolf A, Gojobori T, Remington KA, Strausberg RL, Venter JC, Technau U, Hobmayer B, Bosch TC, Holstein TW, Fujisawa T, Bode HR, David CN, Rokhsar DS, Steele RE (2010) The dynamic genome of Hydra. *Nature* 464(7288):592–596

- Chaston J, Douglas AE (2012) Making the most of “omics” for symbiosis research. *Biol Bull* 223(1):21–29, pmid:22983030
- Chen Z, Wang A (2008) A new species of the genus *Hydra* from China (Hydrozoa, Hydraridae). *Acta Zootaxonomica Sin* 33:737–741
- Chen J-Y, Oliveri P, Gao F, Dornbos SQ, Li C-W, Bottjer DJ, Davidson EH (2002) Precambrian animal life: Probable developmental and adult cnidarian forms from southwest China. *Dev Biol* 248:182–196
- Cho CE, Norman M (2013) Cesarean section and development of the immune system in the offspring. *Am J Obstet Gynecol* 208(4):249–254
- Chu H, Mazmanian SK (2013) Innate immune recognition of the microbiota promotes host-microbial symbiosis. *Nat Immunol* 14(7):668–675
- Clarke G, Grenham S, Scully P, Fitzgerald P, Moloney RD, Shanahan F, Dinan TG, Cryan JF (2013) The microbiome-gut–brain axis during early life regulates the hippocampal serotonergic system in a sex-dependent manner. *Mol Psychiatry* 18:666–673
- Clarke G, Stilling RM, Kennedy PJ, Stanton C, Cryan JF, Dinan TG (2014) Minireview: Gut microbiota: the neglected endocrine organ. *Mol Endocrinol* 28(8):1221–1238
- Coffroth MA, Santos SR (2005) Genetic diversity of symbiotic dinoflagellates in the genus *Symbiodinium*. *Protist* 156:19–34
- Cohen Y, Pollock F, Rosenberg E, Bourne DG (2013) Phage therapy treatment of the coral pathogen *Vibrio coralliilyticus*. *Microbiol Open* 2(1):64–74
- Colman RJ, Rubin DT (2014) Fecal microbiota transplantation as therapy for inflammatory bowel disease: a systematic review and meta-analysis. *J Crohn's Colitis* 8(12):1569–1581 (1)
- Cook CB, Kelty MO (1982) Glycogen, protein, and lipid content of green, aposymbiotic and nonsymbiotic hydra during starvation. *J Exp Zool* 222:1–9
- Cullen TW et al (2015) Gut microbiota. Antimicrobial peptide resilience of prominent gut commensals during inflammation. *Science* 347(6218):170–175
- Currie CR (2001) A community of ants, fungi, and bacteria: a multilateral approach to studying symbiosis. *Annu Rev Microbiol* 55:357–380
- Dasgupta S, Kasper DL (2013) Relevance of commensal microbiota in the treatment and prevention of inflammatory bowel disease. *Inflamm Bowel Dis* 19:2478–2489
- Davies J (2001) In a map for human life, count the microbes, too. *Science* 291:2316
- Davy SK et al (2012) Cell biology of cnidarian-dinoflagellate symbiosis. *Microbiol Mol Biol Rev* 76:229–261
- Dayel MJ, Alegado RA, Fairclough SR, Levin TC, Nichols SA, McDonald K, King N (2011) Cell differentiation and morphogenesis in the colony-forming choanoflagellate *Salpingoeca rosetta*. *Dev Biol* 357(1):73–82
- De'ath G et al (2012) The 27-year decline of coral cover on the Great Barrier Reef and its causes. *Proc Natl Acad Sci U S A* 109:17995–17999
- Dedeine F, Vavre F, Fleury F, Loppin B, Hochberg ME, Boulétreau M (2001) Removing symbiotic *Wolbachia* specifically inhibits oogenesis in a parasitic wasp. *Proc Natl Acad Sci USA* 98:6247–6252
- Desbonnet L, Clarke G, Shanahan F, Dinan TG, Cryan JF (2014) Microbiota is essential for social development in the mouse. *Mol Psychiatry* 19(2):146–148
- Dominguez-Bello MG et al (2010) Delivery mode shapes the acquisition and structure of the initial microbiota across multiple body habitats in newborns. *Proc Natl Acad Sci U S A* 107:11971–11975
- Doolittle WF, Zhaxybayeva O (2009) On the origin of prokaryotic species. *Genome Res* 19(5):744–756
- Doolittle WF, Fraser P, Gerstein MB, Graveley BR, Henikoff S, Huttenhower C, Oshlack A, Ponting CP, Rinn JL, Schatz MC, Ule J, Weigel D, Weinstock GM (2013) Sixty years of genome biology. *Genome Biol* 14(4):113
- Douglas AE (2003) Coral bleaching – how and why? *Mar Pollut Bull* 46:385–392
- Douglas AE (2014) Symbiosis as a general principle in eukaryotic evolution. *Cold Spring Harb Perspect Biol* 6(2):13

- Douglas AE (2015) Multiorganismal insects: diversity and function of resident microorganisms. *Annu Rev Entomol* 60(1):17–34
- Du Z, Zhang W, Xia H, Lü G, Chen G (2010) Isolation and diversity analysis of heterotrophic bacteria associated with sea anemones. *Acta Oceanol Sin* 29:62–69
- Dubilier N, Bergin C, Lott C (2008) Symbiotic diversity in marine animals: the art of harnessing chemosynthesis. *Nat Rev Microbiol* 6(10):725
- Duerkop B, Hooper LV (2013) Resident viruses and their interactions with the immune system. *Nat Immunol* 14:654–659
- Dunbar HE, Wilson ACC, Ferguson NR, Moran NA (2007) Aphid thermal tolerance is governed by a point mutation in bacterial symbionts. *PLoS Biol* 5:e96
- Eberl G (2010) A new vision of immunity: homeostasis of the superorganism. *Mucosal Immunol* 3:450–460
- Efrony R, Atad I, Rosenberg E (2008) Phage therapy of coral white plague disease: properties of phage BA3. *Curr Microbiol* 58:139–145
- Ehrlich PR, Raven PH (1964) Butterflies and Plants: a Study in Coevolution. *Evolution* 18:586–608
- Eisenhauer N, Schläpghammersky J, Reich PB, Frelich LE (2011) The wave towards a new steady state: effects of earthworm invasion on soil microbial functions. *Biol Invasions* 13:2191–2196
- Eitel M et al (2013) Global diversity of the Placozoa. *PLoS One* 8:e57131
- Eme L, Doolittle WF (2015) Microbial diversity: a bonanza of phyla. *Curr Biol* 25(6):R227–R230
- Erwin DH, Valentine JW (2013) The Cambrian Explosion. The construction of animal biodiversity. Roberts and Company, Greenwood Village
- Erwin DH, Laflamme M, Tweedt SM, Sperling EA, Pisani D, Peterson KJ (2011) The Cambrian conundrum: early divergence and later ecological success in the early history of animals. *Science* 334:1091–1097
- Ezenwa VO, Gerardo NM, Inouye DW, Medina M, Xavier JB (2012) Animal behavior and the microbiome. *Science* 338:198–199
- Fairclough SR, Chen Z, Kramer E, Zeng Q, Young S, Robertson HM, Begovic E, Richter DJ, Russ C, Westbrook MJ, Manning G, Lang BF, Haas B, Nusbaum C, King N (2013) Premetazoan genome evolution and the regulation of cell differentiation in the choanoflagellate *Salpingoeca rosetta*. *Genome Biol* 14:R15
- Feuda R, Hamilton SC, McInerney JO, Pisani D (2012) Metazoan opsin evolution reveals a simple route to animal vision. *Proc Natl Acad Sci U S A* 109:18868–18872
- Fortunato SAV, Adamski M, Mendivil Ramos O, Leiminger S, Liu J, Ferrier DEK, Adamska M (2014) Calcisponges have a ParaHox gene and dynamic expression of dispersed NK homeobox genes. *Nature* 514:620–623
- Franzenburg S, Walter J, Künzel S, Baines JF, Bosch TCG, Fraune S (2013a) Distinct antimicrobial tissue activity shapes host species-specific bacterial associations. *Proc Natl Acad Sci U S A* 110(39):E3730–E3738
- Franzenburg S, Fraune S, Altrock PM, Künzel S, Baines JF, Traulsen A, Bosch TCG (2013b) Bacterial colonization of *Hydra* hatchlings follows a robust temporal pattern. *ISME J* 7(4):781–790
- Fraune S, Bosch TCG (2007) Long-term maintenance of species-specific bacterial microbiota in the basal metazoan *Hydra*. *Proc Natl Acad Sci U S A* 104:13146–13151
- Fraune S, Bosch TCG (2010) Why bacteria matter in animal development and evolution. *Bioessays* 32:571–580
- Fraune S, Bosch TCG (2012) Host-symbiont interactions: why Cnidaria matter. *Cell News* 3(2012):14–21
- Fraune S, Abe Y, Bosch TCG (2009a) Disturbing epithelial homeostasis in the metazoan *Hydra* leads to drastic changes in associated microbiota. *Environ Microbiol* 11(9):2361–2369
- Fraune S, Augustin R, Bosch TCG (2009b) Exploring host-microbe interactions in *hydra*. *Microbe* 4(10):457–462
- Fraune S, Augustin R, Anton-Erxleben F, Wittlieb J, Gelhaus C, Klimovich VB, Samoilovich MP, Bosch TCG (2010) In an early branching metazoan, bacterial colonization of the embryo is controlled by maternal antimicrobial peptides. *Proc Natl Acad Sci USA* 107:18067–18072

- Fraune S, Augustin R, Bosch TCG (2011a) Embryo protection in contemporary immunology: why bacteria matter. *Commun Integr* 4:369–372
- Fraune S, Franzenburg S, Augustin R, Bosch TCG (2011b) Das Prinzip Metaorganismus. *Biospektrum* 17(6):634–636
- Fraune S, Anton-Erxleben F, Augustin R, Franzenburg S, Knop M, Schröder K, Willoweit-Ohl D, Bosch TCG (2015) Bacteria-bacteria interactions within the microbiota of the ancestral metazoan Hydra contribute to fungal resistance. *ISME J* 9:1543–1556. doi:10.1038/ismej.2014.239
- Fukami T, Wardle DA, Bellingham PJ, Mulder CP, Towns DR, Yeates GW, Bonner KI, Durrett MS, Grant-Hoffman MN, Williamson WM (2006) Above- and below-ground impacts of introduced predators in seabird-dominated island ecosystems. *Ecol Lett* 9:1299–1307
- Futuyma DJ (1979) *Evolutionary biology*, 1st edn. Sinauer Associates, Sunderland. ISBN 0-87893-199-6
- Futuyma DJ (1998) *Evolutionary biology*, 3rd ed. Sinauer Associates, Sunderland. (dated 1998, published 1997) ISBN 0-87893-189-9
- Futuyma DJ (2005) *Evolution*. Sinauer Associates, Sunderland. ISBN 0-87893-187-2
- Futuyma DJ, Slatkin M (eds) (1983) *Coevolution*. Sinauer Associates, Sunderland. ISBN 0-87893-228-3
- Garm A, Mori S (2009) Multiple photoreceptor systems control the swim pacemaker activity in box jellyfish. *J Exp Biol* 212:3951–3960
- Garren M et al (2014) A bacterial pathogen uses dimethylsulfoniopropionate as a cue to target heat-stressed corals. *ISME J* 8:999–1007
- Gilbert SF (2014) Symbiosis as the way of eukaryotic life: the dependent co-origination of the body. *J Biosci* 39(2):201–209
- Gilbert SF, Epel D (2015) *ecological developmental biology: the environmental regulation of development, health, and evolution*. Sinauer Associates Inc., Sunderland
- Gilbert SF, Sapp J, Tauber AI (2012) A symbiotic view of life: we have never been individuals. *Q Rev Biol* 87(4):325–341
- Gilbert SF, Bosch TCG, Ledón-Rettig C (2015) Eco-Evo-Devo: developmental symbiosis and developmental plasticity as evolutionary agents. *Nat Rev Genet* 16(10):611–622
- Gordon J, Knowlton N, Relman DA, Rohwer F, Youle M (2013a) Superorganisms and holobionts. *Microbe* 8(4):152–153
- Gordon J, Knowlton N, Relman DA, Rohwer F, Youle M (2013) Superorganisms and holobionts. *Microbe Magazine*, April 2013 issue
- Grasis JA, Lachnit T, Anton-Erxleben F, Lim YW, Schmieder R, Fraune S, Franzenburg S, Insua S, Machado G, Haynes M, Little M, Kimble R, Rosenstiel P, Rohwer FL, Bosch TCG (2014) Species-specific viromes in the ancestral holobiont Hydra. *PLoS One* 9:e109952
- Grissa I, Vergnaud G, Pourcel C (2007) The CRISPRdb database and tools to display CRISPRs and to generate dictionaries of spacers and repeats. *BMC Bioinform* 23(8):172
- Grmek MD (1969) Préliminaires d'une étude historique des maladies. *Annales Economie Société Civilisation* 24:1437–1483
- Guppy R, Bythell JC (2006) Environmental effects on bacterial diversity in the surface mucus layer of the reef coral *Montastraea faveolata*. *Mar Ecol Prog Ser* 328:133–142
- Haapkyla J et al (2011) Seasonal rainfall and runoff promote coral disease on an inshore reef. *PLoS One* 6:e16893
- Haber M (2013) Colonies are individuals: revisiting the superorganism revival. In: Bouchard F, Huneman P (eds) *From groups to individuals: evolution and emerging individuality*. The MIT Press, Cambridge, pp 195–217
- Habetha M, Bosch TCG (2005) Symbiotic Hydra express a plant-like peroxidase gene during oogenesis. *J Exp Biol* 208:2157–2164
- Habetha M, Anton-Erxleben F, Neumann K, Bosch TCG (2003) The Hydra viridis/Chlorella symbiosis. (I) Growth and sexual differentiation in polyps without symbionts. *Zoology* 106(2):101–108
- Hadfield MG (2011) Biofilms and marine invertebrate larvae: what bacteria produce that larvae use to choose settlement sites. *Ann Rev Mar Sci* 3:453–470

- Weismann to Haeckel, 27 January 1874, in Georg Uschmann and Bernhard Hassenstein (1965) Der Briefwechsel zwischen Ernst Haeckel und August Weismann. In: Gersch M (ed) Kleine Festschrift aus Anlass der hundertjährigen Wiederkehr der Gründung des Zoologischen Institutes der Friedrich-Schiller-Universität Jena im Jahre 1865. Friedrich-Schiller-Universität, Jena, pp 35–36
- Hamann O (1882) Zur Entstehung und Entwicklung der grünen Zellen bei Hydra. *Z Wiss Zool* 37:457–464
- Hemrich G, Bosch TCG (2008) Compagen, a comparative genomics platform for early branching metazoan animals, reveals early origins of genes regulating stem cell differentiation. *Bioessays* 20(10):1010–1018
- Hemrich G, Miller DJ, Bosch TCG (2007) The evolution of immunity – a low life perspective. *Trends Immunol* 28(10):449–454
- Hemrich G, Khalturin K, Boehm AM, Puchert M, Anton-Erxleben F, Wittlieb J, Klostermeier UC, Rosenstiel P, Oberg HH, Domazet-Lošo T, Sugimoto T, Niwa H, Bosch TCG (2012) Molecular signatures of the three stem cell lineages in Hydra and the emergence of stem cell function at the base of multicellularity. *Mol Biol Evol*. doi:[10.1093/molbev/mss13](https://doi.org/10.1093/molbev/mss13)
- Hoerauf A (2008) *Mansonella perstans*—the importance of an endosymbiont. *N Engl J Med* 361:1502–1504
- Hooper LV, Gordon JI (2001) Commensal host-bacterial relationships in the gut. *Science* 292(5519):1115–1118
- Horvath P, Barrangou R (2010) CRISPR/Cas, the immune system of bacteria and archaea. *Science* 327:167–170
- Hsiao EY, McBride SW, Hsien S, Sharon G, Hyde ER, McCue T, Codelli JA, Chow J, Reisman SE, Petrosino JF, Patterson PH, Mazmanian SK (2013) Microbiota modulate behavioral and physiological abnormalities associated with neurodevelopmental disorders. *Cell* 155(7):1451–1463
- Jager M, Dayraud C, Mialot A, Quéinnec E, le Guyader H et al (2013) Evidence for involvement of Wnt signalling in body polarities, cell proliferation, and the neuro-sensory system in an adult ctenophore. *PLoS One* 8(12):e84363.
- Jolley E, Smith DC (1978) The green hydra symbiosis. I. Isolation culture and characteristics of the chlorella symbiont of the “european” hydra viridis 1978. *New Phytol* 81:637–645
- Jung S, Dingley AJ, Augustin R, Anton-Erxleben F, Stanisak M, Gelhaus C, Gutschmann T, Hammer MU, Podschun R, Bonvin AM, Leippe M, Bosch TCG, Grotzinger J (2009) Hydracin-1, structure and antibacterial activity of a protein from the basal metazoan Hydra. *J Biol Chem* 284:1896–1905
- Kaufman LS (1983) Effects of Hurricane Allen on reef fish assemblages near Discovery Bay, Jamaica. *Coral Reefs* 2:1–5
- Kawaida H, Ohba K, Koutake Y, Shimizu H, Tachida H, Kobayakawa Y (2013) Symbiosis between Hydra and Chlorella: molecular phylogenetic analysis and experimental study provide insight into its origin and evolution. *Mol Phylogenet Evol* 66:906–914
- Keeling PJ, McCutcheon JP, Doolittle WF (2015) Symbiosis becoming permanent: survival of the luckiest. *Proc Natl Acad Sci U S A* 112(33):10101–10103
- Kernbauer E, Ding Y, Cadwell K (2014) An enteric virus can replace the beneficial function of commensal bacteria. *Nature*. doi:[10.1038/nature13960](https://doi.org/10.1038/nature13960)
- Khalturin K, Anton-Erxleben F, Sassmann S, Wittlieb J, Hemrich G, Bosch TCG (2008) A novel gene family controls species-specific morphological traits in Hydra. *PLoS Biol* 6:e278
- Khalturin K, Hemrich G, Fraune S, Augustin R, Bosch TCG (2009) More than just orphans: are taxonomically-restricted genes important in evolution? *Trends Genet* 25:404–413
- Khosravi A, Yáñez A, Price JG, Chow A, Merad M, Goodridge HS, Mazmanian SK (2014) Gut microbiota promote hematopoiesis to control bacterial infection. *Cell Host Microbe* 15(3):374–381
- King N (2004) The unicellular ancestry of animal development. *Dev Cell* 7:313–325
- King N (2005) Choanoflagellates. *Curr Biol* 15(4):R113–R114
- King N (2010) Nature and nurture in the evolution of cell biology. *Mol Biol Cell* 21:3801–3802

- King N, Young SL, Abedin M, Carr M, Leadbeater BSC (2008) The choanoflagellates: heterotrophic nanoflagellates and the sister group of the Metazoa in *Emerging Model Organisms*, vol. 1. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY
- King N, Westbrook M, Young SL, Kuo A, Abedin M, Chapman J, Fairclough S, Hellsten U, Isogai Y, Letunic I, Marr M, Pincus D, Putnam N, Rokas A, Wright KJ, Zuzow R, Dirks W, Good M, Goodstein D, Lemons D, Li W, Lyons J, Morris A, Nichols S, Richter DJ, Salamov A, Sequencing JGI, Bork P, Lim WA, Manning G, Miller WT, McGinnis W, Shapiro H, Tjian R, Grigoriev IV, Rokhsar D (2008b) The genome of the choanoflagellate *Monosiga brevicollis* and the origin of metazoans. *Nature* 451:783–788
- Klueter A et al (2015) Taxonomic and environmental variation of metabolite profiles in marine dinoflagellates of the genus *Symbiodinium*. *Metabolites* 5:74–99
- Knoll AH (2003) *Life on a young planet*. Princeton University Press, Princeton
- Knowlton N (2001) The future of coral reefs. *Proc Natl Acad Sci U S A* 98(10):5419–5425
- Knowlton N, Rohwer F (2003) Multispecies microbial mutualisms on coral reefs: the host as a habitat. *Am Nat* 162:S51–S62
- Kortschak RD et al (2003) EST analysis of the cnidarian *Acropora millepora* reveals extensive gene loss and rapid sequence divergence in the model invertebrates. *Curr Biol* 13(24):2190–2195
- Kozmik Z et al (2008) Assembly of the cnidarian camera-type eye from vertebrate-like components. *Proc Natl Acad Sci U S A* 105:8989–8993
- Kremer N, Philipp EE, Carpentier MC, Brennan CA, Kraemer L et al (2013) Initial symbiont contact orchestrates host-organ-wide transcriptional changes that prime tissue colonization. *Cell Host Microbe* 14:183–194
- Kushmaro A, Loya Y, Fine M, Rosenberg E (1996) Bacterial infection and coral bleaching. *Nature* 380:396–403
- Kushmaro A, Rosenberg E, Fine M, Loya Y (1997) Bleaching of the coral *Oculina patagonica* by *Vibrio* AK-1. *Mar Ecol Prog Ser* 147:159–165
- Kushmaro A, Rosenberg E, Fine M, Ben-Haim Y, Loya Y (1998) Effect of temperature on bleaching of the coral *Oculina patagonica* by *Vibrio shiloi* AK-1. *Marine Ecol Prog Ser* 171:131–137
- Kvennefors ECF, Roff G (2009) Evidence of cyanobacteria-like endosymbionts in Acroporid corals from the Great Barrier Reef. *Coral Reefs* 28:547
- Landmann F, Foster JM, Michalski ML, Slatko BE, Sullivan W (2014) Co-evolution between an endosymbiont and its nematode host: *Wolbachia* asymmetric posterior localization and AP polarity establishment. *PLoS Negl Trop Dis* 8(8):e3096
- Lange C, Hemmrich G, Klostermeier UC, López-Quintero JA, Miller DJ, Rahn T, Weiss Y, Bosch TCG, Rosenstiel P (2011) Defining the origins of the NOD-like receptor system at the base of animal evolution. *Mol Biol Evol* 28:1687–1702
- Lederberg J (1996) Smaller fleas ... ad infinitum: therapeutic bacteriophage redux. *Proc Natl Acad Sci U S A* 93:3167–3168
- Leininger S, Adamski M, Bergum B, Guder C, Liu J, Laplante M, Bråte J, Hoffmann F, Fortunato S, Jordal S, Rapp HT, Adamska M (2014) Developmental gene expression provides clues to relationships between sponge and eumetazoan body plans. *Nat Comm*. doi:10.1038/ncomms4905
- Lema KA et al (2012) Corals form characteristic associations with symbiotic nitrogen-fixing bacteria. *Appl Environ Microbiol* 78:3136–3144
- Lema KA et al (2014) Onset and establishment of diazotrophs and other bacterial associates in the early life-history stages of the coral *Acropora millepora*. *Mol Ecol* 23:4682–4695
- Lenhoff HM, Muscatine L (1963) On the role of algae symbiotic with *Hydra*. *Science* 142:956–958
- Lesser MP et al (2004) Discovery of symbiotic nitrogen-fixing cyanobacteria in corals. *Science* 305:997–1000
- Lesser MP et al (2007) Nitrogen fixation by symbiotic cyanobacteria provides a source of nitrogen for the scleractinian coral *Montastraea cavernosa*. *Mar Ecol Prog Ser* 346:143–152
- Levy O et al (2011) Complex diel cycles of gene expression in coral-algal symbiosis. *Science* 331:175
- Li X, Feng J, Sun R (2011) Oxidative stress induces reactivation of Kaposi's sarcoma-associated herpesvirus and death of primary effusion lymphoma cells. *J Virol* 85:715–724

- Li X-Y, Pietschke C, Fraune S, Altrock PM, Bosch TCG, Traulsen A (2015) Which games are growing bacterial populations playing? *J R Soc Interface*. doi:[10.1098/rsif.2015.0121](https://doi.org/10.1098/rsif.2015.0121)
- Littman RA et al (2009) Diversities of coral-associated bacteria differ with location, but not species, for three acroporid corals on the Great Barrier Reef. *FEMS Microbiol Ecol* 68:152–163
- Love GD, Grosjean E, Stalvies C, Fike DA, Grotzinger JP, Bradley AS, Kelly AE, Bhatia M, Meredith W, Snape CE, Bowring SA, Condon DJ, Summons RE, Love GD, Grosjean E, Stalvies C, Fike DA, Grotzinger JP, Bradley AS, Kelly AE, Bhatia M, Meredith W, Snape CE, Bowring SA, Condon DJ, Summons RE (2009) Fossil steroids record the appearance of Demospongiae during the Cryogenian period. *Nature* 457:718–721
- Lozupone CA, Stombaugh JI, Gordon JI, Jansson JK, Knight R (2012) Diversity, stability and resilience of the human gut microbiota. *Nature* 489:220–230
- Lynch VJ, Nnamani MC et al (2015) Ancient transposable elements transformed the uterine regulatory landscape and transcriptome during the evolution of mammalian pregnancy. *Cell Rep* 10(4):551–561
- Makarova KS, Haft DH, Barrangou R, Brouns SJJ, Charpentier E, Horvath P, Moineau S, Mojica FJM, Wolf YI, Yakunin AF, Oost J, Koonin EV (2011) Evolution and classification of the CRISPR-Cas systems. *Nat Rev Microbiol* 9:467–477
- Margulis L (1981) *Symbiosis in cell evolution*. W. H. Freeman, New York
- Margulis L (1993) *Symbiosis in cell evolution*, 2nd edn. W. H. Freeman & Co., New York
- Margulis L, Sagan D (2001) Marvellous microbes. *Resurgence* 206:10–12
- Márquez LM, Redman RS, Rodriguez RJ, Roossinck MJ (2007) A virus in a fungus in a plant: three-way symbiosis required for thermal tolerance. *Science* 315:513–515
- Martínez DE, Iñiguez AR, Percell KM, Willner JB, Signorovitch J, Campbell RD (2010) Phylogeny and biogeography of Hydra (Cnidaria: Hydridae) using mitochondrial and nuclear DNA sequences. *Mol Phylogenet Evol* 57:403–410
- May RM, Levin SA, Sugihara G (2008) Complex systems: ecology for bankers. *Nature* 451:893–895
- Mazmanian SK, Liu CH, Tzianabos AO, Kasper DL (2005) An immunomodulatory molecule of symbiotic bacteria directs maturation of the host immune system. *Cell* 122(1):107–118
- Mazmanian SK, Round JL, Kasper DLA (2008) Microbial symbiosis factor prevents intestinal inflammatory disease. *Nature* 453(7195):620–625
- McAuley PJ (1981) Control of cell division of the intracellular *Chlorella* symbionts in green Hydra. *J Cell Sci* 47:197–206
- McAuley PJ (1985) Regulation of numbers of symbiotic *Chlorella* in digestive cells of green hydra. *Endocyt Cell Res* 2:179–190
- McCutcheon JP, Von Dohlen CD (2011) An interdependent metabolic patchwork in the nested symbiosis of mealybugs. *Curr Biol* 21:1366–1372
- McFall-Ngai MJ (2002a) Unseen forces: the influence of bacteria on animal development. *Dev Biol* 242:1–14
- McFall-Ngai MJ (2002b) Unseen forces: the influence of bacteria on animal development. *Develop Biol* 242:1–14
- McFall-Ngai M (2008) Are biologists in ‘future shock’? Symbiosis integrates biology across domains. *Nat Rev Microbiol* 6(10):789–792
- McFall-Ngai MJ, Ruby EG (1991) Symbiont recognition and subsequent morphogenesis as early events in an animal-bacterial mutualism. *Science* 254(5037):1491–1494
- McFall-Ngai M, Heath-Heckman EAC, Gillette AA, Peyer SM, Harvie EA (2012) The secret languages of coevolved symbioses: insights from the *Euprymna scolopes-Vibrio fischeri* symbiosis. *Semin Immunol* 24(1):3–8
- McFall-Ngai M, Hadfield M, Bosch T, Carey H, Domazet-Lošo T, Douglas A, Dubilier N, Eberl G, Fukami T, Gilbert S, Hentschel U, King N, Kjelleberg S, Knoll A, Kremer N, Mazmanian S, Metcalf J, Neelson K, Pierce N, Rawls J, Reid A, Ruby E, Rumpho M, Sanders J, Tautz D, Wernegreen J (2013) Animals in a bacterial world, a new imperative for the life sciences. *Proc Natl Acad Sci U S A* 110(9):3229–3236
- Miller DJ, Ball EE (2008) Cryptic complexity captured: the *Nematostella* genome reveals its secrets. *Trends Genet* 24:1–4

- Miller DJ, Hemmrich G, Ball EE, Hayward DC, Khalturin K, Funayama N et al (2007) The innate immune repertoire in cnidaria—ancestral complexity and stochastic gene loss. *Genome Biol* 8:R59
- Minot S, Sinha R, Chen J, Li H, Keilbaugh SA, Wu GD, Lewis JD, Bushman FD (2011) The human gut virome: inter-individual variation and dynamic response to diet. *Genome Res* 21:1616–1625
- Möbius KA (1877) *Die Auster und die Austernwirtschaft*. Wiegandt, Hempel & Parey, Berlin
- Moran NA (2007) Symbiosis as an adaptive process and source of phenotypic complexity. *Proc Natl Acad Sci* 104:8627–8633
- Moran NA, Yun Y (2015) Experimental replacement of an obligate insect symbiont. *Proc Natl Acad Sci USA* 112:2093–2096
- Moran NA, Degnan PH, Santos SR, Dunbar HE, Ochman H (2005) The players in a mutualistic symbiosis: insects, bacteria, viruses, and virulence genes. *Proc Natl Acad Sci U S A* 102(47):16919–16926
- Morgan XC, Segata N, Huttenhower C (2013) Biodiversity and functional genomics in the human microbiome. *Trends Genet* 29(1):51–58
- Moroz LL et al (2014) The ctenophore genome and the evolutionary origins of neural systems. *Nature* 510:109–114
- Mortzfeld B, Urbanski S, Reitzel AM, Künzel S, Technau U, Fraune S (2015) Response of bacterial colonization in *Nematostella vectensis* to development, environment and biogeography. *Environ Microbiol*. doi:10.1111/1462-2920.12926
- Muscatine L, Lenhoff HM (1963) Symbiosis: on the role of algae symbiotic with hydra. *Science* 142(3594):956–958
- Muscatine L, Lenhoff HM (1965a) Symbiosis of hydra and algae. I effects of some environmental cations on growth of symbiotic and aposymbiotic hydra. *Biol Bull* 128:415–424
- Muscatine L, Lenhoff HM (1965b) Symbiosis of hydra and algae. II effects of limited food and starvation on growth of symbiotic and aposymbiotic hydra. *Biol Bull* 129:316–328
- Muscatine L, McAuley PJ (1983) Transmission of symbiotic algae to eggs of green Hydra. *Cytobios* 33:111–124
- Nawrocki AM, Collins AG, Hirano YM, Schuchert P, Cartwright P (2013) Phylogenetic placement of Hydra and relationships within Aplanulata (Cnidaria: Hydrozoa). *Mol Phylogenet Evol* 67:60–71
- Nebel A, Bosch TCG (2012) Evolution of human longevity: lessons from Hydra (Editorial). *Aging* 4(11):730–731
- Nichols SA, Dayel MJ, King N (2009) Genomic, phylogenetic, and cell biological insights into metazoan origins. In: Littlewood DTJ, Telford MJ (eds) *Animal evolution: genomes, fossils, and trees*. Oxford University Press, Oxford
- Nilsson DE (2013) Eye evolution and its functional basis. *Vis Neurosci* 30:5–20
- Nosenko T, Schreiber F, Adamska M, Adamski M, Eitel M, Hammel J, Maldonado M, Müller WE, Nickel M, Schierwater B, Vacelet J, Wiens M, Wörheide G (2013) Deep metazoan phylogeny: when different genes tell different stories. *Mol Phylogenet Evol* 67(1):223–233
- O'Brien TL (1982) Inhibition of vacuolar membrane fusion by intracellular symbiotic algae in *Hydra viridis* (Florida strain). *J Exp Zool* 223(3):211–218
- O'Hara AM, Shanahan F (2006) The gut flora as a forgotten organ. *EMBO Rep* 7(7):688–693
- Ochman H, Worobey M, Kuo CH, Ndjanga JB, Peeters M, Hahn BH, Hugenholtz P (2010) Evolutionary relationships of wild hominids recapitulated by gut microbial communities. *PLoS Biol* 8:e1000546
- Oliver KM, Degnan PH, Hunter MS, Moran NA (2009) Bacteriophages encode factors required for protection in a symbiotic mutualism. *Science* 325:992–994
- Olson ND et al (2009) Diazotrophic bacteria associated with Hawaiian *Montipora* corals: diversity and abundance in correlation with symbiotic dinoflagellates. *J Exp Marine Biol Ecol* 371:140–146
- Pandolfi JM et al (2011) Projecting coral reef futures under global warming and ocean acidification. *Science* 333:418–422

- Pardy RL (1983) Preparing aposymbiotic hydra. In: Lenhoff HM (ed) *Hydra: research methods*. Plenum Press, New York, pp 394–395
- Piatigorsky J, Kozmik Z (2004) Cubozoan jellyfish: an Evo/Devo model for eyes and other sensory systems. *Int J Dev Biol* 48:719–729
- Plachetzki DC, Oakley TH (2007) Key transitions during the evolution of animal phototransduction: novelty, “tree-thinking”, co-option, and co-duplication. *Integr Comp Biol* 47:759–769
- Pochon X et al (2006) Molecular phylogeny, evolutionary rates and divergence timing of the symbiotic dinoflagellate genus *Symbiodinium*. *Mol Phylogenet Evol* 38:20–30
- Putnam NH, Srivastava M, Hellsten U, Dirks B, Chapman J, Salamov A et al (2007) Sea anemone genome reveals ancestral eumetazoan gene repertoire and genomic organization. *Science* 317:86–94
- Rädecker N et al (2015) Nitrogen cycling in corals: the key to understanding holobiont functioning? *Trends Microbiol*. doi:10.1016/j.tim.2015.03.008
- Rahat M (1985) Competition between chlorellae in chimeric infections of *Hydra viridis*: the evolution of a stable symbiosis. *J Cell Sci* 77:87–92
- Rahat M, Reich V (1983) A comparative study of tentacle regeneration and number in symbiotic and aposymbiotic *Hydra viridis*: effect of Zoochlorellae. *J Exp Zool* 227:63–68
- Rahat M, Reich V (1984) Intracellular infection of aposymbiotic *Hydra viridis* by a foreign free-living *Chlorella* sp.: initiation of a stable symbiosis. *J Cell Sci* 65:265–277
- Raina J-B et al (2010) Do the organic sulfur compounds DMSP and DMS drive coral microbial associations? *Trends Microbiol* 18:101–108
- Raina J-B et al (2013) DMSP biosynthesis by an animal and its role in coral thermal stress response. *Nature* 502:677–680
- Ralph PJ et al (2001) Zooxanthellae expelled from bleached corals at 33°C are photosynthetically competent. *Mar Ecol Prog Ser* 220:163–168
- Rawls JF, Samuel BS, Gordon JI (2004) Gnotobiotic zebrafish reveal evolutionarily conserved responses to the gut microbiota. *Proc Natl Acad Sci U S A* 101(13):4596–4601
- Rawls JF, Mahowald MA, Ley RE, Gordon JI (2006) Reciprocal gut microbiota transplants from zebrafish and mice to germ-free recipients reveal host habitat selection. *Cell* 127(2):423–433
- Relman DA, Falkow S (2001) The meaning and impact of the human genome sequence for microbiology. *Trends Microbiol* 9:206–208
- Renault S, Stasiak K, Federici B, Bigot Y (2005) Commensal and mutualistic relationships of reoviruses with their parasitoid wasp hosts. *J Insect Physiol* 51:137–148
- Reshef L, Koren O, Loya Y, Zilber-Rosenberg I, Rosenberg E (2006) The coral probiotic hypothesis. *Environ Microbiol* 8:2,067–2,073
- Reyes A, Semenkovich NP, Whiteson K, Rohwer F, Gordon JI (2012) Going viral: next-generation sequencing applied to phage populations in the human gut. *Nat Rev Microbiol* 10(9):607–617
- Reyes A, Wu M, McNulty NP, Rohwer FL, Gordon JI (2013) Gnotobiotic mouse model of phage-bacterial host dynamics in the human gut. *Proc Natl Acad Sci U S A* 110(50):20236–20241
- Richter DJ, King N (2013) The genomic and cellular foundations of animal origins. *Ann Rev Genet* 47:509–537
- Rohwer F et al (2002) Diversity and distribution of coral-associated bacteria. *Mar Ecol Prog Ser* 243:1–10
- Roossinck MJ (2011) The good viruses: viral mutualistic symbioses. *Nat Rev Microbiol* 9:99–108
- Rosenberg E, Falkowitz L (2004) The *Vibrio shiloi/Oculina patagonica* model system of coral bleaching. *Annu Rev Microbiol* 58:143–159
- Rosenberg E, Zilber-Rosenberg I (2011) Symbiosis and development: the hologenome concept. *Birth Defects Res C Embryo Today* 93(1):56–66
- Rosenberg E, Kellogg A, Rohwer F (2007a) Coral microbiology. *Oceanography* 20(2):146–154
- Rosenberg E, Koren O, Reshef L, Efrony R, Zilber-Rosenberg I (2007b) The role of microorganisms in coral health, disease and evolution. *Nat Rev Microbiol* 5:355–362
- Rosenberg E, Sharon G, Zilber-Rosenberg I (2009) Opinion: the hologenome theory of evolution contains Lamarckian aspects within a Darwinian framework. *Environ Microbiol* 11(12):2959–2962

- Roux S, Enault F, Robin A, Ravet V, Personnic S, Theil S, Colombet J, Sime-Ngando T, Debroas D (2012) Assessing the diversity and specificity of two freshwater viral communities through metagenomics. *PLoS One* 7(3):e33641
- Ryan JF, Mazza ME, Pang K, Matus DQ, Baxevanis AD, Martindale MQ et al (2007) Pre-bilaterian origins of the Hox cluster and the Hox code: evidence from the sea anemone, *Nematostella vectensis*. *PLoS One* 2:e153
- Sagan L (1967) On the origin of mitosing cells. *J Theor Biol* 14(3):255–274
- Schmitt S, Tsai P, Bell J, Fromont J, Ilan M, Lindquist N et al (2012) Assessing the complex sponge microbiota: core, variable and species-specific bacterial communities in marine sponges. *ISME J* 6(3):564–576
- Schwentner M, Bosch TCG (2015) Revisiting the age, evolutionary history and species level diversity of the genus *Hydra* (Cnidaria: Hydrozoa). *Mol Phylogenet Evol* 91:41–55
- Seehausen O, Butlin RK, Keller I, Wagner CE, Boughman JW, Hohenlohe PA et al (2014) Genomics and the origin of species. *Nat Rev Genet* 15(3):176–192
- Sharon G, Segal D, Ringo JM, Hefetz A, Zilber-Rosenberg I, Rosenberg E (2010) Commensal bacteria play a role in mating preference of *Drosophila melanogaster*. *Proc Natl Acad Sci U S A* 107(46):20051–20056
- Sharp KH et al (2012) Diversity and dynamics of bacterial communities in early life history stages of the Caribbean coral *Porites astreoides*. *ISME J* 6:790–801
- Shinzato C, Shoguchi E, Kawashima T, Hamada M, Hisata K, Tanaka M et al (2011) Using the *Acropora digitifera* genome to understand coral responses to environmental change. *Nature* 476:320–323
- Shinzato C, Inoue M, Kusakabe M (2014) A snapshot of a coral “holobiont”: a transcriptome assembly of the scleractinian coral, *Porites*, captures a wide variety of genes from both the host and symbiotic zooxanthellae. *PLoS One* 9:e85182
- Shnit-Orland M, Kushmaro A (2009) Coral mucus-associated bacteria: a possible first line of defense. *FEMS Microbiol Ecol* 67:371–380
- Shoguchi E, Shinzato C, Kawashima T, Gyoja F, Mungpakdee S, Koyanagi R, Takeuchi T, Hisata K, Tanaka M, Fujiwara M, Hamada M, Seidi A, Fujie M, Usami T, Goto H, Yamasaki S, Arakaki N, Suzuki Y, Sugano S, Toyoda A, Kuroki Y, Fujiyama A, Medina M, Coffroth MA, Bhattacharya D, Sato N (2013) Draft assembly of the symbiodinium minutum nuclear genome reveals dinoflagellate gene structure. *Curr Biol* 23:1399–1408
- Siegl A et al (2011) Single-cell genomics reveals the lifestyle of Poribacteria, a candidate phylum symbiotically associated with marine sponges. *ISME J* 5:61–70
- Silverman J et al (2009) Coral reefs may start dissolving when atmospheric CO₂ doubles. *Geophys Res Lett* 26:1–5
- Silverstein RN et al (2012) Specificity is rarely absolute in coral-algal symbiosis: implications for coral response to climate change. *Proc R Soc Ser B* 279:2609–2618
- Smith CL et al (2014) Novel cell types, neurosecretory cells and body plan of the early-diverging metazoan *Trichoplax adhaerens*. *Curr Biol* 24:1565–1572
- Sokolov S (2009) Effects of a changing climate on the dynamics of coral infectious disease: a review of the evidence. *Dis Aquat Organ* 87(1–2):5–18
- Srivastava M et al (2008) The *Trichoplax* genome and the nature of placozoans. *Nature* 454:955–960
- Srivastava M, Simakov O, Chapman J, Fahey B, Gauthier MEA, Mitros T, Richards GS, Conaco C, Dacre M, Hellsten U, Larroux C, Putnam NH, Stanke M, Adamska M, Darling A, Degnan SM, Oakley TH, Plachetzki DC, Zhai Y, Adamski M, Calcino A, Cummins SF, Goodstein DM, Harris C, Jackson DJ, Leys SP, Shu S, Woodcroft BJ, Vervoort M, Kosik KS, Manning G, Degnan BM, Rokhsar DS (2010) The *Amphimedon queenslandica* genome and the evolution of animal complexity. *Nature* 466(7307):720–726
- Stappenbeck TS, Hooper LV, Gordon JI (2002) Developmental regulation of intestinal angiogenesis by indigenous microbes via Paneth cells. *Proc Natl Acad Sci USA* 99:15451–15455
- Stefanik DJ, Friedman L, Finnerty JF (2013) Collecting, rearing, spawning and inducing regeneration of the starlet sea anemone, *Nematostella vectensis*. *Nat Protoc* 8:916–923

- Steinmetz PR et al (2012) Independent evolution of striated muscles in cnidarians and bilaterians. *Nature* 487:231–234
- Stern A, Sorek R (2012) The phage-host arms-race: shaping the evolution of microbes. *Bioessays* 33(1):43–51
- Stilling RM, Bordenstein SR, Dinan TG, Cryan JF (2014) Friends with social benefits: host-microbe interactions as a driver of brain evolution and development? *Front Cell Infect Microbiol* 4:17
- Stolarski J et al (2011) The ancient evolutionary origins of Scleractinia revealed by azooxanthellate corals. *BMC Evol Biol* 11:316
- Suga H, Schmid V, Gehring WJ (2008) Evolution and functional diversity of jellyfish opsins. *Curr Biol* 18:51–55
- Suga H et al (2013) The Capsaspora genome reveals a complex unicellular prehistory of animals. *Nat Commun* 4:2325
- Sussman M, Loya Y, Fine M, Rosenberg E (2003) The marine fireworm *Hermodice carunculata* is a winter reservoir and spring-summer vector for the coral-bleaching pathogen *Vibrio shiloi*. *Environ Microbiol* 5:250–255
- Suttle CA (2007) Marine viruses – major players in the global ecosystem. *Nat Rev Microbiol* 5(10):801–812
- Tauber AI (2008) Expanding immunology: defense versus ecological perspectives. *Perspect Biol Med* 51:270–284
- Taylor LH, Latham SM, Woolhouse ME (2001) Risk factors for human disease emergence. *Philos Trans R Soc Lond B Biol Sci* 356(1411):983–989
- Tchernov D et al (2004) Membrane lipids of symbiotic algae are diagnostic sensitivity to thermal bleaching in corals. *Proc Natl Acad Sci U S A* 101:13531–13535
- Technau U et al (2005) Maintenance of ancestral genetic complexity and non-metazoan genes in two basal cnidarians. *Trends Genet* 21:633–639
- The Human Microbiome Project Consortium (2012a) A framework for human microbiome research. *Nature* 486:215–221
- The Human Microbiome Project Consortium (2012b) Structure, function and diversity of the healthy human microbiome. *Nature* 486:207–214
- Thompson FL, Barash Y, Sawabe T, Sharon G, Swings J, Rosenberg E (2006) *Thalassomonas loyana* sp. nov., a causative agent of the white plague-like disease of corals on the Eilat coral reef. *Int J Syst Evol Microbiol* 56(Pt 2):365–368
- Thorington G, Margulis L (1981) *Hydra viridis*: transfer of metabolites between *Hydra* and symbiotic algae. *Biol Bull* 160:175–188
- Thornhill DJ et al (2013) Host-specialist lineages dominate the adaptive radiation of reef coral endosymbionts. *Evolution* 68:352–367
- Trembley A (1744) *Mémoires, Pour Servir à l'Histoire d'un Genre de Polypes d'Eau Douce, à Bras en Frome de Cornes*. Verbeek, Leiden
- Turnbaugh PJ, Ley RE, Hamady M, Fraser-Liggett CM, Knight R, Gordon JI (2007) The human microbiome project. *Nature* 449:804–810
- Umbach JL, Kramer MF, Jurak I, Karnowski HW, Coen DM, Cullen BR (2008) MicroRNAs expressed by herpes simplex virus 1 during latent infection regulate viral mRNAs. *Nature* 454:780–783
- Umesaki Y (1984) Immunohistochemical and biochemical demonstration of the change in glycolipid composition of the intestinal epithelial cell surface in mice in relation to epithelial cell differentiation and bacterial association. *J Histochem Cytochem* 32(3):299–304
- Upchurch P (2008) Gondwanan break-up: legacies of a lost world? *Trends Ecol Evol* 23:229–236
- Ushijima B et al (2014) *Vibrio coralliilyticus* strain OCN008 is an etiological agent of acute *Montipora* white syndrome. *Appl Environ Microbiol* 80:2102–2109
- Vallina SM, Simó R (2007) Strong relationship between DMS and the solar radiation dose over the global surface ocean. *Science* 315:506–508
- van Baarlen P, Kleerebezem M, Wells JM (2013) Omics approaches to study host-microbiota interactions. *Curr Opin Microbiol* 16(3):270–277

- van Opstal EJ, Bordenstein SR (2015) Rethinking heritability of the microbiome. *Science* 349(6253):1172–1173
- Van Soest RWM et al (2012) Global diversity of sponges (Porifera). *PLoS One* 7:e35105
- Vega Thurber R, Willner-Hall D, Rodriguez-Mueller B, Desnues C, Edwards RA, Angly F, Dinsdale E, Kelly L, Rohwer F (2009) Metagenomic analysis of stressed coral holobionts. *Environ Microbiol* 21(8):2148–2163
- Verbeke G, Huys I, Pirnay JP, Jennes S, Chanishvili N, Scheres J, Górski A, De Vos D, Ceulemans C (2014) Taking bacteriophage therapy seriously: a moral argument. *Biomed Res Int* 6:213–216
- Vidal-Dupiol J et al (2011) Innate immune responses of a scleractinian coral to vibriosis. *J Biol Chem* 286:22688–22698
- Virgin HW, Wherry EJ, Ahmed R (2009) Redefining chronic viral infection. *Cell* 138(1):30–50
- Waggoner B, Collins AG (2004) Reducto ad absurdum: testing the evolutionary relationships of ediacaran and paleozoic problematic fossils using molecular divergence dates. *J Paleont* 78:51–61
- Wagner GP, Kin K, Muglia L, Pavlicev M (2014) Evolution of mammalian pregnancy and the origin of the decidual stromal cell. *Int J Dev Biol* 58:117–126
- Webster NS et al (2013) Near-future ocean acidification causes differences in microbial associations within diverse coral reef taxa. *Environ Microbiol Rep* 5:243–251
- Weinstock GM (2012) Genomic approaches to studying the human microbiota. *Nature* 489:250–256
- Weitz JS, Poisot T, Meyer JR, Flores CO, Valverde S, Sullivan MB, Hochberg ME (2013) Phage-bacteria infection networks. *Trends Microbiol* 21(2):82–91
- Westra ER, Swarts DC, Staals RH, Jore MM, Brouns SJ, van der Oost J (2012) The CRISPRs, they are a-changin': how prokaryotes generate adaptive immunity. *Annu Rev Genet* 46:311–339
- Wheeler WM (1928) *The social insects, their origin and evolution*. Harcourt Brace, New York
- Williams GC (1994) Biotic diversity, biogeography and phylogeny of pennatulacean octocorals associated with coral reefs on the Indo-Pacific. *Proc Seventh Int Coral Reef Symp* 2:729–735
- Williams GC (2011) The global diversity of sea pens (Cnidaria: Octocorallia: Pennatulacea). *PLoS One* 6:e22747
- Williams GP, Babu S, Ravikumar S, Kathiresan K, Prathap SA, Chinnapparaj S, Marian MP, Alikhan SL (2007) Antimicrobial activity of tissue and associated bacteria from benthic sea anemone *Stichodactyla haddoni* against microbial pathogens. *J Environ Biol* 28:789–793
- Wittlieb J, Khalaturin K, Lohmann JU, Anton-Erxleben F, Bosch TCG (2006) Transgenic Hydra allow in vivo tracking of individual stem cells during morphogenesis. *Proc Natl Acad Sci USA* 103(16):6208–6211
- Woese CR (2004) A new biology for a new century. *Microbiol Mol Biol Rev* 68(2):173–186
- Woese CR, Fox GE (1977) Phylogenetic structure of the prokaryotic domain: the primary kingdoms. *Proc Natl Acad Sci U S A* 74(11):5088–5090
- Woese CR, Kandler O, Wheelis ML (1990) Towards a natural system of organisms: proposal for the domains Archaea, Bacteria, and Eucarya. *Proc Natl Acad Sci U S A* 87(12):4576–4579
- Xiao X, Laflamme M (2009) On the eve of animal radiation: phylogeny, ecology and evolution of the Ediacara biota. *Trends Ecol Evol* 24:31–40
- Xiao S, Yuan X, Knoll AH (2000) Eumetazoan fossils in terminal Proterozoic phosphorites? *Proc Natl Acad Sci U S A* 97:13684–13689
- Young GA, Hagadorn JW (2010) The fossil record of cnidarian medusa. *Palaeoworld* 19(2010):212–221
- Zhang X, Sun Y, Bao J, He F, Xu X, Qi S (2012) Phylogenetic survey and antimicrobial activity of culturable microorganisms associated with the South China Sea black coral *Antipathes dichotoma*. *FEMS Microbiol* 336(2):122–130
- Zhaxybayeva O, Doolittle WF (2011) Lateral gene transfer. *Curr Biol* 21(7):R242–R246
- Zilber-Rosenberg I, Rosenberg E (2008) Role of microorganisms in the evolution of animals and plants: the hologenome theory of evolution. *FEMS Microbiol Lett* 32:723–735

Index

A

- Animal life diversity
 - characteristics, 42–43
 - closest unicellular relatives, extant animals, 43–44
 - cnidarians, 32–34
 - ctenophora, 39–40
 - early diverging, animal phyla
 - Cambrian explosion, 28
 - Ediacaran fossils, 28
 - evolutionary origins, animal groups, 32
 - extant forms vs. Ediacaran fossils, 31
 - metazoan fossils, 29
 - quilted organisms, 30
 - Vendobiota, 30
 - eyes, 42–43
 - muscles, 42–43
 - nervous systems, 42–43
 - placozoans, 40–41
 - sponges, 34–38
 - superphyla, 27–28
- Antimicrobial peptides function, 91–93
- Autism and gut bacteria, 4

B

- Bacteria
 - bleaching, dysbiosis in corals, 116
 - evolution, earth, 12
- Bilaterality, 35
- Biosphere transformation, 13–14
- Bleaching, dysbiosis in corals
 - bacteria, 116
 - coral-associated microbial consortia under stress, 117–118
 - coral disease and opportunistic pathogens, 116–117

- corals, defined, 5, 6
- stress sensitivity, 115
- symbiodinium, 118–119

C

- Calcareous spicules, 38
- Calcareous sponges, 38
- Cambrian explosion, 28
- Chlorella* vs. *Hydra*, symbiotic interactions, 93–95
- Choanoflagellates, 37
- Climate
 - change and corals, 123
 - via sulfur metabolites, corals, 108–109
- Cnidarians, 32–34. *See also Hydra*
 - complex immune responses, 57–59
 - immunity role, 63–64
 - inter-partner signaling pathway, 60–61
 - mutualisms and animal–microbe cooperation, 61–63
- Coevolution, 49
 - animal communities, complexity, 6–8
 - phylosymbiosis and, 48–51
- Comb jellies, 39–40
- Complex immune responses, cnidarians, 57–59
- Corals
 - bacteria location, 102–103
 - bleaching, defined, 5, 6
 - and climate change, 123
 - climate via sulfur metabolites, 108–109
 - components of, 104–106
 - coral–microbe interactions, 100–101
 - disease and opportunistic pathogens, 116–117
 - microbial communities, complexity, 101–102
 - microbial consortia under stress, 117–118

- Corals (*cont*)
 nitrogen-fixing bacteria, 107
 ocean acidification, 122
 persistence, 120–122
 probiotic microbes and antimicrobial peptides, 107–108
 reef building, 99
 thermal stress/CO₂ elevation, direct impact, 123
 transmission mode and ontogeny, 103–104
 CRISPR/CAS System, 19–20
 Ctenophora, 39–40
- D**
 Demosponges, 38
 Dysbiosis in corals. *See* Bleaching, dysbiosis in corals
- E**
 Ediacaran
 and Cambrian boundary, 13–14
 vs. extant forms, 31
 fossils, 28
 Embryo protection, *Hydra*, 87–91
 Evolutionary origins, animal groups, 32
 Evolution, earth
 bacteria, 12
 biosphere transformation, 13–14
 CRISPR/CAS System, 19–20
 endosymbiotic theory, 13
 eukaryotic cells, 13
 events in, 14
 genome sequences
 bacterial ancestry in, 15–16
 metazoans, 15–16
 host–microbe interactions, 18
 metazoans
 animal-specific genes, 22–24
 genome sequences, 15–16
 microbes, 11
 multicellularity, cooperation of cells, 21–22
 origins of complexity, 20–21
 plants and animals in, 12
 prokaryotic cells, 13
 Extant animals, closest unicellular relatives, 43–44
- F**
 FoxO factors, 85
- G**
 Genome sequences
 bacterial ancestry in, 15–16
 metazoans, 15–16
- H**
 Holobionts
 in changing environmental conditions, 73
 defined, 1, 2
 Hologenome
 simplified diagram of, 74
 theory, 74
 Homoscleromorpha, 38
 Host–microbe interactions
 earth evolution, 18
Hydra, 80–82
Hydra, 50–51
 antimicrobial peptides function, 91–93
 vs. *Chlorella*, symbiotic interactions, 93–95
 diversification, 54
 embryo protection, 87–91
 female polyp, 89
 FoxO factors, 85
 host–microbe interactions rationale, 80–82
Hydra magnipapillata genome, 24
 lineages identification, 53
 maternal–zygotic transition (MZT), 88
 microbiota, 82–84
 model, developmental biology, 79
 mucus layer, spatial host–microbial segregation, 86–87
 species-specific microbiota, 50
 tissue homeostasis, 84–86
 viruses in, 129–131
- I**
 Immunity, cnidarians, 63–64
 Infectious disease
 and gut bacteria, 4
 incidence, 2, 3
 Infusoria, 37
 Inter-partner signaling pathway, 60–61
- M**
 Maternal–zygotic transition (MZT), 88
 Metazoans
 animal-specific genes, 22–24
 ecosystems, 135–136
 fossils, 29

- genome sequences, 15–16
 modularity, power of, 137–138
 Microbe-associated molecular patterns
 (MAMPs), 57
 Microbes, 11
 corals
 communities, complexity, 101–102
 consortia under stress, 117–118
 host functional entity, symbionts, 8–9
 Microbiota
 diversification, phylosymbiosis, 51–54
Hydra, 82–84
 incidence, 2, 3
 Mucus layer, spatial host–microbial
 segregation, 86–87
 Multicellularity, cooperation of cells, 21–22
 Mutualisms and animal–microbe cooperation,
 61–63
 MyD88, 59
- N**
 Nitrogen-fixing bacteria, corals, 107
 NOD-like receptors (NLRs), 58
- O**
 Ocean acidification and corals, 122
 Origins of complexity, 20–21
- P**
 Phylosymbiosis
 animal life and fitness, 47–48
 and coevolution, 48–51
 microbiota diversification, 51–54
 Placozoans, 40–41
 Probiotic microbes and antimicrobial peptides,
 107–108
 Prokaryotic cells, 13
- Q**
 Quilted organisms, 30
- R**
 Reef building, 99. *See also* Corals
- S**
Salpingoeca rosetta choanoflagellates, 24
 Spatial host–microbial segregation, 86–87
 Species-specific microbiota, 50
 Sponges
 animal life diversity, 34–38
 calcareous, 38
 demosponges, 38
 Stress
 corals, microbial consortia under,
 117–118
 sensitivity, corals, 115
 thermal/CO₂ elevation, direct
 impact, 123
 Symbiodinium, 5–6
 bleaching, dysbiosis in corals, 118–119
 Symbionts, evolutionary processes
 adaptation to environmental conditions,
 73–75
 developmental symbiosis, 68–69
 in evolutionary processes, 69–70
 microbes, as forgotten organ, 67–68
Nematostella, host–microbe interactions,
 71–73
 in speciation, 75–76
 Symbiosis, defined, 1
- T**
 Thermal stress/CO₂ elevation, direct
 impact, 123
 Tissue homeostasis, 84–86
 Toll/Toll-like receptor (TLR) pathway, 57
- V**
 Vendobionts, 30
 Viruses
 bacteriophage therapy in, 131–132
 beneficial types, 128–129
 genetic diversity impact, 127
 in *Hydra*, 129–131
 metaorganisms, 127
- Z**
 Zooxanthellae, 5