

Subject Index

- Actinides (see also Plutonium) 27–29, 33, 34, 162, 194
- Advanced gas cooled reactor 85–87
- Afterheat 19
- Afterheat removal 77, 78, 83, 91, 98, 126
- Almelo (enrichment plant) 62
- Atucha (HWR) 92
- AVR (HTR) 89
- BN 350 (LMFBR) 7, 103, 107, 116, 118
- BN 600 (LMFBR) 105, 107, 116
- Boiling water reactor
- afterheat removal system 83, 84
 - containment 82–84
 - control system 79, 82
 - coolant system 80–92
 - core 79, 80
 - design characteristics 68, 69, 79
 - emergency cooling 83
 - fuel element 79, 80
 - loss-of-coolant accident 84
 - pressure suppression system 82
 - pressure vessel 80, 81
 - recirculation system 80–82
 - risks 224, 225
 - safety system 82–84
- BOR 60 (LMFBR) 103, 104
- Breeder reactor 29
- Breeding ratio 29, 32, 103, 110, 145, 147
- BR-1, BR-2, BR-5 (LMFBR) 103
- Calder Hall (GGR-MAGNOX) 1, 85
- CANDU see Heavy water reactor
- Capenhurst (enrichment plant) 62
- Carbon-14 157, 192, 212
- CDFR (LMFBR) 105, 107
- Chapelcross (GGR-MAGNOX) 1
- CLEMENTINE (LMFBR) 103
- Clinch River see CRBR
- Conversion ratio 29, 31, 32
- Converter reactor 29
- CRBR (LMFBR) 105, 107
- Decay heat see Afterheat
- DFR (LMFBR) 103
- Doppler effect see Reactivity
- Doubling time 110
- Dragon (HTR) 88
- Dresden (BWR) 1, 78
- EBR-I, EBR-II (LMFBR) 103, 112
- EFFBR (LMFBR) 103
- Enrichment
- aerodynamic method 62, 63
 - energy consumption 59, 62
 - enrichment factor 56, 58
 - enrichment stages 55, 137
 - gas ultracentrifuge 60–62
 - gaseous diffusion 57ff.
 - laser separation 63
 - plant capacity 57
 - plant capital costs 59, 62
 - plant data 60
 - plant design 55
 - separation factor 56, 61
 - separation nozzle process 63
 - separative work 56, 63, 139, 144
 - tails assay 56, 63
- Event tree method 214, 215
- Fast breeder reactor see Liquid metal fast breeder reactor
- Fault tree analysis 216
- Fertile material 31
- FFTF (LMFBR) 104, 105, 116, 126
- Fissile material 31
- Fission
- cross section 21
 - energy release 16, 17, 102
 - product yield 15, 16

- products 16, 27, 29, 33, 34, 157, 160, 161, 193, 212
- Fort St. Vrain (HTGR) 85
- Fuel (see also Plutonium, Uranium)
 - burnup 27, 29
 - cycle
 - closed cycle 137ff.
 - design data 136, 142, 143
 - general 43, 44
 - LMFBR 171ff.
 - nuclear waste 181, 182
 - once-through cycle 135–137
 - proliferation aspects 245–247
 - risks 227, 228
 - Th/U-233 141ff., 168ff.
 - U-238/plutonium 138ff., 155ff., 171ff.
 - fabrication
 - AUPuC process 164, 176
 - HTR fuel 170, 171
 - LMFBR fuel 175
 - mixed oxide 164, 165
 - sol-gel process 164, 170, 175
 - UO₂ 64
 - U-233/Th 170
 - reprocessing see Reprocessing
 - utilization 31–33, 102
- Gas cooled fast reactor 131
- Gas cooled thermal reactor 84ff.
- Heavy water reactor
 - afterheat removal 98
 - control system 97, 98
 - coolant system 95, 96
 - core 97
 - design characteristics 92–94
 - emergency cooling 98
 - fuel element 95, 97
 - safety 98
- High temperature (gas cooled) reactor
 - afterheat removal 91
 - control system 91
 - core 88–90
 - design characteristics 86–87
 - emergency cooling 91
 - fuel element
 - prismatic 88
 - spherical 89, 90
 - pressure vessel 88–90
 - risks 226, 227
 - safety 91–92
- International Atomic Energy Agency 231, 232
- International plutonium storage 244
- Iodine 157, 193
- Isotope separation see Enrichment
- JOYO (LMFBR) 104, 105
- KNK-II (LMFBR) 104, 105
- Light water breeder reactor 99, 100
- Light water reactor 67ff.
- Liquid metal fast breeder reactor (see also SNR 300, SUPERPHENIX)
 - advanced oxide core 131, 145, 147
 - afterheat removal 126
 - blanket 105, 108
 - carbide core 131, 145–147
 - control system 113, 125
 - core 105ff.
 - core instrumentation 127
 - design characteristics 103, 104, 106, 107
 - fuel cycle
 - ex-core time 171, 172
 - fabrication 175, 176
 - mass flow 173
 - options 145–147
 - reprocessing 174, 175
 - status 176
 - Th/U-233 146, 147
 - U-238/Pu 145
 - waste 181
 - heterogeneous core 130
 - loop type concept 116
 - loss-of-flow accident 127
 - neutron
 - energy spectrum 108
 - flux distribution 103
 - pool type concept 116
 - power transient 114
 - radiation exposure 203
 - reactivity
 - changes 110
 - coolant temperature coefficient 111, 112
 - Doppler temperature coefficient 111, 115
 - fuel temperature coefficient 112
 - structural temperature coefficient 112
 - risks 226, 227
 - shutdown system 125
 - spent fuel storage 155

- MAGNOX (GGR) 85
Mixed oxide fuel 103
 conversion 163
 fabrication 164, 165
 safety aspects 168
 status 165
Moderator 14, 67, 84, 92
Molten salt breeder reactor 99
MONJU (LMFBR) 105, 107, 116
- Natural background radiation 194
Near breeder 99
Neutron
 delayed 18, 19, 36, 113
 diffusion equation 21, 35
 energy group 25, 26, 109, 110
 energy spectrum 22
 epithermal 25
 fast 14
 flux (density) 20
 flux distribution 21–23
 interaction
 capture 15
 elastic scattering 14
 fission 15
 inelastic scattering 15
 kinetic energy 14, 16, 18
 lethargy 26
 lifetime 36, 113
 prompt 15, 18
 reaction
 macroscopic cross section 20
 microscopic cross section 20
 rate 20
 resonance cross section 21, 37, 110
 thermal 14
 transport equation 21, 35
 yield 30
Non-Proliferation Treaty 231, 240, 241, 247
N.S. Lenin 7
N.S. Nautilus 67
N.S. Otto Hahn 7
N.S. Savannah 7
Nuclear energy
 application
 district heat 5
 electricity 5
 high temperature process heat
 ADAM+EVA 8
 coal gasification 7
 hydrogen 8
 process heat 5, 6
 sea water desalination 6
 ship propulsion 7
 development 1–3
 economic aspects 9
 forecasts 3, 4, 45, 53, 102, 148
Nuclear fission see Fission
Nuclear fuel see Fuel
Nuclear power see Nuclear energy
Nuclear power plant
 electricity generating costs 9–11
 pressurized water reactor 10, 11
 generating capacity 1–3
 load factor 11
 market penetration 3
 reactor types 1–3, 45, 67, 85, 92, 99, 103, 131
 safeguards 237ff.
Nuclear proliferation 230–232, 245–247
Nuclear waste
 activity 162
 conditioning 176ff.
 fuel cycle 181, 182
 high level 158
 low level 178
 medium level 160, 178
 solidification 176–178
 volume 178–180
Nuclear waste disposal
 deep geological formation 182
 direct disposal 184–186
 oceans 183
 safety impacts 187
 salt repository 183, 184
- Oak Ridge (enrichment plant) 59
Oyster Creek (BWR) 78
- Paducah (enrichment plant) 59
Peach Bottom (HTGR) 88
PEC (LMFBR) 104
PFR (LMFBR) 103, 107, 116, 126
PHENIX (LMFBR) 103, 105, 106, 116, 126
Plutonium (see also Actinides)
 buildup 27–29
 burner 140
 chemical separation 158, 159
 fuel
 LMFBR 145, 173
 thermal reactor 139, 140
 international storage 244

- isotopic composition 138, 139
- recycling 138, 163, 164
- releases 193
- self-generated recycling 138
- Portsmouth (enrichment plant) 59
- Pressurized water reactor
 - afterheat removal system 77, 78
 - coolant system 72–74
 - containment 74–76, 78
 - control element 72
 - control system 76, 113
 - core 70–72
 - design characteristics 67ff.
 - emergency cooling 77, 78
 - emergency power 76
 - fuel element 70–72
 - fuel loading 33
 - loss-of-coolant accident 78
 - pressure vessel 72, 73
 - radiation exposure 202
 - radioactive inventory 33, 34
 - risks 218ff.
 - safety system 76–78
 - steam generator 73, 74
- PUREX see Reprocessing

- Radiation dose
 - absorbed 194
 - equivalent 194
 - limits 194
 - quality factor 194
- Radiation exposure
 - actinides 194
 - carbon-14 192
 - fission products 193
 - iodine 193
 - plutonium 193
 - tritium 192
- Radiation exposure pathways
 - accidental 218, 222ff., 229
 - general 191, 192
 - long range accumulation 211, 212
 - mining and milling 197
 - nuclear power plant 202, 203
 - reprocessing and waste treatment
 - LMFBR fuel 209–211
 - PWR Pu recycling 209–211
 - PWR UO₂ fuel 209, 211
- Radioactive decay 17, 18
- Radioactive effluents see Radioactive releases
- Radioactive inventory
 - power plant 33, 34
 - spent fuel 162, 174
- Radioactive releases
 - accidental 217, 220, 221
 - emission limits 195
 - nuclear power plant
 - BWR 201
 - LMFBR 201
 - PWR 199, 200
 - reprocessing and waste treatment
 - LMFBR fuel 207, 208
 - PWR Pu recycling 207, 208
 - PWR UO₂ fuel 205
 - release factor 204
 - retention factor 204
 - U enrichment 198, 199
 - U fabrication 198, 199
 - U mining and milling 196, 197
- Radioactivity 18, 162
- RAPSODIE (LMFBR) 103, 104
- Reactivity
 - changes 39
 - coefficient
 - fuel Doppler temperature 37, 39, 103
 - moderator/coolant temperature 37, 39, 103
 - structural materials temperature 38
 - criticality parameter 22
 - excess 39
 - point kinetics equation 35, 40
 - reactor period 41
- Reactor control 39ff., 76, 82, 91, 97, 113, 125, 126
- Reactor core (general)
 - critical 22
 - delayed critical 40
 - design parameters 23, 24
 - power distribution 25
 - prompt critical 40
 - subcritical 22, 40
 - superprompt critical 41
 - temperature distribution 26
 - Wigner-Seitz-cell 24
- Reactor safety see Safety
- Reactor type see Nuclear power plant
- Reprocessing
 - LMFBR fuel 174, 175
- Safeguards 242
- U-233 fuel
 - disassembly 168
 - head end 168

- Reprocessing U-233 fuel
 - status 170
 - THOREX 169
- U-235 fuel
 - disassembly 155, 156
 - dissolution 156
 - head end 156
 - mass flow 160, 161
 - plant capacity 160, 166
 - PUREX 157ff.
 - safety aspects 166ff.
 - status 165
- Risk assessment (see also Risk study)
 - accident consequences 218
 - comparison 229, 230
 - external events 217
 - general 213, 214
 - human exposure 218
 - initiating event 216
 - radioactive releases 217
- Risk study
 - German Risk Study
 - accident consequences 222, 223
 - collective damage 224
 - event tree analysis 219
 - release categories 220, 221
 - HTR-1160 226, 227
 - SNR 300 226, 227
 - US Reactor Safety Study 224, 225, 229
- Safeguards
 - IAEA system 232
 - implementation 240, 241
 - material balance measurement 232ff.
 - nuclear power plant 237ff.
 - reprocessing plant 242
 - significant quantity 234, 235
 - technique
 - containment/surveillance 243
 - near-real time accounting 243
 - non-destructive assaying 237
 - sampling 237
 - timely detection 234, 236
- Safety
 - boiling water reactor 82–84
 - fast breeder reactor 124ff.
 - general 35ff.
 - heavy water reactor 98
 - high temperature gas cooled reactor 91–92
 - mixed oxide fuel 168
 - pressurized water reactor 76–78, 113
 - reprocessing 166, 167
 - study see Risk study
 - waste disposal 187
- SEFOR (LMFBR) 103, 104, 114, 115, 126
- Shippingport (PWR) 1, 67, 100
- SNR 300 (LMFBR) 105, 116
 - containment 125
 - control system 113, 125, 126
 - design characteristics 107
 - loss-of-flow accident 127
 - molten core catcher 128
 - multiple barrier principle 124
 - risks 226, 227
 - shutdown system 125, 126
 - steam generator 117, 118
- Spent fuel
 - discharge 152
 - shipping 152
 - storage 152, 154, 155
- Sodium
 - corrosion 115
 - fire 129
 - impurities 115
 - properties 115, 116
 - water interaction 129, 130
- SUPERPHENIX (LMFBR) 105, 110–112, 116
 - afterheat removal system 123
 - blanket 118
 - breeding ratio 110
 - core 106–108, 118
 - design characteristics 106, 119, 120
 - primary coolant circuit 121
 - reactor tank 120–122
 - safety 126, 128
 - secondary coolant circuit 122
 - steam generator 123
- Thermal breeder reactor 99, 100
- Thorium
 - conversion of Th-232 15, 44
 - reserves 52
 - Th/U-233 fuel cycle 88, 141, 146
- THTR 300 (HTR) 86, 87, 89
- Treaty of Tlatelolco 231, 247
- Tricastin (enrichment plant) 59
- Tritium 157, 192, 212
- Uranium
 - annual requirement 46, 53, 148–150
 - concentration 54

- consumption of various reactor systems
45, 46, 63, 102, 137, 139, 143, 144,
148–150
- conversion 55, 163
- conversion of U-238 15, 44
- cost categories 49
- cumulative requirement 46, 53, 148–150
- depleted U 55, 56
- deposits 47
- enrichment see Enrichment
- natural U 43, 44
- production 50, 51
- purification 55
- reserves 48, 50
- utilization 31–33, 102
- Vallecitos (BWR) 78
- WASH-1400 see Risk study
- Yankee (PWR) 1

Already published in the series "Topics in Energy"

Energy Demand: Facts and Trends

A Comparative Analysis of Industrialized Countries

By **B. Chateau** and **B. Lapillonne**,
Institut Economique et Juridique de l'Energie, Grenoble, France

1982. 26 figures. XV, 280 pages.
ISBN 3-211-81675-5

The relationship between economic development and energy demand is investigated in this book. It gives a detailed analysis of the energy demand dynamics in industrialized countries and compares the past evolution of the driving factors behind energy demand by sector and by end-uses for the main OECD countries: residential sector (space heating, water heating, cooking ...), tertiary sector, passenger and goods transport by mode, and industry (with particular emphasis on the steel and cement industry).

This analysis leads to a more precise understanding of the long-term trends of energy demand; highlighting the influence on these trends of energy prices, especially after the oil price shocks, and of the type of economic development pattern.

This book summarizes the authors' eight years' study of energy demand analysis and forecasting and energy conservation. It gathers together the rich supply of information—both qualitative and quantitative—they had access to.

Springer-Verlag Wien NewYork

