

Subject index*

- A wave of
 - Doppler transmitral 128 f
- Acceleration time of
 - Doppler transmitral 128 f
- Acoustic quantification 45
- Afterload
 - clinical relevance 50
 - echocardiographic 54
 - formulas 51 f, 54
- Akinesis 106
- Aliasing 12, 13 f
- Anesthetics, and
 - ischemia 88
 - coronary steal 89, 91 f
- Aorta 63, 64 f
- Aortic valve, and
 - cardiac output 64
 - measurements 65
- Automated analysis, and
 - ejection fraction 45
 - volumes 46
 - dA/dt 45
 - SWMA 102
- Basalesophageal view 30, 32 f, 33 f
- Bernoulli equation 14, 73, 74 f
- Biplane monitoring 115
- Biplane transducers 18, 19 f
- Calibration of pulse curve 54, 54 f
- Canadian cardiovascular soc. 87 t
- Cardiac cycle 73 f
- Cardiac output 59
 - clinical relevance 59
 - Doppler 62
 - formulas 60
 - normal values 60
 - two-dimensional 61
- Cardiac risk index 86, 88 t
- Centroid reference system 122
- Cine loop 15, 15 f, 17 f, 115 f
- Compliance, of ventricles 38, 39 f
- Color image 13, 14 f
- Contractility
 - ejection phase indices 59
 - isovolumic phase indices 72
 - Frank-Starling principles and end-systolic relations 75
- Contraindication for TEE 3
- Contrast echocardiography 138
 - cardioplegia delivery 142, 145
 - contrast agents 135, 138
 - coronary flow 143, 146
 - myocardial perfusion 141
- Coronary arteries 31, 32 f, 34 f
- Deceleration rate, of
 - Doppler transmitral 129 f, 130 f, 131
- Deceleration time, of
 - Doppler transmitral 129 f, 130 f, 131
- Development of TEE 17
- Diastole 126
- Diastolic function
 - clinical relevance 126
 - Doppler ischemic 126, 133, 133 f, 135 t
- Diastolic pressure-volume 39, 39 f
- Doppler shift 10
- E wave, of
 - Doppler transmitral 128, 129 f, 130 f
- Ejection fraction
 - clinical relevance 67
 - load dependence 68
 - measurements 70 f
 - reliability 69

* Pages numbers followed by f indicate figures: those followed by t indicate tables.

- Fixed axis** 105, 106 f, 110 f
Floating axis 105, 106 f, 110 f
Frank-Starling principle
 clinical use 75
 function curves 78, 78 ff, 81 f, 82 f
 noninvasive estimation 79
 physiological meaning 77
Function curves 78, 78 ff, 81 f, 83 f
- Goldman index** 86, 88 t
Gray scale 9
- History of TEE** 17
- Imaging planes**
 basal esophageal 30, 32 f, 33 f, 34 f
 midesophageal 28, 29 f, 30 f, 31 f
 transgastric 24, 26 f, 27 f, 28 f
 using omniplane probe 26, 110
- Indication for TEE,**
 intraoperative 3
 ICU 3
- Indices**
 afterload 50
 contractility 75
 diastolic function 126
 preload 36
 regional LV function 98, 102 t
- Isovolumic contraction time** 73 f, 74
Isovolumic relaxation time 73 f, 126 f, 130 f, 129 f, 130 f
- LaPlace relation**
 anesthesiological use 55
 clinical significance 50
 2-D determination 55
 formulas 51, 51 f
- Mean velocity of**
 circumferential fiber 71
- Methodological problems, and**
 afterload determination 56
 contractility determination 79, 81
 SWMA monitoring 115
- Mid esophageal view** 28, 29 f, 30 f, 31 f
- Monitoring, purposes** 1
- Multiplane transducers** 19, 19 f
- Myocardial ischemia**
 Doppler transmitral 126, 129 f
 pathophysiology 91, 93 f
 perioperative 86
 risk factors 88 t
 two-dimensional 103, 106 f, 110 f
- NYHA classification** 87
Nonischemic SWMA 113
Nyquist limit 13, 13 f
- Off-line preload** 38
On-line preload 45
Omniplane transducer 19, 19 f
- Peak isovolumic rate** 72, 74 f
- Perfusion of myocardium**
 contrast echocardiography 138, 140 f, 142 f
- Phased array transducer** 8
- Preload**
 clinical relevance 36
 off-line assessment 38
 on-line assessment 45
- Pressure-volume relation** 75
- Prolate ellipse method** 40, 40 f
- Pulmonary artery** 31, 32 f
- Pulmonic valve, and**
 cardiac output 64, 65 f
- Quad screen** 15, 15 f, 115 f
- Reference systems**
 fixed axis 105
 floating axis 105
- Right ventricular pressure**
 Bernoulli equation 14
- Risk factor, and CAD** 86, 85 t, 86 t
 Goldman index 87 t
 Mangano evaluation 89 t
 NYHA 87 t
 Roizen evaluation 89 t
- Rotational movement of heart** 104, 106 f
- Scoring systems**
 Doppler system 135 t
 quantitative 102 t
 semiquantitative 102 t
- Short axis, and**
 blood supply 101, 102 f
 contractility 102
 radial shortening 102 t
 segments 102 t
 wall motion 104
 wall stress 50

- Simpsons's rule 41, 42 f
 - Standard monitoring position 99
 - Steal mechanism 92, 93 f
 - pathophysiology 92
 - Stiffness of myocardium 38, 39 f
 - Stunned myocardium 113
 - SWMA, and
 - experiments 97
 - quantification 102, 102 f
 - reference system 105, 106 f
 - relation to ECG 98
 - Systolic time intervals 73 f
 - Systolic wall thickening
 - measurement 110
 - schematic 111 f
 - Systolic function, formulas 60 t
 - TEE left ventricular dimensions
 - normal values 43 t
 - Time gain compensation 9 f, 10
 - Tissue characterization 138, 140 f
 - Time intensity curve 146, 146 f
 - Transducers for TEE 18, 19 f
 - Transgastric view 24, 26 f, 27 f, 28 f
 - Translation movement 105, 106 f
 - Transmit control 9
 - Ventricular volume
 - first derivative 46
 - prolate ellipse 40, 40 f
 - Simpson's rule 41, 42 f
 - Ventricular dimensions 43 t
 - Wall stress
 - calibration of pulse 54 f
 - clinical relevance 50, 51 f
 - LaPlace relation 51
 - 2-D estimation 55, 55 f
 - and wall motion abnormalities 55
-