

Subject index

A

- accuracy, diagnostic 67
 - acquisition
 - duration 44
 - time 10
 - adaptation 181
 - adenosine 70, 170, 171, 188, 220, 221
 - side effects 189
 - adverse reactions 27
 - aliasing 223
 - AMI-25 26
 - analysis
 - angiography 152, 158
 - aorta 158
 - Dobutamine stress MR 172
 - left ventricle 74
 - normal values 76f
 - perfusion 188
 - perfusion territories 76f
 - wall motion 172
 - anatomy, complex 57
 - aneurysm 153
 - angiography 25, 149ff, 161, 287f
 - analysis 152, 158
 - basilar artery 166
 - black blood 149
 - bright blood 149
 - carotid arteries 166
 - circle of Willis 166
 - coils 161
 - contrast agent 151f
 - contrast enhanced 149ff, 162
 - flip angle 288
 - imaging planes 151
 - imaging protocol 158, 165ff
 - imaging sequences 149ff
 - peripheral 161, 167
 - phase-contrast (PCA) 31ff, 149
 - practical recommendations 158, 165ff
 - renal arteries 154, 165
 - subclavian artery 166
 - TE 288
 - time-of-flight 149, 162
 - TR 288
 - vertebral arteries 166
 - angiosarcoma 137
 - aorta 65, 149, 152ff
 - abdominal 153ff
 - analysis 158
 - aneurysm 153
 - aortitis 150
 - arch 65
 - arteritis 150
 - coarctation 112, 154
 - dissection 65, 68, 153, 217
 - flow 217
 - imaging protocol 158
 - Leriche syndrome 154
 - mesenteric ischemia 155
 - practical recommendations 158
 - regurgitation, see valvular function 63, 79, 99
 - stenosis, see valvular function 64, 101
 - thoracic 152f
 - valve 99
 - appendage
 - left atrial 108
 - right atrial 108
 - area at risk 283
 - arrhythmia 44
 - artefact 43, 58f
 - sternal wire 58
 - ARVC, see cardiomyopathy, arrhythmogenic right ventricular
 - atomic nuclei 3
 - atrial septal defect (ASD) 110
 - atrial septum, aneurysm 140
 - atrial situs
 - inversus 108
 - solitus 108
 - atrium
 - left 57, 108
 - right 58, 108
 - axes
 - short 60
 - - view 61
 - long 60
 - y-axis 4
 - z-axis 3
- ## B
- B₀ 3
 - bandwidth 7
 - basilar artery 166
 - BFFE, see fast-field echo, balanced

- black blood 17, 244
 - coronary artery 235
 - blood flow 37
 - quantification 191
 - subendocardial 184
 - body surface area (BSA) 76
 - breathing motion, see respiration
 - bypass 69, 71, 220
 - flow 219
 - grafts 234
- C**
- carcinoid syndrome 140
 - cardiac mass, see tumors 133
 - cardiac
 - motion 221
 - output 76, 215
 - cardiomyopathy 69
 - arrhythmogenic right ventricular (ARVC) 67, 118, 124f
 - - criteria 124
 - - imaging protocol 130
 - - practical recommendations 130
 - dilated (DCM) 118, 121ff
 - hemochromatosis 126
 - hypertrophic HCM 119f
 - - imaging protocol 132
 - - sudden death 121
 - imaging protocol 130
 - imaging sequences 119, 130
 - practical recommendations 130
 - restrictive (RCM) 118, 123, 147
 - sarcoidosis 124ff
 - scar 119
 - spectroscopy 260
 - carotid arteries 166
 - catheter tracking 270
 - circulus of Willis 166
 - claustrophobia 49
 - clips 49
 - coarctation 154
 - coils 4, 53, 161
 - body 53
 - intravascular 246
 - phased-array coil 53
 - surface 53
 - compliance 217
 - congenital heart disease 67, 68, 105
 - aortic coarctation 112
 - atrial septal defects (ASD) 110ff
 - atrial situs inversus 108
 - atrial situs solitus 108
 - Blalock shunt 118
 - concordance 109
 - discordance 109
 - double outlet RV 110
 - ductus arteriosus 218
 - D-transposition 113
 - Fallot syndrome 117
 - Fontan procedure 114
 - Glenn anastomosis 115
 - imaging technique 105f
 - indications 106
 - isomerism 108
 - L-transposition 114
 - Marfan syndrome 113
 - Mustard procedure 115
 - ostium primum 110
 - prevalence 105
 - protocol 106f
 - pulmonary artery stenosis 116
 - septum primum 110
 - septum secundum 110
 - shunt 109ff
 - sinus venosus 110
 - stroke volume 109f
 - tetralogy of Fallot 110
 - transposition of the great arteries (TGA) 113
 - univentricular heart 114
 - ventricular septal defects (VSD) 110ff
 - constrictive pericarditis 123, 147
 - contraindications 49
 - contrast agent 19ff, 25f
 - adverse reactions 27
 - albumine binding 25f
 - angiography 288
 - aorta 150
 - coronary artery imaging 228, 288
 - distribution volume 204
 - dose (infarction; viability) 207
 - extracellular 20, 24, 71
 - ferromagnetic 26
 - gadolinium based 20
 - Gadophrin 285
 - infarction 204, 284
 - injections schemes 163, 198
 - interventional MR 289
 - intravascular 20, 25f, 71, 233, 283
 - manganese 283
 - molecular 250
 - necrosis specific 285
 - osmolality 22f
 - overview 22f
 - perfusion 188, 287
 - peripheral vessels 163
 - plaque characterization 249
 - susceptibility enhancing 23
 - T₁ enhancing 23
 - T₂-shortening 23
 - targeted 250
 - timing 151f, 163
 - tissue specific 21
 - viability 204
 - viscosity 22f
 - spin density 13
 - contrast
 - T₁ 13
 - T₂ 13
 - T₂/T₁ 15

coronal 57, 58, 59
 coronary artery
 - disease 69, 171, 181, 193, 227, 234
 - - spectroscopy 262
 - flow 182, 219
 - imaging 69, 71, 227, 288
 - - aneurysm 231, 234
 - - anomaly 71, 231, 234
 - - black blood 230, 235
 - - breath holding 227
 - - bypass 234
 - - contrast agents 228, 288
 - - interventional 273
 - - intravascular contrast agents 233
 - - Kawasaki disease 231, 234
 - - motion 227
 - - navigations 228
 - - new technique 235
 - - plaque 243
 - - - characterization 247ff
 - - practical recommendations 339
 - - T2Prep 228
 - - protocol 339
 - - sequences 229
 - - spin labelling 233
 - - SSFP 235
 - - stenosis 232ff
 - - 3T 336
 - - thrombus 247
 - - VCATS 229
 - - vessel wall 243
 - stenosis 232
 coronary
 - circulation 181
 - flow reserve (CFR) 187, 219
 - resistance 182
 - sinus 221
 - - flow 221
 - syndromes, acute 243

D

DCM, see cardiomyopathy, dilated
 decay, free induction (FID) 6, 14
 DENSE 89
 diffusion 89
 dipyridamole 70, 170f
 distribution volume 24f
 dobutamine 70, 169ff
 - antidote 171
 - contraindications 170
 - - imaging protocol 178
 - - imaging sequence 172
 - - indications 169
 - - ischemia 171, 172
 - - monitoring 170
 - - practical recommendations 178
 - protocol 171
 - - real-time imaging 176
 - safety 171

- stress MR 170
 - - analysis 172
 - termination criteria 172
 - - training 176
 - - viability 171ff, 203
 Doppler-flow 220, 221
 Dotarem 22
 double outlet RV 110
 drift, diaphragmatic drift 228
 ductus arteriosus 218
 Dy-DTPA-BMA 284
 dysplasia, fibromuscular 154

E

echo time (TE) 6
 - effective 16
 echocardiography (ECG) 43, 50, 51, 101, 103, 111, 174
 - tissue Doppler 91
 eddy currents 39
 edema 209, 284
 effusion, pericardial 58, 146
 ejection fraction (EF) 76
 - area length 83
 embolism 68
 encoding, spatial 7ff
 end-diastole (ED) 74
 endorem 22, 26
 end-systole (ES) 74
 end-systolic volume (ESV) 76
 enhancement delayed, see myocardial infarction 24,
 206
 excitation 3

F

Fallot 117
 fast-field echo, balanced (BFFE) 15, 74, 235
 fibroma 136
 fibrosis, retroperitoneal 150
 FID, see decay, free induction
 field of view (FOV) 10
 FIESTA 15, 74, 235
 FLAIR 17
 flip angle 14
 flow 100, 215
 - aliasing 39, 223
 - aorta 217
 - bypass 219
 - cardiac output 215f
 - coronary arteries 219
 - coronary sinus 221
 - diastolic function 216
 - imaging planes 216
 - mean flow velocity 215
 - measurement 37, 38
 - - eddy currents 39
 - - errors 39, 40
 - - phase contrast 37
 - - TE 40

- turbulent flow 40
- velocity-encoding 39
- partial volume 222
- peak flow velocity 215
- peripheral vessels 218
- problems 221 ff
- pulmonary artery 217
- sequences 40, 41, 215
- stents 217
- stroke volume 215
- systolic function 216
- velocity 37, 215
- volume 215
- foldover 11
- Fontan procedure 114
- fossa ovalis 110
- Fourier
 - function 7
 - transformation 9
- frequency 13
 - encoding 9f
- function 57
 - diastolic 216f
 - fermi 192
 - systolic 216

G

- gadobenate dimeglumine 20
- Gadolinium 24
- Gadomer-17 26
- gadopentetate dimeglumine 21
- Gadophrin 23
- Gadophrin II 285
- Gadophrin III 285
- Gadovist 155
- gating, see triggering 43
- Gd-BOPTA 22
- Gd-DO3A 24
- Gd-DOTA 24
- Gd-DTBA-BMA 22
- Gd-DTPA 19 ff, 22, 24, 284
- Gd-DTPA-BMA 24, 284
- Gd-HP-DO3A 22
- ghosting, see artefacts 43
- gradient 13
 - bipolar 32f, 38
 - echo sequence (GRE) 13
 - FLASH 15
 - multi-shot 15
 - segmented 15
 - spoiled GRASS 15
 - T₁-contrast 14
 - T₁-FFE 15
 - T₂*-contrast 15
 - fields 6ff
 - flow-compensated 32f
 - phase encoding 8f
 - velocity-encoding 38
- grafts 150

- GUCH, see congenital heart disease 67
- G_x 6
- G_y 6
- gyromagnetic ratio 3
- G_z 6

H

- HARP 88
- HCM, see cardiomyopathy, hypertrophic heart
 - transplant 195
 - univentricular 114
- hemangioma 136
- hemochromatosis 124ff
- hibernating myocardium 71, 169, 183
- histiocytoma, fibrous 137
- hydrogen nucleus 3
- hypertrophy, lipomatous 140

I

- imaging,
 - chemical shift 248
 - echo-planar (EPI) 16f
 - multi-shot 16
 - single-shot 16
 - molecular 250, 275
 - parallel 11, 235
 - SENSE 11
 - SMASH 11
 - plane
 - angulated 60
 - aorta 65, 151
 - aortic valve 63
 - ARVC 64
 - 2-chamber view 61
 - 4-chamber view 61
 - coronal 57
 - horizontal long axis view 61
 - left atrium 57, 61
 - left ventricular 61
 - long axis 60
 - LVOT 63
 - mitral valve 63
 - oblique 60
 - outflow tract 63, 64
 - planning 74
 - pulmonary valve 58, 65
 - right atrium 58, 61
 - right ventricle 57, 61, 63
 - sagittal 58
 - short axis 74
 - short-axis view 61
 - standard 60
 - three-chamber view 63
 - transverse 57
 - tricuspid valve 57, 61
 - vena cava 58
 - vertical long-axis view 61

- real-time 81, 268, 275
- sequence
 - - congenital heart disease 105
 - - contrast enhancement 119f
 - - cardiomyopathy 130
 - - tumors 133
- spiral 235
- implants 49
- indications 67
- infarction 70, 284
- inflammation 145
- RR interval 50
- ischemia 172, 175
 - mesenteric 155
- isomerism 108

K

- Kawasaki disease 234, 245

L

- Larmor frequency 3, 7
- Leriche syndrome 154
- Libman-Sacks endocarditis 140
- light visor 52
- line tagging 87
- lipoma 135, 136
- Lumirem 22
- LVOT 119
- lymphoma 138

M

- magnetic resonance (MR) 3
 - angiography (MRA) 31, 35
 - - contrast enhanced 31, 33
 - - inflow 31
 - - PCA 31f
 - - bolus 34
 - - timing 34
 - - venous return 34
 - - venous suppression 31
 - interventional 267, 270
 - - ablation 274
 - - active visualization 270
 - - coronary artery imaging 273
 - - myocardial injection 275, 277
 - - passive visualization 270
 - - peripheral angioplasty 271
 - - persistent foramen ovale 274, 276
 - - real-time imaging 268
 - - safety 271
 - stent placement 271, 273
 - - TIPS 272
 - - vena cava filters 272
- magnetization
 - longitudinal 4
 - transverse 4
- Magnevist 21, 22, 24

- magnitude image 215
- manganese chloride 283
- Marfan syndrome 68
- matrix 10
- mesothelioma 138
- microcirculation 181
 - disease 194
- microspheres 183
- moderator band 64
- monitoring 52
- motion 244
 - artifacts 227
 - correction 43
 - suppression 43
- MS-325 26
- Multihance 20, 22
- Mustard procedure 115
- myocardial infarction 24, 69, 78, 171 ff, 201, 206, 284f
 - acute 208
 - chronic 201
 - contrast enhancement 204, 209
 - edema 204, 209
 - function (acute) 208
 - function (chronic) 202
 - imaging protocol 214
 - inversion recovery 206
 - late enhancement 204, 206, 209
 - low dose dobutamine 208
 - microvascular obstruction 207, 210, 286
 - necrosis 204
 - pathophysiology (acute) 208
 - pathophysiology (chronic) 201
 - practical recommendations 214
 - subacute 209
 - thrombus 210
 - viability 209
 - T2-weighted 205, 208
- myocardial tagging 85 ff
 - analysis 88, 89
 - C-SPAMM 87
 - DENSE 89
 - HARP 88
 - hypertrophy 91
 - ischemia 91
 - radial 86
 - SPAMM 87
 - strain 89
 - technique 85 f
- myocarditis 122, 145, 146
 - imaging protocol 147
 - practical recommendations 147
- myocardium, ischemic 169
- myxoma 135, 136

N

- navigator, see respiration 45, 228
- neurostimulators 49
- normal values 76

O

obstruction, microvascular 207, 210, 284, 286
 Omniscan 22
 osmolality 22
 ostium primum 110
 outflow tract
 - left ventricular 59
 - right ventricular 59
 oxygen supply 181

P

pacemakers 49
 paramagnetism 21
 partial volume effect 222
 partition coefficient 24f
 patient
 - handling 49
 - information 49
 - positioning 50
 PCA, see angiography, phase-contrast
 perfusion 24, 69, 70, 181, 287
 - absolute quantification 191f
 - accuracy 190
 - adenosine 188
 - - dose 198
 - analysis 188
 - contraction matching 183
 - contrast agent 188
 - coronary artery disease 192
 - deconvolution 191
 - endo-/epicardial 181, 195
 - fermi function 192
 - imaging
 - - protocol 198
 - - imaging sequences 188
 - input 190
 - pathophysiology 181, 187
 - physiology 181
 - practical recommendations 198
 - reserve 184, 188
 - revascularization patient 194
 - territories 76
 - transplantation 195
 - up slope 190
 - γ -variate 190
 - vasodilation 187
 periaortitis 150
 pericarditis 68, 146
 - constrictive 123, 147
 pericardium 68, 69
 - thickening 58, 123
 persistent foramen ovale 276
 PET, see tomography, positron-emission
 phase
 - angle 8
 - contrast 92, 215
 - difference 8
 - encoding steps 9

- shift 38
 - velocity mapping, see flow measurement 38
 planning, anatomical 74
 plaque 243
 - characterization 247ff
 - - contrast agents 249
 - - intravascular contrast agent 250
 - - iron oxides 250
 - - multispectral imaging 248
 - - proton density 248
 - - T_2 248
 - - targeting 250
 - - USPIO 250
 - rupture 243
 - visualization 267
 3-point plan scan 245
 postprocessing 34
 precession 3
 preconditioning 183
 pregnancy 49
 prepulse 17
 - black-blood 17
 - delay 17
 - double inversion 244
 - inversion 17
 - saturation 17
 pressure gradients 101
 principals, physical 3
 problems
 - aliasing 39
 - arrhythmia 81
 - basal slice 76, 79
 - breath holding 81
 - imaging planes 79
 - triggering 52
 - RV analysis 79
 - R-wave 43
 Prohance 22
 projection, maximum intensity (MIP) 34
 proton 3
 pulmonary artery 68, 116
 - flow 217
 - intravascular contrast agent 289
 - stenosis 116
 pulmonary valve 58, 65
 - disease, see valvular function 103
 pulmonary veins 57, 59
 pulse
 - 90° pulse 6, 13
 - inversion 17
 - oximetry 52
 - sequence 13

R

R2/r1 23
 radio-frequency (RF) pulse 3
 RCM, see cardiomyopathy, restrictive
 reference standard 67
 reformatting, multiplanar (MPR) 34

regurgitation, mitral, see valvular function 79, 102
relaxation 4ff
- longitudinal 4, 19
- r_1 20f
- r_2 20f
- r_2/r_1 20
- spin-lattice 4
- T_1 4
- T_2 5
- T_2^* 6
- transverse 5, 19
remodelling 243
renal artery stenosis 154, 155
renal arteries 165
repetition time (TR) 9, 10, 13
resistance 182
resolution 10
respiration 44, 45, 221, 228
- affine transformation 47
- breath hold 44f, 227
- breathing commands 52
- diaphragmatic drift 44 f
- expiration 44
- inspiration 44
- MAG 47
- navigator 45ff, 228
- PAWS 47
- PEAR 45
- ROPE 45
- sensor 45, 51
revascularization 194
rhabdomyoma 136
rhabdomyosarcoma 137
rotation 3

S

sagittal 58, 59
SAM 119
sarcoidosis 124ff
sarcoma 137
saturation 31
- pulse 17
ST segments 50
SENSE 11, 235, 336
septum secundum 110
sequence
- choice of 57
- for anatomy 57
- for function 57
shear strain 89
shortening, circumferential 90
shunts 217, 218
signal-to-noise ratio (SNR) 10f
sinus venosus 110
slice
- selection 6f
- tracking 47
SLOOP 259
SMASH 11, 235, 336

k-space 9
- segmentation 15
SPAMM 87
SPECT, see tomography, single photon emission computed
spectroscopy 257
- 31p 257f
- cardiac transplantation 261
- coronary artery disease 262
- dilated cardiomyopathy 260
- heart failure 261
- hydrogen 258
- hypertrophy 261f
- normal values 260
- nuclei 257
- phosphorus 258
- principles 257f
- SLOOP 259
- sodium 259
spin 3
- density 13
- echo sequence (SE) 13
- - Turbo (TSE) 15
- labelling 233
- spin interaction 5
SPIR 18
splinters 49
spoiling 15
SSFP, see steady-state free precession
steady-state free precession (SSFP) 15, 17, 74, 235
stem cell 289
- injection 277
stent 210, 220, 275
- placement 271
sternal wire 58
STIR 17
strain 89
stress 69, 70, 169ff
- adenosine 170, 187, 189, see perfusion
- antidote 171
- combined protocols 175
- contraindications 170
- dipyridamole 170
- dobutamine 169
- hyperemia 189
- inotropic 169
- monitoring 170
- pharmacologic 169
- protocol 171
- types 169
- vasodilative 189
stroke volume (SV) 76, 215
stunning 183
subclavian artery 166
susceptibility 6
syndrome X 194
systemic disease 124
- imaging protocol 131

T

- 3T 246, 336
- T₁ 4f, 13, 19
- T₁-times 5
- T₂ 5, 13, 19
- T₂* 6, 14
- T2/T1-contrast 15
- T₂-times 5
- tagging, see myocardial tagging 85 ff
- Takayasu arteritis 150
- TE 13
 - effective 16
- Telescan 23
- test bolus 34
- tetralogy of Fallot 110
- three-chamber view 63
- thrombus 139, 140, 210
- tomography
 - positron-emission (PET) 184, 187, 205, 219
 - single photon emission computed (SPECT) 184, 205
- torsion 91
- transverse 57, 58
 - magnetization 4
- tricuspid valve 57
 - disease, see valvular function 103
- trigger delay 44
- triggering 43
 - prospective 43
 - retrospective 43
- TrueFISP, see steady-state free precession
- TSE, see, spin-echo sequence, turbo
- tumor 67, 68, 133
 - atrial septum aneurysm 140
 - carcinoid syndrome 140
 - endocarditis Libman-Sacks 140
 - fibroma 136
 - hemangioma 136
 - histiocytoma 137
 - imaging protocol 143
 - imaging sequences 133
 - lipoma 135, 136
 - lipomatous hypertrophy 140
 - lymphoma 138
 - malignant 137
 - mesothelioma 138
 - myxoma 135
 - non-neoplastic 139
 - practical recommendations 143
 - primary 135
 - rhabdomyoma 136
 - sarcoma 137
 - thrombi 139
 - spin-echo sequence (TSE) 15

V

- valve, mitral 102
- valvular function 79, 99 ff
 - aortic stenosis 101
 - mitral regurgitation 102
 - mitral stenosis 103
 - prosthetic valve 103
 - pulmonary valve 103
 - regurgitation 99
 - regurgitation volume 102
 - tricuspid valve 103
- valvular heart disease 68
- vasodilation 184, 187
- vector cardiogram (VCG) 43, 51
- velocity
 - image 215
 - mapping, see flow measurement 37, 38
 - encoding 38f
- vena cava 58, 59
- venous return 34
- ventricle
 - left (LV) 60
 - - analysis 74, 109 f
 - - diameter 73
 - - function 73
 - - mass 73, 109
 - - practical recommendations 83
 - - volume 73
 - right (RV) 57, 63
- ventricular septal defect (VSD) 110
- vessels
 - abdominal 70
 - peripheral 70, 161
 - - flow 218
- viability, also see myocardial infarction 69, 171 ff, 201, 203
 - low dose dobutamine 203
- view, see imaging plane 57
 - four-chamber 61
 - two-chamber 61
- viscosity 22
- volume flow 37
- vulnerable 243

W

- waves
 - P-waves 50
 - R-waves 43, 50
 - T-waves 50
- workflow, practical 49