

# Index

## A

Acetylcholine, 362  
Acetylcholinesterase, 228  
Activity-dependent control, 271  
Activity-dependent regulation, 225–226  
Actomyosin, 347  
Adaptive role, 263  
Adult-born neurons, 257  
Adult neurogenesis, 47, 57–60, 62, 64, 67–68, 73, 76, 77, 257, 319, 327, 329, 371, 372, 375, 376, 380, 382–389  
    and academic politics, 34, 41  
    early peer reactions, 29–36  
    evolution, 153  
    hippocampus, 77  
    hostile reactions, 33–36  
    mammals, 137  
    neocortex, 21–26  
    olfactory bulb, 21–26  
    possible function, 149–153  
    teleost fish, 137–161  
Adult stem cells, 143–144  
Affective behavior, 277  
Age, 266  
Age-related cognitive decline, 233  
Aging, 265  
 $\alpha$ -actin, 159  
 $\alpha$ -amino-3-hydroxy-5-methyl-4-isoxazole-propionic acid (AMPA), 246, 247  
 $\alpha$ -enolase, 161  
Altman, 193, 195  
Altman, Joseph, 137  
Alvarez-Buylla, 194  
Alzheimer's disease, 225, 233  
AMPA. *See*  $\alpha$ -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid (AMPA)  
Anatomy, 320, 322–326  
Angiogenesis, 350  
Anterior olfactory nucleus (AON), 169, 170, 180

Apical–basal polarity, 288  
aPKC, 289  
Apoptosis, 358  
Apoptotic cell death  
    role in neuronal regeneration in the brain of teleost fish, 155–157  
    role in regulation of cell numbers during postembryonic brain development in teleost fish, 145–147  
*Apteronotus leptorhynchus*, 139, 153  
Arousal theory, 272  
Ascl1, 206  
Astrocyte, 87, 321–322, 332  
Astrocyte ribbon, 322  
Astrocytic processes, 350  
ATP-dependent chromatin remodeling, 92  
Attractive and repulsive signaling molecules, 342  
Autoradiographic technique, 4  
Autoradiography, different survival times, 9  
Axon, 239, 241

## B

Basal body, 289  
Basal foot, 295  
Basal lamina, 287. *See also* Basement membranes (BMs)  
Basement membranes (BMs), 110, 111, 115, 121, 122  
Basic helix-loop-helix (bHLH), 88  
Bayer, S.A., 37, 195  
BDNF, 341  
Behavioural tasks, 261  
 $\beta$ -catenin, 90, 208  
 $\beta$ -enolase, 161  
bHLH transcription factor, 88  
Birdsong, 47–77  
Blood vessels, 341, 350

BMP, 198  
 Bone marrow zinc finger 2, putative role in neuronal regeneration of cerebellum of teleost fish, 161  
 Bone morphogenetic protein (BMP), 96, 117  
 Brain-derived neurotrophic factor (BDNF), 93, 279  
 Brain parenchyma, 323–326  
 BrdU. *See* 5-Bromo-2'-deoxyuridine (BrdU)  
 5-Bromo-2'-deoxyuridine (BrdU), 113, 114, 124, 138, 194

## C

CA3, 238–241  
 Cajal-Retzius cells, 198, 202  
 Caudomedial pallium, 195  
 C57BL/6, 274  
 Cell migration, 323, 325, 333, 334  
 Cell proliferation in the adult brain, 112, 114  
 Centriole, 289  
 Centrosome, 344, 346  
 Centrosome reorientation, 346  
 Cerebellar cortex, 325, 328, 330–332  
 Cerebellum, 170, 182, 327–334. *See also*  
   Corpus cerebelli; Eminentia granularis; Valvula cerebelli  
   apoptotic cell death in teleost fish, 145  
   migration of adult-born cells in teleost fish, 145  
   neuronal differentiation in teleost fish, 148  
   proliferation zones in teleost fish, 143  
 Chain formation, 339, 340  
 Chain migration, 325  
 Chains, 337, 338, 349  
 Chipmunks, 263  
 Cholinergic, 232  
 Choroid plexus, 112, 114, 125, 127, 128, 198, 209  
 Chromatin modification, 90–93  
 Circuit activity, 243–248  
 Clusters, 205  
 Cognition, 248, 249, 251  
 Collagen, 113, 115, 121  
 Computational model, 275  
 Contextual fear conditioning (CFC), 250, 261  
 Convergent extension, 290  
 Corpus cerebelli, 143  
   lesion paradigm in teleost fish, 154  
   migration of adult-born cells in teleost fish, 145  
 Cortex  
   dorsal (DC), 170, 179, 180, 182–184

  dorsomedial (DMC), 170, 178–180, 182, 183  
   frontal, 323, 333  
   lateral (LC), 170, 179, 180, 183  
   medial (MC), 170, 175, 177–180  
 Cortical hem., 195, 198, 209  
 Critical period, 359  
 Critical time window, 275–277  
 Cumulative labeling technique, 9, 16  
 CXCI12, 199  
 CXCR4, 199  
 Cytokine, 117, 126–128  
 Cytosine arabinoside (Ara-C), 294  
 Cytosolic aspartate aminotransferase, 161

## D

78,000-Da glucose-regulated protein, 160  
 Degranulated hippocampus, 3  
 Delayed non-matching to sample (DNMTS), 262  
 Dendrite, 239, 241, 244–246  
 Dendritic spine, 239, 241, 242  
 Dentate gyrus (DG), 238–241, 243–245, 247–249, 260, 291  
 Dentate migration, 196  
 Dentate notch, 196  
 Deuterosomes, 295  
 Differentiation, neuronal, 148  
 Discovery of new neurons, 193–195  
 Dishevelled, 299  
 DNA methylation, 88, 98  
 DNA methyltransferase 1 (Dnmt1), 99  
 Donald Hebb, 272  
 Donepezil, 228  
 Dopamine (DA), 239, 240  
 Dorsal ventricular ridge (DVR), 170, 179, 180, 183  
 Doublecortin, 325–328, 331, 332

## E

Early postnatal neurogenesis, 200  
 EGF. *See* Epidermal growth factor (EGF)  
 Electron microscopy, 328  
 Embryonic neurogenesis, 195–200  
 Eminentia granularis, 143  
 Emotions, 277  
 Enriched environments, 8, 217, 265, 272–273  
 Entorhinal cortex, 220, 238–240, 244, 259  
 Environmental enrichment, 272  
 Ependyma, 111, 127  
 Ependymal cells, 291

Epidermal growth factor (EGF), 292  
 Epigenetic modification, 88, 98–99  
 Extracellular matrix (ECM), 110, 116, 340

## F

F-actin, 347  
 F-ATP synthase  $\beta$ -subunit, 161  
 FGF, 292  
 Fibroblast growth factor (FGF), 117, 121–124  
 Fimbria-fornix pathway, 220  
 Fractone
 

- binding of growth factors to, 123–126
- definition, 110
- in development, 126
- processing growth factors by, 126–128
- relationship to neural stem cells, 125
- role, 127, 128
- ultrastructure, 111
- visualization by immunofluorescence, 112

 Frontal cortex, 323, 333

## G

GABA. *See*  $\gamma$ -aminobutyric acid (GABA)  
 GABA<sub>A</sub>, 276  
 GABAergic, 232
 

- inputs, 229, 230
- interneurons, 219, 231
- network, 219

 Gage, 194  
 $\gamma$ -aminobutyric acid (GABA), 218, 238–240, 242, 244–248, 277, 341, 395–405  
 Gamma spikes, 221  
 Genomic regulation of development of
 

- adult-born cells, 148–149

 GFAP. *See* Glial fibrillary acidic protein (GFAP)  
 GFAP-expressing neural progenitors, 200  
 GFAP+ intermediate progenitors, 207  
 GFAP+ primary cells, 201  
 Glial cell proliferation, 5  
 Glial fibrillary acidic protein (GFAP), 94, 98, 200, 223, 300  
 Glial tubes, 323, 337, 338, 341  
 Gliogenesis, 176  
 Gli3 repressor, 299  
 Glucocorticoid receptor, 279  
 Glutamate, 240, 242, 246, 247  
 Glutamate receptor, 395–403  
 Glutamine synthetase
 

- downregulation after brain trauma in mammals, 160–161
- upregulation after brain trauma in fish, 160–161

Glycogen synthase kinase 3 (GSK3), 90  
 Gp130, 95  
 Granule cell, 238–241, 243, 245, 357
 

- and glutamatergic synapses, 360
- and long-term survival, 363
- and number, 364
- and replacement, 364
- and subtypes, 366
- hypoplasia, 13–18
- hypoplasia and behavior, 18–21
- hypoplasia and learning, 20
- labeling, 6, 10, 11

 Granule neurons, 262  
 Gross, C.G., 29  
 Growth factors, 116–128  
 Growth of brain in teleost fish, 148  
 GSK3. *See* Glycogen synthase kinase 5  
 Guidance of adult-born cells
 

- in brain of teleost fish, 144–145

## H

Hedgehog, 298  
 Heparansase, 124  
 Heparan sulfate
 

- binding domains, 118
- chains, 118
- epitope, 121
- hypervariability, 119–120
- modifying enzymes, 119
- proteoglycans, 113, 116–119, 121
- substrate, 120

 Heparin-binding growth factors, 116–117, 122  
 HES-1, 89  
 HES-5, 89, 96  
 Hilar proliferating cells, 201  
 Hilus, 200, 238–241, 245, 246  
 Hippocampal activity, 217  
 Hippocampal circuit activity, 227  
 Hippocampal circuitry, 257  
 Hippocampal EEG activities, 221  
 Hippocampal glioeithelium, 28  
 Hippocampal neuroepithelium, 28  
 Hippocampal neurogenesis, 238–240, 243–251
 

- and age, 9, 12, 16, 17
- guinea pig, 9
- postnatal, 27–28
- prenatal, 27–28
- rat, 7

 Hippocampus, 237–251, 259
 

- adult neurogenesis in homologous area in teleost fish, 143

Hippocampus (*Cont.*)  
 adult neurogenesis in mammals, 139  
 germinal matrices, 28  
 persistence of adult-born cells, 148  
 Histone acetyltransferases (HATs), 90  
 Histone deacetylase (HDACs), 90, 94  
 Histone modification, 88  
 [<sup>3</sup>H]-thymidine, 291  
 Hu, 200, 206  
 Hu+/GFAP+ proliferating cell, 206  
 Human SVZ, 348  
 Hypothalamic–pituitary–adrenal (HPA) axis, 278

## I

Immature new neurons, 231–232  
 Immediate early genes (IEGs), 239, 242–244, 275  
 Impoverishment, 272  
 Induced pluripotent stem (iPS) cell, 103  
 Inflammation, 350  
 Inhibition, 374, 384, 386  
 Inhibitor of differentiation (ID), 90, 96  
 Injury  
   chemical, 171, 182  
   physical, 171, 182, 184, 185  
 Input resistance, 222, 224  
 Insulin-like growth factor 1 (IGF-1), 100, 279  
 Interferon, 117  
 Interkinetic nuclear migration, 288  
 Interleukin-6 (IL-6), 95  
 Intermediate progenitors, 205, 206, 289  
 Interneuron, 326, 328, 331  
 Intraflagellar transport (IFT), 298  
 Inversin, 299  
 IR, 226

## J

Janus tyrosine kinase (JAK), 96, 98

## K

Kaplan, M.S., 33  
 Kempermann, G., 29  
 Keratin-10, 160  
 Ki-67, 266

## L

Laboratory rodents, 258  
 Lagomorpha, 319, 320, 323, 326, 332, 334  
 Laminin, 110  
 Lateral ventricle, 109, 111, 125, 321, 322, 325

Leading process, 344, 345  
 Learning, 259, 272, 276  
   and memory, 217, 245, 248–250  
   tasks, 261  
   theory, 272  
 Life-span, 266  
 Local progenitor cells, 334  
 Long-term memory, 262  
 Long-term potentiation (LTP), 239, 242–244, 246–249, 276, 277

## M

*Macaca fascicularis*, 347  
*Macaca mulatta*, 347  
 Macaque, 347  
 Macroglia, role in removal of damaged cells, 157–158  
 Macrophage, 110  
 Magnetic resonance imaging (MRI), 259  
 Major depression, 277  
 Mammalian neurogenesis, 3–42  
 Map5, 331, 332  
 MASH, 90, 96  
 MASH-1, 200  
 MASH-1+/GFAP+ proliferating cell, 206  
 Matrix zones, 138. *See also* Proliferation zones  
 Maturation, 239, 241, 242, 244–248, 251  
 Memory, 259, 382, 386, 388  
 Meninges, 115, 116, 127, 128, 198  
 Mice, 265  
 Microglia, role in removal of damaged cells, 157–158  
 Microneurons, 3, 177  
 Microtubule, 346  
 Middle cerebral artery occlusion (MCAO), 348  
 Migration, 202, 396, 397, 399, 401–403  
   of adult-born cells in brain of teleost fish, 144–145  
   radial, 171, 175  
   tangential, 171, 175, 176  
 Morphogens, 197  
 Morris water maze (MWM), 242, 243, 246, 248–250  
 Mossy cells, 238–240, 244, 245  
 Mossy fibers, 218, 231, 232, 275  
 Multipotency, 292  
 Myosin heavy chain, 160

## N

Namba, 201  
 Natural populations, 258

- N-cadherin, 208  
 N–C coupling, 346  
 Neonate-born granule cells, 364  
 Neural progenitor, 174  
 Neural progenitor cells, 228, 243  
 Neural stem and progenitor cell (NSPC), 110, 124, 127  
 Neural stem cell (NSC), 87, 209, 218, 222, 223, 226, 291, 376, 377, 381  
 Neural stem cell niche, 109–110, 117–119, 126–128  
 Neural tube defects, 290  
 Neuroblasts, 292, 321–323, 325–330, 333  
 NeuroD, 89, 91, 199  
 Neuroepithelial (NE) cells, 288  
 Neuroepithelium, 287  
 Neuroepithelium and neurogenesis, 38  
 Neurogenesis, 288  
 Neurogenic reserve hypothesis, 276  
 Neurogenic sites, 320, 333, 334  
 Neurogenin1, 89  
 Neurogenin2, 89, 199  
 Neuromodulatory systems, 362  
 Neuronal migration, 337  
 Neuronal progenitor cells, 218, 224, 229  
 Neuronal regeneration, 153–161  
   apoptotic cell death, role of, 155–157  
   in cerebellum of teleost fish, 153–161  
   proteomic analysis of regeneration-associated proteins, 159–161  
   removal of cellular debris by microglia/macrophages, 157–158  
   in retina and optic tectum of teleost fish, 153  
   in spinal cord of teleost fish, 153  
 Neuronal replacement, 47–77  
 Neuronal survival, 58, 66, 68–70, 72, 74, 75, 77  
 Neuron labeling, 7  
 Neuron-restrictive silencer element (NRSE), 93  
 Neuron-restrictive silencer factor (NRSF), 93  
 Neuroprotection through calbindin- $D_{28k}$ , 158  
 Neurospheres, 143–144, 292  
 Neurotransmitter, 239, 240, 246, 248, 395  
 Niche, 203  
 NMDA. *See* *N*-methyl-D-aspartic acid (NMDA)  
*N*-methyl-D-aspartic acid (NMDA), 244–247, 277  
 Noggin, 96, 304  
 Noncoding RNAs (ncRNAs), 88, 93  
 Noradrenaline, 362  
 Norepinephrine (NE), 239, 240, 244, 245  
 Normal aging, 233  
 Notch, 90  
 Notch1, 199  
 Notch signaling, 306  
 Nottebohm, F., 29  
 Novel object recognition, 249, 250  
 Nowakowski, R.S., 194  
 N-sulfates, 117  
 Nuclear factor I/A (NFIA), 97  
 Nuclear factor I/B (NFIB), 97  
 Nuclear movement, 344  
 Nucleus sphericus (NS), 170, 180, 182, 183  
 Numerical matching hypothesis, 149–153
- O**
- Olfaction, 372, 382, 384–387  
 Olfactory bulb (OB), 170, 175–177, 179, 180, 182, 292, 337, 372–387, 389  
   adult neurogenesis  
   in mammals, 139  
   persistence of adult-born cells, 148  
   in teleost fish, 143  
   neurogenesis, 24  
   neurogenesis and age, 26  
 OLIG1, 100  
 OLIG2, 100  
 Oligodendrocyte, 87, 99  
 Optic tectum  
   cell proliferation related to formation of new photoreceptor cells, 138, 145  
   neuronal regeneration, 153  
 Organizer for the hippocampus, 197  
 Oscillations, 374, 375
- P**
- P300, 89  
 Par-3, 289  
 Par-6, 289  
 Paradigm change, 39–42  
 Patched1, 298  
 Patterning centers, 197  
 Pax2, 328, 331, 332  
 Perception, 375  
 Perforant pathway, 220  
 Perinuclear cage, 346  
 Persistence of adult-born cells  
   in brain of mammals, 148  
   in brain of teleost fish, 148  
 Pial surface, 209  
 Pinwheels, 304  
 PK44, 342  
 Planar polarity, 288  
 Platelet-derived growth factor (PDGF), 100

- Postnatal, 323, 325–332  
     gliogenesis, 8–28  
     neurogenesis, 8–28  
 Precursor cell labeling, 12  
 Primary cilium, 289  
 Primary dentate neuroepithelium, 196  
 Primary progenitors, 205, 206  
 Primates, 347  
 Projection neuron, 177  
 Proliferation, 238, 243–245, 247–249, 251,  
     396, 399, 401, 403, 404  
 Proliferation zones  
     in brain of mammals, 139  
     in brain of teleost fish, 139–143  
 Proteomics, approach to identify regeneration-  
     associated proteins, 159  
 PSA, 206  
 PSA-NCAM, 194, 230, 323, 325, 326, 328,  
     331, 332, 340  
 Pseudodementia, 278
- R**
- Rabbit, 319–334  
 Radial glia, 202  
     role in guidance of adult-born cells during  
     neuronal regeneration in teleost fish,  
     158–159  
     role in guidance of adult-born cells during  
     postembryonic development in teleost  
     fish, 145  
 Radial glial cells, 173–176, 184, 203, 289  
 Radial migration, 343  
 Radial processes, 226  
 Radiation, 262  
 Rakic, P., 33  
 Rats, 261  
 RBPJ/k, 97  
 Reactive gliosis, 350  
 Reactive neurogenesis, 170, 171, 184  
 RE1-binding site (RE1), 93  
 Receptor tyrosine kinases, 340  
 Reelin, 202, 343  
 Regeneration, 170, 182, 184  
 Reptiles  
     *Anolis carolinensis*, 181, 184  
     *Gallotia galloti*, 181, 182, 184, 185  
     *Podarcis hispanica*, 173, 175, 176,  
     179–182, 184  
     *Psammmodromus algirus*, 175, 181  
     *Tarentola mauritanica*, 172, 176, 179–181  
     *Trachemys scripta*, 172, 176, 177, 179–182  
     *Tropidurus hispidus*, 175, 181, 185
- RE1-silencing transcription factor (REST), 93  
 Resting membrane potential, 224  
 Retina  
     apoptotic cell death during postembryonic  
     development, 145  
     formation of new photoreceptor cells, 138  
 Retraction, 344  
 Retrovirus-GFP, 202, 207  
 Rho family small GTPases, 345  
 Rodents, 319, 320, 322, 323, 325, 327,  
     331–334  
 Rostral migratory stream (RMS), 3, 21, 139,  
     292, 338  
     and age, 23  
     cell migration, 25
- S**
- S100 $\beta$ , 94, 99, 200  
 Schizophrenia, 277  
 SDF-1, 199  
 Secondary dentate matrix, 196, 210  
 Secondary dentate migration, 196  
 Seizure, 242–246  
 Seki, 194  
 Self-renewal, 292  
 Sensory deprivation, 359  
 Sensory experience, 359  
 Sensory input, 343  
 Septal cholinergic neurons, 228  
 Septum (SP), 170, 179, 180, 182, 220, 238,  
     244, 245  
 Serotonin, 239, 240  
 Shh. *See* Sonic hedgehog (Shh)  
 Signal transducer and activator of transcription  
     (STAT), 96, 98  
 Slit, 342  
 Smoothed, 298  
 Sonic hedgehog (Shh), 100, 208  
 Sox2, 206, 223  
 Spatial learning, 259  
 Spatial water maze, 261  
 Squirrel, 260  
 Stem cell leukemia (Scf), 97, 98  
 Stem cells, 395–397, 399, 401, 403, 404  
 Stress, 278, 279  
 Striated rootlet, 298  
 Striatum (ST), 170, 177, 179, 180, 319, 320,  
     326, 327, 333, 348  
 Stroke, 218, 225  
 Subependymal layer, 55, 66  
 Subgranular zone (SGZ), 238, 239, 245, 248,  
     249, 251, 292

- cat, 15
  - dentate gyrus, 139
  - guinea pig, 14
  - rat, 10
  - Subpial layer, 325, 328–330
  - Subpial regions, 210
  - Subventricular zone (SVZ), 289, 319–321, 337
  - Subventricular zone of lateral ventricle, 139
  - Sulci, 172, 173, 176, 185
  - Superenrichment, 272
  - Survival, 243–247, 249
  - 129/SvJ, 274
  - SWI/SNF complex, 92
  - Symmetrical cell division, 201
  - Synapses, 372–374, 378–380, 383, 385, 386
  - Synaptic integration, 402
- T**
- Tangential chains, 328, 330
  - Tangentially oriented processes, 206
  - Tangential migration, 207
  - Tangential process, 207
  - Telencephalon, dorsal
    - adult neurogenesis in teleost fish, 143
    - homologous structure to mammalian hippocampus, 143
  - Tenascin-R, 343
  - Terminal deoxynucleotidyl-transferase-mediated dUTP-biotin nick end-labeling (TUNEL), 145
  - Tertiary dentate matrix, 196, 200, 210
  - Theta-burst stimulation, 227
  - Theta-rhythm, 220–223, 226, 228, 233
  - Thymidine autoradiography, 3, 5, 37, 138
  - Thymidine autoradiography and the BrdU technique, 40
  - Time-lapse experiments, 201
  - Trace eye-blink conditioning, 262
  - Tract tracing, retrograde, 148, 159
  - Trailing process, 202
  - Transforming growth factor- $\beta$  (TGF- $\beta$ ), 92
  - Transit-amplifying cells, 289
  - Tri-synaptic circuit, 259
  - TSA, 102
  - $\beta$ -Tubulin, 159
  - TUNEL. *See* Terminal deoxynucleotidyl-transferase-mediated dUTP-biotin nick end-labeling
  - Type 1 theta, 221
  - Type 2 theta, 221
- V**
- Valproic acid (VPA), 91
  - Valvula cerebelli
    - migration of adult-born cells in teleost fish, 145
  - Vascular endothelial growth factor (VEGF), 279
  - Ventricular zone, 289
  - Vocal learning, 47–50, 53, 54, 58, 67, 71, 73, 76, 77
  - Voluntary exercise, 217, 225
  - Voluntary physical activity, 273
- W**
- Water-maze, 275, 276
  - Wnt, 198, 208
  - Wnt signaling, 298
- Y**
- Yin Yang 1 (YY1), 102
  - Young neurons, 257
- Z**
- Zebrafish, 139