

# Index

## A

Accompanying intelligence, 58  
Active-shutter, 163  
ACT-R, 68  
Aerial image, 158  
Aerial imaging by using retro-reflection, *see*  
AIRR  
Agricultural society, 3  
AI (Artificial intelligence) technology, 7  
AI worker, 12  
Airborne ultrasound tactile display, *see*  
AUTD  
AIRR (Aerial imaging by using retro-  
reflection), 22, 118, 133, 134  
AIRR Tablet, 22, 134  
AI-supportd society, 9  
Aizawa, Kiyoharu, 16, 24, 77  
Ando, Tadao, 11  
Android, 24  
Anthropomorphic robotic, 153  
Anywhere surface touch, 132  
Appearance-based, 200, 201, 203, 207, 212  
AQ (Autism Quotient), 283  
AR typing interface for mobile devices, 22  
ARIA (Active-Shuttered Real Image  
Autostereoscopy), 162  
ASD (Autism spectrum disorder), 274  
Attention control, 222  
Auditory sensation, 148  
Auditory surprise, 214, 215  
Augmented reality, 124  
AUTD (Airborne ultrasound tactile display),  
22, 111  
Automated drafting system, 66  
Automated driving system, 69  
Automatic grouping of acoustic compo-  
nents, 283

Autonomic nervous systems, 273  
Autostereoscopic display, 22

## B

Backchannel, 248, 254, 262  
Bayesian surprise, 213  
Behavior signal corpora, 59  
Binocular perception, 157  
Binocular stereo, 157  
Body schema, 150  
Brainstem, 282

## C

Calibration-free, 200, 205, 208, 211  
Calorie transfer, 25, 93  
Carr, Nicholas, 10, 11  
C/D ratio, 172  
CFF (Critical fusion frequency), 122  
Cognitive model of excessive trust, 19  
Cold receptor, 141  
Comprehension level, 261, 265  
Confirming question, 261  
Conversational analysis, 244  
Convivial society, 10, 12  
Cooperative training, 278  
Core Research for Evolutionary Science and  
Technology, *see* CREST  
CREST (Core Research for Evolutionary  
Science and Technology), 2  
Crisis in morality, 10  
Cutaneous sensation, 138, 140

## D

Developmental disorder, 281

Digital computer, 5  
 Display design, 24  
 Distracted drivers, 64  
 DOA (Directions Of Arrival), 251  
 Dogū, 39, 51  
 “Don’t look” paradigm, 283  
 Driving simulator, 69  
 Dynamic information space, 17, 21

## E

Educational support with Telenoid, 24  
 EEG (Electroencephalogram), 275  
 Elderly care with Telenoid, 24  
 Electromyography signal (EMG), 169  
 Elfoid, 23, 34, 35, 38–41, 53  
 End of work, 10  
 Equilibrium position, 173, 174, 176, 177  
 Error acceptance, 122  
 Error feedback timing, 120, 121  
 Excessive trust, 58  
 Exponential growth of computer and communication technology, 5  
 “Extend your real world”, 24  
 Eye contact, 226, 227, 231  
 Eye-gaze, 242, 243, 245, 251, 263  
 Eye-tracking recorder, 242

## F

Five-staged shift in roles of information in human society, 3  
 Flicker stimuli, 122  
 Floating 3D image, 164  
 Floating display, 22  
 fMRI (Functional magnetic resonance imaging), 277  
 Focused or shifted attention, 228  
 Food Balance Guide, 83  
 Food category representative, 92  
 Food record, 77  
 FoodLog, 78  
 FoodLog App, 78  
 FoodLog Web, 23, 78  
 FoodLogWeb API, 24  
 Force reactor, 148  
 Frame rate, 125  
 Frame sequential stereoscopy, 163  
 Free nerve ending, 141  
 Fresnel concave lens, 159  
 Full-parallax autostereoscopic 3D, 157  
 Functional connectivity analysis, 278

## G

Gaussian mixture models, 60  
 Gaussian process, 206  
 Gaze behavior, 60  
 Gaze grooming, 231  
 Gaze guidance, 216, 221, 225  
 GelForce, 141, 146  
 Geminoid, 32–37, 51  
 Gravity Grabber, 22, 147

## H

Hand-waving steganography, 117  
 Haptic display, 154  
 Haptic editors, 139  
 Haptic information space, 139  
 Haptic media, 138  
 Haptic primary color model, 21  
 Haptic primary colors, 138, 139, 141  
 Haptic scanner, 154  
 HaptoMIRAGE, 22, 144, 162  
 HFR (High frame rate), 21  
 Hidden Markov model, 64  
 High frame rate, *see* HFR  
 High-frame-rate LED display, 115  
 High-speed 3D vision for insensible dynamics sensing, 21  
 High-speed display of visual information, 21  
 High-speed gaze controller, 22  
 High-speed interaction, 132  
 High-speed resistor network proximity sensor array, 21  
 High-speed video projector, 122, 124  
 High-speed visual technology, 124  
 Histogram of orientation gradient, 230  
 HMD (Head-mounted display), 143, 153  
 Hormone secretion, 273  
 Hot spot, 256  
 Hugvie, 23, 24, 34, 35, 37–39, 43, 44, 49  
 Human-friendly technology, 11  
 Human-harmonic information technology, 3  
 Human-Harmonized information technology, 15  
 Human-in-the-loop system, 61  
 Human potential, 12  
 Human sensori-motor system, 120  
 Human sensory perception, 140  
 Human visual attention, 212, 217, 221  
 Human visual perception, 120, 122  
 Hunter-gatherer society, 3  
 Hyperscanning, 277  
 Hyperscanning EEG, 277

**I**

ICT (Information and communication technology), 7  
 IPI (Implicit interPersonal information), 19, 20, 273  
 ILD (Interaural level differences), 282  
 Illusion in perceived heaviness, 21  
 Image modulation, 217, 221  
 Implicit Ambient Surface Information, 287  
 Implicit interPersonal information, *see* IPI  
 Industrial society, 4  
 Information society, 5  
 Intention-gait model, 24  
 Inter-brain connectivity, 277  
 Interest level, 261, 264  
 Internet, 5  
 Interpersonal synchronization, 274  
 Intra-brain connectivity, 277  
 Invoked computing, 130  
 IP (Integral photography), 158  
 Ishiguro, Hiroshi, 16, 24, 29  
 Ishikawa, Masatoshi, 17, 97  
 ITD (Interaural time difference), 282

**J**

Japan Science and Technology Agency, *see* JST  
 Joint attention, 231, 246  
 Joint torque, 174  
 JST (The Japan Science and Technology Agency), 1  
 JST-CREST research area on creation of human-harmonized information technology, 2, 15

**K**

Kashino, Makio, 19, 271  
 Kawahara, Tatsuya, 18, 239  
 Kinesthetic sense, 138  
 Koike, Yasuharu, 18, 169

**L**

$\ell^1$ -minimization, 201, 203  
 Lane change events, 59  
 Latency, 125  
 Laughter, 256  
 LCD (Liquid crystal display), 163  
 “Let’s Walk! The first step for innovation”, 24  
 Logistic regression, 70  
 Longitudinal driving assistance system, 61

Luminance averaging, 123

**M**

Magnetometric sensor, 242  
 Many-to-one correspondence, 145  
 Maximum A posteriori Probability (MAP) adaptation, 61  
 Meissner’s corpuscle, 141  
 Merkel cell, 141  
 MFCC (Mel-Frequency Cepstral Coefficient), 251  
 Microphone array, 244, 251  
 Microsaccade, 273  
 Minimal design, 34, 35, 39, 52  
 Miraikan (The National Museum of Emerging Science and Innovation (Miraikan)), 24  
 Mirroring, 274  
 Mirror neuron, 274  
 Mirror system, 274  
 Misuse/disuse of automated systems, 66  
 Motion capturing system, 242  
 Motion parallax, 157  
 Movement synchrony, 275  
 Movement-end, 120, 121  
 Multi-modal corpus, 21, 23  
 Multi-platform test, 68  
 Multiview autostereoscopic 3D, 157  
 Muscle tension, 174  
 Musculo-skeletal model, 174, 179  
 MUSIC method, 251  
 Mutual gaze, 226, 246

**N**

Naemura, Ken, 24  
 National Museum of Emerging Science and Innovation, *see* Miraikan  
 Nishida, Toyoaki, 1  
 Nodding, 244, 248  
 Non-invasive brain stimulation, 274  
 Non-parametric Bayesian approach, 61  
 Noncontact haptic feedback, 110  
 Noncontact low-latency haptic feedback, 62  
 Normal force, 147  
 Normalized cross correlation, 214

**O**

Objective diagnosis, 282  
 Operational behavior, 64  
 “Ore-Ore” (“It’s me”) telephone fraud, 73  
 Orientation of thought viewing, 229

Over-reliance, 68  
Oxytocin, 273

## P

Pacinian corpuscle, 141  
Pain receptor, 141  
Peltier actuators, 150  
Perceptual bias, 124  
Perceptual shrinkage, 124  
Phased array, 111  
Physical space, 145  
Physiological space, 145  
Piece-Wise ARX models, 60  
Pitch, 282  
Point of subjective equality, *see* PSE  
Point of subjective simultaneity, *see* PSS  
Poster conversation, 245  
Poster session browser, 266  
Power-assist robot, 193  
Power difference in sub-band spectrum, 73  
Pressure, 145  
Prism adaptation, 120, 121  
Proprioception, 138, 140  
Prosodic feature, 249, 258  
Proximity sensor, 105  
PSE (Point of subjective equality), 21  
Pseudo-haptics, 18, 172, 173, 177, 179, 195  
PSS (Point of subjective simultaneity), 21  
Psychophysical perceptual space, 145  
Pupil diameter, 273

## R

Race against the machine, 11  
Radiation pressure, 111  
Random forests, 208, 210, 211  
Reactive token, 256  
Regression, 201, 203, 204, 206, 210, 211  
RePro3D, 144, 158  
RePro3D (Retro-reflective Projection Technology (RPT)-based full-parallax autostereoscopic 3D), 22  
Resolution control, 222, 224, 225  
Responsibility flow, 7  
Retroreflective screen, 160  
RGB (Red, Green, and Blue), 144  
Risk evaluation function, 61  
Robot surgery system, 193  
Robotic media, 30, 31, 36, 46, 53  
RPT (Retroreflective Projection Technology), 157  
RPT-based full-parallax autostereoscopic 3D, 22, 158

Ruffini ending, 141

## S

Sato, Yoichi, 18, 199  
Selective listening, 282  
Selective stimulation, 141  
Self-actualization, 11  
Sense-centered interface, 18  
Sensing and controlling human gazes, 23  
Sensori-motor learning/adaptation, 120  
Sensory mechanism, 140  
Shearing force, 148  
SLT (smart LED tile), 22  
Smart LED tile, *see* SLT  
Smart Posterboard, 21, 23  
Social facilitation, 274  
Social potential, 12  
*Sonzai*, 19, 32, 33, 52  
*Sonzaikan*, 19, 29–35, 37, 39, 41–53  
Speaker diarization, 251  
Speech act, 240, 260  
Speech activity, 252  
Speech separation, 244  
Spontaneous viewing, 229, 230  
Stiffness, 174, 176, 177, 188  
Subjective risk scores, 60  
Substantive question, 261  
Support vector machine, 229  
Sustained attention, 228  
Sympathetic and parasympathetic nervous systems, 273  
Synchronization, 205, 212–214, 216  
Synchronization phenomena, 275

## T

Table for Two, *see* TFT  
Tachi, Susumu, 18, 24, 137  
TACTILE Toolkit, 22  
Tacit knowledge, 286  
Takeda, Kazuya, 16, 57  
Tangential force, 148  
Tangible information environment, 18, 165  
Task or scene-relevant viewing, 229, 230  
Task-end, 120, 121  
TCieX, 192  
Technology abuse, 7  
TECHTILE Toolkit, 148  
Telenoid, 16, 23, 24, 34–43, 45–51, 53  
TELESAR (TELEExistence Surrogate Anthropomorphic Robot), 22, 144, 150  
Telexistence, 150

Temperature, 145  
Temporal moving average, 122  
Texture, 150  
TFS (Temporal fine structure), 282  
TFT (Table for Two), 24, 92  
TFT app, 93  
Theory of mind, 274  
Thermosensitive paint, 149  
Three primary colors, 145  
Thurstone's method of paired comparison, 232  
Time-division 3D method, 163  
Tohkura, Yoh'ichi, 2, 3, 12  
Topic segment, 260  
"Touch the world, feel the future", 24  
TPP (Transient twinkle perception), 122  
Transient twinkle, 122, 123  
Transition to a convivial society, 10  
Turing, Alan, 5  
Turkle, Sherry, 10  
Turn-taking, 244

**U**

Universal Turing machine, 5

**V**

Vertical force, 147  
Vertical parallax, 158  
Vibration, 145  
Vibrotactile sensation, 148  
VibroTracker, 22, 131  
Virtual shutter glass, 163  
Viscosity, 174  
Vision-based thermal sensor, 22  
Visual feature, 205, 212–217, 219  
Visual fixation, 64  
Visual saliency, 199, 205–207, 212, 216  
Visual surprise, 214, 216  
Visuo-motor adaptation, 120, 121  
Von Neumann, John, 5  
VR (Virtual reality), 145

**W**

Warmth receptor, 141  
Weight perception, 179, 181, 186, 188  
"What is human?", 24  
Work shift, 11

**Y**

Yagi, Yasushi, 24