

# Index

## A

ACCEL, 272  
Active music listening, 5  
Active music listening interfaces, 5  
Adaptive Linear Regression (ALR), 274  
Aerial imaging plate, 187, 189  
AffectiveWear, 226  
Age of billions of creators, 2, 36  
AIRR Tablet, 272  
AI-supported society, 270  
Aizawa, Kiyoharu, 271  
Alone Together, 280  
AlphaGo, 279  
Altruistic behavior, 260  
Ambisonics, higher-order, 42  
Ambisonics system, 44  
Anisotropic radiation characteristic, 192  
Approximate Nearest-Neighbor Search (ANNS), 210  
Area under the ROC curve, 151  
ATC dataset, 159, 161  
Attention-redirecting dialogue, 249  
Augmented narrative, 228  
Augmented reality, 174  
Automatic annotation, 200, 225

## B

Bag-of-Features (BoF), 203  
Bag-of-Words (BoW), 219  
Beat structure, 9  
Bird's eye viewpoints, 19, 23, 33  
Bonita 10, 153  
BoSC principle, 44  
BoSC reproduction room, small-size, 71  
Boundary Surface Control (BoSC), 42, 275

## C

Calibration, 140  
Calibration-free control, 183  
Cannot-be-forgotten society, 36  
CASIA Gait Database, 140  
Cerebral vascular disease, 141, 164  
6-channel system, 42, 44  
Character recognition under low image resolution, 204  
Chemical augmentation, 181  
Chemical augmentation system, 278  
Chords, 9  
Clinical psychologist, 164  
Cognition, 284  
Cognitive load, 249  
Cognitive model of excessive trust, 276  
Cognitive task, 141  
Collision avoidance, 121, 125  
Common ground, 283  
Common sense, 116  
Co-morbid mental disorder, 164  
Companion agent, 281  
Complex educational environments, 256  
Congestion, 127  
Consumer Generated Media (CGM), 79, 275  
Content-appreciation support technologies, 2, 4  
Content circulation, 4  
Content-creation support technologies, 2, 24  
Content ecosystem technologies, 4  
Content ecosystem web services, 4, 35  
Content-generating power, 35  
Content-symbiotic society, 3, 36  
Context of scene text, 202  
Contiguity, 238  
Contingent agent, 246  
Convivial society, 270

Count-down task, 165  
 CP-SFM, 126  
 Crowdsourcing error-correction interface, 7,  
 9, 23, 28

## D

Data projection, 181  
 Dataset of scene texts in video, the first, 206  
 3D display, 185  
 360 degree surrounding display system, 142  
 Delayed self-images, 244  
 Dementia, 141, 164, 165, 169  
 Depth camera, 118  
 Developmental cognitive science, 235  
 Developmental psychology, 265  
 Digital content society, 36  
 Digital fabrication, 188  
 Digital micromirror device, 183, 184  
 Direction-giving service, 132  
 Document annotation, 223  
 Document type recognition, 216, 217  
 Double TV environment, 238  
 3D printer, 188  
 3D reconstruction of human body, 140  
 3D-sound-scene reproduction, 275  
 Dual-task, 141  
 Dynamic information space, 272

## E

Edge detection-based method, 213  
 Edutainment, 237  
 Elfoid, 277  
 EnchanTable, 186, 278  
 Encyclopedia MMDAgent, 109  
 Ensemble experiment, 64  
 ERATO, 272  
 Estimate the knowledge-level of users, 229  
 Estimating the level of understanding and  
 language proficiency, 219  
 ETL Character Database, 205  
 Extended FST based Dialogue Editor  
 (EFDE), 89  
 Eyewear computing, 221

## F

Face-to-face communication, 174  
 Feedback cancellation, 64  
 Feedback cancellation system, 57  
 Feeling of sharing the same environment,  
 261  
 Finite State Transducer (FST), 81

Five-stage model, 269  
 Fixation, 142, 144, 149  
 Floating display, 272  
 Flyer-distribution, 131  
 Follow-in, 249  
 Font generation, 200, 207  
 FoodLog Web, 277  
 Fullerene microphone array, C80-shaped, 44  
 Future of Life Institute (FLI), 280  
 FVisiOn, 191, 278

## G

Gait, 139, 274  
 Gait authentication, 140  
 Gamification, 285  
 Gaussian function, 144–146, 149, 152  
 Gaze interaction, 245  
 Glasses-free tabletop 3D display, 191, 278  
 Goto, Masataka, 1, 271  
 GravityGrabber, 279  
 Groundtruthing of scene texts, 207  
 Group work, 176

## H

Hand-Rewriting, 181, 278  
 Haptic primary color model, 276  
 Help disabled people, 228  
 Hidden Markov Model (HMM), 83  
 High-speed 3D vision for insensible dynam-  
 ics sensing, 272  
 High-speed gaze controller, 272  
 High-speed resistor network proximity sen-  
 sor array, 272  
 Hiraki, Kazuo, 235, 271  
 History Player, 22  
 HTS (an HMM-based speech synthesis sys-  
 tem), 81  
 Huge information space, 285  
 Hugvie, 277  
 Human action recognition, 158  
 Human-harmonized information technol-  
 ogy, 270  
 Human potential, 270  
 Human-Robot Interaction (HRI), 123

## I

IC card reader, 165  
 ICDAR Robust Reading Competitions, 206  
 Illusion of perceived heaviness, 276  
 Imitation learning, 243  
 Imitation performance, 243

Implicit InterPersonal Information (IIPI),  
276  
 Inertial state, 140  
 Influence Ranking, 34  
 Information-providing robot, 116  
 Intelligent pedagogical machine, 264  
 Inter-Personal Browsing, 178, 278  
 Interactive fabrication, 278  
 Interactive instruction, 237  
 Interpersonal communication, 164  
 Ise, Shiro, 41, 272  
 Ishiguro, Hiroshi, 272  
 Ishikawa, Masatoshi, 272

## J

Japanese scene text dataset, a large-scale,  
207  
 Japan Science and Technology Agency  
(JST), 270  
 Joint attention, 245  
 JST-CREST research area on creation  
of human-harmonized information  
technology, 271

## K

Kanda, Takayuki, 115, 271  
 Kashino, Makio, 271  
 Kawahara, Tatsuya, 271  
 Kise, Koichi, 197, 271  
 Koike, Yasuharu, 271  
 8K ultrahigh-definition television, 145

## L

Laser range sensor, 156, 159  
 Latency reduction, 63  
 Latent Dirichlet Allocation (LDA), 30  
 Lead-in, 249  
 Learn from a person, 250  
 Locally Likely Arrangement Hashing  
(LLAH), 205, 214, 226  
 Longitudinal companionship, 286

## M

Mei-chan, 99, 279  
 Melody line, 9  
 Memory aid, 228  
 Microphone traverse system, 49  
 Microsoft Kinect, 165  
 Mid-air image, 187, 278

Mini-Mental State Examination (MMSE),  
165  
 MiragePrinter, 188, 278  
 Miraikan, 145, 166, 278  
 MMDAgent, 81, 275  
 MMDAgent Editor (MMDAE), 89  
 MMDAgent SHARE, 108  
 Motor cortical activation, 54  
 Multiple hypothesis, 202  
 Multiple instance learning, 155  
 Musical similarity, 29  
 Musical typicality, 29  
 Music Star Map, 19  
 Music structure, 7  
 Music-understanding technologies, 5, 11  
 Mutual subspace method, 204

## N

Naemura, Takeshi, 173, 271  
 Nao, 257  
 National Museum of Emerging Science and  
Innovation, 145, 166  
 Natural pedagogy, 236  
 Natural teaching-learning environment, 263  
 Neuroscience, 264  
 Niconico, 6  
 Nishida, Toyooki, 269  
 Noncontact low-latency haptic feedback,  
273  
 Nowness, 263

## O

Omnidirectional character recognition, 212  
 OngaCREST Project, 2  
 Open JTalk (a Japanese text-to-speech sys-  
tem based on HTS), 81  
 Open public space, 117, 274  
 Optical Character Recognition (OCR), 202  
 Optical flow, 158  
 Ostensive teaching, 235  
 OU-ISIR Gait Database, 140

## P

Paper-based computing, 278  
 Paper-based group work, 180  
 Paper computing, 181  
 Parallel control, 183  
 Part-based method, 203  
 PC-based group work, 180  
 Pedagogical agent, 237

Pedagogical Agent with Gaze Interaction (PAGI), 244, 277  
 Pedagogical machine, 276  
 Pedagogical relationship, 251  
 Pedestrian, 116  
 Pedestrian modeling, 120  
 Pedestrian simulation, 124  
 Pedestrian tracking, 156  
 Pedestrian trajectories, 124  
 Peer-to-peer relationship, 263  
 People-tracking, 118  
 Phonetic discrimination, 237  
 Photochromic material, 182  
 Physical task, 141  
 Piapro, 6  
 Pixel-level Visible Light Communication Projector (PVLC), 181, 278  
 Planet View, 19  
 Point of Subjective Equality (PSE), 276  
 Point of Subjective Simultaneity (PSS), 276  
 Pointing gesture, 133  
 Position-dependent control, 183  
 Preferential Looking Procedure (PLP), 257  
 PreFEst, 12  
 Presence of the speaker (pronounced body), 52  
 Privacy control, 176  
 Privacy-control method, 188, 278  
 Probabilistic generative models, 30

**R**

Range sensors, 140  
 Reading detection, 216, 217, 221  
 Reading-life log for documents, 199, 216  
 Reading-life log for scene text, 199, 223  
 Reading-Life Log (RLL), 198, 199, 275  
 Reading minds, 170  
 Real-time character recognition, 209  
 Real-time document image retrieval, 213  
 Real-world data, 117  
 Real-world sensing, 117  
 Receiver Operating Characteristics (ROC) curve, 151  
 Recorded agent, 246  
 Recording of read words, 218  
 RefraiD, 11  
 RePro3D, 273  
 Responsiveness, 263  
 Retinal inhomogeneity, 141  
 Rhinoceros, 189  
 Robot abuse, 129  
 Robotic apprenticeship, 283

Robot service, 130

## S

Saccade, 148  
 Saliency map, 141, 149, 152  
 Sato, Yoichi, 271  
 Scaffolding, 236  
 Scene text detection, 202  
 Scene text recognition, 202  
 Sensing and controlling human gazes, 273  
 Sensing technology, 264  
 Sensor network, 118  
 Serious games, 237  
 Sharing display content, 177  
 SHelective, 177, 278  
 Shopping mall, 116  
 Similarity, 2, 29  
 Smart eyewear, 220  
 SmartMusicKIOSK, 5  
 Smart Posterboard, 274  
 Social force model, 121  
 Social potential, 270  
 Social relationships, 141  
 Social robot, 129, 274  
 Songle, 5, 275  
 Songle Widget, 12, 275  
 Songrium, 18, 277  
 Songrium3D, 20  
*Sonzaikan*, 276, 277, 279  
 Sound, 41  
 Sound cask, 45, 275  
 SoundCloud, 6  
 Sound directivity reproduction method, 65  
 Sound field reproduction, 42  
 Sound field sharing, 60  
 Sound field simulator, 55  
 Spatial imaging optics, 185  
 Spiropyran, 182  
 Storytelling, 285  
 Street View Text Dataset, 206  
 Super-aging society, 170  
 Swarm of robots, 184

## T

Tabletop system, 184, 186, 191  
 Tachi, Susumu, 271  
 Takeda, Kazuya, 271  
 Task-oriented HRI, 274  
 Teach a foreign language, 256  
 Teaching artifact, 236  
 Teaching behaviors, 244

Teaching materials, 237  
TECHTILE toolkit, 279  
Telenoid, 277  
TELESAR V, 273, 278  
Template-matching-based method, 212  
Temporal contiguity, 240, 243  
Temporal contingency, 238  
Test of English for International Communi-  
cation (TOEIC), 219  
Text 2.0, 226  
TextAlive, 25, 277  
Thermochromic material, 182  
Tohkura, Yoh'ichi, 269  
Tokuda, Keiichi, 77, 271  
Traum, David, 282  
Treadmill, 152  
Turkle, Sherry, 280  
Typicality, 2, 29

**U**  
UDialogue technology, 77, 279  
UHDTV, 146  
Uncopyable experiences, 36  
User Generated Content (UGC), 79  
USF Human ID Gait Baseline Database, 140  
UV projector, 182

**V**  
VibroTracker, 272  
Vicon Motion Systems Ltd., 153  
Video-deficit, 238  
Video mosaicing, 223  
Video stitching, 223  
360° viewing angle, 191  
Virtual character, 186, 193  
Virtual reality, 71, 194  
Virtual sound table-tennis system, 59  
Visible light communication, 184  
Visual saliency, 203  
VOCALOID, 18

**W**  
Wave Field Synthesis (WFS), 44  
Web-native content, 34  
Web-native music, 33  
Wizard-of-Oz method, 252  
Word-frequency task, 165  
Wordometer, 216, 222

**Y**  
Yagi, Yasushi, 139, 271  
100-year study on artificial intelligence, 280  
YouTube, 6