

INDEX

A

- AAP (see acetamiprid)
- ABT-418, 241
- AC-303,630, 52
- acephate, 158,159,160,161,163,167
- acetamiprid, 9,16,18,19,22,103,110,120,121, 149,152,177,180,188,254,258
 - administration, 162
 - beneficials, effect on, 151
 - binding, 17,164
 - cross-resistance, 158
 - ecotoxicity, 150
 - electrophysiology, 164
 - field efficacy, 166-174,
 - insecticidal activity, 157,162,185
 - lead generation, 152
 - mode of action, 164
 - persistency, 162
 - physical properties, 150
 - speed of action, 162
 - structure-activity relationship, 153-155
 - synthesis, 156
 - systemic action, 160,186
 - toxicity to mammals, 150
 - translaminar action, 160
- acetogenins, 44
- acetylcholine (ACh), 6,223,276
- acetylcholine receptor(AChR), 3,24,122,123,237
 - antagonists, 122
 - muscarinic (mAChR), 6,24,237,275
 - nicotinic (nAChR, see nicotinic acetylcholine receptor)
- acetylcholinesterase (AChE),
 - inhibition, 6,39,40,47
 - model for nAChR, 6
- 3-*O*-acetylzygadenine, 39
- aconitine, 42,50
- Actara™, 182
- acyclic cyanoamidine, 181
- acyclic nitroamidine, 181
- acyclic nitroenamine, 181
- acyclic nitroethenes, 129
 - structure-activity relationship, 129
 - synthesis, 129
- adaline, 49
- Admire™, 115 (see imidacloprid)
- affinin, 34
- affinity chromatography, 279
- AKD-1022, 179,180,181
- alkaloids, 29
 - Aconitum*, 42
 - amphibian, 50
 - arthropodal, 48
 - azocinoindole, 54
 - benzophenanthridine, 44
 - definition, 29
 - Delphinium*, 42
 - dioxepineindole, 52
 - Erythrina*, 45
 - haplophyton, 47
 - isoquinoline-type, 44
 - lupine, 33
 - marine, aquatic, 51
 - microorganisms, 51
 - Nicotiana*, 30,31
 - polyhydroxy, 47
 - quinolizidine, 33
 - Solanum*, 38,39
 - Stemona*, 46
 - steroid, 29
 - tobacco, 30
 - Trypterygium*, 46
 - unsaturated amide, 34

Veratrum, 37

3-aminomethyl-6-chloropyridine, 156
 2-amino-5-methylpyridine, 112
 anabasamine, 32
 anabaseine, 4,5,32,48
 anabasine, 4,5,16,17,32,45
 anacyclin, 34
 anatabine, 32
 anatoxin A, 120,121
 3-*O*-angeloylzygadenine, 39
 anonaine, 44
 6-aryl-2,4-hexadienamides, 36
 6-aryl-3,5-hexadienamides, 36
 aspernomine, 52
 atropine, 276
 avermectin, 123
 azadirachtin, 43
 azamacrolides, 49
 1-aza-3-thiacycloalkanes, 79
 azinphosmethyl, 251

B

batrachotoxin, 50
 Bay T 9992, 111
 benfuracarb, 158,160,
 bensultap, 254,255
 berberine, 44
 α -BGT-ASA (see azidosalicylate derivative
 of α -BGT)
 bioaccumulation, 104
 1,1-bis(methylthio)-2-nitroethylene, 273
 BT, 163,167
 BTG-502, 37
 α -bungarotoxin (α -BGT), 17, 42, 120, 121,
 123, 164, 165, 271, 276, 282
 buprofezin, 138,191,192,194

C

Ca²⁺ channel, 41,44
 Ca²⁺-dependent ATPase, 50
 Ca²⁺ release, 40
 caffeine, 44
 carbachol, 17,276,282
 carbofuran, 118

cartap, 51,127,159,254,255,
 castanospermine, 48
 cell, cell line,
 BC3H1 muscle cell, 278
 Drosophila (S2), 286
 human embryonic kidney (HEK-293),
 285,286
 NIE-115 neuroblastoma, 278
 cevacine, 38
 cevadine, 37
 cevine, 37
 CGA 293'343, 177,180,181,205
 beneficial arthropods, effect on, 202
 biological activity, 184
 ¹⁴C-, 199
 chemical properties, 183
 consumer safety, 204
 crop tolerance, 201
 discovery, 181
 ecotoxicity, 205
 environmental fate, 205
 field performance, 188-198,201
 foliar use, 189
 insecticidal spectrum, 185,187
 lasting activity, 199
 metabolism, 203,204
 physical properties, 183
 residues, 204
 seed treatment use, 196
 soil application use, 194
 synthesis, 183
 systemicity, 186,199
 toxicology, 203
 use rate, 201
 α -chaconine, 39
 charatoxin, 51
 CH-IMI (see 6-Cl-PMNI, nitromethylene
 analog of imidacloprid)
 2-chloro-5-chloromethylpyridine (CCMP),
 111,112,113
 6-chloro-3-(methylamino)methylpyridine, 156
 2-chloro-5-methylpyridine (CMP), 111,112
 6-chloronicotinic acid, 112,213
 6-chloronicotinoyl chloride, 272
 chloronicotinyl insecticides (see also

nicotinoids, imidacloprid analogs),
 10,91,105, 109,111,180,254
 biological performance, 113
 resistance, 253,265
 water solubility, 103
 6-chloronicotiny-2-
 nitromethyleneimidazoline, 95
 1-[(4-chlorophenyl)methyl]-2-(nitromethyl)-
 pyridinium hydroxide, 77
 chloropyridine, 110,112
 1-[*N*-(6-chloro-3-pyridylmethyl)-*N*-
 ethyl]amino-1-methylamino-2-
 nitroethane, 132
N-(6-chloro-3-pyridylmethyl)-ethylenediamine, 273
 chlorpromazine, 17
 chlorpyrifos, 177
 Cl-TMNI (see chlorothiazoyl analog of CH-IMI)
 cocaine, 43
 coccinelline, 49
 cocculolidine, 45
 concanavalin A, 286
 Confidor™, 114 (see imidacloprid)
 coniine, 17
 cotinine, 4,5,32
 crooksiine, 47
 cross-resistance, imidacloprid and,
 carbamates, 257
 chloronicotinyls, 258
 endosulfan, 257
 management, 253,261-266
 nAChR insecticides, 255
 organophosphorus insecticides, 257
 other insecticides, 257
 pyrethroids, 257
 Cruiser®, 182 (see CGA 293'343)
N-cyano-*N*-methylacetamidine, 273
 cypermethrin, 103,116,159,163,170,
 cytosine, 17,33,120,121,282

D

DDT, 37
 dehydrothalebanin B, 37
 deltamethrin, 37,192
 3,5-dialkylindolizidines, 48

2,6-dialkylpiperidines, 48
 2,5-dialkylpyrrolidines, 48
 2,5-dialkylpyrrolines, 48
 3,5-dialkylpyrrolizidines, 48
 1,3-diazacycloalkanes, 77,79
 2-(dibromonitromethyl)-3-methylpyridine, 71
 9,21-didehydroryanodine, 40
 dihydro β -erythroidine, 120,121
 dihydronicotyrine, 4,5,7,32
 4,5-dihydro-*N*-nitro-1*H*-imidazol-2-amine, 273
 10,11-dihydropipericide, 36
 dimethylphenylpiperazinium (DMPP), 17
 1,2- or 2,2-dimethylpropylamides, 36
 dioncophyllines, 44,45
 dioxapyrrolomycin, 52
 dipotassium 2-nitroethylene-1,1-dithiolate, 78
 3,2'-dipyridyl or 2,3'-bipyridyl (isonicotine), 4,32
 1,3-dithiane, 51
 1,2-dithiolane, 51
 DN-IMI (see [³H]-desnitroimidacloprid)

E

echinacein, 34
 epibatidine, 120,121,243,245,249,250
 epilachnene, 49
 erysodine, 45
 eserine (see physostigmine)
 ethofenprox, 138
 1-ethyl-3-[3(dimethylamino)propyl]-
 carbodiimide, 274,287

F

fagaramide, 35
 fenitrothion, 103,138,171
 fenobucarb, 138

G

GABA_A receptor, 123
 Gaucho™, 115 (see imidacloprid)
 glaudelsine, 42
 glomerins, 49
 glucosidase inhibition, 48
 glutamate receptor, 33,123

guineensine, 36
guinesine A,B, 33

H

[³H]-

batrachotoxinin A 20 α -benzoate, 37
 α -bungarotoxin (α -BGT), 13, 16, 23,
120,121,164,273,275,276,277,278
6-chloro-3-chloromethylpyridine, 273
2-chloro-5-chloromethylthiazole, 273
cytisine, 121
desnitroimidacloprid (DN-IMI), 272
epibatidine, 286
LiAl³H₄, 273
LiB³H₄, 273
NaB³H₄, 273
phencyclidine (PCP), 16,23
radiosynthesis, 272,274

[³H]-nicotinoids

acetamiprid (AAP), 272
chlorothiazoyl analog of CH-IMI (CI
TMNI), 272,275,276
desnitroimidacloprid (DN-IMI), 272
imidacloprid (IMI), 121, 271, 272, 274,
275,276,277,288
nicotine (NIC), 16,238,277,278,279
nitromethylene analog of imidacloprid
(CH-IMI), 272,279
radiosynthesis, 272,274

haplophytine, 47

hellebore, 37

herculin, 34

1-[*N*-(heteroaromatic-methyl)]amino-
1-methylamino-2-nitroethenes, 134

1-[*N*-(heteroaryl-methyl)-*N*-methyl]-
amino-1-methylamino-2-nitroethenes, 133

hexahydronitroimidazopyrimidine analog of
CH-IMI, 274

N-hydroxyacetylornicotines, 32

14-hydroxypaspalinine, 52

I

[¹²⁵I]

azidonicotinoid (AN), 274, 281, 285,

287,288

azidosalicylate derivative of α -BGT
(α -BGT-ASA), 281,285,287,288

α -BGT, 279,285,286,287

imidacloprid (IMI), 9,10,11,12,18,19,20,21,
22,31,77,80,98,99,100,101,102,103,
104,110,111,113,114,120,121,152,
177,180,188,213,253,256,271,276

acute toxicity, 216

antifeedant effect, 115

beneficial arthropods, activity on, 117

binding, 213

insect nAChR, 12,16,17,120,123,275,277

mammalian nAChR, 16,277,

Torpedo nAChR, 17

biological performance, 113, 185, 186, 187

chronic toxicity, 216

developmental toxicity, 218

ecobiological profile, 117

excretion, 213

foliar application, 114,190,191,192,193,194

hazard assessment, 217,219,220

market, 109,111,119

metabolism, 213,215

N-methyl-, 13,19,20

mode of action, 21,22,213

mutagenicity, 218

neurotoxicity, 220

oncogenicity, 218

reproductive toxicity, 220

resistance management, 116,259,261-266

resistant insects, activity on, 115

rice cultivation, 119

site of action, 122,214,288

soil and seed treatment, 114,118,187,195,196

subchronic toxicity, 216

synthesis, 113

systemic activity, 186

toxicology, 216

imidacloprid analogs (see also nicotinoids,

chloronicotinyl insecticides)

Austin model I (AM I), 100,102

electronic absorption, 101

environmental stability, 104

fish toxicity, 104

frontier orbital, 102
 hydrolysis, 100
 hydrophilicity, 102,104
 lipophilicity, 102
 log k value on HPLC, 104
 Mulliken charge, 102
 oxidation, 100
 partition coefficient (Pow), 102,103,104
 photolysis, 100,101,102
 structure-activity relationship, 92-99
 structure-lipophilicity relationship, 103,104
 systemic property, 102,104
 triplet excited states, 102
 UV absorption, 101,102
 vaporization, 100
 water solubility, 100
 indanomycin, 5
 isoboldine, 44
 isobutylamides, 29,33,34
 isonicotine (see 3,2'- or 2,3'-dipyridyl)
 ivermectin, 54

K

K⁺ channel, 33,41
 kalecide, 34
 ketamine, 17

L

lindane, 118
 lobeline, 17,33,120,121

M

malathion, 52,159,
 market, 109,111,119,177
 mecamlamine, 17,226
 methidathion, 173,174
 methomyl, 138,159
 methyl *N*-cyanoacetimidate, 156
 1-methylamino-2-nitroethenes, 133
 1-methylamino-1-(3-pyridylmethylamino)-
 2-nitroethenes, 131
N-methylcarbamates, 40
 methyllycaconitine, 120,121,230
N-methyl-nitroguanidine, 183

3-methyl-2-(nitromethyl)pyridine, 75
 1-[*N*-methyl-(3-pyridylmethyl)amino]-2-
 nitroethene, 131
 methylxanthines, 44
 monoazacycloalkanes, 77
 Mospiran® (see acetamiprid), 150
 myosmine, 4,5,32
 5'-methyl-, 4,5
 myrmecarin 215A, 48

N

Na⁺ channel, 36,37,39,42
 naphthylisoquinolines, 45
 neoherculin, 34
 neonicotine, 32
 nereistoxin, 17,33,51,127,254
 NI-25 (see acetamiprid), 150
 nicotine, 3,6,9,10,11,16,18,19,21,22,29,30,31,
 32,42,45,49,103,120,121,223,237,
 238,254,276,277,282
 action, brain,
 hippocampus, 224
 long-term potentiation, 225
 septohippocami pathway, 229
 action, *Torpedo*, 17
 acylated nor-, 8,32
 6-amino-, 246
 analogs, 7
 6-bromo-, 246
 6-chloro-, 246
 6-fluoro-, 246
 6-methoxy-, 246
 5'-methylnor-, 4,5
 nor-, 4,5,31,32
 resistance, 32,256
 review, 3
 toxicity, 15
 nicotinic acetylcholine receptor (nAChR),
 3,15,24,30,33,40,42,45,51,109,120,
 121,122,178,223,237,271,275,283,284
 affinity chromatography, 273,279,285,287
 agonists, 121,122
 antagonists, 121,122
 binding, 13,16,19,120,122,164,165,240,
 244,247,275,276,

- biochemistry, 120
- brain, 223,283
- electrophysiological assay, 285
- electrophysiology, 121,275
- expression in *Xenopus* oocyte
(see *Xenopus*)
- gel electrophoresis, 280
- immunohistochemistry, 286
- insects, 17,122,271,276,283,284,285
- ion channel complex, 17,22,286,
- isolation, 279,286
- ligands, 6,16,120,276,277
- mammalian, 15,224,237,278,283
- photoaffinity labelling, 274,280,287,288
- radiolabeled ligands, 272
- structure and function
 - insects, 284
 - mammals, 274,278,280,283,287,288
- subtypes, subunits, 122,223,225,237,
278,279,280,283,284,286,287
- Torpedo*, 17
- nicotinoids, neonicotinoids, 4,9,10,22,177,178,278
(see also imidacloprid-analogs
chloronicotynyl insecticides)
- binding (see nAChR)
- binding-toxicity relationship, 13,277
- comparative molecular field analysis, 250
- definition, 10
- essential moiety, pharmacophore,
5,14,23,105,179,239,242,249,
- first-, 2nd-generation, 180
- historical background, 9,91,109,177,253
- ionization, 5
- mode of action, 7,11,21,120,146,164,
213,214,223,237,288
- ¹⁵N-NMR, 14
- partition coefficient (Pow), 18,102,103,104
- pKa, 5,7
- QSAR, 246,248
- structural elements, 179
- structure-activity relationship,
 - insects, 4,13,19,92,129,154,178,271,277
 - mammals, 237-250
- subclasses, 10,180
- synthesis, 7,111,128,156,183
- toxicological characterization, 277
- translocation, 17
- nicotinoyl dihydroagarofuran, 46
- nicotyrine, 4,5,16,32
 - dihydro-, 4,5,7,32
 - nor-, 4,5,32
- nigragillin, 54
- nitenpyram, 9,16,103,110,111,120,121,127,
134,177,178,179,180,188,254,258
 - animal metabolism, 135
 - binding, 17,120,
 - chemical properties, 134
 - environmental fate, 136
 - field performance, 138-141
 - insecticidal activity, 137,138,185
 - joint action with cartap, 146
 - mode of action, 143,146
 - nontarget organisms, effect on, 134,141
 - physical properties, 134
 - pollinators, effect on, 143
 - residual activity, 132
 - resurgence, 143
 - structure-activity relationship, 129
 - systemic action, 137,186
 - time course of efficacy, 144
- nithiazin(e), 9,16,19,20,79,80,81,83,85,86,91,
92,103,110,120,121,152,177,180
 - binding, 17,19,120
 - ester derivatives, 83
 - fly trap device, 86
 - N*-formyl-, 81,85
 - mode of action, 85
 - nitroenamine structure, 76
 - photochemical reactivity, 83
 - prodrugs, 83
 - vapor pressure, 86
- nitroimino-oxadiazinane, 181
- 2-nitroimino-1,3-pyrrolidine, 113
- nitromethylene heterocycles (NMHs), 71,181
(see also nithiazin(e))
 - chemical exploration, 75
 - derivatives from, 84
 - discovery, 71
 - explosion, 78,82
 - knockdown activity, 86

lead compound, 71
 light sensitivity, 80
 mode of action, 85
 nitroimino analogs, 80,81
 reaction with electrophilic reagents, 84
 structure-activity relationship, 72-74
 storage stability, 80
 synergism, 72,75,85
 tautomerism, 76,77
 zwitterionic characteristic, 77,79
 2-(nitromethylene)-1-azacycloalkanes, 87
 nitromethylenes, 10,126,177 (see also
 nitromethylene heterocycles)
 acyclic-, 128,181
 N-formyl-, 127
 N-pyridylmethyl-, 128
 2-(nitromethyl)pyridines, 75
 2-(nitromethyl)pyridinium hydroxide, 79
 2-(nitromethyl)-3,4,5,6-tetrahydropyridine, 75
 NMHs (see nitromethylene heterocycles)
 nodulisporic acid A, 54
 nominine, 52
 Non Pest Strip®, 86
 noranabasamine, 50

O

octopamine, 43
 okaramine B, 54
 oxadiazinane, 183
 oxidative phosphorylation,
 uncoupler, 52

P

paraherquamide, 54
 parathion (parathion-ethyl), 72, 116
 PCP (see phencyclidine)
 pellitorine, 34,35
 permethrin, 36,52,171
 phosphodiesterase inhibition, 44
 photoaffinity labeling, 280
 physostigmine (eserine), 39,40,44,54
 AChE inhibition, 39,40
 binding to nAChR, 40
 β -picoline, 112

pipericide, 36
 10,11-dihydro-, 36
 piperine, 35
 piperlonguamine, 35
 pirimicarb, 116,138,159,167,191
 PMNI, 12,19,20
 6-chloro- (nitromethylene analog of
 imidacloprid; CH-IMI), 12,17,18,19,20
 6-methyl-, 12,19,20
 S-analog of, 12,19
 polyzonamine, 49
 Premise™, 114 (see imidacloprid)
O-propyl *O*-(2-propynyl)phenylphosphonate
 (PPP), 19,277
 protoveratrine A,B, 39
 Provado™, 114 (see imidacloprid)
 psychoactive drugs, 24
 pumiliotoxin 251D, 50
 pyrethrin, 45
 “Pyrethrin”, 34
 pyrethroids, 36,37
 3-pyridylmethylamines (aminomethylpyridine,
 AMP), 5,6,8,22,240
 1-(3-pyridylmethylamino)-2-nitroethenes, 129
 pyrrol, 52
 pyrrolomycin C, 52

Q

Quickstrike®, 87 (see nithiazine)
 quinuclidinyl benzilate, 276

R

resistance (see also cross-resistance)
 chloronicotinylns, 258
 genetic consideration, 255
 management, 253,259
 ritigalin, 37
 rocaglamide, 43
 rotenone, 52
 ryania, 40
 ryanodine, 40
 ryanodol, 40
 ryanoids, 40

S

sabadilla, 37
 sanshool-I, 34
 sclerotiamide, 52
 SD-compounds (see nitromethylene heterocycles)
 sesamex, 72
 α -solanine, 35
 sparteine, 33
 spilanthal, 34
 spinosyn, 123
 stemofoline, 46
 structure-activity relationship (see each group)
 acetamiprid, acyclic nitroethene,
 dioncophylline, imidacloprid analogs,
 neonicotinoids, nicotinoids, nitenpyram
 analogs, nitromethylene heterocycles,
 ryanoids, unsaturated amides,
 Veratrum alkaloids
 structure-lipophilicity relationship,
 imidacloprid analogs, 103,104
 strychnine, 120,121
 sulprofos, 170
 synergism, synergist, 19,34,36,72,277

T

TCP (see *N*-[1-(2-thienyl)cyclohexyl]
 piperidine)
 teflubenzuron, 167
 tetrahydroanacyclin, 34
 theophylline, 44
 thiamethoxam, 182
 thianicotinyls, 180,182

N-[1-(2-thienyl)cyclohexyl]piperidine (TCP), 17
 thiocyclam, 254,255
 thioimidate-type ester intermediates, 82
 basicity and reactivity, 82
 TI-435, 179,180,181
 TMA (tetramethylammonium), 15,16
 α -tomatine, 39
 trimethaphan, 17
 tuberstemonine, 46
d-tubocurarine (*d*-TC), 17,120,121,276,282

U

unsaturated amides, 34
 binding study, 37
 mode of action, 34,37
 structure-activity relationship, 36

V

3-*O*-vanilloylveracevine, 38
 Vapona insecticide®, 86
 veracevine, 38
 veratridine, 37,50
 vinyl phosphates, 72

W

wilfordine, 46
 wilforine, 46

X

Xenopus oocyte, 15, 278,284,285,286
 xenorhabdins, 52