

# Index

## A

AC frequency (effect of), 70, 77  
Acrylate, 78, 157–159, 161, 164, 167, 168, 205, 206, 209–211, 263  
Aggregation, 3–5, 11, 177–181  
Alq<sub>3</sub>, 197, 198, 200  
Ambipolar, 46, 47, 145, 161, 163, 165, 168, 232, 255, 258, 259  
Anisotropic molecular shape, 45  
Anisotropy, 42, 44–45, 70, 147, 149, 168, 184–187, 255  
Aromatic amines, 197–200, 203, 205, 206, 211, 212

## B

Binding energy, 58, 150, 151, 162, 174, 219, 225  
Birefringence, 10, 21–23, 174, 184

## C

Calamitic, vi, 2–4, 6–11, 31, 32, 35, 42, 147, 159–164, 168  
    liquid crystals, 40, 60, 91, 97–99, 146, 157, 183, 184, 214, 234  
Capacitor plates (CV), 153  
Carbazole derivatives, 132  
CBP, 198, 201  
CDM. *See* Correlated Disorder Model (CDM)  
Charge carrier  
    mobility, 40, 45, 50, 52, 53, 66–91, 99, 109, 111, 128, 131, 134, 145, 168, 189, 203, 247, 249, 251, 264  
    transport, 39–62, 147, 231  
Charge mobility, 158, 229, 262  
Charge recombination, 232, 255

Charge separation, 221, 222, 224, 229–231, 240  
Chiral liquid crystals: light emission, 187–189  
Chiral nematic (cholesteric) liquid crystals (mesophases), 8  
Cholesteric, 8, 9, 39, 40, 187, 209  
Col<sub>h</sub> (columnar hexagonal), 46, 98  
Col<sub>r</sub> (columnar rectangular), 46, 98  
Columnar liquid crystals (mesophases), 98, 99, 121, 125, 128, 257–259  
Columnar liquid crystals for transistors, 257–259  
Columnar phases, 3, 11, 15–17, 21, 22, 28, 29, 35, 40, 42, 45, 46, 49, 51, 56, 59–61, 66, 68, 71, 75, 85, 91, 98, 99, 106, 108–110, 112, 113, 117, 225, 258  
Columnar triphenylene discotic liquid crystals, 158  
Complementary Polytopic Interaction (CPI), 80, 88  
Conduction channel, 43, 44, 49, 54, 57  
Conductive polymer, 174, 199  
Copper phthalocyanine, 46, 199  
Correlated Disorder Model (CDM), 148, 150, 159  
CPI. *See* Complementary Polytopic Interaction (CPI)  
Crosslinking, 146, 147, 158, 159, 161, 164, 166–169, 186, 205–208, 210, 211, 214, 232, 240, 263  
CV. *See* Capacitor plates (CV)

## D

Developable domain, 21, 30  
Diene, 159, 161–163, 167, 186, 211, 235, 263, 264

Disclination, 6, 10, 11, 19–21, 23, 30, 55  
 Discotic  
   columnar mesophases, 28, 40, 46, 49, 51, 98  
   dimers, 108–110  
   glasses, 108  
   liquid crystals, 40, 60, 65, 66, 68, 70, 85, 91, 98–100, 113, 121, 157, 158, 225, 240, 241, 257  
   oligomers, 106, 108–110  
   photovoltaics, 225–232, 240, 241  
   reactive mesogens, 146, 157–159  
   systems (liquid crystal), 35, 88  
 Dynamic Scattering Mode, 39

**E**

Electronic conduction, vi, 40–45, 53, 54, 57, 58, 232  
 Electron injection, 157, 175, 197, 214  
 Electron transport, 46, 57, 123, 154, 163, 167–169, 181, 197, 200, 238  
   layer, 145  
 Emissive layer, 207  
 Exciton dissociation, 224  
 Extrinsic conduction, 41, 57

**F**

Fan texture, 21, 22, 25, 2729  
 FET. *See* Field Effect Transistor (FET)  
 Field Effect Transistor (FET), vi, 74, 75, 81, 128, 151, 155–157, 159, 161–163, 168, 181, 229, 241, 254, 264  
 Flash Photolysis Time Resolved Microwave Conductivity (FP-TRMC), 70  
 Fluorene oligomers, 204, 205, 210  
 Fluorescence, 112, 114, 176–177, 203, 210, 231  
 Focal conic, 20–27  
 Förster energy transfer, 183, 204  
 FP-TRMC. *See* Flash Photolysis Time Resolved Microwave Conductivity (FP-TRMC)  
 Fullerenes, 225, 231–232, 239–241

**G**

Gaussian Disorder Model (GDM), 148–150, 158, 161–163  
 Gay-Berne potential, 148, 150  
 Glass transition temperature ( $T_g$ ), 200, 204, 263

Grain boundaries, 11, 55, 56, 70, 85, 146, 254, 255

**H**

Hexaazatriphenylene, 110–112  
 Hexabenzocoronene derivatives, 75, 77, 83, 109, 229, 257  
 Hexakis-hexyloxytriphenylene (HAT6), 40, 45  
 Highest Occupied Molecular Orbital (HOMO) levels, 43, 157, 174, 219  
 Hole conduction, 40  
 Hole injection, 157, 174, 256  
 Hole transport, 46, 157–161, 164, 167, 169, 181, 197, 199, 200, 208, 211, 220, 238, 241, 259  
   layer, 203, 206  
 Homeotropic alignment, 73, 229, 230, 262  
 Homogeneous alignment, 18, 258

**I**

Impurities, 41, 43–46, 54, 55, 57, 66, 68, 73, 74, 100, 167, 168  
 Indium tin oxide (ITO), 174, 181, 197–199, 203, 204, 208, 209, 213, 214  
 Intrinsic conduction, 40, 41  
 Ionic conduction, 40–44, 54, 56, 57, 232  
 Iridium organometallic complexes, 197  
 ITO. *See* Indium tin oxide (ITO)

**L**

Lamellar polymers, 249–254  
 Langmuir Blodgett, 203  
 Lasers  
   chiral, 187–190  
   thin film nematic, 190  
 Light-emitting polymers, 183, 185, 208  
 Light-emitting transistor, 255–256  
 Liquid Crystal Displays (LCDs), 1, 7, 8, 18, 24, 39, 73, 173, 174, 202, 203, 214 *See also* Correlated Disorder Model (CDM)  
 Liquid crystalline  
   chemical networks, 147, 157, 164, 169  
   physical gels, 157, 164–165, 169  
   polyfluorenes, 203, 254  
   polymer networks, vi, 145–169, 205, 214, 215  
   polymers for photovoltaics, 157, 236–239  
   semiconductors, vi, 39–62, 65–92, 164, 168, 174, 176–183, 254–255  
 Liquid crystal polymers for photovoltaics, 157

Lowest Unoccupied Molecular orbital (LUMO) levels, 43, 54, 157, 174, 175, 219, 220, 224, 256  
Low-molar mass (small molecule), 146, 199  
Lyotropic, 3–6, 22, 99

## M

MeH-PPV, 201  
Methacrylate, 211, 235, 263, 264  
Miller-Abrahams (MA) hopping, 148  
Mobility effect  
  charge carriers, 40, 45, 50, 52, 53, 66–91, 99, 109, 111, 128, 131, 134, 145, 168, 176, 189, 203, 247, 249, 251, 264  
  field disorder, 88  
  lattice reorganisation energy, 89–90  
  orbital overlap, 89  
  positional disorder, 58, 88  
  size of the core, 60, 90–91  
Monte Carlo (MC) simulations, 58, 59, 148  
Mott-Gurney equation, 73, 151

## N

Nano-graphene, 127  
*n*-doping, 66  
Nematic  
  liquid crystals (mesophases), 11  
  photovoltaics, 232, 241  
  reactive mesogens, 159, 210, 232–236, 240, 241, 263  
  texture, 18–20  
Nematic discotic (ND), 14  
*n*-type conductor, 74

## O

Oligofluorene, 40, 47, 177, 180, 182, 184, 204, 210, 254  
One dimensional transport, 45  
Optical texture, 10, 15–29  
Organic Field Effect Transistors (OFETs), vi, 247–264  
  principles, 248–249  
Organic Light Emitting Diodes (OLEDs)  
  brightness, 197, 211, 215  
  efficiency, 174–176, 180, 181, 186, 197, 198, 200, 206, 214, 215  
  principle of operation, 197  
Organic photovoltaics, principle of operation, 219  
Organic semiconductor, applications, 185–186  
Orientation layers, 203, 205, 211, 214

Oriented transistors, 189  
Out-coupling, 174, 183  
Oxetane, 162, 163, 167, 168, 205, 206, 208, 263

## P

*p*-doping, 66  
Perylene derivatives, 114, 115, 119, 225  
Perylene materials, 115, 116, 181  
2-Phenylbenzothiazole (7O-PBT-S12), 40, 44  
2-Phenylnaphthalene derivatives, 49, 50, 52, 55, 56, 59  
Phenylquaterthiophene, 40, 53  
Phosphorescence, 176, 181–184, 190  
Photoalignment, 212–214, 232, 262  
Photoconductivity, 40, 152  
Photocrosslinkable, 202, 206, 209, 211  
Photocurrent, 45, 54–56, 70, 71, 152–154, 219, 222, 224  
Photo-embossing, 185–187  
Photo-mask, 207  
Photopolymerisation, 186, 206, 232, 233, 235, 241, 263  
Phthalocyanine derivatives, 60, 74, 75, 82  
Planar alignment, 73, 184, 232  
Plastic crystal, 2, 3, 13, 50, 91  
Plastic electronics, 247, 262  
Polarised emission, 197–215  
Polarised light, 147, 186  
Polarisation ratio, 203–205, 211, 213  
Poly(1,4-phenylenevinylene) (PPV), 201, 203, 205, 211  
Poly(3,4-ethylenedioxythiophene) (PEDT), 174, 199  
Polygonal texture, 21, 26  
Polymeric liquid crystals, 40, 43, 44  
Polymer Light-Emitting Diodes (PLEDs), 202–205, 207  
Polymer liquid crystals for transistors, 249–254  
Polymer network, vi, 145–169, 186, 189, 205, 207, 211, 214, 215, 233, 263  
Porphyrin derivatives, 86  
*p*-type conductor, 74  
Pulse Radiolysis Time Resolved Microwave Conductivity (PRTRMC), 48, 69–70, 111  
Pyrene derivatives, 112, 114

## Q

Quantum efficiency, 176, 180, 181, 197, 200, 221, 224  
Quaterthiophene (QT), 52, 60, 163, 167, 168

**R**

Reactive mesogens (RMs), vi, 145–169, 186, 197, 203, 205–207

**S**

Sanditic liquid crystal polymer, 237  
Semiconducting polymers, 146, 150, 249, 264  
Singlet, 175, 176, 181, 200  
  emitters, 198  
Small molecules, 40–44, 146, 148, 164, 199, 202  
Smectic  
  liquid crystals (mesophases), 46, 52, 54  
  liquid crystals for transistors, 259–264  
  reactive mesogens, 263  
  texture, 20–21  
Solar cells, 116, 128, 134, 224, 225, 231, 238–240  
Solar concentrator, 239–240  
Structural defects, 15, 55–56, 99, 223

**T**

Thermotropic, 3, 4, 6, 8, 22, 24, 97, 99, 145, 164, 236  
Time of Flight (TOF), 45, 47, 60, 70–72, 132, 151–155, 157, 159, 161, 163, 168, 238, 259, 263, 264  
Trapping, 41, 43, 54, 70, 71, 158, 163–165, 167, 169  
Tricycloquinazolene derivatives, 119, 120  
2,4,7-Trinitrofluorenone (TNF), 46  
Triphenylene derivatives, 51, 56, 75–81  
Triplet emitters, 197  
Triplets, 175, 176, 181, 189, 198, 200  
Trisoxadiazole derivatives, 86  
Two dimensional transport, 56

**W**

White Light OLED (WOLED), 214

**X**

X-ray diffraction, 9, 15, 27–36