

Index

A

Acrylonitrile Butadiene Styrene (ABS), 31, 149, 151, 154, 158
Actin filaments, 97–99, 101
Active composite, 81, 83, 85
Anisotropic elastic beam, 269–282
Anisotropic yield surface, 27–40
Anisotropy, 3, 15, 27, 105, 162, 173, 269, 281, 297–308
Arrival time, 233, 234
Axially uniform/non-uniform distributed loads, 269, 272, 279–282
Axial/torsional coupling, 308

B

Biological cells, 89–101
Block copolymers, 162, 167–171

C

Carbon nanotubes, 162, 166, 167, 169, 171, 252
Cellular automata, 200–202, 208
Closed-form solutions, 237, 251, 253
Cohesive zone, 104–108, 111–114
Compliance matrix, 273
Composite materials, 3, 4, 6, 10, 15, 27, 28, 30, 36, 40, 46, 98, 103, 117, 131, 139, 146, 161, 188, 196
Composites, 1–15, 27–31, 33, 36, 40, 43–55, 57–70, 73–86, 90, 96, 98, 99, 103, 117, 121–129, 131–143, 146, 161–171, 173–184, 187, 188, 194–196, 200, 211, 213, 221, 224,

238, 240, 255, 257, 267, 285, 297–299, 308
Compressible materials, 237, 238
Compressive failure, 166, 195
Compressive strength, 12, 46, 162, 166, 167, 170, 171, 192, 194–196
Consistent derivation, 251–252
Continuous fiber aluminum matrix composite (CF-AMC), 174–176, 178–184, 251–252
Continuous fiber composite, 138
Coupled-plane BVP (boundary value problem), 277, 279, 282
Cracks, 12, 43, 44, 46, 50, 54, 55, 103–112, 114, 151, 156, 170, 171, 189, 194, 224, 227, 230–235
Creep, 6–10, 13
Crystal structure, 92, 201, 203, 206, 209
Cylindrical anisotropy, 297–308

D

Damage, 3–6, 10–14, 43–55, 58, 74, 103–105, 107–114, 131, 176, 189, 223
Delamination, 43, 44, 55, 131, 135, 297, 306
Dentin, 187–196
Detection, 174, 224, 228, 232–234
Diffusion, 199–209
Digital image correlation (DIC), 145, 147–149, 151, 158
Discontinuously reinforced aluminum (DRA), 173–178, 180–184

E

Edge effects, 140, 196
Effective applied transverse force, 290, 292, 294

Effective prescribed boundary shear force, 290, 292
 Effective properties, 7, 12, 74, 79, 85, 95, 96, 98, 117, 118, 123–126
 Embedded electronic component, 146, 149, 150, 152, 154–158
 Extended finite element method (XFEM), 231–234, 293

F

Failure, 3, 5, 10–13, 43–55, 74, 103–114, 149, 151, 153, 154, 158, 166, 170, 190, 191, 194, 195, 212–216, 218, 221, 297, 306
 Fiber composites, 46, 74, 77, 80, 86, 138, 187, 194
 Fiber reinforced composite, 75, 98, 123, 162
 Finite element method (FEM), 9, 10, 36–37, 44, 47, 48, 51, 52, 64–70, 100, 121, 124, 226, 231, 264, 293, 294
 Finite element model, 47–50, 153–154, 156–158
 Finite elements, 47–50, 64–65, 100, 126, 136–138, 153–154, 156–158, 226, 231, 293, 294
 flat punch, 187, 190
 Flaw, 223–235
 Fracture, 15, 55, 103, 105–108, 146, 171, 212, 213, 215, 217, 218
 Fracture mechanics, 106
 Free-edge stresses, 139–143
 Full-field deformation measurement, 147–149

G

Generalized method of cells (GMC), 3–8, 10–14, 16, 17, 21–23, 27–40, 44, 46, 47, 49, 50, 55, 57, 58, 62, 63, 66–70, 132, 138, 139
 Genetic algorithm (GA), 224, 227–229, 232, 234
 Glass transition temperature, 169
 Global-local, 132–136, 140
 Gold nanorods, 199–209
 Graphite nanoplatelets, 162, 164, 171

H

Hard biological structures, 196
 Hardening, 34, 38–40, 173, 183, 184, 201
 Helmholtz equation, 225, 231
 Heterogeneous, 22, 57–70, 103, 104, 108, 114, 122, 128, 149, 152–154, 157–159, 174, 183, 255, 256, 259, 268
 Heterogeneous materials, 15, 21, 117–119, 121, 126
 Heterogeneous polymer, 152–154, 158
 Higher order theories, 256
 High fidelity method of cells (HFGMC), 4, 5, 13, 46, 57, 58, 63–64, 66–70
 Homogeneous boundary conditions, 61, 62, 65, 67, 68, 74
 Homogenization, 2, 3, 5, 15–17, 19, 27, 31, 37, 39, 57–70, 74, 75, 79, 85, 89–101, 104, 106, 108–111, 117–129
 Hybrid nano/microcomposites, 161–171

I

Identification, 58, 223–235
 Inclusions, 15–25, 27, 36–39, 58, 59, 61, 73, 96, 117, 129, 224–231, 234, 235
 Inelastic, 6, 17, 19, 27, 74, 103, 105, 139
 Interfaces, 22, 47, 74, 86, 112, 120, 131–133, 135–137, 140, 141, 146, 151, 153, 154, 158, 159, 165, 194, 203–205, 213–220, 255–260, 262, 264, 297, 298, 304, 306
 Interfacial failure, 151
 Interfacial tension, 203
 Interlaminar shear strength, 162, 169, 170
 Interlaminar stresses, 297, 298, 306, 308
 Inverse problem, 224, 226, 232–234
 Iron, 17, 22, 23

K

Kinematic hardening, 183
 Kirchhoff equivalent force, 285
 Kirchhoff plate theory, 286–287, 295

L

Laminate, 3, 5, 7, 8, 11–13, 43–55, 73–75, 77, 79–82, 85, 86, 131–143, 163, 166,

- 167, 176, 178, 184, 255–257, 263, 264, 267, 297, 298, 300, 302, 308
- Laminated composites, 43, 73–75, 77, 79–81, 85, 131–143, 257, 267, 297, 298, 308
- Laminated plate, 132
- Layer, 47, 52, 54, 55, 73, 75, 77, 80, 86, 93, 97, 98, 101, 131–135, 140, 149, 163, 167, 213, 216–219, 255–268, 297, 298, 300, 302, 304, 306
- Length scale, 15, 16, 58, 59, 74, 80, 103–106, 108–111, 114, 119, 174, 213, 218, 227
- Linear elastic, 19, 23, 44, 45, 58, 63, 79, 105, 174, 288, 298, 300
- Low density polyethylene (LDPE), 146, 149, 151, 153, 154, 156–158
- M**
- Mathematical homogenization, 90, 91, 118, 129
- Mechanical properties, 74, 80–86, 90, 97, 153, 161, 162, 164, 171, 187, 188, 195, 196, 263
- Mendelson model, 40
- Meso-scale model, 27, 37–40
- Metal matrix composite, 1, 15, 173–184
- Method of cells (MOC), 3–5, 13, 16, 27–40, 46–47, 57, 62–63, 65, 118, 124, 132, 138, 174
- Microcracking, 44, 189
- Micromechanics, 1–14, 44, 46–47, 49, 55, 57–70, 74, 75, 77–81, 83, 85, 86, 90, 96, 98, 114, 117–119, 121–126, 129, 132, 138–140, 174, 184, 194, 238, 240, 241
- Micro-pillars, 187–196
- Microstructure, 4, 6, 15, 16, 23, 27, 36–38, 58, 60, 62, 64, 73–75, 99, 103, 104, 119, 121–126, 128, 129, 132, 138–140, 174, 187, 196, 212–214
- Modeling, 3, 15, 16, 22, 27, 28, 36, 43–55, 74, 79, 97–101, 103–109, 114, 121, 122, 126, 129, 140, 141, 145–159, 174, 200, 201, 208, 268, 295
- Molecular dynamics, 91, 200
- Monoclinic, 281, 300, 302
- Monte Carlo simulation, 213, 217, 219
- Multifunctional structure, 146
- Multilayered beams, 255–268
- Multiscale, 27, 43–55, 73–86, 89–97, 101, 103–114, 131–143, 146, 147, 161–171
- Multiscale analysis, 1–14, 91–97, 105, 138
- Multiscale modeling, 44–47, 104–106, 140, 141
- N**
- Nanocomposites, 161, 163, 164, 171, 200
- Nanocompression, 190–191
- Nanofibers, 89–101, 162
- Non-destructive testing (NDT), 223–235
- Nonproportional loading, 179
- Notch, 11–14, 47, 48, 51–54
- O**
- Optimization, 32, 33, 43, 224, 226, 227, 231, 232
- P**
- Parametric solution, 241, 244–246
- Periodic boundary conditions, 61, 65, 121–123
- Phase transformation, 15–17, 21–24
- Piezoelectric, 73–80, 82–85
- Plane strain deformations, 237–246
- Plastic deformation, 4, 105, 182, 184
- Plasticity, 16, 19, 22, 24, 28, 36, 39, 131, 173–175, 178, 179, 183
- Plastic strain, 19, 35, 174, 175, 177, 183
- Plate impact, 16, 17, 21, 24, 25
- Polymeric scaffolds, 90
- Polymer shrinkage, 146, 154, 158
- Processing, 15, 55, 124, 145–159, 161–171, 178, 184, 189
- R**
- Residual strain, 145, 146, 154, 156, 158
- Rotary inertia, 250–252
- Rubber-like matrix composites, 238

S

Sandwich beams, 267
 Self assembly, 201
 Shear deformation, 60, 62, 250–252, 256
 Size effects, 119, 212, 220, 221
 Smart composites, 73–86
 Solidification, 151, 199–209
 Stiffened cylinder, 299, 300, 302, 305–307
 Stiffened panel, 2, 5, 10, 11, 14, 298, 299
 Strength, 1, 10–12, 46, 50, 104, 146, 162–167, 169–171, 173, 175, 177, 178, 183, 184, 188, 191–196, 211–221, 281, 297, 306
 Stress distributions, 68, 140, 141, 265, 269, 308
 Stress fibers, 97–99, 101
 Stress function, 269, 275–277, 281, 291, 295
 Structural model, 6, 74, 95, 140, 285, 294, 295
 Structural reduction (SR), 285–295

T

Tension, 11, 43, 50, 194, 203, 206
 Thermal conductivity, 76, 81, 82, 121, 145, 146, 149, 158, 159
 Thermo-electro-mechanical, 75, 76, 78, 85
 Thin plate, 285–295
 Timoshenko beam theory, 255, 258, 260, 264
 Timoshenko equation, 249–253
 Transverse shear stress, 256, 260–262, 264–268
 Tubules, 90, 98, 99, 187, 188, 190, 192, 194, 195
 Twist angles, 212, 213, 218, 221

U

Ultrasonic, 163, 189, 223

V

VAMUCH, 118–129
 Variational asymptotic method, 117–129
 Variational equation, 134, 136
 Virtual work principle, 262
 Viscoelastic, 58, 76, 103–114, 131, 139

W

Wave equation, 225, 232, 233
 Weibull, 212, 215, 217–221

Y

Yarns, 163, 166, 211–221
 Yield surface, 27–40, 173–184
 Young's modulus, 45, 49, 125, 187, 190–195, 287

Z

Zigzag kinematics, 257–262, 264