

References

- Barnett TP, Preisendorfer RW (1987) Origins and levels of monthly and seasonal forecast skill for united states surface air temperatures determined by canonical correlation analysis. *Mon Wea Rev* 115:1825–1850
- Bretherton CS, Smith C, Wallace JM (1992) An intercomparison of methods for finding coupled patterns in climate data. *J Climate* 5:541–560
- Cherry S (1996) Singular value decomposition and canonical correlation. *J Climate* 9:2003–2009
- Cherry S (1997) Some comments on the singular value decomposition. *J Climate* 10:1759–1761
- Clarke GM, Cooke D (1998) *A basic course in statistics*, 4th edn. Arnold, London and New York
- Golub H Gene, Charles F Van Loan (1996) *Matrix computations*, 3rd edn. The John Hopkins University Press, Baltimore
- Hahn SL (1996) *Hilbert transforms in signal processing*. Artech House, Norwood, Maryland
- Harman HH (1976) *Modern factor analysis*, 3rd edn. University of Chicago Press, Chicago
- Horn RA, Johnson CR (1991) *Topics in matrix analysis*. Cambridge University Press, Cambridge
- Jolliffe IT (2002) *Principal component analysis*, 2nd edn. Springer Series in Statistics, Springer, New York
- matlab7 (September 2004) *MATLAB 7*. The MathWorks, Inc
- Meyer CD (2000) *Matrix analysis and applied linear algebra*. SIAM, Philadelphia
- Navarra A, Tribbia J (2005) The coupled manifold. *J Atmos Sci* 62:310–330
- North GR, Bell TL, Cahalan RF (1982) Sampling errors in the estimation of empirical orthogonal functions. *Mon Wea Rev* 110:699–706
- Preisendorfer RW (1988) *Principal component analysis in meteorology and oceanography*, vol 17, Development in atmospheric sciences. Elsevier, Amsterdam
- Roberta Q, Christopher SB, John M Wallace (September 2005) On sampling errors in empirical orthogonal functions. *J Climate* 18(17):3704–3710
<http://dx.doi.org/10.1175/JCLI3500.1>
- Richman MB, Vermette SJ (1993) The use of procrustes target analysis to discriminate dominant source regions of fine sulfur in the western USA. *Atm Environ* 27A:475–481
- Rowell DP (1997) Using an ensemble of multi-decadal gcm simulations to assess potential seasonal predictability. *J Climate* 11:109–120
- von Storch H, Zwiers FW (1999) *Statistical analysis in climate research*. Cambridge University Press, Cambridge
- Wilks S Daniel (2005) *Statistical methods in the atmospheric sciences*, 2nd edn. International Geophysics series, Academic Press, Oxford

Index

C

- Canonical Correlation Analysis, 107
 - Barnett–Preisendorfer, 114
- CCA, 107
 - Barnett–Preisendorfer, 114
 - modes, 118
 - data reconstruction, 109
 - explained variance, 109, 112
 - modes, 111
 - patterns, 109
 - time coefficients, 113
- CCA-BP, 114
- CEOF, 87
- climate anomaly, 27
- Combined EOF, 90
 - autocovariance, 94
 - covariance matrix, 92
 - crosscovariance, 94
 - data matrix, 92
 - normalization, 92
- Complex EOF, 86–88
- complex EOF, 79, 83
 - Hilbert transform, 82
 - imaginary part, 87
 - real part, 87
- contours, 40
- correlation coefficient, 30
- correlation matrix, 31
- covariance coefficient, 30

D

- data
 - matrix, 39
 - monthly means, 40
 - noise, 61
 - normalization, 50
 - oscillations, 79
 - propagation, 81

- reconstruction, 58
 - SST, 40
 - synoptic vectors, 40
 - Z500, 40
- data matrix, 42

E

- EEOF, 87
 - lags, 89
- eigenvalue, 17
 - multiplicity, 17
- eigenvector, 17
- Empirical Orthogonal Functions, 42
- EOF, 42
 - correlation, 50
 - covariance, 50
 - domain definition, 51
 - filter, 115
 - filtering, 59
 - noise, 61
 - orthogonal, 69
 - projection, 58
 - reconstruction, 58
 - rotated, 70
 - sensitivity, 55
 - spatial dependence, 55
 - spectrum, 59
 - subsampling, 55
- Euclidean
 - norm, 7
- Extended EOF, 87
 - lags, 89

F

- Frobenius norm, 15
- functions of matrices, 21

G

Gram-Schmidt process, 11, 12

H

Hilbert transform, 82

L

linear

- combination, 10
- dependence, 10
- independence, 10
- system of unknowns, 16

linear system, 16

M

manifold, 124, 129, 141, 143

Coupled, 141, 143

Forced, 124, 129

Free, 124, 129, 141, 143

matrix, 12

- commuting, 15
- covariance, 39
- diagonal, 14
- eigenvalue, 17
- eigenvector, 17
- functions, 21
- Hermitian adjoint, 13
- inverse, 13, 16
- least squares, 124
- normal, 13
- null space, 14
- orthogonal, 13
- polynomial, 21
- pseudoinverse, 20, 124
- rank, 16, 19
- singular, 13, 16
- singular values, 19
- singular vectors, 19
- spectrum, 17
- SVD, 19
- trace, 15
- transpose, 12
- triangular, 14
- unitary, 13

mean, 27

N

norm

- Euclidean, 19
- Frobenius, 20, 78

normal distribution, 32

null hypothesis, 32

O

oblique patterns, 79

orthogonal basis, 11

P

Procrustes problem, 128

PROMAX, 79

propagating signal, 83

pseudo-inverse, 20

Q

quadrature, 81

quarter wavelength shift, 82

R

range, 14

rank, 16

regression, 123

multiple, 123

Rotated EOF, 70

explained variance, 74

non-orthogonal rotation, 77

orthogonal rotation, 72

Procrustes problem, 78

PROMAX, 78, 79

VARIMAX, 72, 79

row rank, 107

S

scalar product, 6

scatter plot, 29

separation of variance, 141

similarity transformation, 18

simple pattern, 71

simple structure, 71

Singular Value Decomposition, 19

singular vector

left, 43

singular vectors, 19

speudoinverse, 124

standard deviation, 28

standard error, 33

standardized variable, 28

stationary signal, 83

SVD, 42, 43, 50, 109

economy size, 108

- modes, 111
 - rank, 61
- T**
- total variance, 30
 - truncated SVD, 20
- V**
- variance, 27
 - localized, 69
 - variance explained, 44, 49, 58
 - VARIMAX, 79
- vector**
- column, 14
 - left singular, 108
 - right singular, 108
 - row, 14
 - singular, 42
 - synoptic, 40
- W**
- weight vectors, 108, 117
 - wind, 143
 - wind stress, 143