

# Index

## A

- Aerial survey, 79, 80, 86, 88, 97, 99, 129, 139, 140, 164, 278
- Akimiski Island, 20, 96, 97, 99
- Algae, 8, 14, 26, 27, 65, 218, 219, 222–224, 226–228, 230, 232
- Anthropogenic impact, 192
- Anthropogenic stressor, 172, 295, 300
- Anti-predator behaviour, 129
- Arctic cod, 23, 24, 54, 55, 57–66, 149–154, 168, 169, 182, 183, 185, 210, 232, 296
- Arviat, 4, 55, 56, 60–63, 65, 97, 101, 108, 121, 122, 125, 140, 143, 200, 202, 204–211, 222, 255, 277, 292
- Avian cholera, 192, 272, 296

## B

- Baleen, 124, 126, 131, 160, 162, 163, 165
- Bathymetry, 5
- Bearded seal, 29, 94, 99, 100, 106, 210, 219, 240, 244, 255
- Belcher Islands, 6, 13, 19, 25, 45, 97, 150, 186–189, 271, 282, 293, 296
- Beluga, 3, 22, 24, 28, 53–66, 77, 83, 94, 119, 124, 129–132, 170, 172, 197–212, 219, 220, 226, 227, 238, 240, 242, 243, 246, 256, 257, 277, 298
- Bioaccumulation, 211
- Bioacoustics, 128–129
- Blubber, 55–58, 66, 100, 131, 162, 171, 220
- Bottleneck, 191, 239, 242, 245, 256
- Break-up, 10, 13, 18, 21, 22, 27, 28, 41–45, 48–50, 82, 99, 102, 105, 106, 109, 111, 138, 148, 154, 162, 169, 181–184, 186, 199, 218, 220, 223, 252, 276, 277, 281, 282

## C

- Cape Dorset, 20, 73, 122, 272
  - Capelin, 24, 53–66, 125, 150, 153, 154, 183, 185, 210, 224, 232, 296
  - Catchment, 3
  - Chesterfield Inlet, 13, 72, 96, 167, 222, 253
  - Churchill, 4, 8, 13, 16, 20, 24, 45, 54, 96, 97, 102, 104, 105, 109, 119, 129, 140, 211, 251, 254, 257, 292, 294, 298
  - Climate change, 42, 54, 55, 65, 72, 89, 93–111, 118, 138, 154, 155, 169, 171, 172, 179–192, 197–212, 218, 231, 232, 238, 239, 245, 254, 257–259, 268, 276–284, 292–294, 296, 299–301
  - Climate cycles, 296
  - Coastal erosion, 198, 295
  - Coastal habitat, 180, 293
  - Coastal morphology, 2, 21
  - Coats Island, 7, 181–184, 210, 296, 297
  - Commercial whaling, 100, 160–164, 166, 168–170, 172, 222, 292
  - Common eider, 25, 180, 185–192, 268, 270–273, 282–284, 297
  - Community-based monitoring, 143, 249, 280, 283, 298
  - Conservation genetics, 238–240
  - Contaminant, 29, 87, 94, 107, 181, 183, 191, 197–201, 204, 211, 218, 295, 300
  - Copepod, 8, 25, 27, 62, 64, 167, 219, 223, 224, 230
  - Country food, 191, 295
  - Cree, 25, 94, 100, 101, 119, 217, 267–284, 292
- ## D
- Decadal cycle, 142, 148, 154, 155
  - Defence kill, 101, 102, 108

Diet, 28, 54, 55, 57, 58, 60–62, 64–66, 98,  
100, 106, 111, 130, 149–152, 155, 167,  
182, 183, 185, 198, 199, 210, 211, 231,  
250, 279, 296, 298  
Disease, 192, 240, 251, 272, 273, 296, 299  
Dispersal, 14, 241, 243, 244, 246, 250, 251,  
256–258  
DNA, 240, 252, 253, 255, 256

**E**

Eastmain, 5, 23  
Ecosystem modeling, 168, 220, 221, 232  
Ecosystem shift, 94, 118, 250, 296  
Ecotourism, 104, 294  
Energetics, 39  
Environmental stressor, 239, 295  
Estuary, 3, 6, 7, 13, 16, 19, 24, 43–45, 54,  
129, 298  
Euphausiid, 150, 151, 167

**F**

Fatty acid, 55–66, 100, 298  
Food web, 3, 8, 25, 27–28, 39, 54, 64, 65, 111,  
162, 168, 169, 181–183, 199, 204, 212,  
218, 219, 223–226, 228, 230, 231,  
293–296  
Foraging, 23, 55, 98, 99, 105, 107, 110, 118,  
124, 129, 149, 167, 171, 173, 186, 200,  
210, 211, 274  
Foxe Basin, 3, 4, 6–8, 10–15, 17–21, 41, 82,  
84, 85, 94, 96–103, 105, 106, 108–110,  
119, 121–127, 131, 152, 160–166, 171,  
186, 199, 203, 206, 218, 231, 245,  
251–254, 256, 258, 269, 276, 278  
Freeze-up, 10, 21, 29, 41–45, 48–49, 96, 97,  
105, 199, 220, 270, 281, 282  
Freshwater, 3, 6, 10, 13–19, 21–24, 27, 64,  
231, 241, 254, 271, 281, 294  
Freshwater discharge, 294  
Fur trading, 98  
Fury and Hecla Strait, 3, 11, 18, 86, 94, 96,  
97, 110, 122, 160, 162, 256, 258

**G**

Gene flow, 239–241, 244–248,  
251–258, 297  
Genetic drift, 239, 254  
Genetics, 93, 96, 118, 124, 237–259  
Glaciation, 7, 300  
Greenland halibut, 7, 124

**H**

Hall Beach, 19, 121, 122, 126, 200, 201, 204,  
207, 209, 253  
Harbour seal, 94, 100, 106, 139, 210, 240,  
244, 246, 254–255, 258, 297  
Harp seal, 94, 100, 106, 210, 226,  
240, 246  
Harvest management, 107–109  
Heterozygosity, 256  
Home range, 71–89, 95  
Hooded seal, 94, 210  
Hudson's Bay Company, 98, 101  
Hudson Strait, 3, 5–7, 10  
Human-bear conflict, 103, 108, 109  
Hunting pressure, 242  
Hydroelectric, 6, 14, 29, 191

**I**

Ice algae, 8, 14, 26, 27, 65, 218, 219, 222–224,  
226–228, 230, 232  
Ice edge, 20, 21, 25, 40, 162, 181, 186,  
223, 271  
Igloodik, 8, 81, 84, 86, 121–123, 126, 162,  
171, 200, 201, 204, 207, 209, 253, 292  
Inuit, 25, 54, 55, 72, 73, 94, 99–102, 105, 108,  
118–123, 125–127, 129, 132, 139, 143,  
150, 161, 162, 166, 168–170, 172, 180,  
188, 190, 217, 219, 220, 222, 255,  
267–284, 292, 293, 298  
Inuit elders, 93, 298  
Inuit traditional ecological knowledge, 73,  
272, 283  
Isolation, 238, 243, 244, 247, 248, 252, 253,  
256, 284  
Isostatic rebound, 7, 29, 293  
Ivujivik, 272, 281

**J**

James Bay, 3–8, 10–22, 24, 27, 41, 43–45,  
94, 96–99, 101, 107, 119, 121, 125,  
139, 218, 232, 251, 252, 257, 269,  
272, 280, 283

**K**

Kangiqtujuuaq, 80, 281  
Killer whale, 24, 83, 84, 86, 100, 106,  
118–132, 139, 168–172, 222, 223,  
226–228, 230, 240, 242, 246, 249, 254,  
256, 258, 293, 296  
Kimmirut, 13, 80, 121, 122, 125, 272

**L**

Landfast ice, 8, 14, 19, 25, 28, 109  
 Landscape connectivity, 239  
 Local adaptation, 239, 246, 297

**M**

Management unit, 238, 250–252  
 Marine Protected Areas, 107, 110  
 Marine traffic, 172  
 Mercury, 186, 197–212, 295  
 Migration, 55, 71–89, 110, 122, 148, 161,  
 172, 180, 186, 211, 219, 223, 243,  
 244, 256–258, 277, 282  
 Mixing, 3, 8–10, 13–17, 22, 25, 203, 247  
 Moosonee, 19, 292

**N**

Narwhal, 28, 71–89, 122, 124, 129–132, 170,  
 172, 197–212, 220, 226–228, 230,  
 240–242, 255–257, 296, 299  
 Nelson River, 3, 6, 24, 43, 45, 129  
 North Atlantic Oscillation (NAO), 10, 46, 50,  
 154, 199, 203, 206–209, 211  
 Nunavut Tunngavik Inc., 299  
 Nunavut Wildlife Management Board  
 (NWMB), 73, 104, 108

**O**

Oceanography, 7  
 Oil and gas exploration, 295  
 Oil spill, 192, 295

**P**

Panmixia, 241, 247, 248  
 Parasite, 23, 192, 296  
 Permafrost, 8, 97, 110, 280, 294  
 Phocine distemper, 296  
 Photo-identification, 118, 125, 127–128, 130,  
 166, 173  
 Phytoplankton, 21, 22, 64, 65, 149, 168, 169,  
 218, 219, 223, 224, 231  
 Polar bear, 3, 28, 29, 40, 50, 93–111, 139,  
 154, 155, 168–170, 172, 199, 210,  
 218–220, 223, 226, 228, 238, 240,  
 241, 246, 247, 250–252, 258, 268,  
 273–279, 281, 283, 284, 293, 294, 296,  
 297, 299  
 Pollution, 84, 110, 191, 192  
 Polynya, 13, 20, 21, 25, 28, 45, 171, 186–190,  
 255, 271

Population genetic structure, 238–240, 245  
 Precipitation, 13, 21, 46, 50, 218, 281,  
 294, 300  
 Primary production, 8, 14, 22, 26, 40,  
 171, 181, 211, 218, 223, 225, 226,  
 228, 231  
 Productivity, 13–15, 21, 22, 39, 40, 65, 106,  
 108, 148, 171, 230, 246, 293, 294  
 Pycnocline, 15, 16, 22, 24

**R**

Rankin Inlet, 6, 73, 101, 119, 121, 122, 125,  
 167, 222, 292  
 Regime shift, 106, 191, 231, 232, 296  
 Repulse Bay, 72, 73, 76, 77, 79, 81–84, 86,  
 121–123, 125, 128, 129, 164, 166,  
 167, 200, 201, 205, 207, 209, 222,  
 255, 256, 258

**S**

Salinity, 10–12, 14, 16–18, 23–27, 29  
 Sanikiluaq, 25, 188, 190, 200–202, 204–208,  
 211, 222, 282, 300  
 Satellite tracking, 73, 75, 88, 162  
 Sea ice, 1–29, 39–50, 54, 65, 66, 72, 89, 94,  
 96–100, 104, 106, 109–111, 118, 120,  
 127, 138, 154, 162, 169–173, 179–192,  
 218, 219, 222–224, 226, 228, 231, 232,  
 245–247, 251, 252, 254, 255, 276, 277,  
 279, 280, 282, 293, 294, 296, 299  
 Sea ice concentration, 10, 20, 40–42,  
 44–49, 293  
 Sea ice cover, 25, 54, 154, 191, 218, 228, 254,  
 293, 294  
 Sea ice extent, 21, 40–42, 46–49, 72, 154, 169,  
 245, 293  
 Seasonal ice cover, 2, 3, 21, 25–29, 243  
 Shipping, 29, 94, 109, 110, 172, 191, 218,  
 248, 294, 295  
 Snow cover, 8, 28, 40, 138, 169, 219  
 Southampton Island, 6, 21, 44, 45, 74, 79, 82,  
 83, 97, 98, 103, 180, 186, 272  
 Sport hunting, 94, 98, 102  
 Stable isotope, 149, 153, 199, 202, 203,  
 209–211, 298  
 Stratification, 10, 11, 15–7  
 Subsistence hunts, 55, 63

**T**

Temporal trend, 197–212  
 Thermodynamic process, 21, 40

Thick-billed murre, 28, 50, 66, 154, 168,  
180–185, 191, 199, 210, 293, 296, 299  
Thule, 161, 162, 292  
Tourism, 54, 94, 104–105, 108, 192  
Traditional ecological knowledge, 73, 76–78,  
81–86, 88, 89, 118, 268, 269, 274,  
280, 281  
Trophic level, 40, 45, 63–65, 169, 171, 180,  
181, 198, 200, 210, 218, 223, 225, 230,  
231, 295

## U

Upwelling, 3, 21, 22, 40, 72, 231, 294

## W

Wager Bay, 6, 13, 19, 84, 86, 96–98,  
110, 165  
Walrus, 20, 28, 40, 94, 100, 110, 120,  
197–212, 219, 220, 227, 240, 242,  
244, 252–253, 294  
Whale Cove, 73, 101, 222  
Wildlife management, 73, 97, 104, 108, 268,  
269, 284

## Z

Zooplankton, 27, 64, 162, 167–173, 181, 218,  
219, 223, 224, 226, 228, 230, 231