

Index

A

Acceleration, 11–17, 19, 21, 23, 28, 33–35, 38, 48, 56, 58, 77, 80, 85, 94, 102, 103, 106, 114, directions, 15, 16
Air drag, 88, 89
Anchor escapement, 1, 3, 57
Angle of swing, 17, 18
Angular acceleration, 16, 48, 56, 85
Angular pumping, 92, 112, 113
Angular velocity, 10–12, 16, 19, 21, 23, 32, 34, 46–48, 55, 56, 70, 72, 85, 102–104, 117, 121
Arbor, 1, 51, 53
Archimedes principle, 49
Autocorrelation function, 67
Auxiliary springs, 59

B

Bandwidth, 64, 67–69
Barometric error, 49
Bead, 9, 115
Bead on wire analogy, 9
Benham's triple pendulum, 114
Bifilar pendulum, 33–34, 82–85, 88
Blackburn pendulum, 32–33, 110, 115
Bob, 1, 3, 7–9, 23, 27, 32, 39, 44, 45, 49, 50, 52–54, 59, 73, 79, 81, 82, 89–95, 99, 102, 115, 124–126
Bouncing modes of oscillation, 84, 88
Bowditch curves, 109
Brittle fracture, 94
Broad band random process, 64, 65, 67, 71
Buoyancy, 44, 49, 105, 106
Burnt string method, 91–93

C

Cable cars, 99, 101, 104–105
Centre frequency, 69, 70
Centre of gravity, 28
Centre of mass, 28, 29, 81, 82, 113
Centre of oscillation, 29, 49, 81, 82, 102, 104, 111
Centre of percussion, 29, 95
Centrifugal governor, 99
Centripetal force, 15, 20, 23, 92, 113
Chaos, 4, 5, 65
Chaotic behaviour, 4, 5, 7, 8, 13, 20, 24, 27, 32, 33, 39, 51, 53, 63, 64, 72, 74
Chaotic dynamics, 4
Chaotic system, 4, 7, 8, 51, 87
Charpy impact test, 2, 80, 94, 95
Charpy impact testing machine, 77, 79, 80, 94–95
Charron ring, 92
Children's swings, 4
Child's rocking horse, 107, 109, 112–114
Child's swings, 107, 108, 111–113
Circuit, 12, 16, 56, 57, 59, 85, 86
Circular error, 17–19, 24, 29, 52, 58–61
Circular harmonograph, 109, 110, 116
Circular pendulum, 23, 24, 34
Clipping, 69
Clipping ratio, 69
Clock, 1–4, 7, 14, 27, 28, 43–61, 63, 78, 80, 81, 85, 89, 91, 92
Coefficient of restitution, 84, 85, 88
Collisions, 83–85, 87–89
Columns, 105, 106
Compound pendulums, 27–29, 44, 45, 52, 81, 110
Conical pendulums, 19, 34

- Continuous rotations, 19
 Control engineering, 103
 Controlling device, 43
 Counter train, 43
 Coupled pendulums, 32, 83
 Cradle pendulum, 77, 78
 Crossed out, 57
 Crutch, 1, 43, 51–53
 Cumulative probability, 66
 Cycloid, 58, 59
- D**
- Damped angular velocity, 46
 Damped pendulum, 48
 Damped simple harmonic motion, 45–48, 64, 69–73, 106
 Damped simple rod pendulum, 63, 72, 73
 Damping constant, 46
 Dead beat escapement, 57, 61
 Deflector pendulum, 39, 110
 Degree of freedom, 7, 8, 10, 24, 30, 33, 35–37, 39, 45, 51, 53, 69, 82, 89, 111, 113–115, 121, 123
 Dissipative system, 17, 45, 46, 48, 84, 85, 88, 114
 Dominion over the clock, 45, 54
 Double rod pendulum, 29–32, 39, 49, 52, 53, 72, 107
 Double string pendulum, 39–40, 115
 Drag, 88, 89
 Driven damped simple harmonic motion, 64, 69–72
 Driven damped simple rod pendulum, 72, 73
 Driven pendulum, 56, 57, 63–74
 Driving weight, 57, 61
 Dual rod pendulum, 38
 Dual string pendulum, 36, 82, 111
 Dynamical system, 44, 57
- E**
- Earth's curvature, 19
 Effective length, 28, 29, 49, 58, 77, 80, 81, 93, 102, 113, 114
 Ellipsing, 23, 93
 Elliptical mode of oscillation, 23, 93
 Elliptic pendulum, 23, 39
 Energy loss, 56, 88–89, 95
 Ergodic, 65, 67
 Escapement, 1, 3, 43, 44, 50, 51, 54–58, 60, 63, 85, 91, 92
 Escapement error, 55, 56, 58, 60, 61
 Escape wheel, 43
- Evolute, 59
 Exceedance, 66, 68
 External pumping, 112
- F**
- Fast Fourier Transform, 67
 Fixed cable, 99, 104
 Fixed platform, 99
 Flat earth assumption, 8, 19
 Floating platform, 101
 Fly ball governor, 99
 Fly off modes of oscillation, 83, 84, 87
 Forced pendulum, 63
 Forced period, 72, 73
 Foucault's pendulum, 2, 77–79, 89–93
 Four bar linkage, 36–38, 107, 109, 113, 114
 Fourier transform, 67
 Fracture toughness, 79, 94, 95
 Frame of reference, 89, 90
 Frequency domain, 67
 Friction, 32, 43, 44, 46, 48, 52–54, 56, 60, 63, 88, 89, 92, 110, 114, 124
 Frictionless, 7, 9, 20, 24, 27, 34
 Frictionless pivot, 7, 9, 13, 19, 24, 28–31, 34, 37, 38, 50, 71–73, 81, 103, 104
 Front-to-back motion, 51, 52, 54, 73, 105, 111
- G**
- Gaussian distribution, 64, 66–68
 Gaussian random processes, 64, 65, 67
 Going train, 43
 Gondola, 99, 105
 Graham escapement, 57
 Gravity, 7, 8, 13–15, 17, 19–23, 27, 28, 33–35, 38, 45, 63, 77, 80, 94, 102, 103, 106, 114
 Great circle, 20–22
- H**
- Harmonograms, 4, 114–126
 Harmonograph, 4, 39, 40, 107, 109–111, 113–126
 Head's governor, 103
 Horizontal driving, 63, 64, 71–73
 Hunting, 103
- I**
- Ideal pendulums, 7, 9, 17, 50
 Impulses, 43, 54–59, 63, 77, 82, 83, 85–87, 91, 92, 95, 112–114

Indicating device, 43, 90
 Inextensible, 7, 8, 20, 32, 33, 35, 39, 59
 Inline wheel set, 104, 105
 In phase, 30, 35, 36, 53, 71, 72, 83, 117, 118
 Inverted pendulum, 101, 105
 Irregularity factor, 64, 67, 68
 Isochronous, 1, 9, 11, 17, 19, 58, 61
 Isochronous spring, 59, 60
 Kater's pendulum, 77, 78, 80–81
 Kinetic energy, 17, 77, 84, 85
 Knife edge suspension, 50, 54, 81, 91

L

Left-right motion, 50–55, 73, 105, 111
 Leg swinging rider pumping, 112
 Lifting, 63
 Limit circuit, 57
 Linearised, 13
 Linear system, 4, 10, 13
 Linkage, 36–38, 102, 104, 107, 109, 113, 114
 Lissajous figures, 12, 107, 109, 111, 115–121, 123
 Logarithmic decrement, 47, 48

M

Main pendulum, 39, 110
 Mainspring, 43
 Minute pendulum, 19
 Model, 7, 30–32, 39
 Moment of inertia, 28, 29
 Momentum, 77, 84, 85

N

Narrow band random process, 64, 65, 67–69, 71, 73, 74, 106
 Natural frequency, 11, 14, 15
 Natural period, 14, 71–73
 Newton's cradle, 77, 78, 82–89, 107
 Non dissipative system, 17, 45, 46, 48
 Nonlinear systems, 4
 Normal distribution, 64
 Normal force, 13, 20, 21, 23

O

Occult influences, 73–74
 Occult predictions, 74
 Occult uses of pendulums, 8, 9, 73–74
 Orbit, 19, 22, 92, 93

Orthogonal, 33, 115, 116, 118, 119, 124
 Out of phase, 23, 30, 31, 36, 54, 72, 93, 117, 118, 121

P

Pallets, 1
 Parametrically maintained pendulum, 92
 Particle, 7, 15
 Pendulum angle, 7, 13, 17, 28, 30, 37, 38, 53, 54, 58, 59, 71, 72, 102, 103, 105
 Pendulum charts, 74
 Pendulum clock, 1, 2, 7, 27, 28, 43, 60, 63, 80, 89, 91, 92
 Pendulum harmonographs, 4, 110, 111, 113–126
 Pendulum period, 14, 17, 19, 28, 29, 33, 49, 52, 53, 55, 56, 58–61, 81, 90, 91, 125
 Pendulum quality, 45–49, 51, 52, 54, 56, 63, 82, 88, 90–92, 114, 124
 Pendulum rod, 1, 3, 38, 49, 50, 52–54, 60
 Perfectly elastic, 84
 Period, 11, 14, 17, 19, 28, 29, 33, 49, 52, 53, 55, 56, 58–61, 63, 71–73, 77, 80, 81, 85, 90, 91, 125
 Periodic driving, 70–73
 Periodic processes, 65
 Phase, 11, 23, 30, 31, 35, 36, 47, 53–55, 70–73, 83, 93, 116–122, 124
 Phase angle, 30, 31, 55, 117
 Phase diagram, 12, 16, 47, 48, 56, 57, 85–87, 91, 92, 95, 112, 113
 Pivot suspension, 50, 53–54, 59, 60
 Planar mode of oscillation, 13, 89, 90, 92
 Platforms, 2, 99, 101, 102, 105–106
 Point mass, 7–13, 15–17, 19–24, 28–39, 46–48, 55, 58, 69–72, 82, 89, 93, 106
 Point mass in sphere analogy, 9, 20
 Point mass on a string analogy, 32
 Pontoons, 105
 Potential energy, 17, 94
 Precesses, 22, 23, 73, 93
 Prescribed displacement, 64
 Prescribed force, 64, 69
 Probability, 5, 66
 Probability density, 66, 68
 Probability distribution functions, 66
 Pumping, 43, 91–93, 107, 112–113

Q

Quadrifilar pendulum, 35–36, 105
 Quality factor, 48, 70

R

Radius of gyration, 28, 35, 36, 106
 Random driving, 71, 73, 74
 Random process, 64–69, 71, 73, 74
 Random process theory, 64–69
 Rating nut, 1, 59
 Rayleigh distribution, 68
 Real pendulums, 7, 8, 19, 27, 44, 45, 48, 50, 56, 57, 59, 63, 73, 77, 80
 Recoil escapement, 56, 57
 Recording device, 90, 91, 111, 115
 Rectangular curves, 109
 Rectilinear harmony curves, 109
 Resonance curve, 70, 71, 73, 106
 Resonant frequency, 70, 71
 Resonant system, 11, 14, 48
 Restoring force, 10, 13, 45, 46, 58–60, 69
 Rest position, 9, 10, 12, 13, 15, 17, 18, 20, 28, 30, 33, 34, 36–38, 45, 51, 55, 56, 60, 63, 69, 82–86, 91–93, 95, 109, 112, 113, 118
 Rider pumping, 112, 113
 Rigid, 7, 27, 29, 30, 32, 34–38, 50
 RMS. *See* Root mean square
 Rocking horse, 107, 109, 112–114
 Rocking rider pumping, 112, 113
 Root mean square (RMS), 65–67
 Rotary driving, 63
 Rotating frame of reference, 89
 Rotating simple rod pendulum, 34, 102

S

Scape wheel, 1, 43, 57
 SDF. *See* Spectral density function
 Sideral day, 89, 90
 Significant wave height, 69
 Simple harmonic motion, 9–13, 15, 44–48, 52, 55, 64, 69–73, 84, 90, 93, 106, 111, 123, 124
 Simple pendulum, 7–24, 27–40
 Simple rod pendulum, 7–10, 13–19, 21, 24, 27–29, 31, 33, 34, 38, 53, 63, 71–73, 82, 95, 102, 105, 115
 Simple string pendulum, 8, 9, 19–24, 34–36, 58, 63, 72, 73, 79, 89, 93, 106
 Small circle, 21–23, 34
 Spectral bandwidth, 64, 67, 68
 Spectral density function (SDF), 64, 67–69, 71, 73, 106
 Spherical pendulum, 19, 24, 34, 90
 Spherical polar coordinates, 20–21
 Spherical rod pendulum, 24, 34, 91

Spring, 1, 7, 43, 50–53, 59, 60
 Spring suspension, 1, 7, 44, 50–52, 59
 Squatting rider pumping, 113
 Stable equilibrium, 9
 Standard deviation, 66, 68
 Statistically stationary, 65–67
 Strain energy, 85
 Striker, 94, 95
 Suspension point, 7, 8, 63, 91, 92, 113
 Suspensions, 1, 7, 8, 44, 49–54, 59, 60, 63, 81, 89–92, 113
 Suspension spring, 1, 7, 44, 50–52, 59
 Sway mode of oscillation, 106

T

Tangential force, 13
 Tension leg, 105
 Tension leg platforms, 2, 99, 101, 105
 Tether, 91, 101, 105, 106
 Tilley's compound pendulum, 110
 Time constant, 46
 Time domain, 67
 Time of swing, 4, 13, 14, 22–24, 31–38, 82, 86, 93, 102–105, 114
 Timepieces, 43, 90
 Topsides, 105
 Torsional mode of oscillation, 35, 36, 106, 111
 Towing cable, 104, 105
 Trapezium pendulum, 36–38, 82, 111, 113
 Troughs, 68
 Truncation, 69
 Twin-elliptic harmonograph, 39, 40, 110, 114–116, 124, 125
 Twin-elliptic pendulum, 39
 Twin pendulum harmonographs, 110, 114–116, 119

U

Uniform mode of oscillation, 83, 84
 Unstable equilibrium, 9

V

Variance, 65
 Vector, 11, 13, 15, 55, 118
 Vertical driving, 63
 Vertical pumping, 91, 92, 113
 Virtual frictionless pivot, 30, 31, 71, 72, 103, 104
 Virtual pivot, 113

W

Watt governor, 99, 100, 103, 104

Watt's linkage, 36, 37

Watt's parallel motion, 36, 37

Watt steam governor, 2, 99–104

Wave passing frequencies, 106