

References

1. Cajal SR (1893) Sur les ganglions et plexus nerveux de l'intestin. *C R Soc Biol Paris* 45:217–223
2. Cajal SR (1911) *Histologie du système nerveux de l'homme et des vertèbres*, vol 2. Maloine, Tome 2 Paris, pp 891–942
3. Boeke J (1949) The sympathetic end formation, its synaptology, the interstitial cells, the periterminal network, and its bearing on the neurone theory. Discussion and critique. *Acta Anat* 8:18–61
4. Taxi J (1965) Contribution à l'étude des connexions des neurones moteurs du système nerveux autonome. *Ann Sci Nat Zool Tome VII*:413–474
5. Garcia-Lopez P, Garcia-Marin V, Martínez-Murillo R, Freire M (2009) Updating old ideas and recent advances regarding the interstitial cells of Cajal. *Brain Res Rev* 61:154–169
6. Richardson KC (1958) Electronmicroscopic observations on Auerbach's plexus in the rabbit, with special reference to the problem of smooth muscle innervation. *Am J Anat* 103:99–135
7. Imaizumi M, Hama K (1969) An electron microscopic study on the interstitial cells of the gizzard in the love-bird (*Uroloncha domestica*). *Z Zellforsch* 97:351–357
8. Thuneberg L (1982) Interstitial cells of Cajal: intestinal pacemaker cells? *Adv Anat Embryol Cell Biol* 71:1–130
9. Thuneberg L (1989) Interstitial cells of Cajal. In: Wood JD (ed) *Handbook of physiology. The gastrointestinal system*, vol 1. Am Physiol Soc, Bethesda
10. Thuneberg L (1999) One hundred years of interstitial cells of Cajal. *Microsc Res Tech* 47:223–238
11. Fausson-Pellegrini MS, Thuneberg L (1999) Guide to the identification of interstitial cells of Cajal. *Microsc Res Tech* 47:248–266
12. Maeda H, Yamagata A, Nishikawa S, Yoshinaga K, Kobayashi S, Nishi K, Nishikawa S (1992) Requirement of *c-kit* for development of intestinal pacemaker system. *Development* 116:369–375
13. Torihashi S, Ward SM, Nishikawa S, Nishi K, Kobayashi S, Sanders K (1995) *c-kit*-dependent development of interstitial cells and electrical activity in the murine gastrointestinal tract. *Cell Tissue Res* 280:97–111
14. Komuro T, Zhou DS (1996) Anti-*c-kit* protein immunoreactive cells corresponding to the interstitial cells of Cajal in the guinea-pig small intestine. *J Auton Nerv Syst* 61:169–174
15. Komuro T, Tokui K, Zhou DS (1996) Identification of the interstitial cells of Cajal. *Histol Histopathol* 11:769–786
16. Lecoin L, Gabella G, Douarin NL (1996) Origin of the *c-kit*-positive interstitial cells in the avian bowel. *Development* 122:725–733
17. Young HM, Ciampoli D, Southwell BR, Newgreen DF (1996) Origin of interstitial cells of Cajal in the mouse intestine. *Dev Biol* 180:97–107
18. Torihashi S, Ward SM, Sanders KM (1997) Development of *c-kit*-positive cells and the onset of electrical rhythmicity in murine small intestine. *Gastroenterology* 112:144–155
19. Kluppel MJ, Huizinga JD, Malysz J, Bernstein A (1998) Developmental origin and *kit*-dependent development of the interstitial cells of Cajal in the mammalian small intestine. *Dev Dyn* 211:60–71
20. Hara Y, Kubota M, Szurszewski JH (1986) Electrophysiology of smooth muscle of the small intestine of some mammals. *J Physiol* 372:501–520
21. Suzuki N, Prosser CL, Dahms V (1986) Boundary cells between longitudinal and circular layers essential for electrical slow waves in cat intestine. *Am J Physiol* 250:G287–G294
22. Huizinga JD, Thuneberg L, Kluppel M, Malysz J, Mikkelsen HB, Bernstein A (1995) *W/kit* gene required for interstitial cells of Cajal and for intestinal pacemaker activity. *Nature* 373:341–349
23. Ward SM, Burns AJ, Torihashi S, Sanders KM (1994) Mutation of the proto-oncogene *c-kit* blocks development of interstitial cells and electrical rhythmicity in murine intestine. *J Physiol (Lond)* 480:91–97
24. Dickens EJ, Hirst GD, Tomita T (1999) Identification of rhythmically active cells in guinea-pig stomach. *J Physiol* 514:515–531
25. Smith TK, Reed JB, Sanders KM (1987) Interaction of two electrical pacemakers in muscularis of canine proximal colon. *Am J Physiol* 252:C290–C299
26. Conklin JL, Du C (1990) Pathways of slow-wave propagation in proximal colon of cats. *Am J Physiol* 258:G894–G903
27. Serio R, Barajas-Lopez C, Daniel EE, Berezin I, Huizinga JD (1991) Slow-wave activity in colon: role of network of submucosal interstitial cells of Cajal. *Am J Physiol* 260:G636–G645
28. Rae MG, Fleming N, McGregor DB, Sanders KM, Keef KD (1998) Control of motility patterns in the human colonic circular muscle layer by pacemaker activity. *J Physiol* 510:309–320

29. Pluja L, Alberti E, Fernandez E, Mikkelsen HB, Thuneberg L, Jimenez, M (2001) Evidence supporting presence of two pacemakers in rat colon. *Am J Physiol* 281:G255–G266
30. Komuro T (1999) Comparative morphology of interstitial cells of Cajal: ultrastructural characterization. *Microsc Res Tech* 47:267–285
31. Ward SM, Sanders KM (2001) Interstitial cells of Cajal: primary target of enteric motor innervation. *Anat Rec* 262:125–135
32. Beckett EAH, Takeda Y, Yanase H, Sanders KM, Ward SM (2005) Synaptic specializations exist between enteric motor nerves and interstitial cells of Cajal in the murine stomach. *J Comp Neurol* 493:193–206
34. Fox EA, Phillips RJ, Martinson FA, Baronowsky EA, Powley TL (2000) Vagal afferent innervation of smooth muscle in the stomach and duodenum of the mouse Morphology and topography. *J Comp Neurol* 428:558–576
35. Aranishi H, Kunisawa Y, Komuro T (2009) Characterization of interstitial cells of Cajal in the subserosal layer of the guinea-pig colon. *Cell Tissue Res* 335:323–329
35. Fox EA, Phillips RJ, Byerly S, Baronowsky EA, Chi MM, Powley TL (2002) Selective loss of vagal intramuscular mechanoreceptors in mice mutant for steel factor, the c-Kit receptor ligand. *Anat Embryol* 205:325–342
36. Hanani M, Farrugia G, Komuro T (2005) Intercellular coupling of interstitial cells of Cajal in the digestive tract. *Int Rev Cytol* 242:249–282
37. Komuro T (2006) Structure and organization of interstitial cells of Cajal in the gastrointestinal tract. *J Physiol* 576:653–658
38. Lorincz A, Redelman D, Horváth VJ, Bardsley MR, Chen H, Ordög T (2008) Progenitors of interstitial cells of Cajal in the postnatal murine stomach. *Gastroenterology* 134:1083–1093
39. Seki K, Zhou DS, Komuro T (1998) Immunohistochemical study of the *c-kit* expressing cells and connexin 43 in the guinea-pig digestive tract. *J Auton Nerv Syst* 68:182–187
40. Duchon G, Henderson R, Daniel EE (1974) Circular muscle layers in the small intestine. In: Daniel EE (ed) Proceedings of the 4th international symposium on gastrointestinal motility. Mitchell Press Banff, Alberta, pp 635–646
41. Horiguchi K, Semple GS, Sanders KM, Ward SM (2001) Distribution of pacemaker function through the tunica muscularis of the canine gastric antrum. *J Physiol (Lond)* 537:237–250
42. Seki K, Komuro T (1998) Further observation of the gap junction-rich cells in the deep muscular plexus of the rat small intestine. *Anat Embryol* 197:135–141
43. Zhou DS, Komuro T (1992a) Interstitial cells associated with the deep muscular plexus of the guinea-pig small intestine, with special reference to the interstitial cells of Cajal. *Cell Tissue Res* 268:205–216
44. Gabella G, Blundell D (1979) Nexuses between the smooth muscle cells of the guinea-pig ileum. *J Cell Biol* 82:239–247
45. Zhou DS, Komuro T (1992b) The cellular network of interstitial cells associated with the deep muscular plexus of the guinea pig small intestine. *Anat Embryol* 186:519–527
46. Vanderwinden JM, Rumessen JJ, de Kerchove d'Exaerde A Jr, Gillard K, Panthier JJ, de Laet MH, Schiffmann SN (2002) Kit-negative fibroblast-like cells expressing SK3, a Ca²⁺-activated K⁺ channel, in the gut musculature in health and disease. *Cell Tissue Res* 310:349–358
47. Iino S, Horiguchi K, Horiguchi S, Nojyo Y (2009) c-Kit-negative fibroblast-like cells express platelet-derived growth factor receptor α in the murine gastrointestinal musculature. *Histochem Cell Biol* 131:691–702
48. Fujita A, Takeuchi T, Jun H, Hata F (2003) Localization of Ca²⁺-activated K⁺ channel, SK3, in fibroblast-like cells forming gap junctions with smooth muscle cells in the mouse small intestine. *J Pharmacol Sci* 92:35–42
49. Kurahashi M, Zheng H, Dwyer L, Ward SM, Don Koh S, Sanders KM (2010) A functional role for the 'fibroblast-like cells' in gastrointestinal smooth muscles. *J Physiol* 589:697–710
50. Komuro T (1989) Three-dimensional observation of the fibroblast-like cells associated with the rat myenteric plexus, with special reference to the interstitial cells of Cajal. *Cell Tissue Res* 255:343–351
51. Gomez-Pinilla PJ, Gibbons SJ, Bardsley MR, Lorincz A, Pozo MJ, Pasricha PJ, Van de Rijn M, West RB, Sarr MG, Kendrick ML, Cima RR, Dozois EJ, Larson DW, Ordog T, Farrugia G (2009) Ano1 is a selective marker of interstitial cells of Cajal in the human and mouse gastrointestinal tract. *Am J Physiol Gastrointest Liver Physiol* 296:G1370–G1381
52. Huizinga JD, Thuneberg L, Vanderwinden JM, Rumessen JJ (1997) Interstitial cells of Cajal as targets for pharmacological intervention in gastrointestinal motor disorders. *TIPS* 18:393–403
52. Sanders KM (1996) A case for interstitial cells of Cajal as pacemakers and mediators of neurotransmission in the gastrointestinal tract. *Gastroenterology* 111:492–515
54. Komuro T (2004) Morphological features of interstitial cells of Cajal. In: Kitamura Y, Miettinen M, Hirota S, Kanakura Y (eds) Gastrointestinal stromal tumor(GIST): from pathology to molecular target therapy. Monograph on cancer research, vol 53. Japan Scientific Societies Press & Karger, Tokyo, pp 109–134
55. Sanders KM, Hwang SJ, Ward SM (2010) Neuroeffector apparatus in gastrointestinal smooth muscle organs. *J Physiol* 588:4621–4639
56. Sarna SK (2008) Are interstitial cells of Cajal plurifunction cells in the gut? *Am J Physiol Gastrointest Liver Physiol* 294:G372–G390
57. Goyal RK, Chaudhury (2010) Mounting evidence against the role of ICC in neurotransmission to smooth muscle in the gut. *Am J Physiol Gastrointest Liver Physiol* 298:G10–G13

58. Vanderwinden JM, Rumessen JJ (1999) Interstitial cells of Cajal in human gut and gastrointestinal disease. *Microsc Res Tech* 47:344–360
59. Rolle U, Piaseczna-Piotrowska A, Puri P (2007) Interstitial cells of Cajal in the normal gut and in intestinal motility disorders of childhood. *Pediatr Surg Int* 23:1139–1152
60. Hirota S, Isozaki K, Moriyama Y, Hashimoto K, Nishida T, Ishiguro S, Kawano K, Hanada M, Kurata A, Takeda M, Muhammad Tunio G, Matsuzawa Y, Kanakura Y, Shinomura Y, Kitamura Y (1998) Gain-of-function mutations of c-kit in human gastrointestinal stromal tumors. *Science* 279:577–580
61. Miettinen M, Lasota J (2001) Gastrointestinal stromal tumors—definition, clinical, histological, immunohistochemical, and molecular genetic features and differential diagnosis. *Virchows Arch* 438:1–12
62. Demetri GD (2002) Identification and treatment of chemoresistant inoperable or metastatic GIST: experience with the selective tyrosine kinase inhibitor imatinib mesylate (STI571). *Eur J Cancer* 38:S52–S59
63. Bardsley MR, Horváth VJ, Asuzu DT, Lorincz A, Redelman D, Hayashi Y, Popko LN, Young DL, Lomberg GA, Urrutia RA, Farrugia G, Rubin BP, Ordog T (2010) Kit^{low} stem cells cause resistance to Kit/platelet-derived growth factor alpha inhibitors in murine gastrointestinal stromal tumors. *Gastroenterology* 139:942–952
64. Rumessen JJ, Vanderwinden JM (2003) Interstitial cells in the musculature of the gastrointestinal tract: Cajal and beyond. *Int Rev Cytol* 229:115–208
65. Rumessen JJ, Vanderwinden JM, Rasmussen H, Hansen A, Horn T (2009) Ultrastructure of interstitial cells of Cajal in myenteric plexus of human colon. *Cell Tissue Res* 337:197–212
66. Ward SM, Morris G, Reese L, Wang XY, Sanders KM (1998) Interstitial cells of Cajal mediate enteric inhibitory neurotransmission in the lower esophageal and pyloric sphincters. *Gastroenterology* 115:314–329
67. Seki K, Komuro T (2002) Distribution of interstitial cells of Cajal and gap junction protein, Cx 43 in the stomach of wild-type and W/W^v mutant mice. *Anat Embryol* 206:57–65
68. Mitsui R, Komuro T (2002) Direct and indirect innervation of smooth muscle cells of rat stomach, with special reference to the interstitial cells of Cajal. *Cell Tissue Res* 309:219–227
69. Horiguchi K, Zhou DS, Seki K, Komuro T, Hirota S, Kitamura Y (1995) Morphological analysis of c-kit expressing cells, with reference to interstitial cells of Cajal. *J Smooth Muscle Res* 31:303–305
70. Horiguchi K, Komuro T (1998) Ultrastructural characterization of interstitial cells of Cajal in the rat small intestine using control and Ws/Ws mutant rats. *Cell Tissue Res* 293:277–284
71. Ward SM, Burns AJ, Torihashi S, Harney SC, Sanders KM (1995) Impaired development of interstitial cells and intestinal electrical rhythmicity in steel mutants. *Am J Physiol* 269:C1577–C1585
72. Malysz J, Thunberg L, Mikkelsen HB, Huizinga JD (1996) Action potential generation in the small intestine of W mutant mice that lack interstitial cells of Cajal. *Am J Physiol* 271:G387–G399
73. Ishikawa K, Komuro T (1996) Characterization of the interstitial cells associated with the submuscular plexus of the guinea-pig colon. *Anat Embryol* 194:49–55
74. Komuro T, Seki K, Horiguchi K (1999) Ultrastructural characterization of the interstitial cells of Cajal. *Arch Histol Cytol* 62:295–316
75. Sato K, Torihashi S, Hori M, Nasu T, Ozaki H (2007) Phagocytotic activation of muscularis resident macrophages inhibits smooth muscle contraction in rat ileum. *J Vet Med Sci* 69:1053–1060
76. Mikkelsen HB (2010) Interstitial cells of Cajal, macrophages and mast cells in the gut musculature: morphology, distribution, spatial and possible functional interactions. *J Cell Mol Med* 14:818–832
77. Komuro T, Hashimoto Y (1990) Three-dimensional structure of the rat intestinal wall (mucosa and submucosa). *Arch Histol Cytol* 53:1–21
78. Komuro T (1988) The lattice arrangement of the collagen fibres in the submucosa of the rat small intestine: scanning electron microscopy. *Cell Tissue Res* 251:117–121
79. Miyamoto-Kikuta S, Ezaki T, Komuro T (2009) Distribution and morphological characteristics of the interstitial cells of Cajal in the ileocaecal junction of the guinea-pig. *Cell Tissue Res* 338:29–35
80. Kunisawa Y, Komuro T (2008) Interstitial cells of Cajal associated with the submucosal plexus of the Guinea-pig stomach. *Neurosci Lett* 434:273–276
81. Tamada H, Komuro T (2011) Three-dimensional demonstration of the interstitial cells of Cajal associated with the submucosal plexus in guinea-pig caecum. *Cell Tissue Res* 344:183–188
82. Komuro T, Seki K (1995) Fine structural study of interstitial cells associated with the deep muscular plexus of the rat small intestine, with special reference to the intestinal pacemaker cells. *Cell Tissue Res* 282:129–134
83. Ishikawa K, Komuro T, Hirota S, Kitamura Y (1997) Ultrastructural identification of the c-kit-expressing interstitial cells in the rat stomach: a comparison of control and Ws/Ws mutant rats. *Cell Tissue Res* 289:137–143
84. Tamada H, Komuro T (2012) Ultrastructural characterization of interstitial cells of Cajal associated with the submucosal plexus in the proximal colon of the guinea pig. *Cell Tissue Res* (in press, Accepted: 20 Dec 2011)

Index

A

Antrum, 11, 19
Axon varicosity, 98, 101, 121

B

Basal lamina, 95, 103, 110, 111, 126
Basket formation, 24, 40, 69
Bipolar cell, 13, 14, 45, 86

C

Caecum, 11, 14, 17, 77–80, 82, 83, 85, 87
Cajal (Santiago Ramon y Cajal), 1, 11, 103
Cardia, 19, 21
Caveola, 95–97, 100, 102, 103, 105, 108, 110–112, 126
Cilia, 99
c-Kit, 1–4, 13, 23, 24, 30–32, 41, 63, 65, 113, 125–127
Colon, 2, 6, 10, 11, 13, 19, 47, 63, 65, 81, 85, 103, 113, 126
Collagen, 7, 9
Corpus, 11, 19
Cx43 (Connexin 43), 49

D

Deep muscular plexus, 2, 11, 31, *see also* ICC-DMP
Dichotomy, 41, 72
Duodenal bulb, 53
Duodenum, 17, 31, 53

E

Endoplasmic reticulum, 95, 103
Enteric nervous system, 31, 125

F

Fibroblast-like cells, 113, 126
Fibroblasts, 95, 103
Fundus, 19

G

Ganglion, 33, 34, 37, 38, 58, 59, 86–88
Gap junctions, 2, 95, 103, 113, 125
GIST, 125, 126
Golgi apparatus, 95

I

ICC-CM, 2, 11, 13, 19, 31, 103
ICC-DMP, 2, 13, 95, 103, 126
ICC-IM, 11, 13
ICC-LM, 11, 19, 103
ICC-MP, 2, 11, 13, 19, 103, 126
ICC-SM, 11, 19, 126
ICC-SP, 11, 77, 85, 112
ICC-SS, 2, 11, 63
Ileocaecal junction, 17, 81
Ileum, 31, 81
Immunohistochemistry, 13
Intermediate filament, 95, 103

J

Jejunum, 13, 31

K

Kit receptor, 2, 125, 126, *see also* c-Kit

M

Mechanoreceptor, 2
Mesenchymal cell, 2
Methylene blue, 1, 2
Mitochondria, 95, 103
Multipolar cells, 13
Mutant animal, 126
Myenteric ganglion, 8, 22, 23, 32, 39, 40, 49, 64, 80, 87, 89, 97, 104, 117
Myenteric plexus, 2, 11, 13, 39, 53, 77, *see also* ICC-MP

N

NADH histochemistry, 10, 54, 64
Nerve terminal, 2, 103
Neuromuscular transmission, 2, 103
Nomarski optics, 16, 21, 32, 65, 78, 82, 86

P

Pacemaker hypothesis, 1, 2, 125
Pacemaker potential, 50, 51
PDGFR α receptor, 113, 119, 126
Peg and socket, 123
Peristalsis, 51

PGP9.5, 20, 22–24, 32, 37, 42, 55, 65, 66, 78, 87
Pyloric sphincter, 19, 30
Pylorus, 11, 19, 53, 126

S

SCF (stem cell factor), 126
Serosal, 11, 13, *see also* ICC-SS
Skepticism, 125
*Sl/Sl*d mouse, 126
Slow waves, 2, 103, 125
Small intestine, 2, 11, 19, 31, 53, 63, 95, 103, 113, 126
Smooth muscle, 1, 2, 13, 63, 77, 95, 103, 113, 120, 125, 126
Stereo-micrograph, 25, 38, 40, 41, 45, 46, 48, 56, 59, 60, 62, 67, 68, 70, 88
Stomach, 2, 11, 17, 19, 63, 85, 103
Stretch receptor, 2, 63
Submucosa, 63, 85, 103
Submucosal plexus, 11, 77, 85
Submuscular plexus, 2, 11, 63
Synaptic contact, 118, 121
Syncytium, 51

T

Taenia, 77–79, 87
Thuneberg, 1, 11
Tunica muscularis, 113

U

Ultrastructural subtype, 126

V

Vimentin, 6

W

W/W^v mouse, 126
Ws/Ws rat, 126

Z

ZIO method, 2, 5, 10