

Index

A

Accuracy of prediction, 130
Agricultural intensification, 20
Agricultural markets, 175
Agrodealers, 176, 179–183
Agro-ecological zones, 22–30, 120
Attainable yield, 16–17

B

Biomass partitioning, 121, 148, 149

C

Calibration process, 124, 128, 136
CERES-rice, 142–144
Climate
 change, 3, 5, 12, 40, 44,
 142, 177
 conditions, 2, 3, 80, 103
 variability, 2, 12
Coefficient of determination, 68
Complimentary investments, 175
Credit guarantee model, 180
Crop
 insurance, 179–180
 management, 4, 10, 12, 14, 15, 17, 62, 102,
 122, 124
 management data, 15, 17
 management file, 124
 modeling, 3, 6, 10
 models, 3, 6, 7, 44, 51, 79, 80, 102, 121,
 144, 158, 159
CROPGRO, 119–138
Cropping system, 2, 16, 44–50, 56, 57, 62,
 116, 121, 144, 166, 178, 179

Cultivar parameters, 45, 47, 51, 54,
 56, 57
Cultural management practices, 44
Cumulative probability, 164, 166, 167

D

Daily time-step, 144, 149
Drained upper limit (DUL), 14, 51,
 64, 65, 83–85, 124, 125,
 161, 163
Dual purpose soybean varieties, 121
DUL. *See* Drained upper limit (DUL)

E

Environmental conditions, 11, 68,
 121, 122
External inputs, 21, 34, 39, 177, 180
Extractable soil water, 14, 65, 83, 84, 87, 89,
 94, 95, 124, 125
Extrapolation, 3–5
Extreme weather, 16

F

Fertility gradients, 34–35, 105
Fertilizer
 prices, 36, 176
 profitability, 20, 34–38
Financing gaps, 180, 182
Flat planting, 90, 91
Flowering dates, 16, 129
Food
 crisis, 170, 171
 security, 5, 30, 62, 179

G

- Genetic coefficients, 6, 16–17, 65, 85–87, 95, 97, 121, 122, 124, 126–129, 136–138, 144, 145, 147–149, 151, 152, 161
- Global sensitivity analysis, 51–57
- Grain filling rates, 149
- Green revolution, 21, 34, 170–172, 175–182
- Growth characteristics, 124

I

- Immobilization of N, 65, 96
- Incorporation depth, 14, 15
- Initial conditions, 14, 15, 45, 48–51, 79, 84, 106
- Innovative financing, 175, 180–183
- INRM. *See* Intergrated natural resource management (INRM)
- Interactions, 2, 6, 12, 13, 56, 57, 137, 151, 173
- Intergrated natural resource management (INRM), 21, 178, 181
- Intergrated soil fertility management (ISFM), 22, 177–181
- Intial soil water content, 51, 84, 85
- Inventory credit systems, 37, 181
- ISFM. *See* Intergrated soil fertility management (ISFM)

L

- Land degradation, 4, 5, 21, 22, 29–32, 170–172
- Leaching of N, 164
- Limitations, 3, 11, 33, 56, 78, 96–98, 106, 107, 136, 153
- Long-term experiments, 170, 172
- Low-input agriculture, 34

M

- Macroeconomic reforms, 163
- Maize phenology, 68
- Management factors, 2, 12, 45, 143
- Management inputs, 45, 47, 51, 79
- Market-led approach, 178
- Maturity date, 16, 85, 86, 129, 130
- Maturity group, 124, 128, 129, 137
- Maximum root depth, 85, 87
- Microdose technology, 37, 181
- Minimum dataset, 6
- Minor nutrient elements, 27

Model

- calibration, 10, 63–65, 67–68, 124, 129, 160
- developers, 6, 44
- evaluation, 3, 9–18, 64, 98
- performance, 66, 153
- predictions, 53, 57, 68, 70
- Moisture stress, 27, 32, 33, 68, 177
- Monetary returns, 164, 166, 167

N

- Nutrient mining, 20, 62, 172
- Nutrient use, 4, 16
- Nutrient use efficiency, 4, 6, 36, 37, 62, 172, 174

O

- Organic amendment, 80, 82, 83, 91, 95, 97, 173
- Organic carbon, 14, 17, 32, 35, 36, 46–50, 62–64, 66, 67, 70, 73, 80, 81, 105, 125, 128
- Organic inputs, 21, 32, 170, 172, 178
- ORYZA2000, 142, 143, 145, 148–153

P

- Paradigm shifts, 177–178
- Pedotrasfer functions, 64, 85
- Permeability, 27
- Phenology coefficients, 86
- Phosphate fixation, 26
- Phosphorus concentrations, 96
- Photoperiod, 48–50, 65, 86, 114, 121, 124, 126, 128, 142, 144, 145, 152
- Planting technique, 82, 83, 86–90, 97
- Potential yield, 16–17, 39, 121, 141–153
- Predicting yield potential, 122
- Productivity, 3–6, 16, 29, 31–34, 38, 39, 62, 78, 79, 83–85, 90–92, 97, 98, 103, 105, 106, 112, 121, 170–173, 177, 179, 180
- Profile characteristics, 13, 82

R

- Rainfed agriculture, 16
- Rainwater productivity, 83
- Recommendations, 16, 19–40, 158, 159, 169–183
- Residues, 15, 35, 90, 96, 172
- Response to nitrogen fertilization, 67, 70
- Risk-aversion strategies, 37

Rooting depth, 17, 26, 83, 87
 Root mean square error, 66, 67, 72, 84, 128, 132, 133, 164
 Runoff coefficient, 56, 85, 86

S

Saturated soil water, 51, 125
 Scaling up techniques, 176
 Seasonal analysis, 161, 166
 Sensitivity analysis, 48–57, 66, 70–74, 124, 129, 152
 Sensitivity indices, 52–55, 57
 Simulated maturity date, 86
 Simulated yield, 56, 96, 97, 115, 116, 137, 149, 166
 Smart subsidies, 180, 183
 Soil

- conservation, 4, 38, 174
- degradation, 20, 22, 34, 102, 103, 105, 112
- erosion, 4, 26, 39, 62, 170
- fertility depletion, 31, 171
- forming factors, 20
- moisture, 11, 14, 32, 64, 83, 177
- nutrient balances, 20, 170, 171
- profile, 10, 13, 14, 63, 64, 82, 83, 125, 128, 160
- structure, 26, 29
- types, 22–29, 34
- water simulation, 65

 Solar radiation, 13, 46, 62, 63, 66–67, 84, 103, 106, 112–114, 123, 137, 144–146, 160, 162–163
 Sub-humid environment, 61
 Supplemental irrigation, 15, 123
 Surface crusting, 47, 81
 Sustainability, 12, 16, 44, 62

T

Temperature, 12, 13, 22, 32, 45, 46, 50, 62, 63, 65–74, 80, 81, 84, 86, 106, 113, 121, 122, 124, 137, 142, 144, 145, 148, 151, 153, 159, 162–163
 Time to first seed, 136
 Training workshops, 6

U

Uncertainty, 11, 44, 45, 51–57, 103, 175
 Uncertainty analysis, 44–45, 51, 53
 Uptake of nitrogen, 68

V

Variability, 2, 3, 7, 11–13, 37, 44, 52, 53, 55, 56, 90, 102, 103, 109, 113, 159, 178

W

Warrantage, 37, 180, 181

Water

deficits, 51
 harvesting, 38, 39, 47, 78, 79, 81, 98, 174
 infiltration, 51, 79, 87
 Wetting front, 79, 87, 92

Y

Yield

- components, 10, 16, 89, 95–97
- stability analysis, 137
- variability, 56

Z

Zai system, 38, 77–98