

# Index

## A

- Abelmoschus esculentus*, 181  
*Abgliophragma*, 266, 325  
    *A. setosum*, 325, 326  
*Abies balsamea*, 164, 301  
*Absconditella*, 51  
*Acacia*  
    *A. confusa*, 334  
    *A. koa* var. *hawaiiensis*, 334  
    *A. aulacocarpa*, 177, 219  
    *A. confusa*, 151  
    *A. koa*, 255, 334  
    *A. koa* var. *koa*, 301  
*Acanthodochium*, 115  
*Acarocybella*, 230  
*Acer*, 193, 265, 301, 320  
    *A. campestre*, 261  
    *A. pseudoplatanus*, 264  
    *A. saccharum*, 152, 301  
*Acremoniella*  
    *A. atra*, 392  
    *A. vaccinii*, 164  
    *A. velutina*, 162  
*Acremonium*, 63, 72, 86, 92, 243, 315–317, 392  
    *A. atrum*, 392  
    *A. glaucum*, 392  
    *A. implicatum*, 392  
    *A. sordidulum*, 392  
    *A. vaccinii*, 164  
    *A. velutinum*, 162  
*Acrocomia mexicana*, 128  
*Acrodactys*, 126–128, 239, 280  
    *A. appendiculata*, 126, 127  
    *A. atroapicula*, 127  
    *A. balladynae*, 127  
    *A. bambusicola*, 126, 127  
    *A. brevicornuta*, 126  
    *A. corniculata*, 126  
    *A. deightonii*, 127  
    *A. dennisii*, 127  
    *A. eickeri*, 126, 127  
    *A. elaeidicola*, 126–129, 392  
    *A. elliptica*, 128  
    *A. erecta*, 416  
    *A. fimicola*, 126, 281, 416  
    *A. irregularis*, 127  
    *A. lamma*, 126, 239, 407  
    *A. lignicola*, 126  
    *A. malabarica*, 127  
    *A. obliqua*, 126, 240, 407  
    *A. sacchari*, 281  
    *A. similis*, 127  
    *A. stilboidea*, 127  
    *A. triarmatus*, 126, 128, 129, 392  
    *A. viridescens*, 126  
    *A. furcata*, 128  
    *A. liputii*, 128  
    *A. micheliae*, 128  
    *A. peruamazonensis*, 128  
    *A. septosporioides*, 128  
*Acrogenospora*, 129–130  
    *A. altissima*, 130  
    *A. megalospora*, 130  
    *A. ovalia*, 130  
    *A. subprolata*, 130  
    *A. sphaerocephala*, 129, 130, 392  
    *A. verrucosa*, 130  
*Acrophragmis*, 130–131  
    *A. canadensis*, 131  
    *A. coronata*, 130, 131  
    *A. coronata*, 363  
*Acrospormaceae*, 92, 93, 106–108

- AcrospERMum*, 51, 106, 107  
*A. candidum*, 108  
*A. compressum*, 106–110  
*A. erikssonii*, 108  
*A. graminum*, 108  
*A. kirulisianum*, 108  
*A. maxoni*, 108, 110  
*A. pallidulum*, 108  
*A. compressum*, 372  
*A. graminum* var. *foliicolum*, 108  
*Acrostalagmus olivaceus*, 307, 309  
*Acrothecium*  
*A. lunatum*, 177, 399  
*A. purpurellum*, 399  
*Actinidia*  
*A. arguta*, 264  
*A. callosa* var. *arguta*, 301  
*A. chinensis*, 53  
*Actinocladium*, 159  
*Aeschynomene americana*, 179  
*Affinis compressus*, 255  
*Agaricostilbum pulcherrimum*, 389  
*Agaricus*  
*A. anthocephalus*, 390  
*A. cerussatus*, 390  
*A. ostreatus*, 391  
*A. galericulatus*, 317  
*Agathis*  
*A. alba*, 336  
*A. australis*, 228  
*Agave*, 177, 304  
*Agrabeeja*, 230  
*Agropyron*  
*A. pungens*, 261  
*A. trachycaulum*, 255  
*Agrostis*  
*A. hiemalis*, 255  
*A. tenuis*, 311  
*Agyrium*, 52  
*Albizia lebbek*, 301  
*Alchornea*  
*A. cordifolia*, 235  
*A. triplinervia*, 176  
*Allamanda cathartica*, 181  
*Allium*, 309  
*A. odorum*, 179  
*A. cepa*, 177, 255  
*Allothyriella* sp., 393  
*Alnus* sp., 411  
*Alstonia scholaris*, 326  
*Alternaria*  
*A. alternata*, 393  
*A. tenuis*, 393  
*Ammophila arenaria*, 311  
*Amphisphaeriaceae*, 92, 93  
*Amphisphaeria rehmi*, 373, 423  
*Anadelphia leptocoma*, 311  
*Ananas*, 132, 177  
*A. comosus*, 132, 223, 255, 261  
*A. sativus*, 132, 255  
*A. comosus*, 304, 309, 336, 393, 419  
*Andropogon*  
*A. gayanus*, 255  
*A. glomeratus*, 260, 292, 309  
*A. gerardii*, 255, 311  
*A. tectorum*, 255, 292  
*A. zizanioides*, 255  
*Angelica sylvestris*, 311  
*Anisoptera oblonga*, 202  
*Annellolacinia*, 131–132  
*A. dinemasporioides*, 131, 132, 393  
*A. pandanicola*, 132, 393  
*A. pandanicola*, 132  
*Annona*  
*A. muricata*, 336  
*A. reticulata*, 255  
*Anthostomella*, 59, 61, 110–111, 116, 360, 374  
*A. calocarpa*, 386  
*A. clypeoides*, 111, 372  
*A. coryphae*, 112  
*A. delitescens*, 111, 372  
*A. francisiae*, 111, 372  
*A. kapitiae*, 112, 357  
*A. lucens*, 111, 112, 357, 372  
*A. ludoviciana*, 112–113, 357, 373  
*A. manawatua*, 113, 357  
*A. mindorensis*, 113, 373  
*A. minutoides*, 111, 373  
*A. nitidissima*, 373  
*A. nypae*, 113, 373  
*A. okatina*, 113, 357  
*A. pandani*, 111, 373  
*A. pandanicola*, 393  
*A. petrinensis*, 373  
*A. phoenicicola*, 111, 374  
*A. puiggarii*, 114, 357, 373, 423  
*A. rehmi*, 114, 357, 373, 423  
*A. tenacis*, 374  
*A. theobromina*, 384  
*A. tomicoides*, 111  
*A. unguiculata*, 374  
*Anthostomellicola*, 59  
*Anthurium* sp., 336  
*Apiospora*  
*A. chondrospora*, 105  
*A. petiolicola*, 105  
*Apiosporella*, 104  
*Apiosporina*, 104

- Aplacodina*, 104  
   *A. chondrospora*, 105  
*Arachis*, 177, 303  
   *A. hypogaea*, 179  
*Arachnopeziza*, 32, 34  
   *A. lachnoides*, 17, 32–34, 374  
   *A. rhopalostylidis*, 34  
   *A. aurata*, 32  
*Arachnopezizeae*, 32  
*Arachnopezizella*, 32  
*Arachnophora*, 159  
   *A. excentrica*, 129  
   *A. fagicola*, 364, 393  
*Arachnoscypha*, 32  
*Archontophoenix alexandrae*, 203  
*Araucaria hunsteinii*, 176  
*Arbutus menziesii*, 92  
*Archontophoenix alexandrae*, 114, 180, 202, 293  
*Arctostaphylos uva-ursi*, 164  
*Areca*  
   *A. catechu*, 255, 292, 336  
   *A. lutescens*, 336  
*Arecha catechu*, 333, 399  
*Arenga*, 112, 113  
   *A. engleri*, 336  
*Arenga mindorensis*, 373  
*Argyroxiphium sandwicense*, 281  
*Arrhenatherum elatius*, 261  
*Arthrobotrys superba*, 48  
*Arthrowallema*, 132, 134, 135  
   *A. formosa*, 132, 134, 135  
   *A. lammaensis*, 17, 132–135, 393  
*Artocarpus*, 333, 334  
   *A. altilis*, 336  
   *A. communis*, 293, 326, 336  
   *A. heterophyllus*, 228  
   *A. incisa*, 336  
   *A. integrifolia*, 336  
   *A. nobilis*, 335, 366  
   *A. nobilis*, 422  
*Arundinaria*, 155, 261  
*Arundo donax*, 225, 373  
*Asci*, 34, 43, 46, 49, 50, 56–59, 61–64, 67–70, 73, 86, 88, 92, 95, 98–102, 104, 105, 111, 112, 114–117, 119  
*Ascotaiwania mauritiana*, 374  
*Ascothailandica*, 153  
*Asparagus*, 223  
   *A. adscendens*, 228  
*Aspergillus*, 393  
   *A. parasiticus*, 393  
*Asperopilum*, 38  
*Astelia* sp., 58, 63  
*Asterina*  
   *A. pandani*, 377  
   *A. polythyria*, 374  
*Astrocystis*, 110, 115, 117  
   *A. mirabilis*, 115  
   *A. rarissima*, 115–116  
   *A. cepiformis*, 374  
   *A. fimbriata*, 374  
   *A. freycinetiae*, 357  
   *A. rarissima*, 374  
*Astrosphaeriella*, 375  
   *A. tornata*, 374  
*Athelia rolfsii*, 389  
*Atriplex crassifolia*, 261  
*Auerswaldia*  
   *A. merrillii*, 357  
   *A. pandani*, 375  
*Auerswaldia decipiens*, 112  
*Aulacostroma*  
   *A. palawanense*, 375  
   *A. parvisporum*, 375  
*Aulographum*  
   *A. intricatum*, 375  
   *A. pandani*, 375  
*Avena*  
   *A. pratensis*, 311  
   *A. sativa*, 255  
*Averrhoa carambola*, 235, 368  
*Avicennia officinalis*, 334  
*Axonopus*, 255, 292  
   *A. affinis*, 255, 311  
   *A. compressus*, 179, 311
- B**  
*Baderomyces philippinensis*, 375  
*Bahusutrabeeja dubhashii*, 393  
*Balaniopsis*, 135–138  
   *B. africana*, 135–138, 393  
   *B. africanum*, 135  
   *B. dendroidea*, 136–138, 394  
   *B. kirkii*, 136, 138, 394  
   *B. triangularis*, 135–137  
*Balanium*, 135  
   *B. africanum*, 135, 137, 393  
   *B. stygium*, 135  
*Bambusa*, 114, 155, 225, 243, 260, 261, 264, 300, 311, 373, 415, 423  
   *B. vulgaris*, 225, 281, 309, 418  
*Basisporium*, 254  
*Basitorula*, 219  
*Batschiella malbranchei*, 105

- Bauhinia*  
*B. purpurea*, 181  
*B. tomentosa*, 336
- Beilschmiedia*  
*B. tarairi*, 119, 190  
*B. tawa*, 67, 130, 238, 358
- Belonidium*, 32, 38, 43
- Belonioscypha*, 28
- Belonopsis*, 25
- Beltrania rhombica*, 394
- Berkeleyna*, 259
- Berkleasium*, 138–139, 141, 143, 144, 153, 394  
*B. abuense*, 141  
*B. atroapicale*, 17, 141–143, 364  
*B. atrovirens*, 140  
*B. caribense*, 153, 155, 364, 395  
*B. concinnum*, 138, 139  
*B. conglobatum*, 139  
*B. cordaeaanum*, 138  
*B. correae*, 140  
*B. corticola*, 140  
*B. crunisia*, 139  
*B. daphniphylli*, 140  
*B. granulorum*, 141  
*B. inflatum*, 139, 143–144, 364, 394  
*B. leonense*, 141, 394  
*B. lingula*, 139  
*B. micronesicum*, 140, 161, 397  
*B. minutissimum*, 141  
*B. monilicellulare*, 17, 141, 143–145, 394  
*B. monilicellurum*, 144  
*B. moriforme*, 140  
*B. nigroapicale*, 140, 143  
*B. opacum*, 139  
*B. osmaniae*, 139  
*B. pandani*, 139, 140, 394  
*B. papillatum*, 141  
*B. parmeliellae*, 139  
*B. phyllostachydis*, 141  
*B. pulchrum*, 153  
*B. sansevieriae*, 141  
*B. sinense*, 139  
*B. suthpeppuense*, 141  
*B. taishanense*, 140  
*B. talaumae*, 140  
*B. triglochinis*, 141  
*B. tropicale*, 140  
*B. typhae*, 140  
*B. verrucosa*, 146  
*B. vogelianum*, 140  
*B. zhejiangense*, 139
- Beta vulgaris*, 255
- Betula*, 320  
*B. papyrifera*, 164
- Bidens pilosa*, 311
- Bignonia magnifica*, 160
- Bionectriaceae*, 55, 57
- Bischofia javanica*, 334
- Boletus sanguineus*, 391
- Bombardia*, 106
- Boninogaster phalloides*, 390
- Borassus*, 334  
*B. aethiopicum*, 292  
*B. aethiopicum*, 223, 336
- Botryobasidium*  
*B. pandani*, 390  
*B. vagum*, 390
- Botryodiplodia*  
*B. pandani*, 394  
*B. ribis*, 394  
*B. theobromae*, 379
- Botryosphaeria quercuum*, 375
- Botrytis*  
*B. atrofumosa*, 319, 320  
*B. bicolor*, 307, 309  
*B. nigra*, 319, 320, 371, 421  
*B. olivacea*, 394  
*B. torta*, 164
- Brabejum stellatifolium*, 411
- Brachiaria*, 311  
*B. brizantha*, 260  
*B. dictyoneura*, 260
- Brachydesmiella*, 145–146  
*B. anthostomelloidea*, 146  
*B. biseptata*, 145  
*B. brasiliensis*, 146  
*B. caudata*, 146, 395  
*B. eugecapiellana*, 146  
*B. obclavata*, 146  
*B. orientalis*, 146
- Brachyglottis repanda*, 218
- Brachysporiella*, 146–147, 259  
*B. gayana*, 146, 147, 395  
*B. laxa*, 258, 259
- Brachysporium*  
*B. coryneoideum*, 267  
*B. ellipticum*, 266  
*B. eragrostidis*, 177, 398
- Brassica*, 275  
*B. alboglabra*, 255  
*B. nigra*, 309  
*B. oleracea*, 255
- Bresadolella*, 91  
*B. aurea*, 91
- Bridelia ferruginea*, 255

*Bromus*

- B. diandrus*, 311
- B. inermis*, 255

*Butia capitata*, 218*Buxus sempervirens*, 265, 295*Byssithecra*, 117

- B. aquila*, 117

*Byssosphaeria*, 117, 375

- B. aquila*, 117

**C***Cajanus*, 304

- C. cajan*, 255

*Caladium bicolor*, 336*Calamagrostis arundinacea*, 58*Calamus*, 93, 112, 272, 372, 383

- C. australis*, 93
- C. conirostris*, 93
- C. walkerii*, 88

*Caliciees*, 107*Callerascus*, 17, 45

- C. caerulitunicatus*, 17, 45–47, 375

*Calloriopsidaeae*, 45*Calonectria*, 66

- C. calami*, 383

*Calotropis procera*, 255, 336*Calyptrogyne* sp., 308, 371*Camarosporium* sp., 395*Camelia aponica*, 334*Camellia*, 412

- C. japonica*, 282
- C. sinensis*, 264

*Camposporium*, 147–152

- C. antennatum*, 147, 149–151
- C. antillana*, 148
- C. attenuatum*, 151
- C. cambrense*, 149, 150, 364
- C. fusisporum*, 149–151, 395
- C. hyalinum*, 148, 149
- C. hyderabadense*, 149–151
- C. hyderabadense*, 151
- C. indicum*, 148, 149
- C. japonicum*, 148, 149, 151–152, 364
- C. laundonii*, 149–151
- C. marylandicum*, 148, 149
- C. microsporium*, 149–151
- C. ontariense*, 148, 149, 152, 364
- C. pellucidum*, 149, 150
- C. quercicola*, 149–151
- C. ramosum*, 148, 149, 152–153, 364
- C. scolecosporium*, 148, 149

*Campsotrichum*, 227

- C. circinatum*, 228, 367
- C. podospermum*, 227

*Canalisporium*, 153–154

- C. caribense*, 153–155, 364, 395
- C. elegans*, 153–156, 364
- C. exiguum*, 153, 154, 395
- C. grenadoidea*, 153, 154
- C. jinghongensis*, 153, 154
- C. kenyense*, 153, 154
- C. pallidum*, 153, 154
- C. panamense*, 153, 154
- C. pulchrum*, 153, 154
- C. variabile*, 153, 154

*Canavalia ensiformis*, 181*Candelabrum*, 156

- C. brocchiatum*, 156, 395
- C. clathrosphaeroides*, 156
- C. desmidiaceum*, 156
- C. macrosporium*, 156
- C. spinulosum*, 156

*Canna indica*, 223*Capillaria oligocarpa*, 418*Capronia* sp., 375*Capsicum annum*, 177*Capsulospora*, 93, 95, 98

- C. bipolaris*, 95
- C. brunoensis*, 95
- C. brunneispora*, 93–95, 98, 357, 375
- C. calamicola*, 95
- C. frondicola*, 93, 98
- C. pacifica*, 17, 93, 95–98, 375

*Carapa procera*, 228*Carex*

- C. acutiformis*, 261
- C. paniculata*, 311
- C. riparia*, 261

*Carica*, 303

- C. papaya*, 132, 181, 255, 336

*Carludovica insignis*, 336*Carmichaelia cunninghamii*, 261*Carpinus caucasica*, 301*Carpodinus*, 320

- C. hirsuta*, 336

*Carya illinoensis*, 255*Cassia*

- C. fistula*, 181
- C. fruticosa*, 181

*Castanea crenata*, 176*Castanopsis*

- C. cuspidata*, 293, 295, 326
- C. cuspidata* var. *sieboldii*, 293, 295, 303, 326

- Catenularia*, 156–158, 253, 295, 395  
   *C. atra*, 157  
   *C. cuneiformis*, 157  
   *C. simplex*, 157  
   *C. velutina*, 157, 364  
*Cattanea*, 199  
   *C. heptaspora*, 203  
*Cattleya*, 309  
   *C. labiata*, 181  
*Cecropia* sp., 336  
*Cedrela mexicana*, 228  
*Celtis*, 235, 293  
*Cenchrus*  
   *C. ciliaris*, 255, 260, 311  
   *C. echinatus*, 255  
*Centrosema*  
   *C. plumieri*, 179  
   *C. pubescens*, 255  
*Cephalosporiopsis*, 63, 396  
*Ceratosporella*, 158–159  
   *C. bicornis*, 158  
   *C. deviata*, 159  
   *C. disticha*, 159  
   *C. flagellifera*, 159, 396  
   *C. lambdaseptata*, 159  
   *C. longiramosa*, 159  
   *C. pulneyensis*, 159  
*Cercospora* sp., 396  
*Ceriopos decandra*, 334  
*Ceuthospora*  
   *C. olivacea*, 396  
   *C. pandani*, 396  
*Chaetapiospora*, 104  
*Chaetomium globosum*, 376  
*Chaetopeltis laurina*, 325, 326  
*Chaetopsina*, 240  
   *C. ramifera*, 240  
*Chaetopsina* sp., 396  
*Chaetosphaeria*, 190, 312, 376  
   *C. ampulliformis*, 230  
   *C. aotearoae*, 359  
   *C. cupulifera*, 157, 158, 395  
   *C. dingleyae*, 190, 197  
   *C. dingleyae*, 365  
   *C. elegantissima*, 197  
   *C. filamentosa*, 197  
   *C. glauconigra*, 197  
   *C. intermedia*, 197  
   *C. maharashtrensis*, 197  
   *C. myriocarpa*, 158, 395  
   *C. novae-zelandiae*, 157, 357, 376  
   *C. pulchriseta*, 193–194, 401  
*Chalara*, 295  
   *C. prolifera*, 396  
*Chalarodes*  
   *C. bisetis*, 364  
   *C. obconica*, 364  
*Chamaecypris thyoides*, 255, 320  
*Chamaedorea*, 336  
*Cheilodonta*, 48  
*Cheiromyces recurvus*, 204  
*Chloridium*, 253  
   *C. glaucum*, 265, 369  
   *C. hippotrichoides*, 415  
   *C. phaeosporum*, 396  
   *C. virescens*, 396  
*Chloris*  
   *C. gayana*, 179, 255, 260  
   *C. verticillata*, 255  
*Chrysalidocarpus*, 385  
   *C. lutescens*, 88  
*Chrysanthemum cinerariaefolium*, 255  
*Chusquea* sp., 49, 62, 387  
*Cinna*, 260  
   *C. arundinacea*, 255  
*Cinnamomum*  
   *C. burmanni*, 372  
   *C. burmannii*, 423  
   *C. camphora*, 293, 295  
   *C. japonici*, 326  
   *C. japonicum*, 151  
   *C. osmophloeum*, 176  
   *C. zeylanicum*, 245  
*Circinoniesslia*, 72  
*Circinotrichum*, 159–161, 227, 365  
   *C. falcatisporum*, 227  
   *C. fertile*, 159  
   *C. maculiforme*, 159, 160  
   *C. olivaceum*, 160, 396  
   *C. poonense*, 161  
   *C. pseudocladum*, 159  
*Circinotrichum falcatisporum*, 160  
*Cirsium*, 301  
   *C. lanceolatum*, 58  
*Cistella*, 38  
*Cistellina*, 38  
*Citrullus vulgaris*, 179  
*Citrus*, 53  
   *C. aurantiifolia*, 311  
   *C. limonum*, 311  
   *C. sinensis*, 255, 336  
*Cladium mariscus*, 261, 311  
*Cladosporium*  
   *C. cucumerinum*, 396  
   *C. gibbum*, 334, 422  
   *C. lignaiile*, 319, 320  
   *C. oxysporum*, 397  
*Claudopus pandanicola*, 390

- Clavatospora*, 253  
   *C. filiformis*, 253  
*Clavicipitaceae*, 55, 107  
*Clavicipitales*, 55  
*Clematis vitalba*, 264, 369, 413  
*Clithris pandani*, 376  
*Clitocybe cerussata*, 390  
*Clonostachys compactiuscula*, 397  
*Clypeosphaeriaceae*, 92  
*Clypeosphaeria stevensii*, 357  
*Cocos*, 177, 335  
   *C. nucifera*, 178–180, 228, 255, 269, 293,  
     311, 333, 336, 378, 412  
*Codinaea*, 187, 188, 197  
   *C. apicalis*, 196  
   *C. australensis*, 187  
   *C. britannica*, 187  
   *C. fertilis*, 190, 365, 400  
   *C. pakhalensis*, 187  
   *C. parva*, 192, 365, 400  
   *C. simplex*, 195  
   *C. vulgaris*, 196  
*Codinaea*  
   *C. simplex*, 365, 401  
   *C. vulgaris*, 401  
*Coffea*  
   *C. arabica*, 309  
   *C. liberica*, 235, 304  
   *C. robusta*, 255  
*Cola*, 334  
   *C. lateritia*, 333, 335, 336  
*Coledictyospora*  
   *C. cubensis*, 397  
   *C. micronesica*, 397  
*Coleodictyospora*, 161, 162  
   *C. cubensis*, 161, 162  
   *C. micronesica*, 161–162  
*Colletosporium*  
   *C. crispulum*, 164  
   *C. densum*, 162  
*Colletotrichum*  
   *C. dematium*, 397  
   *C. gloeosporioides*, 397  
   *C. pandani*, 397  
*Collinsonia canadensis*, 181  
*Colocasia esculentum*, 177  
*Combretum* sp., 320  
*Conchatium*, 28  
*Coniosporium*  
   *C. brevipes*, 245  
   *C. extremorum*, 255  
*Coniothyrium*  
   *C. pandanicola*, 397  
   *C. perottianum*, 397  
*Conoplea*, 162–164  
   *C. catenata*, 162  
   *C. elegantula*, 163  
   *C. eucalypti*, 163  
   *C. fusca*, 163–165, 424  
   *C. geniculata*, 163, 178, 179  
   *C. globosa*, 163  
   *C. juniperi*, 163  
   *C. manganotii*, 162  
   *C. novae-zelandiae*, 164–166  
   *C. olivacea*, 162  
   *C. sphaerica*, 162, 163  
   *C. tortuosa*, 164  
*Conotrema*, 51  
*Coprosma australis*, 320  
*Cordana*  
   *C. vasiformis*, 216, 218, 367, 404  
*Cordia* sp., 333  
*Cordyline*  
   *C. australis*, 362  
   *C. banksii*, 56  
   *C. indivisa*, 71  
*Coriandrum*, 260  
   *C. sativum*, 255  
*Coronospora*, 165  
   *C. dendrocalami*, 165  
   *C. novae-zelandiae*, 165–166, 365  
   *C. pallescens*, 165, 180  
   *C. uniseptata*, 165  
*Cortaderia*  
   *C. atacamensis*, 218, 296  
   *C. selloana*, 311  
   *C. toetoe*, 53  
*Corticidae*, 52  
*Corticium*  
   *C. rolfsii*, 389  
   *C. vagum*, 390  
*Corylus*, 130, 164, 320  
   *C. avellana*, 118  
*Coryneliales*, 107  
*Corynespora*, 230  
   *C. elaeicola*, 397  
   *C. hansfordii*, 398  
*Corynesporella*, 230  
*Corynesporopsis*, 230  
*Corynocarpus laevigatus*, 335  
*Corypha elatum*, 112  
*Cosmospora*, 68  
   *C. coccinea*, 68  
   *C. consors*, 68–69, 358, 376  
*Crataegus*, 228  
*Creopus*, 67  
*Crepidotus parietalis*, 363  
*Crescentia cujete*, 56

- Crinum* sp., 335, 336  
*Crocicreas*, 27–28, 31  
   *C. calathicola*, 31  
   *C. eschscholtziae*, 31  
   *C. espeletarum*, 31  
   *C. gramineum*, 28  
   *C. nivale*, 28, 29, 376  
   *C. novae-zelandiae*, 17, 29–31, 358  
*Cromocrea*, 67  
*Crotalaria*  
   *C. cleomifolia*, 181  
   *C. juncea*, 301  
   *C. usaramoensis*, 181  
   *C. zanzibarica*, 181  
*Cryptocarya mackinnoniana*, 245  
*Cryptodiscus*, 52  
*Cryptoniesslia*, 72  
*Cryptophiale*, 166–171, 174, 175  
   *C. apicalis*, 166, 168, 170  
   *C. aristata*, 168, 170–172, 175, 176, 187, 398  
   *C. caudata*, 365  
   *C. cucullata*, 167, 168, 175  
   *C. enormis*, 166, 168, 170, 175, 176  
   *C. fruticetum*, 17, 167, 168, 172–174, 398  
   *C. guadalcanalense*, 167, 168  
   *C. hamulata*, 17, 168, 170, 171, 174–176, 398, 424  
   *C. insularis*, 168, 170, 171  
   *C. iriomoteanum*, 168, 170, 171  
   *C. kakombensis*, 166, 168, 170  
   *C. minor*, 168, 170, 171  
   *C. multiseptata*, 166, 168, 170  
   *C. novae-caledoniae*, 167, 169, 170, 365  
   *C. orthospora*, 169–171, 176, 398  
   *C. pandanicola*, 167, 169, 170, 398  
   *C. pusilla*, 169, 170  
   *C. sphaerospora*, 169, 170  
   *C. udagawae*, 166, 167, 169, 174–177, 398  
   *C. verrucosa*, 166, 169, 170  
*Cryptophialoidea*, 166–171  
   *Cr. fasciculata*, 171  
   *Cr. fasciculata*, 169  
   *Cr. manifesta*, 169–171  
   *Cr. ramosa*, 167, 169  
   *Cr. secunda*, 166, 169–171  
   *Cr. uncispora*, 169–171  
*Cryptospora*  
   *C. chondrospora*, 104  
   *C. limitata*, 105  
*Cryptosporella chondrospora*, 105  
*Cucumis sativus*, 181  
*Culcasia*, 334  
   *C. scandens*, 255, 336  
*Cunninghamia lanceolata*, 180, 293  
*Cupania glabra*, 336  
*Curvularia*, 177, 399  
   *C. eragrostidis*, 177–178, 398  
   *C. fallax*, 178–179, 398  
   *C. geniculata*, 398  
   *C. inaequalis*, 399  
   *C. lunata*, 177, 399  
   *C. pallescens*, 179–180, 365  
*Cyanodermella*, 106, 107  
*Cyathea*, 56, 135, 138, 305, 419  
   *C. arborea*, 62  
   *C. dealbata*, 56, 58, 62, 63, 358  
   *C. medullaris*, 53, 54, 56, 58, 62, 63  
   *C. smithii*, 58  
*Cyathicula*, 27, 28  
*Cyathodes robusta*, 228  
*Cyclostoma*, 52  
*Cyclostroma*, 55  
*Cylindrina*, 52  
*Cylindrocarpon curtum*, 399  
*Cylindrocladium*, 399  
*Cylindrotrichum clavatum*, 399  
*Cymbopogon*  
   *C. afronardus*, 311  
   *C. ambiguus*, 177  
   *C. citratus*, 179, 255, 311  
   *C. martinii*, 177  
   *C. winterianus*, 177  
*Cynodon*  
   *C. dactylon*, 177, 179, 255, 260, 261  
   *C. plectostachyum*, 260, 311  
*Cyperus*  
   *C. alternifolius*, 255, 311  
   *C. antillanus*, 179  
   *C. longus*, 311  
*Cyphella pandani*, 390  
*Cytospora pandani*, 399
- D**  
*Dacrydium cupressinum*, 130, 334  
*Dacryopinax spathularia*, 390  
*Dactylaria*  
   *D. ampulliformis*, 399  
   *D. iriomoteana*, 399  
   *D. purpurella*, 399  
*Dactylella oxyspora*, 48  
*Dactylis*, 311  
   *D. glomerata*, 255  
*Dactyloctenium aegyptium*, 177, 179  
*Dactylospora stygia*, 376  
*Daemonorops* sp., 93, 375  
*Daphniphyllum glaucescens*, 411



- Dasyscypha*, 34, 35  
     *D. variegatus*, 43  
*Dasyscyphella palmae*, 40, 379  
*Dasyscyphus*, 38, 39, 43  
     *D. triseptatus*, 43  
     *D. variegatus*, 359  
     *D. virgineus*, 376  
*Davincia*, 28  
*Delpontia*, 52  
*Dematium*  
     *D. sphaericum*, 162  
     *D. strigosum*, 402  
     *D. verticillatum*, 307, 308, 419  
     *D. virescens*, 396  
*Dematophora*, 115, 117  
     *D. necatrix*, 118  
*Dendrobium*, 223  
*Dendrocalamus*  
     *D. giganteus*, 264  
     *D. stricatus*, 264  
*Dendrophion nodulosum*, 181  
*Dendrosporium*, 180  
     *D. candelabroides*, 180  
     *D. lobatum*, 180–181, 399  
*Dendryphiella*, 181, 182  
     *D. interseminata*, 181  
     *D. vinosa*, 181–182, 400  
*Dendryphiopsis*, 230  
*Dermateaceae*, 24  
*Deschampsia* sp., 311  
*Desmanthus virgatus*, 228  
*Desmodium* sp., 336  
*Desplatzia lutea*, 333, 336  
*Dialonectria*, 66  
     *D. consors*, 358, 376  
*Dianthus carthusianorum*, 376  
*Diatrypaceae*, 92  
*Diatrypales*, 92  
*Dichantherium*  
     *D. acuminatum*, 255  
     *D. clandestinum*, 311  
*Dichanthium annulatum*, 326  
*Dichapetalum flexuosum*, 336  
*Dichotomella*, 254  
*Dichotophora*, 17, 182–183, 186, 187, 276  
     *D. asetosa*, 17, 183, 184, 186, 187, 400  
     *D. setiramosa*, 17, 182–187, 400  
*Dictyarthrinium sacchari*, 400  
*Dictyochaeta*, 187–197, 365, 401  
     *D. antillana*, 198, 401  
     *D. apiculata*, 193, 196  
     *D. caatingae*, 188  
     *D. ciliata*, 188, 189  
     *D. coffeae*, 194, 195  
     *D. curvispora*, 188, 189  
     *D. cylindrospora*, 192  
     *D. falcatispora*, 188  
     *D. fertilis*, 190–191, 365, 400  
     *D. fimbriata*, 188, 189, 191, 400  
     *D. fruticola*, 188  
     *D. fuegiana*, 187  
     *D. intermedia*, 188, 189, 198  
     *D. ixorae*, 188  
     *D. malaysiana*, 190  
     *D. menisporoides*, 197  
     *D. microcylindrospora*, 188, 191–192  
     *D. microcylindrospora*, 400  
     *D. minutissima*, 188, 189  
     *D. multifimbriata*, 188, 189  
     *D. multisetula*, 188, 189, 192, 400  
     *D. multisetulus*, 192  
     *D. novae-guineensis*, 190  
     *D. occidentalis*, 188, 189, 195  
     *D. parva*, 192–193, 196, 365, 400  
     *D. plovercovensis*, 188, 189  
     *D. renispora*, 188, 189, 194, 365, 401  
     *D. seychellensa*, 188, 194–195, 401  
     *D. seychellensis*, 188, 189  
     *D. simplex*, 194, 195, 365, 401  
     *D. tilikfrei*, 193, 194, 196  
     *D. tortuosa*, 190  
     *D. tropicalis*, 188, 189  
     *D. uncinata*, 188  
     *D. vulgaris*, 193, 196, 401  
     *D. zapatensis*, 188, 189, 195  
*Dictyochaetopsis*, 196–198  
     *D. antillana*, 198, 401  
     *D. apicalis*, 196, 198  
     *D. brasiliensis*, 197  
     *D. dingleyae*, 197  
     *D. elegantissima*, 197  
     *D. filamentosa*, 198  
     *D. glauconigra*, 198  
     *D. gonytrichoides*, 197  
     *D. hamata*, 198  
     *D. maharashtrensis*, 198  
     *D. menisporoides*, 197  
     *D. pahangensis*, 197  
     *D. polysetosa*, 197  
*Dictyosporium*, 199, 205, 208, 278  
     *D. acroinflatum*, 17, 199–201, 208, 366  
     *D. alatum*, 201, 207, 208, 401  
     *D. australiense*, 199, 208  
     *D. biseriale*, 208  
     *D. boydii*, 207  
     *D. brahmaswaroopii*, 205, 208  
     *D. bulbosum*, 199, 202, 208, 366, 401  
     *D. campaniforme*, 208

- Dictyosporium* (cont.)  
*D. canisporum*, 208  
*D. circinatum*, 199  
*D. cocophilum*, 208  
*D. digitatum*, 202–203, 208, 402  
*D. dkagarwalii*, 208  
*D. elegans*, 199, 207, 208  
*D. foliicola*, 208  
*D. freycinetiae*, 199, 208, 366  
*D. gauntii*, 208  
*D. giganticum*, 209  
*D. heptasporum*, 203–204, 209, 366, 402  
*D. intermedium*, 199  
*D. lakefuxianensis*, 199, 204–205, 209, 366  
*D. manglietiae*, 209  
*D. micronesiacum*, 209  
*D. musae*, 209  
*D. nigroapice*, 209  
*D. oblongum*, 209  
*D. pandani*, 17, 205–207, 209, 402  
*D. polystichum*, 209  
*D. rhopalostylidis*, 209  
*D. schizostachyfolium*, 209  
*D. seychellarum*, 280, 402  
*D. sinensis*, 209  
*D. stellatum*, 209  
*D. strelitziae*, 210  
*D. subramanianii*, 199, 210, 402  
*D. taishanensis*, 210  
*D. tetraploides*, 210  
*D. tetraseriale*, 210  
*D. tetrasporum*, 210  
*D. tnlakhanpalii*, 210  
*D. toruloides*, 207, 210, 366  
*D. triramosum*, 210  
*D. triseriale*, 205, 210  
*D. verrucosum*, 205, 278, 279  
*D. yunnanensis*, 199, 210  
*D. zeylanicum*, 210  
*D. zhejiangense*, 210
- Dicyma*, 182  
*Diderma effusum*, 423  
*Didymella*, 376  
*D. acutata*, 98, 385  
*D. pandani*, 376  
*D. pandanicola*, 386
- Digitalis* sp., 301  
*Digitaria*, 260  
*D. exilis*, 177  
*D. sanguinalis*, 311
- Dillenia*  
*D. indica*, 326  
*D. reticulata*, 176
- Dimerosporium*  
*D. pandani*, 377  
*D. strigosum*, 402  
*Dioscorea*, 292, 303, 309, 334  
*D. pentaphylla*, 177  
*Diospyros discolor*, 293  
*Diplococcium*, 207–211, 271, 284, 297–299  
*D. asperum*, 298  
*D. hughesii*, 209, 211  
*D. pandani*, 6, 211, 402  
*D. spicatum*, 207  
*D. stoveri*, 211, 366, 402  
*D. verruculosum*, 211
- Diplodia*  
*D. fructus-pandani*, 403  
*D. pandani*, 403  
*Diplodina pandani*, 403  
*Diplorhino-trichum ampulliforme*, 399  
*Diplorrhynchus* sp., 320  
*Dipterocarpus costatus*, 176  
*Dothidasteromella pandani*, 377  
*Dothiorella maculosa*, 403  
*Dracaena* sp., 335  
*Dracophyllum*  
*D. arboreum*, 228  
*D. latifolium*, 54
- Drimys*, 160  
*Drypetes* sp., 336  
*Duranta repens*, 336  
*Duschekia kamschatica*, 207  
*Dyera costulata*, 171, 176  
*Dysoxylum spectabile*, 207, 264, 320
- E**
- Echidnodes*, 377  
*E. pandani*, 377  
*E. pandanicola*, 377  
*E. sandwicensis*, 377  
*Echinobotryum pulvinata*, 322, 324, 421  
*Echinochloa*  
*E. colona*, 179  
*E. crus-galli*, 255, 260  
*E. mexicana*, 179  
*Ectal excipulum*, 26, 28, 29, 34, 37, 41, 45, 46  
*Ectrosia agrostoides*, 178  
*Eichhornia crassipes*, 255  
*Elachopeltis* sp., 403  
*Elaeis*, 99, 114, 235, 334, 335, 361  
*E. guineensis*, 128, 147, 177, 178, 225, 235, 255, 261, 336, 397, 402  
*Elaeocarpus dentatus*, 176, 320  
*Eleiodoxa conferta*, 229  
*Elettara* sp., 69

- Ellisembia*  
*E. adscendens*, 366, 403  
*E. brachypus*, 366, 403  
*E. leonensis*, 366  
*E. palauensis*, 367  
*E. paravaginata*, 403  
*E. vaga*, 367  
*E. vaginata*, 367, 403
- Ellisiodothis*  
*E. microdisca*, 358  
*E. pandani*, 377
- Elymus riparius*, 255
- Emericella*, 377  
*E. nidulans*, 377
- Encephalartos barteri*, 336
- Endophragma cambrense*, 367
- Endophragma*, 212, 214, 236, 259, 267, 268  
*E. australiensis*, 368  
*E. biseptata*, 215  
*E. coronata*, 294, 417  
*E. elliptica*, 266  
*E. laxa*, 258, 259, 410  
*E. mucocephala*, 215  
*E. parva*, 295, 418  
*E. prolifera*, 267  
*E. queenslandica*, 215  
*E. verruculosa*, 236, 238, 368, 407
- Endophragmiella*, 212, 214, 267  
*E. africana*, 214  
*E. canadensis*, 212  
*E. dimorphospora*, 403  
*E. pallescens*, 212  
*E. pandani*, 17, 212–214, 404  
*E. queenslandica*, 17, 214–216, 404
- Eperua falcata*, 245
- Epicoccum*  
*E. levisporum*, 255  
*E. nigrum*, 404  
*E. pandani*, 404
- Epilobium hirsutum*, 261
- Equisetum arvense*, 58
- Eragrostis*  
*E. chapilieri*, 177, 398  
*E. rachitricha*, 398
- Erianthus*  
*E. alopecuroides*, 255, 311  
*E. arundinaceus*, 300  
*E. munja*, 300
- Erica arborea*, 372
- Erinella*, 38  
*E. alboflaveola*, 377  
*E. hyalopoda*, 40, 379
- Erinellina*, 39
- Eriobotrya japonica*, 293, 424
- Erioscypha*, 43
- Erioscyphella*, 39
- Erythrina senegalensis*, 336
- Espeletia*, 50
- Eucalyptus*, 160, 164, 176, 228, 326, 336, 413  
*E. globulosa*, 177  
*E. globulus*, 164, 255  
*E. grandis*, 176  
*E. pauciflora*, 409  
*E. robusta*, 164, 176, 326  
*E. saligna*, 176, 228, 293, 326, 334  
*E. tereticornis*, 177, 179, 228, 255, 311, 326, 334
- Euchlaena*, 292, 311
- Eugissonia* sp., 93
- Eulalia*, 177
- Euonymus*, 334  
*E. pendulus*, 326
- Eupatorium*, 164
- Exserohilum* sp., 404
- Exserticlava*, 216–217  
*E. globosa*, 216, 217  
*E. keniensis*, 216, 217  
*E. triseptata*, 216, 217  
*E. uniseptata*, 216, 217  
*E. vasiformis*, 216–218  
*E. yunnanensis*, 216  
*E. yunnanensis*, 217
- Exserticlava vasiformis*, 367, 404
- F**
- Fagara xanthoxyloides*, 336
- Fagus*, 275, 282, 320  
*F. crenata*, 264  
*F. grandifolia*, 164, 309  
*F. orientalis*, 301  
*F. sylvatica*, 150, 158, 190, 193, 238, 259, 282, 311, 364, 393, 407, 410
- Farlowiella carmichaeliana*, 129
- Festuca* sp., 311
- Ficus*, 177, 293, 333–336, 394  
*F. cuspidato-caudata*, 180, 293, 326  
*F. elastica*, 326, 336  
*F. gibbosa*, 171, 176  
*F. leprieurii*, 304  
*F. palmata*, 264, 320
- Filipendula ulmaria*, 190, 261, 267
- Filospora aquatica*, 404
- Flosculomyces*, 219  
*F. floridaensis*, 219, 367, 404  
*F. trilobatus*, 219
- Foeniculum vulgare*, 58, 255

- Fragaria* sp., 301  
*Fraxinus*, 43, 130, 263, 320  
     *F. excelsior*, 158, 190  
*Freycinetia*, 3, 4, 6, 12, 13, 54, 68, 69, 78, 100, 101, 155, 167, 179, 180, 191, 194, 203, 235, 251, 255, 256, 262, 264, 272, 273, 275, 283, 297–301, 304, 308, 309, 320, 328, 336, 337, 356–358, 360, 362, 364–372, 419  
     *F. arborea*, 151, 152, 364, 366, 367, 372  
     *F. arnotti*, 358, 360, 362, 371  
     *F. banksii*, 6, 12, 27, 29, 31, 35, 39–41, 43, 44, 49–51, 53–58, 61–64, 66–68, 71, 75, 77, 78, 80, 88, 89, 91–94, 99, 103, 109, 110, 112–114, 118–120, 143, 150, 157, 165, 166, 193, 195, 199, 201, 202, 223, 226–229, 236, 238, 246, 263–265, 267, 270, 271, 301–303, 306, 309, 310, 328, 357–372, 387, 419  
     *F. boninensis*, 363  
     *F. excelsa*, 11, 131, 143, 190, 194, 211, 363–365  
     *F. formosana*, 363  
     *F. graminicola*, 272  
     *F. graminifolia*, 273, 364, 369, 370  
     *F. imbricata*, 363  
     *F. insignis*, 368  
     *F. longispica*, 362  
     *F. maxima*, 368  
     *F. montiploa*, 269  
     *F. multiploa*, 12, 155, 194, 203, 264, 265, 270, 275, 297, 298, 364, 365, 369–371, 401  
     *F. multiplora*, 309, 310  
     *F. negrogsnsis*, 88  
     *F. negrosensis*, 12, 82, 83, 143, 144, 218, 361, 364, 367  
     *F. samoensis*, 360  
     *F. scadens*, 218  
     *F. scandens*, 11, 152, 161, 204, 207, 211, 218, 251, 263–265, 300, 305, 364–369, 371  
     *F. wilderi*, 304, 328, 336, 337, 367, 370–372  
*Freycinetiae*, 249  
*Fruticetum*, 172  
*Fuckelina*, 299  
*Fumicola*, 48  
*Furcraea*, 177  
*Fusarium*  
     *F. oxysporum*, 404  
     *F. pandani*, 404  
*Fuscophialis suttonii*, 404  
*Fusicladium* sp., 404  
*Fusidium viride*, 222  
*Fusisporium pandani*, 404
- G**  
*Gaeumannomyces leptosporus*, 385  
*Gahnia*, 176  
*Garcinia spicata*, 293  
*Gardenia* sp., 309  
*Gelatinipulvinella*, 45  
     *G. astraeicola*, 45  
*Geniculosporium*, 115, 117, 119  
*Geonoma* sp., 93  
*Gibberella lagerheimii*, 358  
*Gleditschia triacanthos*, 118  
*Gliocladium roseum*, 405  
*Gliomastix*, 72, 219–222, 225–226  
     *G. arctiaggregata*, 222  
     *G. cerealis*, 222  
     *G. chartarum*, 219  
     *G. convoluta*, 219  
     *G. elasticae*, 221  
     *G. elata*, 220, 222, 405  
     *G. felina*, 222  
     *G. fusigera*, 221  
     *G. inflata*, 222  
     *G. luzulae*, 221–223, 367  
     *G. macrocerealis*, 221  
     *G. macrocylindrica*, 222  
     *G. macroelata*, 220, 405  
     *G. moriformis*, 221  
     *G. murorum*, 219, 221, 405  
     *G. musicola*, 221  
     *G. nigricans*, 220  
     *G. novae-zelandiae*, 220, 223, 226, 227  
     *G. pallescens*, 221  
     *G. pandani*, 17  
     *G. pandani*, 222–225, 405  
     *G. phoenicis*, 221  
     *G. polychroma*, 220, 221, 405  
     *G. protea*, 225  
     *G. ramosa*, 220, 405  
*Gliophragma*, 266, 325  
     *G. setosum*, 325, 326  
*Gliricidia sepium*, 181  
*Gloeosporium*, 405  
     *G. pandani*, 405  
*Glomerella*, 378  
     *G. cingulata*, 377  
     *G. pandani*, 378  
*Glottidium vesicarium*, 311  
*Glyceria maxima*, 261  
*Glycine max*, 179, 255, 333  
*Gmelina arborea*, 179  
*Gnomoniopsis cingulata*, 377  
*Gossypium hirsutum*, 255, 301  
*Grallomyces portoricensis*, 405  
*Graphopsis*, 263  
     *G. cornui*, 264

- Grewia*, 228  
*Groveolopsis pandani*, 405  
*Guazuma ulmifolia*, 119  
*Guedea*, 226  
     *G. novae-zelandiae*, 227, 367, 406  
     *G. ovata*, 226  
     *G. sacra*, 226  
*Guignardia*, 378  
     *G. cocoicola*, 378  
     *G. freycinetiae*, 101, 358, 359  
*Gunnera scabra*, 223  
*Gynerium*, 311  
     *G. saccharoides*, 261  
*Gyrothrix*, 160, 227–228  
     *G. circinata*, 228, 367  
     *G. citricola*, 227  
     *G. cornuta*, 160, 227  
     *G. magica*, 227  
     *G. pediculata*, 160, 227  
     *G. podosperma*, 227  
     *G. verticillata*, 228, 406
- H**
- Habrostictis*, 48  
*Halysium sphaerocephalum*, 129, 130  
*Hansfordia*, 182, 183  
*Haplaria pandani*, 406  
*Haplographium* sp., 406  
*Harknessia pandani*, 406  
*Harpocephalum*, 259  
     *H. dematioides*, 260  
*Hawaiiensis*, 255  
*Hedycarya arborea*, 309  
*Hedychium gardnerianum*, 223, 261  
*Heeria*, 260, 320  
*Helianthus annuus*, 255  
*Helicomycetes roseus*, 406  
*Heliconia*, 62  
     *H. brasiliensis*, 309, 336  
     *H. mariae*, 283  
*Helicorhoidion*, 199  
*Helicosporium*, 406  
*Helicotrichum olivaceum*, 160, 396  
*Helicoubisia*, 229  
     *H. coronata*, 229, 367, 406  
*Helminthosporium*, 177, 271, 284, 414  
     *H. binum*, 284  
     *H. brachypus*, 366, 403  
     *H. coryneoidium*, 267, 369  
     *H. coryneoidium* var. *proliferum*, 414  
     *H. geniculatum*, 398  
     *H. inaequale*, 399  
     *H. vinosum*, 181, 400  
*Helmisporium*, 284  
*Helolachnum*, 39  
*Helotiaceae*, 27, 31  
*Helotiales*, 23–41  
*Helotium*, 27  
     *H. alutaceum*, 385  
*Hemibeltrania*, 182, 183  
*Hemicorynespora*, 229–232, 234  
     *H. aseptata*, 230–232, 234  
     *H. biconica*, 230–232  
     *H. clavata*, 231, 232  
     *H. deightonii*, 229–232, 234, 406  
     *H. fusispora*, 230–232  
     *H. mauritiana*, 17, 230, 231, 233–234, 406  
     *H. mitrata*, 230–232  
     *H. multiseptata*, 230–232  
     *H. naviculiformis*, 230–232, 406  
     *H. obclavata*, 230–232  
     *H. ovata*, 230–232, 234  
     *H. rostrata*, 230–232  
*Heraclium*, 223, 264  
     *H. lanati*, 309  
     *H. sphondylium*, 223, 311  
*Heraldoa pandani*, 378  
*Herbaceous plants*, 418  
*Heritiera littoralis*, 326  
*Hermatomyces*, 234–235  
     *H. amphisporus*, 235  
     *H. dimorphus*, 234  
     *H. sphaericus*, 234  
     *H. tucumanensis*, 234–236, 368, 406  
*Herpomycetes* sp., 378  
*Heterocrea*, 67  
*Heteropogon contortus*, 260, 311  
*Hevea*, 177, 304  
     *H. brasiliensis*, 255, 336  
*Hibiscus*, 309, 335  
     *H. cannabinus*, 255  
     *H. esculentus*, 181, 255  
*Hobsonia mirabilis*, 407  
*Hohenbergia penduliflora*, 261  
*Hoheria populnea*, 225  
*Hugonia* sp., 336  
*Hugueninia freycinetiae*, 362  
*Hyalinia*, 48  
*Hyalorbilia*, 48, 50  
     *H. inflatula*, 49–51, 358, 378  
*Hyaloscyphaceae*, 24, 31–32, 38  
*Hyalostachybotrys*, 299, 300  
     *H. bisbyi*, 300, 418  
     *H. sacchari*, 300  
*Hyderabadense*, 151  
*Hydnocarpus* sp., 334  
*Hydropisphaera*, 55, 56  
     *H. arenuloides*, 56, 358  
     *H. erubescens*, 56, 57, 358, 378

*Hydropisphaera* (cont.)*H. peziza*, 55*H. rufofusca*, 57, 378*Hymenochaete adusta*, 390*Hyparrhenia filipendula*, 255*Hyphaene*, 334*H. thebaica*, 333*Hypocraeaceae*, 67*Hypocrea*, 67, 69*H. hemisphaerica*, 378*H. tawa*, 67, 68, 358*Hypocreaceae*, 55, 66–67*Hypocreales*, 55–120*Hypocreopsis*, 66*Hyponectria*, 378*H. pandani*, 378*Hyponectriaceae*, 92, 93, 99–100*Hyposcypha*, 39*Hypoxylon aquilum*, 117*Hyptis radiata*, 181*Hysteriales*, 106, 107**I***Idriella*, 276*I. caespitosa*, 407*I. camptospermae*, 276*Impatiens noli-tangere*, 311*Imperata cylindrica*, 177, 179*Indigofera*, 181*I. gerardiana*, 164*Inflatum*, 199*Ipomoea*, 177*Isaria pulcherrima*, 389*Ischaemum* sp., 311*Isia neocaledoniensis*, 379*Ityorhoptrum*, 236, 238*I. natalense*, 236*I. sphaericosporum*, 17, 236–238, 368*I. verruculosum*, 236, 238–239, 368, 407**J***Jaculispora submersa*, 407*Johansonia pandani*, 379*Juglans*, 320*J. nigra*, 180*J. regia*, 301*Juncus**J. effusus*, 261, 282, 416*J. roemerianus*, 242, 243, 255, 260, 261, 301, 303, 309, 311, 320, 334*Junewangia*, 126, 239*J. globulosa*, 239, 240*J. lamma*, 239–240, 407*J. martinii*, 239, 240*J. obliqua*, 239, 240, 407*J. sphaeospora*, 240*J. sphaerospora*, 239*Juniperi*, 163**K***Kananascus**K. europaeus*, 242*K. okamurae* var. *assamica*, 242*Kapitiana*, 78*Khaya anthotheca*, 228*Kionochaeta*, 240, 241*K. australiensis*, 241*K. keniensis*, 241*K. pughii*, 241, 407*K. ramifera*, 240, 241*Kirschsteinothelia atkinsonii*, 358*Knightia excelsa*, 71, 176*Kodonospora tetracolumnaris*, 407*Koorchaloma*, 241–243*K. bambusae*, 242–244, 407*K. dimorpha*, 243*K. europaea*, 242, 243*K. galataea*, 242, 243*K. jamaicensis*, 242, 243*K. madreeya*, 241–243*K. novojournalis*, 243*K. occidentale*, 242, 243*K. okamurae*, 242, 243*K. scutiae*, 242, 243*K. spartinicola*, 242, 243*Korthalsia rigida*, 272*Kunzea ericoides*, 147, 320**L***Laboulbeniales*, 55*Lachnellula*, 31, 34–36, 38*L. bruneiensis*, 17, 36–38, 379*L. suecica*, 35*Lachnum*, 35, 38–41, 359*L. agaricium*, 39*L. apalum*, 40*L. brevopilum*, 39*L. candidum*, 40*L. curtupilum*, 39–40, 359*L. curtupilum*, 40*L. hyalopus*, 40, 379*L. nudipes*, 40, 42*L. palmae*, 40–41, 379*L. virgineum*, 40

- Lachum (Hyaloscyphaceae)*, 32  
*Lactarius pandani*, 390  
*Lactuca indica*, 255  
*Lagenaria vulgaris*, 181  
*Lammaensis*, 134  
*Landolphia* sp., 334  
*Lantana camara*, 261  
*Lapageria rosa*, 412  
*Lasiobelonis*, 42  
*Lasiobelonium*, 42–43  
     *L. subflavidum*, 43  
     *L. variegatum*, 43–44, 359  
*Lasiodiplodia*  
     *L. abnormis*, 407  
     *L. theobromae*, 379  
*Lasionectria*, 56, 57  
     *L. mantuana*, 57  
     *L. sylvana*, 58, 359, 379  
*Lasiophaeria cupulifera*, 157  
*Laurelia novae-zelandiae*, 190  
*Laurus*, 53, 207, 263  
     *L. nobilis*, 150, 207, 228, 264, 295, 326, 333, 334, 422  
*Lembosia aulographoides*, 379  
*Lembosina aulographoides*, 379  
*Lembosiosis* sp., 380  
*Leotiaceae*, 44–45  
*Leotiales*, 31, 44–47  
*Lepteutypa tropicalis*, 380  
*Leptodiscus*, 246  
     *L. terrestris*, 246  
*Leptospermum scoparium*, 193, 320, 401  
*Leptosphaeria*  
     *L. eustomoides*, 387  
     *L. pandani*, 380  
     *L. pandanicola*, 380  
*Lichenopsis*, 52  
*Lichen radiatus*, 52  
*Licuala*, 93, 274  
*Linocarpon*, 100, 102  
     *L. appendisporum*, 100, 380  
     *L. bipolaris*, 100  
     *L. breve*, 102, 380  
     *L. clavatum*, 102  
     *L. elaeidis*, 380  
     *L. falciformisporum*, 100–102, 380  
     *L. fasciatum*, 380  
     *L. freycinetiae*, 100–102, 359  
     *L. hamasporum*, 100  
     *L. lammiae*, 101–102, 380  
     *L. livistonae*, 100, 380  
     *L. longispora*, 100  
     *L. palmetto*, 102, 381  
     *L. pandani*, 100, 102–104, 359, 381  
     *L. pandanicola*, 100, 102, 104, 381  
     *L. siamense*, 381  
     *L. spathulatum*, 102, 381  
     *L. sulcatum*, 381  
     *L. suthepense*, 381  
*Linospadix microcarya*, 386  
*Linospora*  
     *L. palmetto*, 381  
     *L. pandani*, 381  
     *L. pandanicola*, 103  
*Liquidambar macrophylla*, 176, 177, 179, 311  
*Listera japonica*, 282  
*Litchi chinensis*, 151  
*Litsea* sp., 334  
*Liuiduensis*, 296  
*Liukuensis*, 220, 264, 295  
*Livistona*, 336, 380  
     *L. chinensis*, 333, 335, 336  
*Livistonia* sp., 114  
*Lohwagiella*, 75  
*Lophiostoma mascarensis*, 381  
*Lophiostomataceae*, 106  
*Lophodermium*  
     *L. javanicum*, 381  
     *L. multimatricum*, 359  
*Lupinus*, 261  
*Luzula maxima*, 223, 367  
*Lycopersicon esculentum*, 177, 179, 255, 413
- M**  
*Machaerium*, 261  
*Machilus*  
     *M. kusanoi*, 293  
     *M. thunbergia*, 151  
     *M. thunbergii*, 264, 293  
     *M. velutina*, 202  
*Machilus kusanoi*, 326  
*Macrophoma pandani*, 408  
*Macrophomella pandani*, 408  
*Magnaporthe*, 252  
*Magnolia*  
     *M. fraseri*, 68  
     *M. grandiflora*, 228, 367  
     *M. obovata*, 334  
*Mahonia nepalensis*, 43  
*Mallotus oppositifolius*, 336  
*Malpighia puniceifolia*, 336  
*Malus sylvestris*, 255  
*Mammaria echinobotryoides*, 408  
*Mangifera indica*, 179, 228, 255, 334  
*Manihot* sp., 309  
*Marasmius pandanicola*, 390

- Massarina*  
*M. tetraploa*, 310  
*M. waikanaensis*, 382  
*Matayba domingensis*, 334  
*Maurinia*, 110  
*Mauritia flexuosa*, 105, 388  
*Mauritiana*, 233  
*Mauritius*, 375–378, 380–385, 387, 389, 392,  
394, 395, 397–399, 402, 404, 406, 408  
*Melanconidaceae*, 92  
*Melanconium*  
*M. freycinetiae*, 368  
*M. merrillii*, 408  
*M. pandani*, 408  
*M. pandanicola*, 408  
*M. putredinis*, 245  
*Melandrium rubrum*, 261  
*Melanocephala australiensis*, 368  
*Melanochaeta*  
*M. aotearoae*, 359  
*M. hemipsila*, 382  
*Melanomma clypeatum*, 359  
*Melanopsamma*, 72, 73, 75  
*M. melanostigma*, 75  
*M. monociliata*, 17, 73–75, 359, 382  
*M. pomiformis*, 73, 75, 299  
*M. verrucosa*, 75  
*Melicytus ramiflorus*, 225, 320  
*Melinis minutiflora*, 311  
*Meliola*  
*M. juddiana*, 359  
*M. juttingii*, 382  
*M. Kapoorii*, 408  
*M. pandani*, 382  
*M. pandanicola*, 382  
*Melittosporiella*, 52  
*Melogrammataceae*, 92  
*Memnoniella*, 408  
*M. echinata*, 408  
*Menispora apicalis*, 196  
*Menisporella*, 187  
*Menisporopsis*, 244  
*M. pirozynskii*, 244–245, 408  
*M. theobromae*, 244, 245, 409  
*Merrilliopectis*, 98  
*Merulius spathularius*, 390  
*Metadiplodia pandani*, 409  
*Metasphaeria*  
*M. christophersenii*, 360  
*M. fur*, 382  
*M. profuga*, 382  
*Metrosideros*  
*M. collina*, 301, 334  
*M. collina* subsp. *polymorpha*, 301, 334  
*M. kermadecensis*, 176  
*M. robusta*, 357, 376  
*Metroxylon sagu*, 334  
*Microcyclus pandani*, 382  
*Microdochium caespitosa*, 407  
*Micronectriopsis*, 100  
*M. freycinetiae*, 100, 101  
*Micronesia*, 381, 420  
*Microsphaeropsis conielloides*, 409  
*Microthyrium*, 383  
*M. microscopicum*, 383  
*Millettia* sp., 333  
*Minuartia sedoides*, 109  
*Minutissima*, 112  
*Miscanthus*, 103  
*M. sinensis*, 255, 336  
*Mnesithea laevis*, 179  
*Mollisia*, 25, 62, 63, 383  
*M. petiolorum*, 360  
*Monilia implicata*, 392  
*Monochoria hastaefolia*, 260  
*Monocillium*, 72, 73, 75, 77, 78, 80, 82, 84, 85  
*Monodictys*, 144, 245–246, 409  
*M. anaptychia*, 245  
*M. leparia*, 245  
*M. monilicellularis*, 144, 394  
*M. pandani*, 246, 368, 408, 409  
*M. putredinis*, 245  
*Monosporella sphaerocephala*, 129, 130  
*Monosporium curvatum*, 164  
*Monotospora*  
*M. cuneiformis*, 157  
*M. elliptica*, 266  
*M. oryzae*, 409  
*M. sphaerocephala*, 129, 130, 392  
*Monotosporella sphaerocephala*, 129  
*Monstera* sp., 57, 58  
*Moorella monocephala*, 229  
*Morus*, 301  
*M. alba*, 207, 261  
*Mucuna ferruginea*, 151  
*Muhlenbergia*  
*M. schreberi*, 255  
*M. sylvatica*, 255  
*Multicladium*, 266  
*Murorum*, 219  
*Musa*, 62, 178, 181, 222, 260, 309, 334, 335  
*M. acuminata*, 255, 336  
*M. paradisiaca*, 179, 223, 255, 309, 336  
*M. sapientum*, 177, 255, 309, 336  
*M. textilis*, 178, 309, 311  
*Mycoleptodiscus*, 246–249  
*M. affinis*, 247, 248  
*M. atromaculans*, 248, 249



*M. brasiliensis*, 247, 248  
*M. coloratus*, 248, 249  
*M. disciformis*, 247, 248  
*M. freycinetiae*, 248–251  
*M. geniculatus*, 248, 249  
*M. indicus*, 248, 249, 251  
*M. lateralis*, 248, 249  
*M. lunatus*, 247, 248  
*M. minimus*, 248, 249  
*M. sphaericus*, 247, 248  
*M. stellatisporus*, 247  
*M. stellatosporus*, 248  
*M. taiwanensis*, 248, 249  
*M. terrestris*, 246–248  
*M. unilateralis*, 248, 249  
*M. variabilis*, 248, 249  
*Mycoleptodiscus freycinetiae*, 17  
*Myconeesia*, 110  
*Mycosphaerella*  
*M. elaeidis*, 99  
*M. freycinetiae*, 360  
*M. pandani*, 383  
*Myiocopron*  
*M. freycinetiae*, 360  
*M. pandani*, 383  
*Myrothecium* sp., 409  
*Myrsine chathamica*, 228  
*Mystrosporium erectum*, 416

## N

*Nakataea*, 252  
*N. sigmoidea*, 252  
*Nakatopsis*, 251–253  
*N. malaysiana*, 251–253, 409  
*N. skittleus*, 252–253, 409  
*Nandi*, 179  
*Nawawia*, 253  
*N. dendroidea*, 253  
*N. filiformis*, 253–254, 409  
*N. nitida*, 253  
*N. sasae-kurilensis*, 253  
*Nectandra coriacea*, 245  
*Nectria*, 56, 59, 63, 66, 68, 69, 383  
*N. albofimbriata*, 69–70, 383  
*N. arenuloides*, 56  
*N. calami*, 70, 383  
*N. cinnabarina*, 69  
*N. coronata*, 360  
*N. freycinetiae*, 61, 362, 387  
*N. importata*, 383  
*N. ochroleuca*, 383  
*N. palmicola*, 69  
*N. pandani*, 69, 116, 383

*N. peristomialis*, 361  
*N. pertusa*, 62, 387  
*N. pertusoides*, 70–71, 383  
*N. radiccicola*, 360  
*N. rugulosa*, 69  
*N. squalmulosa*, 360  
*N. sylvana*, 379  
*Nectriaceae*, 68  
*Nectriella rufofusca*, 57, 378  
*Nectriopsis*, 58–59, 61, 66  
*N. anthostomella*, 60  
*N. anthostomelicola*, 59, 61, 360  
*N. epimyces*, 61  
*N. squamulosa*, 59, 61, 360  
*N. violacea*, 58  
*Neesiella sensu*, 110  
*Neodasyscypha*, 34–35  
*N. cerina*, 34  
*N. subciboria*, 35, 360  
*Neonectria*, 68, 71  
*N. coronata*, 71–72, 360, 383  
*N. radiccicola*, 71  
*N. ramulariae*, 71  
*Neopanax*, 58, 207  
*Neopectia rhodosticta*, 384  
*Nepalensis*, 86–88  
*Nephelium* sp., 334  
*Nephthytis picturata*, 336  
*Nerion oleandrum*, 383  
*Nerium oleander*, 412  
*Niesslia*, 73, 75–76, 80, 85, 384  
*N. cinctiostiolata*, 17, 76,  
 77, 384  
*N. cladoniicola*, 78  
*N. exilis*, 77–78, 360, 384  
*N. exosporioides*, 84, 384  
*N. kapitiae*, 85  
*N. kapitiana*, 17, 78–80, 361  
*N. lanuginosa*, 384  
*N. lanuginosa*, 84  
*N. pacifica*, 17, 80–82, 384  
*N. pandanica*, 384  
*N. philippinensis*, 17, 82–84, 361  
*N. pusilla*, 78  
*N. taiwanensis*, 88, 361, 385  
*N. vaginata*, 17, 80, 84–85, 384  
*Niessliaceae*, 55, 72, 73, 86  
*Nigritanus*, 255  
*Nigrospora*, 254  
*N. oryzae*, 409  
*N. padwickii*, 255  
*N. panici*, 254–255, 410  
*N. sacchari*, 256  
*N. sphaerica*, 254–256, 368, 410

- Nipicola*, 110, 116  
   *N. carbonispora*, 116  
   *N. carboxispora*, 116  
   *N. pandani*, 116–117, 384  
   *N. selangorensis*, 116  
   *N. theobromina*, 384  
*Niptera*, 24–25, 384  
   *N. excelsior*, 27  
   *N. lacustris*, 24  
   *N. purpurascens*, 25–27, 361  
*Niptera purpurascens*, 17  
*Nitschkiopsis*, 75  
*Nodulisporium*, 117, 119  
*Nolina recurvata*, 336  
*Nomen*  
   *N. dubium*, 212  
   *N. illegitimum*, 268  
*Nothofagus*  
   *N. fusca*, 147, 320  
   *N. solandri*, 196, 401  
   *N. solandri* var. *cliffortioides*, 196, 320, 328, 422  
   *N. truncata*, 196  
*Nothofagus* sp., 119  
*Nyctanthes arbor-tristis*, 178  
*Nypa*, 113  
   *N. fruticans*, 373
- O**
- Ochroma pyramidale*, 238  
*Ochthocosmus*, 334  
   *O. africanus*, 336  
*Ocimum sanctum*, 311  
*Octospora alutacea*, 385  
*Odontia flexibilis*, 363  
*Odontotrema*, 52  
*Odontotremataceae*, 51  
*Oedemium sparsum*, 410  
*Oenanthe crocata*, 223, 309  
*Oidium subramosum*, 164  
*Okamurae*, 242  
*Olax wightiana* var. *nigrescens*, 375  
*Oldenlandia*, 177  
*Olearia rani*, 218  
*Oncidium*, 255  
*Oncosperma*, 93  
   *O. horridum*, 93  
*Oomyces*, 106, 107  
*Oospora*  
   *O. macrotricha*, 410  
   *O. subramosa*, 164  
*Ophiobolus*, 385  
   *O. livistonae*, 380  
   *Ophioceras leptosporum*, 385  
*Ophionectria*, 66  
*Opuntia*, 177  
*Orania* sp., 98, 385  
*Oraniopsis*  
   *O. appendiculata*, 114, 373, 386, 423  
*Orbilia*, 48, 49  
   *O. auricolor*, 48, 49, 385  
   *O. curvatispora*, 49  
   *O. fimicoloides*, 48  
   *O. juruensis*, 49–50, 361  
   *O. leucostigma*, 49  
   *O. tenuissima*, 50, 361  
*Orbiliaceae*, 48, 49  
*Orbiliales*, 48–120  
*Orbiliaster*, 48  
*Oreopanax* sp., 68  
*Ornatispora*, 73, 85–86, 385  
   *O. nepalensis*, 17, 86–88, 91, 299, 385  
   *O. novae-zelandiae*, 17, 88–91, 302, 361  
   *O. palmicola*, 86  
   *O. taiwanensis*, 88–89, 361, 385  
*Oroxylon indicum*, 309  
*Oryza*, 260  
   *O. sativa*, 177–179, 255, 261, 292, 365  
*Ostiole*, 64, 77, 78, 84, 86, 101  
*Ostropa*, 51, 52, 107  
*Ostropales*, 51–55, 107  
*Oxydothis*, 98, 386  
   *O. acutata*, 98–99, 385  
   *O. elaeidis*, 99, 361, 386  
   *O. grisea*, 98  
   *O. linospadicis*, 386  
   *O. maculosa*, 98  
   *O. nigricans*, 98  
   *O. oraniopsis*, 386  
   *O. pandani*, 98, 386  
   *O. pandanicola*, 98, 386  
   *O. sabalensis*, 99  
   *O. siamensis*, 386
- P**
- Pachnocybe clavulata*, 263, 369  
*Paecilomyces*  
   *P. iriomoteanus*, 410  
   *P. variotii*, 410  
*Pancovia bijuga*, 333, 336  
*Pandanaceae*, 1–7, 11, 12, 130–133, 135, 137, 139, 146–148, 154, 156, 159–162, 167, 177, 180, 181, 188, 197, 205, 211, 212, 216, 219, 220, 223, 226, 228, 229, 232, 235, 241, 242, 244, 246, 247, 253, 254, 256, 258, 259, 263, 266, 268–271, 273,

275, 288, 293–296, 299, 300, 356,  
358, 360, 361, 366, 368, 375, 388,  
394, 398, 400

*Pandanicola calcarpa*, 386

*Pandanus*, 3–6, 12, 13, 37, 38, 40, 41, 68, 88,  
93–95, 98–101, 103, 104, 110–116,  
118, 128–130, 132, 137, 139, 151, 155,  
158, 160, 161, 174, 186, 190, 191, 193,  
194, 199, 202, 203, 206, 211, 218–220,  
227, 232, 234, 235, 238, 240, 244–246,  
252–256, 259, 269–275, 281, 283, 292,  
293, 300–302, 304, 305, 310, 311, 318,  
328, 334–337, 356, 372–395, 397,  
399–406, 408–410, 412–423

*P. affinis*, 382

*P. aimirikiensis*, 408

*P. amaryllifolius*, 378, 379, 383, 396, 397,  
399, 408, 409, 414, 421, 422

*P. aquaticus*, 4

*P. barklyi*, 167, 284, 381, 385, 398,  
417, 418

*P. boninensis*, 300, 390, 407, 418

*P. calostigma* var. *samoana*, 408, 413

*P. candelabrum*, 382, 390, 391, 405

*P. copelandii*, 12, 34, 57, 71, 77, 78, 93,  
94, 103, 112–114, 191, 202, 203, 211,  
228, 272, 273, 319, 335, 373, 375,  
378, 381, 383, 384, 400, 402, 406,  
415, 420, 422

*P. copelanii*, 57

*P. eydouxia*, 374, 384, 386

*P. fascicularis*, 373, 374, 379, 383, 387,  
389, 390, 393, 394, 405, 414

*P. furcatus*, 6, 12, 28, 53, 56, 61, 62, 68,  
70, 71, 75, 103, 104, 111, 114, 116,  
132, 143, 144, 158, 171–174, 176, 177,  
191, 193, 195, 198, 202, 203, 206,  
211, 218, 219, 229, 235, 256, 258, 262,  
264, 265, 275, 278, 283, 295, 296,  
302–304, 309, 315, 319, 321, 326, 372,  
373, 376, 378, 381–384, 387, 388,  
393–395, 398, 400–404, 406, 410, 411,  
413, 415–422

*P. gracilis*, 375

*P. helicopus*, 404

*P. hornei*, 13, 147, 193, 272, 273, 395,  
400, 415

*P. inspersum*, 416

*P. laevis*, 103, 359, 381, 417

*P. lamboensis*, 377, 405

*P. lerum*, 392

*P. luzonensis*, 375, 403, 408, 412

*P. macfarlanei*, 397, 408

*P. minor*, 132, 377, 379, 387, 393, 399

*P. monticola*, 28, 29, 46, 54, 55, 103, 114,  
118, 138, 192, 235, 267–269, 272, 273,  
282, 288, 294, 319, 362, 373, 375, 376,  
381, 388, 394, 400, 401, 414–417, 420

*P. montiploa*, 11

*P. multispicatus*, 13, 195, 280, 304, 320,  
401, 402, 416, 419, 421

*P. nepalensis*, 6, 12, 88, 100–101, 116,  
206, 296, 380, 384, 402, 418

*P. odoratiss*, 329

*P. odoratissimus*, 5, 336, 374–377, 379,  
380, 382, 385, 386, 388, 389, 393, 394,  
396, 398, 406, 408–414, 421

*P. odoratus*, 422

*P. odorifer*, 391, 408

*P. palustris*, 115, 256, 374, 381, 410

*P. papanoensis*, 5

*P. pedunculatus* var. *stradbrokeensis*, 412

*P. penetrans*, 374, 376–378, 380–382,  
385–389, 393, 395–397, 399, 400,  
402–406, 408–414, 416, 418–422

*P. ploycephaloides*, 12

*P. polycephaloides*, 98, 203

*P. pulposus*, 391

*P. reclinatus*, 420

*P. reineckeii*, 403, 404, 413

*P. rigidifolius*, 373, 380, 385, 416

*P. sabotan*, 384, 386, 403

*P. sabutan*, 380

*P. seychellarum*, 13, 137, 195, 196, 211,  
256–258, 272–274, 304, 328, 381, 393,  
401, 410, 415, 419, 422

*P. simplex*, 4, 12, 56–58, 69–71, 77, 78,  
103, 112, 155, 178, 183, 186, 225, 255,  
256, 261, 262, 278, 283, 303, 309, 310,  
317, 333, 335, 338, 372, 378, 381–384,  
395, 398, 400, 405, 410, 411, 416, 417,  
419, 420, 422, 423

*P. spiralis*, 4

*P. sylvestris*, 415, 418

*P. tectorius*, 4–6, 11–13, 49, 50, 53, 84, 88,  
89, 93, 94, 99, 102, 103, 105, 111–113,  
119, 126, 130, 134, 143, 146, 147, 155,  
156, 159, 160, 171, 172, 176–178,  
180–182, 190, 191, 193, 195, 203, 206,  
212–214, 218, 220, 222, 225, 226, 235,  
238, 239, 241, 243, 244, 246, 253–255,  
260–262, 264, 265, 269, 270, 272, 273,  
292, 295, 296, 304, 309, 311, 321, 324,  
329, 335–337, 372–375, 377, 380–382,  
384–386, 388, 389, 391–396, 398–400,  
402, 404, 405, 407, 409–415, 417–423  
*P. tectorius* var. *liukuensis*, 329, 336, 410,  
413, 418, 421, 422

- Pandanus* (cont.)  
*P. tectourius*, 382  
*P. terrestris*, 275  
*P. thomensis*, 407  
*P. utilis*, 375, 377, 378, 380, 389, 394, 399, 403, 408, 415, 423  
*P. utilissimus*, 375, 378  
*P. vandermeerschii*, 381  
*P. veitchii*, 404, 414  
*P. whitmeeanus*, 403, 408
- Panicum*, 260, 335  
*P. antidotale*, 255  
*P. laxum*, 179  
*P. maximum*, 179, 255, 260  
*P. miliaceum*, 177–179
- Panus anthocephalus*, 390
- Pappophorum*, 260
- Paraceratocladium*, 256–258  
*P. bacilliforme*, 257  
*P. malaysianum*, 257  
*P. polysetosum*, 256–258  
*P. seychellarum*, 103, 257–258, 410  
*P. silvestre*, 256–258, 410  
*P. triseptata*, 410  
*P. triseptatum*, 256, 257
- Paracryptophiale*, 166–171  
*P. pirozynskii*, 169, 170
- Paradendryphiopsis*, 230, 258, 259  
*P. anomala*, 258  
*P. cambrensis*, 258  
*P. laxa*, 258–259, 410
- Paradiplodia ribis*, 394
- Parahelminthosporium*, 271  
*P. malabaricum*, 272
- Paranectria*, 66
- Paranthostomella*, 110
- Parapericonia*, 297  
*P. sessilispora*, 297
- Parastigmatea pandani*, 386
- Paratrichoconis*, 148  
*P. antillana*, 148  
*P. chinensis*, 148  
*P. fusarioidea*, 148
- Pasania kawakamii*, 176, 245, 264, 293
- Paspalidium punctatum*, 260
- Paspalum*, 260  
*P. ciliatifolium*, 255, 311  
*P. conjugatum*, 260  
*P. fimbriatum*, 260  
*P. floridanum*, 255, 311  
*P. laeve*, 311  
*P. scrobiculatum*, 179
- Passiflora*, 309, 334  
*P. edulis*, 181  
*P. suberosa*, 336
- Patellaria stygia*, 376
- Paulownia kawaka*, 151
- Pellucida pendulina*, 386
- Peltella freycinetia*, 360
- Peltosoma freycinetiae*, 368
- Pemphidium* sp., 386
- Penicillium*, 411  
*P. chrysogenum*, 411  
*P. echinatum*, 408
- Peniophora gabonensis*, 391
- Pennisetum*, 292  
*P. glaucum*, 255  
*P. pedicellatum*, 179  
*P. polystachyon*, 179  
*P. purpureum*, 147, 177, 179, 255, 366  
*P. typhoides*, 178
- Pentas lanceolata*, 177
- Penzigomyces cookei*, 368
- Peperomia*, 179
- Perenniporia oviformis*, 363
- Periconia*, 259, 276, 411  
*P. atra*, 261  
*P. cookei*, 411  
*P. echinochloae*, 260, 411  
*P. lateralis*, 260–261, 411  
*P. lichenoides*, 259  
*P. minutissima*, 261–262, 411  
*P. narsapurensis*, 262, 369  
*P. obliqua*, 260  
*P. velutina*, 411  
*P. venezuelana*, 262–263, 411
- Periconiella*, 182, 183, 276, 411  
*P. daphniphylli*, 411  
*P. echinochloae*, 260, 411  
*P. velutina*, 411
- Perisporium gramineum*, 28
- Peristomialis*, 56, 62–63, 66  
*P. berkeleyi*, 63, 361  
*P. cellularis*, 17, 64–66, 361  
*P. paraparilis*, 66  
*P. parilis*, 66
- Perrotia*, 38
- Persea*  
*P. gratissima*, 160  
*P. zuihoensis*, 326
- Pestalotia*  
*P. adusta*, 412  
*P. funerea*, 412  
*P. glandicola*, 412  
*P. guepinii*, 412  
*P. lapagericae*, 412  
*P. palmarum*, 412  
*P. pandani*, 412  
*P. peyronelii*, 412  
*P. versicolor*, 412

- Pestalotiopsis*, 93  
   *P. funerea*, 412  
   *P. guepinii*, 412  
*Petasites*, 223  
   *P. ovatis*, 223, 309  
*Petiveria alliacea*, 336  
*Petrakia cochinchinensis*, 269, 369, 414  
*Petrocallis pyrenaica*, 109  
*Peziza*  
   *P. auricolor*, 49, 385  
   *P. cerina*, 34  
   *P. inflatula*, 50  
   *P. leucostigma*, 49  
   *P. virginea*, 376  
*Phaeobelonidium*, 43  
*Phaeodactylium*, 182  
*Phaeoisaria*, 263  
   *P. bambusae*, 264  
   *P. clavulata*, 263–264, 369  
   *P. clematidis*, 263–265, 276, 369, 413  
   *P. cornui*, 264  
   *P. glauca*, 265, 369  
   *P. infrafertilis*, 413  
*Phaeonectriella* sp., 386  
*Phaeophomatospora*, 110  
*Phaeoseptoria* sp., 413  
*Phaeosphaeria*  
   *P. eustomoides*, 387  
   *P. waikanaensis*, 382  
*Phaeostalagmus cyclosporus*, 413  
*Phalaenopsis amabilis*, 255  
*Phalangispora*, 265–266, 325  
   *P. bharathensis*, 266  
   *P. constricta*, 265, 266  
   *P. nawawii*, 266, 424  
*Phalaris arundinacea*, 311  
*Phanerochaete brunnoecystidiata*, 363  
*Phaseolus*, 311  
   *P. aureus*, 255  
   *P. vulgaris*, 177, 179, 255, 301  
*Phellodendron amurense*, 264  
*Phialea*  
   *P. nivalis*, 28, 376  
   *P. subciboria*, 35, 360  
*Phialocephala*, 413  
   *P. bactrospora*, 413  
*Philadelphus coronarius*, 118  
*Phleum pratense*, 311  
*Phoenix*, 269, 309  
   *P. dactylifera*, 147, 228, 301  
   *P. reclinata*, 261, 292, 311, 336  
   *P. sylvestris*, 111  
*Phoma*, 414  
   *P. cava*, 413  
   *P. destructiva*, 413  
   *P. fructus-pandani*, 413  
   *P. martelli*, 413  
   *P. pandani*, 413  
*Phomatospora*, 387  
   *P. berkeleyi*, 387  
   *P. cylindrotheca*, 387  
*Phomopsis*, 414  
   *P. eumorpha*, 369  
   *P. pandani*, 414  
*Phora*, 296  
*Phormium*, 40, 68, 311, 336, 379  
   *P. tenax*, 56, 58, 226,  
     333–336, 374  
*Phragmites*, 130, 311  
   *P. communis*, 261  
   *P. vulgaris*, 292  
*Phragmocephala*, 214, 266–268  
   *P. cookei*, 267  
   *P. elliptica*, 266  
   *P. hughesii*, 267  
   *P. kamaruddinii*, 169, 170  
   *P. prolifera*, 267–268, 369, 414  
   *P. stemphylioides*, 414  
*Phyalospora*  
   *P. freycinetiae*, 361  
   *P. pandani*, 387  
*Phyla strigillosa*, 336  
*Phyllachoraceae*, 92, 100  
*Phyllachorales*, 92  
*Phyllanthus discoideus*, 336  
*Phyllostachys*, 181, 255, 309, 334  
   *P. makinoi*, 130, 147, 218, 264  
   *P. pubescens*, 309  
*Phyllosticta pandanicola*, 414  
*Physalidiella*, 268  
   *P. elegans*, 268–269, 414  
*Physalidiopsis*, 268  
*Physalidium*, 268  
   *P. carbonis*, 268  
   *P. elegans*, 268, 414  
   *P. matsushimae*, 268  
*Physalospora*, 387  
   *P. citrispora*, 105  
   *P. malbranchei*, 105  
   *P. pandani*, 387  
*Physarella oblonga*, 423  
*Physarum*  
   *P. effusum*, 423  
   *P. fasciculatum*, 423  
*Phytophthora cinnamomi*, 372, 423  
*Picea*, 77, 164, 301, 360, 384  
   *P. glauca*, 164, 263, 265  
   *P. mariana*, 164  
*Pimina*, 329  
   *P. parasitica*, 334

- Pinanga*, 272  
   *P. scotechinii*, 272  
*Pinus*, 77, 176, 263, 301, 311, 360, 384  
   *P. caribaea*, 177, 179, 255  
   *P. cerasus*, 412  
   *P. densiflora*, 255  
   *P. elliotii*, 179  
   *P. khasya*, 177, 255, 303  
   *P. lateralis*, 261  
   *P. longifolia*, 160  
   *P. massoniana*, 202, 207  
   *P. merkusii*, 179  
   *P. oocarpa*, 255  
   *P. radiata*, 255  
   *P. sylvestris*, 282  
   *P. taiwanensis*, 179  
   *P. thunbergii*, 180, 255  
   *P. wallichina*, 160  
*Piper*, 178, 309  
*Piptadenia*, 181  
*Piricauda*, 269–271  
   *P. cochinchinensis*, 269–270, 369, 414  
   *P. paraguayensis*, 269  
   *P. uleana*, 269  
*Piricaudilium*, 269, 270  
   *P. holubovanum*, 271  
   *P. lobatum*, 270–271, 369, 414  
*Pirostoma farnetianum*, 415  
*Pisonia rotundata*, 336  
*Pithecellobium dulce*, 336  
*Pithomyces ellisii*, 415  
*Pithya suecica*, 36  
*Pittosporum*, 320  
   *P. crassifolium*, 56  
*Placoasterella pandanicola*, 387  
*Placonema bambusae*, 415  
*Plagiolagynion*, 98  
*Plagiothecium*, 98  
*Plectomiopsis geminiflora*, 272  
*Plectonia grandis*, 274, 415  
*Plenodomus inaequalis*, 419  
*Pleosporales*, 107  
*Pleurophragmium hippotrichoides*, 6, 415  
*Pleurotus*  
   *P. ostreatus*, 391  
   *P. serotinus*, 317  
   *P. tahitensis*, 391  
*Ployactis olivacea*, 394  
*Poaceae*, 28  
*Podocarpus*, 334, 336, 367, 404  
   *P. macrophyllus*, 334  
   *P. spicatus*, 130  
   *P. totara*, 147  
*Podoconis cookei*, 368  
*Pohnpei*, 420  
*Polyanthes tuberosa*, 336  
*Polyalthia* sp., 335  
*Polygala*, 177  
*Polygonum sieboldii*, 261  
*Polynema*, 32  
*Polypodium*, 334, 336  
*Polyporus*  
   *P. pandani*, 391  
   *P. scabrosus*, 391  
   *P. tephroleucus*, 391  
*Polytretophora*, 271–272  
   *P. calcarata*, 271–274, 369, 415, 424  
   *P. dendroidea*, 271, 272, 274, 415  
   *P. macrospora*, 271, 272, 274, 415  
*Pometia pinnata*, 180  
*Populus*, 301, 309  
   *P. nigra*, 178  
   *P. pyramidalis*, 118  
   *P. tremuloides*, 164, 267  
   *P. trichocarpa*, 413  
*Poria oviformis*, 363  
*Pothos aureus*, 336  
*Proliferodiscus*, 38  
*Protocreopsis*, 61  
   *P. albo-fimbriata*, 69  
   *P. freycinetiae*, 61–62, 362, 387  
   *P. pertusa*, 62, 70, 71  
   *P. pertusa*, 387  
   *P. zingibericola*, 61  
*Prunus*, 263  
   *P. armeniaca*, 264  
   *P. padus*, 264  
*Pseudapiospora*, 104  
*Pseudobotrytis*, 274–275  
   *P. fusca*, 275  
   *P. terrestris*, 275, 276, 370, 415  
*Pseudococcus calceolariae*, 393  
*Pseudodictyosporium*, 205  
   *P. wauense*, 205  
*Pseudogliophragma*, 266  
*Pseudohelotium*, 38  
*Pseudohysterineae*, 106  
*Pseudomassaria*, 100, 104–105  
   *P. chondrospora*, 104  
   *P. megalospora*, 105–106, 388  
*Pseudonectria tornata*, 388  
*Pseudopanax crassifolius*, 176  
*Pseudorhynchia*, 72  
*Pseudosphaeriales*, 107  
*Pseudotsuga*, 164  
   *P. wilsoniana*, 255  
*Psidium guajava*, 370  
*Psilonia cuneiformis*, 157

*Psiloniella*, 156  
*P. cuneiformis*, 157  
*Psophocarpus tetragonolobus*, 179  
*Pteridium aquilinum*, 261, 309, 334  
*Pteronidium*, 324, 325  
*Pteromycula* sp., 388  
*Pterula fructicola*, 391  
*Puccinia freycinetiae*, 363  
*Pycnoporus sanguineus*, 391  
*Pycnothyrium pandani*, 415  
*Pyrenochaeta* sp., 416  
*Pyrenopeziza*, 25  
*Pyrenula*, 362  
*P. flagellata*, 388  
*Pyricularia*, 252  
*P. grisea*, 252  
*Pyrus*, 301  
*P. malus*, 118  
*P. serotina*, 180, 399  
*Pyxidiophoraceae*, 55

**Q**  
*Queenslandica*, 214  
*Quercus*, 39, 92, 118, 150, 151, 158, 176, 265, 293, 320, 334, 369  
*Q. acuta*, 151  
*Q. germana*, 176, 179, 245, 311  
*Q. glauca*, 151, 176, 275, 282  
*Q. iberica*, 264  
*Q. myrsinaefolia*, 228  
*Q. oleoides*, 198  
*Q. palustris*, 255  
*Q. petraeae*, 195  
*Q. phillyraeoides*, 176, 334  
*Q. pubescens*, 301  
*Q. roboris*, 195  
*Q. robur*, 190, 238  
*Q. sartorii*, 311  
*Q. stellata*, 255  
*Q. virginiana*, 326  
*Q. xalapensis*, 176, 179, 311  
*Quintinia serrata*, 196

**R**  
*Ramicapitulum*, 17, 276, 277  
*R. chinense*, 17, 276, 277, 416  
*Ramichloridium* spp, 416  
*Ramoconidiifera*, 199, 278–280  
*R. neonominata*, 17, 278, 280  
*R. seychellensis*, 17, 279–280, 416  
*R. verrucosa*, 205, 278  
*Raphanus sativus*, 177, 255

*Raphia vinifera*, 418  
*Rheum*, 419  
*Rhexoacrodictys*, 126, 280, 281  
*R. erecta*, 280, 281, 416  
*R. fimicola*, 281, 416  
*R. fuliginosa*, 281  
*R. queenslandica*, 281  
*Rhinocladium*, 162  
*Rhipogonum scandens*, 226  
*Rhododendron*, 326, 376, 412  
*R. metternichi*, 326  
*R. ponticum*, 334, 379  
*Rhoeo*  
*R. discolor*, 177  
*R. spathacea*, 177  
*Rhopalostylis*  
*R. sapida*, 41, 53, 56, 63, 165, 166, 190, 223, 255, 261, 264, 320, 334–336, 365, 371, 400  
*Ribes nigrum*, 301, 336  
*Ricinus communis*, 179, 255  
*Ripogonum scandens*, 68, 207  
*Robergea*, 51, 52  
*Robillarda glandicola*, 412  
*Robusta*, 163  
*Rosa*, 164  
*Rosellinia*, 110, 115, 117, 118  
*R. byssiseda*, 117  
*R. freycinetiae*, 362  
*R. macrosperma*, 118  
*R. necatrix*, 117–118, 362  
*R. pandanicola*, 388  
*R. sublimbata*, 388  
*Rottboellia*  
*R. exaltata*, 177, 179, 255, 292  
*Roystonea*  
*R. regia*, 128, 245, 246, 264, 296, 311, 336  
*Rubikia splendida*, 416  
*Rubus*, 77, 195, 196, 360, 372, 384, 424  
*R. fruticosus*, 418  
*R. fruticosus*, 190, 264, 295  
*Rumex acetosa*, 261

**S**  
*Sabal palmetto*, 102, 381  
*Saccharum*, 255, 260, 261, 275  
*S. munja*, 311  
*S. officinarum*, 177, 179, 255, 260, 261, 264, 281, 292, 296, 300, 311, 336, 370, 418  
*Sagraeana*, 198  
*Salix*, 228, 264  
*Sambucus nigra*, 261, 263, 264, 309, 368

- Sambucus*, 118  
*Samoa*, 370, 372, 377, 382, 408  
*Sararanga*, 3–5, 13, 356, 423, 424  
     *S. philippinensis*, 114, 115, 164, 174, 266, 272, 273, 293, 423, 424  
*Satakentia liukiensis*, 269  
*Sauropus androgynus*, 181  
*Scandens waitakere*, 300  
*Scelobelonium*, 28  
*Schefflera*, 326  
     *S. digitata*, 53, 223, 226, 264, 309, 320  
*Schizochora pandani*, 386  
*Schizophyllum commune*, 391  
*Schizoxylon*, 51, 52  
*Schmitzomia*, 52  
*Scirpus lacustris*, 261  
*Scleroderma pandanaceum*, 391  
*Sclerotium hypocreanum*, 416  
*Scolecobasidium*  
     *S. constrictum*, 416  
     *S. fusarioides*, 148  
*Scoleconectria*, 66  
*Secale cereale*, 255  
*Segazziniap deightonii*, 292–293  
*Seimatosporium*, 93  
*Seiridium*, 93  
*Selenosporella*, 281–282, 286  
     *S. curvispora*, 282, 416  
*Semecarpus gigantifolius*, 293  
*Senna*  
     *S. fruticosa*, 181  
     *S. occidentalis*, 181  
     *S. tora*, 181  
*Septobasidium bogoriense*, 391  
*Septoria* sp., 416  
*Septoriopsis pandani*, 405  
*Sequoia sempervirens*, 334  
*Sequoia sempervirentis*, 293  
*Sesamum*, 177  
*Sesbania speciosa*, 181  
*Setaria*  
     *S. appendages*, 269, 270  
     *S. chevalieri*, 261, 304, 336  
     *S. faberi*, 255  
     *S. geniculata*, 311  
     *S. glauca*, 255  
     *S. italica*, 179  
     *S. lutescens*, 255  
     *S. sphacelata*, 179  
*Setiform conidiophore*, 335–337  
*Seynesia atkinsonii*, 362  
*Shorea leptrosula*, 171  
*Smilax*, 334  
     *S. campestris*, 235  
     *Solanum*, 223, 309  
         *S. aculeatum*, 335  
         *S. melongena*, 226  
         *S. tuberosum*, 179, 255, 262  
*Solenopezia mellina*, 388  
*Solheimia*, 283  
     *S. costaspora*, 283, 370, 417  
     *S. kamatii*, 417  
*Solicorynospora* sp., 417  
*Sorbus* sp., 320  
*Sordariaceae*, 106  
*Sordaria fimicola*, 388  
*Sorghum*, 178, 179, 311  
     *S. arundinaceum*, 260  
     *S. bicolor*, 177, 255, 307  
     *S. bicolor* var. *bicolor*, 308  
     *S. bicolor* var. *caespitosum*, 308  
     *S. halepense*, 179  
     *S. plumosum*, 177  
     *S. vulgare*, 177, 179, 255  
*Spadicoides*, 207, 211, 226, 271, 284–286, 288, 297–299, 417  
     *S. afzeliae*, 285  
     *S. aggregata*, 285, 298  
     *S. americana*, 286, 288  
     *S. arengae*, 284, 298  
     *S. atra*, 157, 285, 299  
     *S. australiensis*, 17, 286, 287, 417  
     *S. bambusicola*, 285  
     *S. bina*, 284, 286  
     *S. canadensis*, 286  
     *S. carpatica*, 285  
     *S. cordanoides*, 285  
     *S. cubensis*, 286  
     *S. cuneata*, 284  
     *S. curvularioides*, 285  
     *S. heterocolorata*, 286  
     *S. hodgkissii*, 286  
     *S. klotzschii*, 286  
     *S. macrocontinua*, 284  
     *S. macroobovata*, 285  
     *S. mauritiana*, 284, 285, 417  
     *S. minuta*, 284  
     *S. obovata*, 286  
     *S. palmicola*, 285  
     *S. penatium*, 286  
     *S. sphaerospermum*, 284  
     *S. stoveri*, 211, 366, 402  
     *S. subramanianii*, 286, 288–290  
     *S. subsphaerica*, 284  
     *S. verrucosa*, 284, 298  
     *S. versiseptatis*, 285  
     *S. xylogena*, 285, 417  
*Spartina alterniflora*, 242, 243



- Spegazzinia*, 288–290  
*S. cruciata*, 17, 289–292, 417  
*S. deightonii*, 289, 290, 292, 417  
*S. flabellata*, 289, 290  
*S. intermedia*, 289, 290  
*S. lobulata*, 289, 290, 292  
*S. parkeri*, 289, 290  
*S. sundara*, 289, 290  
*S. tessarhtra*, 288–290, 292  
*S. xanthorrhoeae*, 289, 290
- Spegazzinula chondrospora*, 105
- Speira*, 199  
*S. effusa*, 207  
*S. heptaspora*, 203  
*S. toruloides*, 207, 366
- Speiroopsis*, 266, 293  
*S. pedatospora*, 293–294, 424  
*S. simplex*, 293
- Sphaerella*  
*S. chondrospora*, 104  
*S. elaeidis*, 99, 361, 386
- Sphaeria*  
*S. aquila*, 117  
*S. byssiseda*, 117  
*S. cerea*, 389  
*S. chondrospora*, 104  
*S. citrispora*, 105  
*S. cupulifera*, 157, 395  
*S. delitescens*, 372  
*S. dematium*, 397  
*S. erubescens*, 56, 378  
*S. exilis*, 77, 360  
*S. exosporioides*, 384  
*S. fimicola*, 388  
*S. fur*, 382  
*S. helicoma*, 362  
*S. hemipsila*, 382  
*S. myriocarpa*, 158  
*S. nitidissima*, 373  
*S. ochroleuca*, 383  
*S. pandani*, 373  
*S. pandanicola*, 388  
*S. pomiformis*, 73  
*S. profuga*, 382  
*S. quercuum*, 375  
*S. rufa*, 67  
*S. stigma*, 389  
*S. tenacis*, 374  
*S. tornata*, 374  
*S. unguicula*, 374  
*S. violacea*, 58
- Sphaeriales*, 107
- Sphaeropsis*, 417
- Sphaeropsis pandani*, 394, 409, 417
- Spicularia terrestris*, 275, 370, 415
- Spinifex longifolius*, 178
- Spondylocladium*  
*S. tenellum*, 307, 309  
*S. xylogenum*, 417
- Sporidesmiella*, 294, 295  
*S. claviformis*, 294  
*S. coronata*, 294, 417  
*S. hyalosperma*, 294  
*S. parva*, 295, 418
- Sporidesmium*, 236, 294, 295, 370  
*S. adscendens*, 366, 403  
*S. bambusicola*, 418  
*S. cambrense*, 367  
*S. concinnum*, 138  
*S. coronatum*, 294  
*S. decorosum*, 371  
*S. durantae*, 269  
*S. freycinetiae*, 370  
*S. ghanaense*, 418  
*S. leonense*, 366  
*S. paradecorosum*, 418  
*S. parvissimum*, 295  
*S. parvum*, 295  
*S. polymorphum*, 245  
*S. suttonii*, 294  
*S. tessarhtrum*, 288  
*S. tropicale*, 370  
*S. vagum*, 367
- Sporobolus*, 260  
*S. indicus*, 260, 309  
*S. poiretii*, 177, 179  
*S. pyramidalis*, 255, 260, 261, 309
- Sporocybe*, 259
- Sporodochia*, 155, 199
- Sporoschisma*, 295, 296  
*S. mirabile*, 295  
*S. nigroseptatum*, 295, 296, 418  
*S. saccardoii*, 296
- Sporoschismopsis*, 295
- Sporotretophora*, 17, 296–298  
*S. punctata*, 17, 296–299, 370
- Sporotrichum*  
*S. fuliginosum*, 319, 320  
*S. nigrum*, 319, 320  
*S. oligocarpum*, 418
- Stachybotrys*, 72, 86, 88, 299–300, 303, 305  
*S. albipes*, 75  
*S. atra*, 418  
*S. aurantia*, 300  
*S. bisbyi*, 370, 418  
*S. bisbyi*, 300–301, 306  
*S. brevisculus*, 299, 301, 307, 370  
*S. chartarum*, 299–302, 307, 418

- Stachybotrys* (cont.)  
*S. cylindrospora*, 306  
*S. dichroa*, 300, 307, 418  
*S. eucylindrospora*, 299  
*S. freycinetiae*, 89, 91, 299, 301, 302, 306, 307, 370  
*S. globosa*, 303  
*S. humilis*, 324  
*S. kampalensis*, 306, 419  
*S. kapiti*, 300, 302–303, 307, 370, 419  
*S. microspora*, 303  
*S. nephrodes*, 299, 305, 306, 370, 419  
*S. nephrospora*, 300, 303–306, 419  
*S. nielamuensis*, 299  
*S. nilagirica*, 303  
*S. oenanthos*, 305  
*S. pallescens*, 299  
*S. parvispora*, 300, 301, 304, 307, 371, 419  
*S. proliferata*, 305  
*S. reniformis*, 303  
*S. renispora*, 305  
*S. renisporioides*, 305  
*S. reniverrucosa*, 300, 304–306, 371  
*S. ruwenzoriensis*, 303  
*S. sacchari*, 300  
*S. sinuatophora*, 305  
*S. sphaerospora*, 303  
*S. subreniformis*, 299  
*S. subsimplex*, 299  
*S. terrestris*, 299  
*S. verrucispora*, 300, 305–307, 419  
*S. waitakere*, 306, 307, 371  
*S. zaeae*, 301  
*S. zhangmuensis*, 299
- Stachylidium*, 307–308, 310  
*S. bicolor*, 179, 307, 309, 371, 419  
*S. bicolor* var. *caespitosum*, 308  
*S. cubense*, 308  
*S. cyclosporum*, 413  
*S. fuscum*, 307, 309  
*S. terrestre*, 307  
*S. verticillatum*, 307–310, 371, 419
- Stanjehughesia decorosa*, 371
- Stemphylioides*, 414
- Stemphylium*  
*S. paraguayense*, 269  
*S. polymorphum*, 245
- Stenotaphrum secundatum*, 179, 255
- Stereum adustum*, 390
- Sterigmatocystis nidulans*, 377
- Stictidaceae, 51–52, 107
- Stictis, 52, 55, 388  
*S. brachyspora*, 53  
*S. carnea*, 53–54, 362, 388  
*S. hawaiiensis*, 53  
*S. helicospora*, 54  
*S. javanica*, 54  
*S. lata*, 362  
*S. pandani*, 54, 362, 388  
*S. radiata*, 52  
*S. radiate*, 53  
*S. sagaretiae*, 54  
*S. subiculata*, 53–55, 362, 388
- Stigmaphyllon sagraeanum*, 255
- Stigmatea pandani*, 389
- Stigmateopsis bambusae*, 415
- Stigmella*  
*S. scitula*, 269  
*S. uleana*, 269
- Stilbophoma inaequalis*, 419
- Stilbospora chartarum*, 299, 301, 418
- Stilbum lateritium*, 420
- Stomiopeltis freycinetiae*, 362
- Streblocaulium atrovirens*, 162
- Streptothrix*, 162  
*S. fusca*, 164  
*S. mounceae*, 164  
*S. pereffusa*, 162
- Stylosanthes*  
*S. gracilis*, 177  
*S. humilis*, 177
- Stypella minor*, 391
- Stysanus clematidis*, 264, 369, 413
- Swietenia macrophylla*, 333
- Sympodiella*, 134  
*S. acicola*, 134  
*S. foliicola*, 134  
*S. laxa*, 134  
*S. multiseptata*, 134
- Synnemata*, 264
- Synphragmidium effusum*, 207
- Synsporium*, 299
- Syzygium cordatum*, 311
- T**
- Tabebuia*  
*T. serratifolia*, 335  
*T. shaferi*, 335
- Taiwanascaceae, 72
- Taiwanascus*, 72
- Taiwania cryptomerioides*, 326
- Tassia laurina*, 325, 326
- Taxus baccata*, 294, 414, 417
- Tectona grandis*, 326
- Tetracoccusporium sacchari*, 400
- Tetraploa*, 310  
*T. aristata*, 310–312

- Tetraploa aristata*, 420  
*Thaumatococcus daniellii*, 226  
*Themeda triandra*, 311  
*Theobroma*, 245  
     *T. cacao*, 223, 226, 245, 255, 264, 309, 336, 409  
*Theobroma* sp., 333  
*Thielavia neocaledoniensis*, 379  
*Thozetella*, 312, 315  
     *T. acerosa*, 313  
     *T. boonjiensis*, 313  
     *T. buxifolia*, 313  
     *T. canadensis*, 313, 315  
     *T. cristata*, 312, 313, 315  
     *T. cubensis*, 313  
     *T. effusa*, 313  
     *T. falcata*, 313  
     *T. gigantea*, 313  
     *T. havanensis*, 313, 315  
     *T. nivea*, 312, 313  
     *T. pinicola*, 312, 313  
     *T. queenslandica*, 313  
     *T. radicata*, 312, 313, 315  
     *T. serrata*, 17, 312–315, 420  
     *T. submersa*, 313, 315  
     *T. tocklaiensis*, 312, 313, 315  
*Thozetellopsis*, 312  
*Thozettia nivea*, 312  
*Thuja occidentalis*, 164  
*Thunbergia* sp., 336  
*Tilachlidium*, 315, 317  
     *T. pinnatum*, 315, 317, 420  
*Tilia*, 207  
*Tillandsia* sp., 311  
*Torula*  
     *T. alternata*, 393  
     *T. luzulae*, 222, 367  
     *T. macrotricha*, 410  
     *T. protea*, 225  
     *T. subramosa*, 164  
*Tournefortia hirsutissima*, 335  
*Trachycarpus excelsus*, 264  
*Tragopogon*  
     *T. dubius*, 301  
     *T. pratensis*, 301  
*Trametes*  
     *T. scabrosa*, 391  
     *T. zonata*, 363  
*Tremellodon gelatinosum*, 317  
*Trichamphora oblonga*, 423  
*Trichocephalum*, 259  
*Trichoderma*, 420  
     *T. roseum*, 420  
*Trichonectria*, 66  
*Trichopezizella*, 43  
*Trichoscyphelloideae*, 31  
*Trichosphaerella*, 72, 73, 91  
     *T. decipiens*, 91–92, 362  
*Trichosphaeria*, 389  
     *T. myriocarpa*, 158  
*Trichosphaeriaceae*, 92  
*Trichosphaeriales*, 92  
*Trichosporium sphaericum*, 255, 368, 410  
*Trichosporum*  
     *T. crispulum*, 164  
     *T. densum*, 162  
     *T. nigrum*, 319, 320  
     *T. splenicum*, 319, 320  
     *T. tortuosum*, 164  
*Trichosyphella*, 36  
*Trichothallus hawaiiensis*, 371  
*Trichothecium roseum*, 420  
*Tridens flavus*, 255  
*Triodia flava*, 260  
*Tripodosporium*, 159, 420  
     *T. bicorne*, 158  
*Tripsacum*  
     *T. dactyloides*, 255  
     *T. laxa*, 292  
*Triscelophorus ponapensis*, 420  
*Triticum*, 223, 268, 292, 414  
     *T. aestivum*, 179, 255  
     *T. sativum*, 408  
*Triticum* sp., 311  
*Troposporopsis*, 317–319  
     *T. atropaicis*, 317–319, 420  
     *T. pinnatum*, 317  
     *T. rigidospora*, 317, 319  
*Truncatella*, 93  
*Tryblidium pandani*, 389  
*Tubercularia*, 420  
     *T. lateritia*, 420  
*Tubeufia*  
     *T. cerea*, 389  
     *T. helicoma*, 362  
*Tyromyces tephroleucus*, 391
- U**  
*Ulex europaeus*, 261, 367  
*Ulmus*, 150, 207, 264  
*Umbellula*, 274  
     *U. terrestris*, 275  
*Ungulina spermolepidis*, 392  
*Uniola laxa*, 255  
*Uredo freycinetiae*, 363  
*Urena sinuata*, 179  
*Urobasidium*, 329

- Urophiala*, 329  
   *U. parasitica*, 334  
*Urosporella* sp., 389  
*Urtica*, 109  
   *U. dioica*, 223, 228, 261, 267, 309, 369, 414
- V**
- Vaccinium parvifolium.*, 92  
*Vaginata*, 84  
*Valetoniella*, 72  
*Valetoniellopsis*, 72, 86  
*Vanilla planifolia*, 336  
*Vanuatu*, 372, 384  
*Venturia borgiana*, 389  
*Vermicularia pandani*, 420  
*Veronaea botryosa*, 421  
*Verrucostoma freycinetiae*, 363  
*Verticicladiella* sp., 421  
*Verticillium*, 421  
   *V. compactiusculum*, 397  
   *V. tenerum*, 421  
*Vesicular conidiophores*, 335–337  
*Vestergrenia pandani*, 389  
*Vetiveria zizanioides*, 292  
*Vibrissea*, 51  
*Viburnum*, 207  
*Vicia faba*, 179  
*Vigna sinensis*, 178  
*Virgaria*, 182, 319–320  
   *V. atrofumosa*, 319, 320  
   *V. globigera*, 321  
   *V. lignatilis*, 319, 320  
   *V. nigra*, 319–321, 371, 421  
*Virgariella*, 321  
   *V. globigera*, 321  
   *V. sphaerica*, 321, 421  
*Vitex lucens*, 320  
*Vitis vinifera*, 118  
*Volutella mellea*, 421  
*Volutellaria*  
   *V. fuliginea*, 421  
   *V. laurina*, 325, 326, 422  
*Volutella* sp., 421  
*Volvaria prinosa*, 392
- W**
- Wallrothiella*, 72  
   *W. subiculosa*, 222, 225–226, 405  
*Wardomyces*, 322–324  
   *W. aggregatus*, 322, 323  
   *W. anomalus*, 322–325  
   *W. columbinus*, 322, 323  
   *W. humicola*, 323, 324  
   *W. inflatus*, 323–325  
   *W. moseri*, 323, 324  
   *W. ovalis*, 322, 323  
   *W. papillata*, 322  
   *W. papillatus*, 322, 324  
   *W. pulvinatus*, 323–325, 421  
   *W. simplex*, 322, 323  
*Washingtonia robusta*, 218  
*Weinmannia racemosa*, 119, 147, 193, 195,  
   196, 365, 401  
*Wentomyces* sp., 389  
*Widdringtonia whytei*, 263  
*Wiesneriomyces*, 266, 325  
   *W. conjunctosporus*, 325, 326  
   *W. javanicus*, 325, 326  
   *W. laurinus*, 325–327  
*Wiesneriomyces laurinus*, 325–327, 422
- X**
- Xanthorhoea australis*, 49  
*Xanthosoma*, 178, 255  
*Xenosporium boivinii*, 371  
*Xylaria*, 110, 118–120  
   *X. apiculata*, 363  
   *X. aristata*, 119, 389  
   *X. hypoxylon*, 118  
   *X. tuberiformis*, 119–120, 363  
*Xylariaceae*, 92, 93, 110  
*Xylariales*, 92, 100, 107, 108
- Y**
- Yucca gloriosa*, 336
- Z**
- Zanclospora*, 327  
   *Z. austroamericana*, 327  
   *Z. brevispora*, 327–328, 422  
   *Z. brevispora* var. *transvaalensis*, 327  
   *Z. indica*, 327  
   *Z. mystica*, 327  
   *Z. novae-zelandiae*, 327  
   *Z. stellata*, 327  
*Zanthoxylum clava-herculis*, 260  
*Zea*, 311  
   *Z. mays*, 177, 179, 223, 255, 260, 261, 292,  
   300, 309, 416  
*Zebrospora*, 328  
   *Z. bicolor*, 328–329, 372  
*Zingiberaceae*, 57  
*Zygosporium*, 329–333, 337

- Z. anupamvarmae*, 330, 333  
*Z. bioblitzii*, 330, 333  
*Z. chartarum*, 330, 332  
*Z. deightonii*, 329, 330, 332  
*Z. echinosporum*, 329, 330, 332–334, 422  
*Z. geminatum*, 329, 330, 333  
*Z. gibbum*, 330, 332, 334–335, 422  
*Z. major*, 338  
*Z. majus*, 330, 332, 335, 337, 338  
*Z. masonii*, 330, 332  
*Z. minus*, 329, 331, 333, 335–338, 422  
*Z. mycophilum*, 331, 332  
*Z. oscheoides*, 329, 331, 336–338, 372, 422  
*Z. pacificum*, 329, 331, 333, 337, 338, 422  
*Z. pandanicola*, 329, 331, 332, 337–338, 423  
*Z. parasiticum*, 334  
*Z. tonellianum*, 331, 332  
*Z. tuberculatum*, 331, 332  
*Z. verticillatum*, 331, 333