

Index

A

AAR. *See* Accumulation-area ratios (AARs)

Ablation losses

annual cycle, 137–139

Batura glacier, 121–122

Biafo glacier, 122–127

debris-mantled areas, Baltoro glacier,
134–135

description, 118

distributions, 118–119

enhancing dusty and dirty conditions,
135–136

ice facets and relief inversion, debris
mantles, 136–137

mass balance assessments, 119

net short-wave radiation, 119

on-and off-ice observations, 128–129

seasonal snow cover and icy
carapace, 142

short-wave radiation, 141

snow, ice and debris covers, 119, 120
and supraglacial debris, 129–134

verticality relations, 120–121

Ablation rates

Biafo Glacier, 122

debris-enhanced ablation rates, 135

meteorological stations, Biafo Glacier
and cloud cover, 123–125

scattered debris, 130

short-wave radiation, 141

weather conditions, 119

Ablation valleys, 208

Accidental variations, 295

Accumulation-area ratios (AARs)

firm, 114

glacier nourishment, 113

nourishment classes, 114–115

polar glaciers, 113

valley glaciers, 113, 114

Accumulation areas subzones

Alpine-and Mustagh-type glaciers, 101

‘apocalyptic’ destruction, 101

Biafo’s ‘Snow Lake’, 100

dry snow and percolation, 99

Karakoram glaciers, 98, 99

lower accumulation zone, 98, 99

percolation zone, 100

slush zone and slush flows (*see* Slush zone
and flows)

superimposed ice, 100

water, depressions, 101

wet snow *vs.* percolation subzone, 99

Ahlmann, H.W., 74, 113

Alpine-type glaciers

‘firm’, 77

nourishment types, 75, 78

snowfall nourishment, 77

snow limit, 76

substantial accumulation areas, 76

terrain proportions, 74

Archer, D.R., 294, 345

Area-altitude distributions, 21–23, 56–59

Area-altitude relations, mass balance

ablation sub-Zone I, II and III, 159–160

avalanche nourishment, ice, 157–158

avalanche regimes, 156–157

direct accumulation areas, 158–159

dominant processes and elevation ranges, 154

highest snowfall zone, 158

inputs, outputs and transfers I, 154, 155

Karakoram valley glaciers, 154, 155

wind regimes, 154, 156

- Avalanche nourishment
 ice, 157–158
 subzones, accumulation basins, 107
 terrain/ruggedness effect, 104–107
 Avalanche regimes, 156–157, 179–180
 Azhar-Hewitt, F., 334, 339
- B**
- Baltit-Sumayar landslide dam, 316
 Baltoro Glacier
 ablation, debris-mantled areas, 134–135
 ablation zone, 67–68
 cross-valley profiles, 169–170
 heavy supraglacial debris, 67–68
 higher velocities, 170
 ice flux estimates, 146
 longitudinal profiles, 169
 perennial snow and ice, 65–66
 relief basins spanning, 65
 rock walls, 66, 67
 Batura Glacier
 ablation, 121–122
 mass balance estimate, 146
 surface velocity profiles, 167–168
 Bedrock incision, 15–16
 Benn, D.I., 210, 213
 Biafo accumulation zone
 crevasse walls, 91, 93
 environments and constraints, 91
 freeze-thaw, ice lenses, dirt layers
 and depth hoar, 89–90, 92
 ice lenses and dirt layers, 92
 Lukpe Lawo, 92, 93
 ‘polar’ or ‘cold’ temperatures, 90
 snowfall, 92
 snow measurements, 89, 90
 trial excavation, snow pit studies, 89, 91
 ‘warm’ or ‘temperate’ glacier, 90
 wind effects, absence, 93
 Biafo Glacier
 ablation rates, 122–127
 accumulation and ablation
 measurements, 145
 accumulation zone, 64–65, 67
 climate change, 127
 complications, 300
 diversity, debris covers, 129
 glacier termini, fluctuations, 298, 299
 heavy debris covers, ablation zones, 130
 ice dam and outburst flood, 301
 ice depths determination, 83, 84
 ice facets, 137
 ice-margin thickening, 302
 ice-thermal changes, 301
 information sources, 300
 kettle holes, 302
 landslide dams, 301
 LIA and, 298–299
 Mango station, 122, 125
 mid-glacier ablation zone station, 122, 123
 on-and off-ice observations, 128–129
 profiles stakes, 126
 solar radiation, 126
 table and general glacier surface, 133
 terminal moraines, 301
 terrain profiles, 65
 topography and terrain features, 64, 66
 velocity profile, 167–168
 vertical mass balance gradient, 148, 149
 weather and ice surface conditions, 122
 Bishop, M.P., 223, 296, 305
 Block motion
 Biafo and Baltoro, 170, 172
Blockschollenbewegung, 170
 Karakoram ablation zone margins, 170
 sharp line, shear, 170, 171
 velocity profiles, 170
 vertical cascade of moisture, 172
 Boulton, G.S., 190
 Bualtar and Barpu Glaciers
 Baltit-Sumayar landslide dam, 316
 glacialigenous sediments, 312
 GLM materials, gravitational
 collapses, 315
 huge walls of lateral moraines, 312–313
 landslides, 314, 315
 margin, 314
 massive rotational slumps, 315
 minor valley glaciation, 314
- C**
- Calciati, C., 303, 304
 Catastrophic outbursts, 259
 Chogo Lungma Glacier
 fluctuations, timing and direction, 306
 LIA position, 307
 terminus variations, 306
 Chong Khumdan Glacier
 events 1926–1931, 260
 lake level, 260
 measurements, 258–259
 progress, 261
 reverse flood waves, 260
 Climate change. *See* Karakoram glaciers
 Cogley, J.G., 27
 Conway, W.M., 223, 231, 303

- Copland, L., 223
 Cornices, 91, 109
 Cryoconite, 136
 Cryosphere
 catastrophic floods, 9
 freeze-thaw, 7–8
 Karakoram glacial environment, 8–9
 landslides, 9
 neoglaciation, 9
 permafrost, 7–8
 phenomena, 20–21
 snowfall, 7
- D**
 Dainelli, G., 25
 Dam impounded sediment, 316–317
 Debris covers, 320
 Debris-mantled glaciers, 284
 Debris-mantled ice, 206–207
 Debris sources
 avalanched, 269
 ice-cemented, 269, 282
 rock glaciers, 284
 stream, 269
 Derbyshire, E., 190
 Desio, A., 223, 251
 Ding, Y., 93
 Disappearing glaciers
 glacier change, 294
 global climate change, 292
 GLOF and, 292
 Himalayan glaciers and Indus waters, 293
 LIA and, 293
 substantial fluctuations, 293–294
 temperature data, 294
 terminus variations usage, 292–293
 Drainage interruption, 285–286
 Drew, F., 214
 Dust storms, 22
- E**
 ELAs. *See* Equilibrium line altitudes (ELAs)
 Elevation range, Glaciers basins
 Karakoram glaciers, 42–47
 Nanga Parbat's west flank, 47
 Pisan Glacier, 42
 Siachen, 47
 England, J., 270, 271
 Equilibrium line altitudes (ELAs)
 avalanches and wind action, 152
 estimation, 152, 153
 glacier surface, 151
 limits/climatic snowlines, 151–152
 Evans, D.J.A., 65, 67, 74, 79, 81, 83, 98, 102, 104, 105, 110, 113, 121, 137, 147, 148, 150, 155, 190, 194, 204, 206, 208, 210, 284
 Eyles, N., 190, 208
- F**
 Firn, 97–98
 Flohn, H., 18
 Flood behaviour, 260
 Fowler, H.J., 294
 Fragmented drainage systems, 286
 Freeze-thaw cycles, 23–24, 26, 128, 138
- G**
 Gardelle, J., 301
 Gardner, J.S., 223
 Ghulkin Glacier, 308
 Giant bounding moraines, 317
 Glacial hazards
 ice dam phases and outburst flood, 258
 Little Ice Age, 251
 supraglacial lakes, 247–248
 Glacial lake outburst floods (GLOFs)
 advancing glaciers, 250
 assessment, 246–247
 Bhutan, dangerous lakes, 246–247
 characteristics, 255–257
 destruction, 246
 elevation ranges, 257
 glacial lakes (*see* Glacial lakes)
 ice dams, records, 251–255
 impoundment phases and outburst events (*see* Glacier impoundments)
 Karakoram glaciers, dimensions, 256
 Karambar River, ice-dammed lake, 250
 mountain pastoralists, 246
 self-dumping lakes, 250
 status and interest, 262, 263
 threatening glacier, 256
 transverse glaciers, 256
 Glacial lakes
 glaciers, characteristics, 255–257
 lateral ice-margin lakes, 248
 small, 246
 supraglacial lakes, 247–248
 terrain, 247
 weather conditions, 247
 Glacial rock glaciers, 284
 Glaciation hypothesis, 320

- Glaciation limit
 East Central Karakoram, transect, 48–51
 elevation and terrain, 51
 glacier thresholds, 49
 interfluvial elevations, 47
 Karakoram glaciers, threshold features, 48
 K2 massif, 51
 Windward flanks, 50
- Glaciers
 Baintha Brakk, 57
 basins, relief and elevation range, 42–47
 glacierisation dimensions, 42
 intermediate glaciers, 42
 perennial snow and glacier ice cover, 56, 58
 regional hypsometry, 56–59
 Siachen Glacier, 42
- Glacier ablation zones
 ablation zone, 200, 201
 freeze–thaw and seasonal landforms, 202–203
 longitudinal on-ice forms, 205–206
 on-ice landforms, 201
 shoulder seasons, 203–205
- Glacier basins
 avalanche regimes, 179–180
 Baltoro, 169–170
 Batura, 167–168
 Biafo, 168–169
 block motion (*see* Block motion)
 ELA, 166
 fluctuating, movement, 172–173
 hydrological factors, 182–183
 icefalls and ogives, 174–179
 ice structure, 164
 inputs, 181–182
 Karakoram, 167
 local melting and refreezing, 165
 mechanics and movement, 164
 process regimes and dynamics, 164
 pronounced thrust planes, 166
 soft and subglacial sediments, 165
 subglacial debris, 166
 thermal regimes, 174
 warm and cold ice, 165
 wind regimes, 180–181
- Glacier climates and orographic effects
 area-altitude and seasonal relations, 21–23
 cryosphere phenomena, 20–21
 freeze-thaw cycles, 23
 precipitation and thermal conditions, 21
 rain-snow interface, 22–23
 seasonal patterns, 22
 topoclimatic effects, 23–24
- Glacier impoundments
 catastrophic outbursts, 259
 glacier advance and ice dam sealing, 257–258
 ice streams, flow rates, 257–258
 outburst floods and timing, 259–260
 reservoir size and dam breaching, 258–259
 seepage and storage losses, 259–260
 valley geometry, 259
- Glacier long profiles
 glaciers and tributaries, 52, 53
 Kaberi Glacier, 52, 54
 longest sections distance, 52
 vertical descent, 52
- Glacier mass balance, 70, 88
- Glacier mass balance I. *See* Snowfall and glacier nourishment
- Glacier mass balance II. *See* Ablation losses
- Glacier mass balance regimes
 accumulation and summer ablation, 147–148
 area-altitude relations (*see* Area-altitude relations, mass balance)
 conditions, ablation sub-Zone II, 160
 ELAs, 151–154
 estimation (*see* Mass balance estimation)
 nourish and sustain, 144
 regional climate change, 160
 vertical gradients, 148–151
- Glacier nourishment
 avalanche (*see* Avalanche nourishment)
 estimating avalanche inputs, 108–109
 ice derived, 104
 subzones, avalanche, 107–108
 wind redistribution, 109–110
- Glacier source zone landforms
 climatic snowlines, 190
 interfluvial and peak morphology, 193–194
 massive rock slope failures, mountain walls, 194–196
 North face, Gannish Chissh/Spantik, 190, 191
 rock walls, perennial snow zone, 191–193
- Glacier termini lakes, 248–249
- Glacier transhumance
 chiragha's, 334
 men's work, 335
 pasture, 334–335
 Shimshal's summer high pasture, 334–335
- Glacigenous sediments, 312
- Glen, J.W., 259
- GLOFs. *See* Glacial lake outburst floods (GLOFs)
- Godwin-Austen, H.H., 16, 301, 305–307

- Goudie, A.S., 74, 296, 308–310, 312
 Grant, L., 223
 Greater Karakoram Range
 anticyclonic conditions, 18
 climatic environments, 17–20
 conflicting impressions, 19–20
 elevation, 7
 humid, 19
 Indian Himalaya, 7
 monsoon, 18
 monthly weather data, 20
 summer contributions, 19
 westerly disturbances, 17–19
 The Great lateral Moraine (GLM)
 broader implications, 318–320
 Bualtar and Barpu Glaciers, 312–316
 debris covers, 320
 high stand GLM moraines, 317
 High Stand moraines, 312
 ice dynamics, 320
 Karakoram glaciers, sample, 319
 Kukuar Glacier, 311
 LIA identification, 312
 pleistocene trunk glacier, 318
 post-glacial landslides and fragmented
 drainage, 316–317
 Quartz-rich rock, 318
 Transitional Landsystems II and III, 311
 valley floor conditions, 320
- H**
- Hambrey, M.J., 82
 Haserodt, K., 312
 Hayden, H.H., 223, 231, 303, 307
 Hazards
 catastrophic landslides, 336
 gender division, 339
 hidden and invisible distress, 338–339
 landslides and outburst floods, 336
 lethal disaster, 336
 traditional economy, 339
 women's work, 339
 Heavy winter precipitation, 344
 Hedin, S., 251
 Hewitt, K., 41, 145, 168, 223, 253
 High-altitude snowfall, 89, 104
 High Asia
 Baltoro Glacier, elevation source zones, 5
 Biafo Glacier mid-ablation zone, 6
 geographical setting, 2
 glaciated areas, inventories, 3
 Greater Himalayan Region, river
 systems, 2

- HKH, 4
 maritime, 6
 satellite image, 4
 High Stand moraines, 312
 Hindu Kush-Karakoram–Greater Himalaya
 (HKH), 4, 41, 292, 346
 Hispar Glacier, 303–304
 Hopar Villages and Barpu–Bualtar Glaciers
 glacial hazards and responses, 336
 glacier transhumance, 334–335
 hidden hazards and invisible distress,
 338–339
 human activities, patterns and verticality, 334
 landslides and land loss, 337
 map, 333
 village land, 332–333
 Human life
 amenities, 336
 contributions, snow and ice (*see* Snow and
 ice contributions)
 cooperation, 346–348
 glacier geography, national and trans-
 boundary issues, 346
 Hopar Villages and Barpu–Bualtar
 Glaciers, 332–339
 Indus Waters (*see* Indus Waters)
 inhabited mountains, 330–332
 Yarkand river waters, 340
 Hutchinson, G.E., 250

- I**
- Ice dams and outburst floods, records
 Chong Khumdan outburst, 259
 Indus flood, 253–254
 Kaqun station, 255
 Kyagar ice dam, 255
 Shyok GLOFs floods, 253–254
 sites, 252
 Upper Yarkand Basin inventory, 253, 254
 Ice depths and volumes, 83–85
 Ice dynamics, 320
 Ice facets, 136–137
 Icefall (IF)
 broken seracs and marginse, Sherpigang
 icefall, 174, 175
 downslope movement, 176
 heavily crevassed ice, 174, 175
 Nangma valley, 176
 ogives, 177
 seasonal/secular changes, 174
 steep tributaries, 176, 178
 streams, 176, 177
 IF. *See* Icefall (IF)

- Indus River, 9–10
- Indus Waters
- agricultural employment, 342
 - farmers and public utilities, 341
 - issues and concerns, 340
 - Tarbela Dam, 342
 - water development, 341, 342
 - water supply aspects, 341
 - well water, 341
- Inhabited mountains
- bio-resources, 330
 - farming and herding, 331
 - labour, 332
 - snowfields and small ice masses, 330–331
 - temporary visitors, 331–332
 - terraced field systems, 331
 - vertical transhumance, 330
- Inoue, J., 136, 148
- Intermontane river valleys, 15
- Intermontane sedimentation, 14–17, 318
- Irrigation systems
- labour division, 331
 - land loss, 337
 - landslides, 337
 - seepage, 343
- Ives, J.D., 41
- J**
- Jiskoot, H., 229
- K**
- Kalvoda, J., 312, 318
- Karakoram Geological Environment
- geology and tectonics, 11–14
 - quaternary events and intermontane sediments, 14–17
- Karakoram glacierised areas
- glacial landscapes, 188
 - glacier source zone landforms, 190–196
 - landsystem IV (*see* Debris-mantled ice)
 - periglacial environments, glacier basins, 213–214
 - seasonal landsystems I (*see* Glacier ablation zones)
 - transglacial and paraglacial conditions, 214–215
 - transitional landsystem I, 196–200
 - transitional landsystem II and III (*see* Landform assemblages)
 - verticality relations and landsystems, 188–190
- Karakoram glaciers
- accumulation and ablation zones, 62, 63, 69, 71
 - Baltoro, 65–68
 - Baltoro Glacier, 303
 - Batura Glacier, 305
 - Biafo, 64–66
 - Biafo Gyang Glacier, 297–302
 - characterisation, 62, 63
 - Chogo Lungma Glacier, 305–307
 - classification
 - Alpine type, 67, 74, 76
 - Mustagh type, 74–76,
 - nourishment, 74–76
 - 'snowlines', 76
 - Turkestan type, 74, 76
 - Wind-fed type, 76
 - windward slopes, 76
 - climatic and thermal classes, 82–83
 - combined nourishment and morphological classification
 - caldron type and ice stream type, 77
 - ice masses, 78–80
 - Mustagh-type glaciers, 76
 - 'valley glacier', 78–80
 - distinction arises, 62
 - English-language studies, 74
 - erratic advances, 309–311
 - frozen and snow-covered areas, 62
 - German-language studies, 70
 - Ghulkin Glacier, 308
 - hazards (*see* Hazards)
 - Hispar Glacier, 303–304
 - human aspects (*see* Human life)
 - ice depths and volumes, 83–85
 - icefall (IF), 176, 177
 - ice-margin depositional features, 64
 - inhabited and historic mountain range, 328
 - longitudinal and transverse glaciers, 310
 - Minapin Glacier, 307–308
 - minor, disconnected ice masses, 81
 - movement, 167
 - network and disconnected tributary ice masses, 63
 - ogives, 179
 - Panmah Glacier, 304–305
 - Pasu Glacier, 308–309
 - perennial snow and ice cover, 65, 70
 - PSI and glacierised areas, 70, 71
 - rock walls, 70, 73
 - snowfall, 179
 - socio-economic problems, 329
 - terrain and environments, 62
 - Toltar-Baltar, 68–69

- valley glacier complexes, 78
- water supplies, 329
- Karakoram Surges
 - 1986 and 1989 Bualtar Surges, 235–237
 - climate and glacial record, 240
 - glacial sediments, 226
 - Himalayaa, 221–223
 - Karambar glacier, 233
 - Khumdan glaciers, 233–235
 - Kutiah glacier, 232–233
 - locations and dimensions, valley glacier, 221, 224
 - Mouchuhar, 232
 - satellite tracking, 221
 - surface forms, 224, 225
 - tributary glaciers, locations and dimensions, 221, 225
 - tributary surges, Panmah, 237–240
 - water mills, 231
- Kaser, G., 113
- Kayastha, R.B., 146
- Khan, M.I., 132
- Kick, W., 295, 306, 307, 310, 312
- Klimek, K., 40
- Knight, E.F., 305
- Koncza, M., 303
- Kotlyakov, V.M., 176
- Kreutzmann, H., 223
- Kuhle, M., 317
- Kukuar Glacier, 311
- Kyagar Glacier, 260–262
- L**
- Landform assemblages
 - Baltoro Glacier, 212
 - concentrated deposition, 209
 - debris-covered and rock glaciers, 210
 - debris delivery, 208
 - Ghulkin type, 210
 - Karakoram conditions, 210
 - landslide-fragmented rivers, 213
 - lobes, Shimshal valley, 210, 211
 - moraine-dammed ice, 210
 - small tributary glacier, Nangmah valley, 211
 - valley glacier landsystems, 210
 - valley-side troughs/ablation valleys, 208–210
- Landslides and land loss, 337
- Lateral ice-margin lakes, 248
- LIA. *See* Little Ice Age (LIA)
- Little Ice Age (LIA)
 - Biafo Glacier, 298–299
 - disappearing glaciers, 293
 - identification, 312
 - late culmination, 310
 - position, Chogo Lungma Glacier, 307
 - terminal moraines, Biafo Glacier, 301
- Longstaff, T.G., 223
- M**
- Marinelli, O., 25
- Markgren, M., 198
- Mason, K., 223, 230, 251, 253, 256, 257, 295–298, 304, 305, 307–310, 312
- Mass balance estimation
 - ablation, ice, 145
 - accumulation and ablation zones, 145
 - Baltoro Glacier, 146
 - Batura Glacier, 146
 - Biafo Glacier, 145, 147
 - glaciers remains, 144
 - heavy debris mantle, 147
 - ‘inputs’ and ‘outputs’, 144
 - terrain and high-altitude environments, 144
- Massive rock slope failures (MRSFs), 194, 195
- Matthes, F.E., 198
- Mayer, C., 65
- Meiners, S., 311
- Menzies, J., 99, 101
- Minapin Glacier, 307–308
- Minor valley glaciation, 314
- Mountain communities, 332
- Mountain walls
 - failure/primary break-up, rock slopes, 194
 - Gannish Chishh/Spantik Peak, 194, 195
 - landform evolution, 196
 - MRSFs, 194, 195
- MRSFs. *See* Massive rock slope failures (MRSFs)
- Müller, F., 99, 101, 102, 141, 173, 203
- Mustagh-type glaciers
 - Firnessel* and *Firnstrom*, 77
 - ice streams, 76
 - nourishment types, 74, 78
 - regional climate, 83
 - ‘stream’/‘caldron’ forms, 77
 - terrain proportions, 74
- Mustagh-type gradients
 - ablation zones, 150, 151
 - mass balance, 149
 - snowfall accumulation, 151
 - wind and avalanche redistribution, 151

N

- The Nanga Parbat-Haramosh Massif (NPHM), 12
 NPHM. *See* The Nanga Parbat-Haramosh Massif (NPHM)
 Nye, J.F., 145

O

- Oestreich, K., 208, 306
 Off-glacier slopes
 actual off-ice surface areas, 55
 Baintha Brakk, south aspect, 56, 57
 features, 55
 rock walls, 56
 slope angles, distribution, 55
 slope profiles, 56
 Ogives. *See also* Icefall (IF)
 longitudinal variations, ice velocity, 178
 satellite images, 179
 wave-ogives, 177
 Osmaston, H., 113
 Östreich, K., 70
 Ostrem, G., 48–50
 Owen, L.A., 190, 270, 271

P

- Panmah Glacier, 304–305
 Paraglacial, 269, 279
 Pasu Glacier, 308–309
 Paterson, W.S.B., 97, 99, 165
 Pecci, M., 65, 223
 Penck, A., 194
 Penitentes/nieves penitents, 82
 Perennial snow and ice (PSI) cover
 area-altitude distribution, 56, 59
 Bualtar Glacier, 40, 41
 glacier cover and principal basins, map, 38
 glaciers dimensions, 39, 40
 steepness and elevation ranges, 40, 41
 Periglacial
 Karakoram Region, 270
 mountain resources and, 285
 patterned ground, 269
 Talus-derived rock glaciers, 283
 transitional forms and processes, 269
 Periodicity. *See* Terminus fluctuations
 Post-glacial landslides and fragmented drainage
 dam impounded sediment, 316–317
 giant bounding moraines, 317
 ice-marginal ramp, 317
 lacustrine deposits, 316
 valley fill, trenching and degrading, 317

- Precipitation sources, 90, 94, 95
 Protalus rock glaciers, 283–284
 PSI. *See* Perennial snow and ice (PSI)

Q

- Quaternary events and intermontane sediments
 bedrock incision, 15–16
 intermontane river valleys, 15
 valley fill materials, 16–17
 Quincey, D.J., 170, 223

R

- Rain-snow interface, 22, 23
 Rapp, A., 198
 Regional climate
 cryosphere, 7–9
 glacier climates and orographic effects, 20–24
 Greater Karakoram Region, 6–7
 High Asia, 2–6
 Indus and Yarkand River Basins, 9–10
 Karakoram climatic environments, 17–20
 Karakoram Geological Environment, 11–17
 snowlines, 25–28
 Regional tectonics and geology
 age determinations, 13
 bedrock, 13
 continent-to-continent collisional event, 11
 earth's crust, 12
 geological interpretations, 11
 glacier basins, trend and morphologies, 14
 Indian Plate basement rocks, 13
 Karakoram region location map, 12
 Northwestern Syntaxis, 13
 rock formations, 11–12
 Reverse flood waves, 260
 Rock glaciers
 active, inactive and relict forms, 281–282
 avalanche, 284
 bird's-foot delta, 281
 complex, combined and interacting lobes, 278, 280
 critical water resources, 270–271
 debris stream, 269
 distribution, 271–276
 diversity, 270–271
 elevation limits and relations, 274–275
 firm identifications, 269
 free zones, 274
 genesis and development, 282–284
 glacier-head-type, 278–279
 huge tip-heap terminus and steep flanks, 281
 hydrological roles, 285

- ice-cemented debris, 269
 - ice cores, 283
 - identification and typology, 269
 - inactive and relict, 274
 - interfluvial thresholds, 276
 - intermediate zone, 280
 - Karakoram background, 270–271
 - long profiles, 277
 - lower limits, 276
 - Mitre Peak, 273
 - moraine-dammed glaciers, 284
 - morphology and associated features, 276–281
 - mountain ranges, 272
 - as resources, 286–287
 - source, 274
 - spans, 274
 - thresholds, 49, 274
 - Twins Peak, lowest main lobe, 283
 - verticality, 273–276
 - visual indicators, 279
 - zones, 274
- S**
- Schneider, H.J., 65
 - Secular variations, 295
 - Semi-arid Himalaya, 19
 - Shipton, E.E., 54, 100, 223
 - Shroder, J.F. Jr., 223, 296, 305
 - Slush zone and flows
 - description, 101
 - heavy snow pack, 102
 - Panmah Glacier, 102, 103
 - ‘slush swamp’, 102, 103
 - weather and soaking, 104
 - Smiraglia, C., 65, 223
 - Snow and ice contributions
 - area-altitude relations, 344
 - golden egg of glacier hydrology, 345
 - high elevation watersheds, 343
 - ice ablation, 344–345
 - rainfall-runoff, 343
 - seasonal snowfall, 346
 - seasonal variations, 344
 - sources range, identification, 344
 - substantial glacier contributions, 343
 - summer monsoonal rains, 343
 - Snowfall and glacier nourishment
 - AARs, 113–115
 - ablation and accumulation zones, 112
 - ablation and flow rates measurements, 93
 - avalanches and Wind-redistribution, 112
 - avalanching, 107
 - Biafo accumulation zone, 89–93
 - Biafo Glacier, 111
 - depth profile, Biafo ablation zone, 111, 112
 - direct snowfall and ice avalanches, 113
 - east slopes, Hispar Pass, 107, 108
 - estimation, avalanche inputs, 108–109
 - firn, 97–98
 - freeze-thaw, 113
 - ice derived, 104
 - Karakoram, 89
 - mass balance, 88
 - measurements, 93, 94
 - moisture sources, 94–95
 - orographic effect, vertical gradient
 - and ablation season, 111
 - rock faces, 88
 - subzones, accumulation areas (*see* Accumulation areas subzones)
 - temperate, subpolar and high polar, 113
 - temporal and spatial variability, 95–96
 - terrain/ruggedness effect, 104–107
 - Turkestan-type glaciers and Mustagh types, 107
 - wind redistribution, 109–110
 - Snowlines
 - climatic, 25–27
 - daytime albedo, 28
 - regional, 25
 - snow covers, perennial and seasonal, 28
 - transient, 25–27
 - weather conditions, 28
 - well-defined interface, 28
 - Snow pits, 89, 94, 95, 100
 - Solar radiation
 - ablation zones, 120
 - air temperature, 121
 - nocturnal and day-time ablation, ice meteorological stations, 126
 - supraglacial debris, 129–134
 - surface micro-relief, 136
 - Starkel, L., 40
 - Steepland. *See* Off-glacier slopes
 - Supraglacial debris
 - ablation rates, 131
 - Barpu Glacier, 132, 137
 - Biafo Glacier, 131, 132
 - distribution, 132, 134
 - heat absorption, 130
 - heavy mantles cover, 130
 - Himalayan ranges, 129
 - passive’ transport, 134
 - Rakhiot Glacier, 131
 - short-wave radiation and ablation, ice facets, 132, 138
 - thermokarst processes, 131

- Supraglacial lakes, 247–248
- Surge-type glaciers
- classic two-phase events, 229
 - glacier behaviour, 228
 - historical records, Karakoram surges, 221–226
 - ice margins, 1987 Bualtar Glacier surge, 228
 - ice mass, 220
 - incidence and behaviour, 220
 - Karakoram main glacier, 231–237
 - and main valley and tributary, 226, 227
 - north-orientated ice streams, 226
 - phases, 229
 - surge dynamics, 229–230
- T**
- Talluvium, 213–214
- Talus, 279, 283–284
- Temporal and spatial variability, 95–96
- Terminus fluctuations
- Central Karakoram, glacier change, 297
 - classes of behaviour, 295
 - evidence, 296
 - glacier fluctuations tracking, 295
- Terrain/ruggedness effect
- Bualtar-Barpu Glacier system, 105
 - depositional zone, 106
 - ice stream, 106
 - rock walls, 104
 - snow avalanche, 105
 - steep walls and disconnected tributary glaciers, 106, 107
 - Turkestan-type glaciers, 105
- Threatening glacier, 256
- Todd, H.J., 223
- Toltar-Baltar Glacier
- accumulation and ablation zones, 69
 - ice stream areas, 69
 - perennial snow and ice zone, 68
 - topographic map and glacierised area, 69
 - watershed point and fall,, 68
- Topoclimate, 23–24
- Transglacial and paraglacial forms, 214–215
- Transhumance
- glacier, 334–335
 - vertical, 330
- Transitional landsystem I
- chute systems, 198–199
 - ELA, 196
 - icefalls, 199
 - Karakoram valley glaciers, 197
 - Turkestan-type glacier, 197, 198
 - Upper Panmah Glacier, Nobande Sobonde Branch, 197
- Transverse glaciers, 256
- Tributary Surges, Panmah
- post-surge conditions, 238
 - Shingchukpi Glacier, Nobande Sobande, 239
 - surface changes, 240
- Turkestan-type glaciers
- ice masses, 76
 - nourishment types, 75, 78
 - regional climate, 83
 - terrain proportions, 74
- Turkestan-type gradients
- avalanche-fed, 151
 - definition, 151
 - mass balance, 149
 - vertical mass balance, 149, 150
 - winter snow falling, 151
- U**
- Untersteiner, N., 119
- V**
- Valley fill materials, 16–17
- Valley glacier complexes, 78,
- Valley wall rock glaciers, 283–284
- Verticality
- definition, 40
 - elevation and topography, 40
 - glaciers and basins, 42
 - Himalayan region, 40
 - Karakoram (*see* Perennial snow and ice cover)
- Verticality relations and landsystems
- orographic and seasonal climatic conditions, 188–190
 - transitional systems, 190
 - valley glaciers, 190
- Visser, C., 77, 208, 223, 305, 307
- Visser-Hooft, J., 7, 25, 77, 208, 223, 305, 307
- Visser-Hooft, P.C., 7, 25
- von Wissmann, H., 3, 25, 27, 28, 77, 153, 312
- W**
- Wake, C.P., 89, 94–96, 100, 169
- Water resources
- Hindu Kush, 346
 - Hindukush-Karakoram-Himalaya, 346
 - Hindu Raj glaciers, 346
 - Indus and Tsangpo-Brahmaputra, 346

- Indus Waters, 340–342
 - national and transnational, 329
 - Wenying, W., 180
 - Wind redistribution
 - avalanche contribution, 112
 - east slopes, Hispar Pass, 108, 109
 - feeds innumerable minor
 - ice masses, 109
 - Karakoram snow, 109
 - physical modifications, snow, 110
 - speeds and snowfalls, 110
 - ‘wind drift accumulation of snow’, 109
 - Wind regimes
 - mass balance, 154, 156
 - redistribute and snow, 154, 156
 - Workman, F.B., 223, 306
 - Workman, W.H., 306
- Y**
- Yafeng, S., 180
 - Yarkand River, 9–10
 - Yoshida, M., 136
 - Younghusband, F.E., 251, 305