

Index

- Actin 69, 73
ADP 50, 52
Aggregation, suppression of 26, 42, 54
ANS 61
Antigens 11, 107–12
Arsenite 74
ATP 1, 18, 34, 35–6, 42–3, 44, 50–2
 hydrolysis 16, 19, 36, 41, 43, 49, 55, 62, 72, 79, 83, 88, 95
ATPase 53
Autoreactivity 107–8
- Bacterial protein export 87–98
Bacteriophages 15
Binary complexes 42–5
 see also Chaperonin 60
Binding 1, 8, 15, 19
 in vitro 58, 61
 reversal 4
 upstream events 60–1
BiP 11, 61, 72, 73, 79, 82, 83, 109
Bovine pancreatic trypsin inhibitor (BPTI) 32, 33, 88, 90, 91
Bovine rhodanese 54
- CAF-1, 8
Cancer, genetic base 113
Catalysis 2, 32–3, 44, 45–6, 59
Chaperonins 2, 4, 41–8, 49–56
Chaperonin 10 (CPN 10) 42, 43, 44, 49, 50–2
 see also GroES
Chaperonin 60 (CPN 60) 10, 32, 35, 38, 41, 42–5, 49, 50–2, 69, 72–3
 see also GroEL
Charge–charge interactions 10
Chromatin 7–13
 sperm 7, 8–9, 10
Clathrin cage recycling 3
Co-chaperones 60
Cytochrome *c* 3
- Dihydrofolate reductase (DHFR) 57–8, 59, 60, 61, 62, 69, 105
Disulphide isomerase 2, 32–3
DNA
 replication 3, 8, 15, 16–18, 20, 22
 synthesis 15, 19
DnaA 22
DnaB, DnaC 17
DnaJ 4, 17, 18, 20, 21, 61, 73, 80, 83, 96, 97
DnaK 4, 15, 18, 19, 20, 21, 61, 73, 80, 85, 96, 97, 115
Docking protein 79, 80
Drosophila 27–30, 71
- Endoplasmic reticulum (ER) 1, 31, 72, 79–85
Escherichia coli (*E. coli*) 2, 4, 15–22, 24–26, 32, 35, 36, 41, 49, 53, 57, 58, 61, 72, 87
- Folding
 blockage by SecB 90–1
 in vitro 62
 inhibition 42
 intermediate 54–5
 polypeptides 2, 4, 32, 57, 59, 72, 102
 proteins 1, 7, 15, 31–9, 71, 83
 chaperonins 41–8
 Hsp60 57–62
 TF55–TCP1 63–5
- GroE 34, 58, 72
GroEL 2, 10, 12, 32, 57, 72–3, 85, 98
 and GroES 19, 35–6, 41, 50
 Hsp 60 58–60
 in vivo studies 58–9
 thermal aggregation 35
GroES 34, 60, 61, 62, 72
GrpE 4, 15, 17–20, 73, 83
- Heat shock genes/proteins 1, 2, 3, 11, 15, 16,, 17, 19, 20
 function as molecular chaperones 71–7
 mutations 23–4, 26, 28
 thermophiles 36
 thermotolerance role 23–30, 53
 see also Hsc, Hsp
Heat stability 8, 53–4
Hexokinase 15
Histones 1, 7, 8, 9, 10
Hsc 70 (heat shock cognate protein) 7, 10–11, 35, 114
Hsp 10 73
Hsp 60 4, 27, 35, 57–62, 72–3, 74–5, 80, 83
 antifolding action 59
 binding 60–1
 co-chaperones 60
 essential nature 58
 folding mechanism 60, 62
 function in cell 57–8
 oligomeric protein assembly 59
 polypeptide chain folding 59
 quaternary structure 59–60
 T cells 108
 see also GroEL
Hsp 70 1, 2, 4, 7, 10–12, 15, 36, 60–1, 71–3, 74–5, 77, 80, 82, 83, 85, 108, 117
 antigens 109–10
 cytosolic 100
 Drosophila 27–8
 mitochondria 100–4
 p53 regulation 114
 polypeptide chains 101–2
 precursor proteins 100
 yeast 26–7
Hsp 90 4, 80, 81, 83, 85
Hsp 100 23–7
Hsp 104 24–7

- Immune response 107–12
 Incorrect interactions 3
 Infectious tobacco mosaic virus 2
 Inhibition of assembly 8
 Interactive surfaces 3, 4
 Inter/intramolecular interactions 15
 IPMDH 53–4
 Isomerase
 peptidyl prolyl *cis-trans* (PPase) 33–4
 protein disulphide 32–3

 Kinetic partitioning 32, 34–5, 36

 Lactalbumin 72
 Lactate dehydrogenase 62
 LDH 53–4
 Leucine zippers 75
 Ligands 4, 43, 87–98
 Lim protein 4

 Major histocompatibility complex (MHC) 11, 108–9, 110, 111
 Metabolic stress and hsp 73–4
 Microsomes, protein transport into 79–82
 Mini-F plasmid 15
 Mitochondria 27, 73, 99–106
 Molecular chaperones 2, 3, 7
 binding 3, 4
 concept 1–5
 co-translational 3
 current list 4
 definition 2
 function 3
 mechanism of action 4
 reason for existence 3
 roles 4

 Non-covalent (definition) 2
 Non-functional structures 2, 3
 Nuclear proteins 10–11
 N1 7, 8, 10, 11
 NO38 10, 12
 Nuclear targeting sequence 11
 Nucleoplasmin 1, 2, 4
 nuclear localization 7, 10, 11
 nucleosome assembly 1, 3, 7, 8
 pentameric structure 10
 role in chromatin assembly/disassembly 7–13

 OriC replication 18, 19

 p53 113–15, 116–17
 PapD 4, 35
 Peptides, binding 72, 91–4, 108–9, 112
 Peptidyl prolyl *cis-trans* isomerase 33–4
 Phosphorylation 10, 12
 Polypeptides 1, 2, 3, 15, 34, 62
 binding 35, 36, 61–2
 chain folding 32, 59, 72, 102
 chain translocation 99–100
 chain unfolding 101–2
 release 16
 self-assembly 4
 Preprocecropin A 81–2
 Pre-treatment for temperature changes 23
 Prions 4
 Proline 11, 12
Pro-sequences 2, 3, 4
 Protease 3, 61, 62
 Proteins
 analogue-containing 74–5
 assembly 1, 2, 3, 7, 27, 36, 59
 bacterial 87–98
 denaturation 2, 31–2
 disulphide isomerase (PDI) 2, 32–3
 folding 1, 7, 15, 31–9, 71, 83
 and chaperonins 41–8
 and HSP 60 57–62
 and TF55–TCP1 63–5
 and translocation 87–8
 antifolding 59
 correlation with export 87
 refolding *in vitro* 31–9
 maturation and hsp 73
 oligomeric 47, 59
 recovery from binary complex 43
 renaturation 2, 4, 31–2, 80–1
 RepA 19
 ribonucleoparticle-independent transport 82–3
 SecB, binding by 89–91
 selective import into nucleus 7
 SH groups 33
 synthesis 3
 target 43
 conformation 35
 targeting to mitochondria 99–106
 translocation 15, 17
 membrane 87
 Transport 3, 7, 15
 into ER 79–85, 87
 into microsomes 79–83
 Proteolysis 15
 PrtM, PrsA 4

 Rb (retinoblastoma) 4, 113–15
 Rhodanese 35, 54, 61, 62
 Rhodospirillum rubrum 35
 Ribonuclease (RNase) 32, 33
 Ribonucleoparticles 12, 79–80, 82–3
 Ribosomes
 assembly 10, 12
 receptor 80
 Ribulosebiphosphate carboxylase, *see* Rubisco
 RNA
 synthesis 15
 polymerase 19, 20
 Rubisco 1, 2, 3, 34, 44, 45, 57, 58, 59, 72
 paradigm 41–2

 Saccharomyces cerevisiae 23, 100
 SecA 59, 88, 94
 SecB 36, 59, 87–98
 binding 89–94
 multiple 94–5
 conformation 94
 properties 88
 target selection 88–9
 Sec65 protein 80
 Self-assembly 1, 2, 3, 4, 7, 36
 Sequence conservation 107–8
 Signal recognition particle (SRP) 4, 79, 80
 Specificity 36
 Sperm chromatin decondensation 7, 8–9, 10
 Stress 3, 15, 23, 72–4, 107–8
 see also Heat shock
 Subtilisin 2

 T cells 107–10, 111–12
 TCP1 (t-complex polypeptide-1) 4, 57, 62–5, 69, 70, 73, 83, 105
 functional analysis 64–5
 in hetero-oligomeric complex 63–4

- TF55 (thermophilic factor 55) 57, 63
- Thermal aggregation, suppression 35
- Thermotolerance 23–30
- Thermus thermophilus* (*Thermus* chaperonin) 36, 49–56
 - ATP 50–2
 - endogenous ADP 50
 - folding intermediate reserve 54–5
 - location of CPN 10 50
 - temperature ranges 53
- Transcription factors 73
- Translocation of precursors 100–1
- Tryptophan 61
- Tumours 112, 113–17
- Ubiquitin tails 3, 4
- Viruses 7
- Xenopus* 7–11
- Yeast 23–7, 37, 80, 85
 - canavine sensitivity 26
 - Mif4 mutant 57