

Index

Note that chemical substances are indexed by acronym if any, by name and by chemical formula for inorganics, and by name for organics where this is not too long.

- absorption excitonic 41, 56
 - intensity-dependent 44, 47, 49
 - two-photon 43, 44, 45, 68, 80
- absorption loss 221, 222
- AC Kerr effect 13, 33
 - Stark effect 66, 68
- acceptance bandwidth 111, 124, 129, 130, 134, 136
- addition polymerization 191
- alcohol group 227
- AlGaAs 25, 32, 51, 52, 57, 58, 72
- all-optical logic 21, 30
 - signal processing 21
 - switching 21, 30, 35, 51, 91
- alternate-layer Langmuir–Blodgett film 240
- aluminosilicate fibre, Eu²⁺-doped 85, 86
- amide group 227, 239
- amphiphilic species 226, 243
 - polymer 238
- angle tuning 109, 121, 124, 128, 130, 133, 135, 136, 137
- aperture length 111
- As₂S₃ 84
- atactic polymer 192
- average nonlinear optical susceptibility in polymer 196–200, 203
- axial order 198, 203
- azobenzene 235, 240, 243, 244

- BaB₂O₄ 122–127
- BaF₂ 50
- band
 - conduction 37, 38, 43, 58, 213, 215, 216
 - filling 52, 56
 - split-off 38
 - valence 37, 38, 43, 58, 213, 215
- band-gap
 - direct 37
 - optical 214, 215
 - renormalization 65
- band structure 37, 38, 213, 218
 - engineering 57
- barium borate (BaB₂O₄) 122–127

- 4-BCMU 209, 217, 222
- Becke line technique 165, 166
- benzene 147, 148
 - derivative 240, 244
- benzil 184
- biaxial crystal 109, 127, 132
- birefringence 105, 124, 167, 220
- bis-phenol-A 191
- bistability, optical 14, 35, 51
- BK-7 glass 95
- Bloch function 213
- Bohr radius 42, 68, 211
- Boltzmann statistics 196
- bond
 - hydrogen 243, 244
 - σ 148, 217
- bond alternation 212, 218
 - orbital theory 70, 81
 - polarizability 70, 71
 - superalternation 218
- bonded polymer 205–206
- Bragg equation 233
 - reflection 180, 232, 234
- Bridgman–Stockbarger technique 172, 173, 174, 182, 184
- Brillouin Zone 213, 214, 216, 218

- carboxylate group 227
- carboxylic acid group 227
- carrier, photogenerated 54, 64
- carrier confinement 58
- Cd²⁺ ion 232, 233
- CdS 77
- CdS_xSe_{1-x}, in glass matrix 55, 77
- CdSe 77, 79
- centrosymmetry 7, 101, 114
- chain-length scaling law 211, 212
- chalcogenide glass 84
- channel waveguide (CWG) 184, 185, 220
- charge transfer 150, 161, 165, 166, 168
- chemical potential difference in crystal growth 172
- chirped pulse 89
- cladding layer 220

- coherence length for second-harmonic generation 9, 24, 105, 110
 comb polymer 190, 205, 206
 condensation polymerization 191
 conducting polymer 207
 conduction band 37, 38, 43, 58, 213, 215, 216
 confinement potential 63
 constitutive relation 5
 continuous column chromatography 170
 contracted index (Voigt) notation 8, 113
 copolymer 190
 corona discharge poling 196
 Coulomb interaction 210, 211, 215, 216, 217
 coupled-mode theory 31
 critical phase-matching (CPM) 111, 136
 cross-linking 191
 cross-sectional area 229
 crystal
 biaxial 109, 127, 132
 structural assessment of 178–182
 uniaxial 107, 120, 123, 137
 crystal-cored fibre (CCF) 183, 184
 crystal growth 171, 178, 123, 128, 131, 171, 178
 Bridgman Stockbarger technique for 172, 173, 174, 182, 184
 Czochralski technique for 174, 175
 from melt 172–175
 from solution 175–177
 from undercooled melt 174, 175
 from vapour 177
 crystal polymorphism 123, 171, 176, 178
 crystallinity, of polymer 192
 CWG 184, 185
 Czochralski technique 174, 175

d coefficient 8, 114, 120, 123, 127, 132, 155, 159, 163, 165, 167
 damage, photorefractive 23, 24
 DAN 138, 151, 153, 166, 167, 173, 184, 202
 DANS dopant 200, 204
 Davydov splitting 234
 DC Kerr effect 13
 DCH 218
 decanoic acid 227
 defect etching 179
 defect influence on SHG efficiency 178, 179
 degenerate four-wave mixing (DFWM) 16, 210
 delocalization parameter 212, 213, 214
 density of states (DOS) 38, 39, 45, 61, 62, 214
 two-dimensional 61, 63
 deposition of Langmuir–Blodgett film
 X-type 231, 240
 Y-type 231, 240, 244, 245
 Z-type 231, 240, 243
 deposition ratio 231, 243
 DFWM 16, 210
 difference-frequency generation 15
 1,3-dinitrobenzene (mDNB) 184
 dipole moment 146, 150, 154, 163, 172, 194, 196
 dipping direction 234
 dipyrromethene derivative 244
 direct band-gap 37
 directional coupler 29, 30, 51, 91
 Disperse Red 1 (DR1) 200, 201
 D-LAP 138
 DO25 dopant 200
 double refraction 110, 111
 down-conversion, parametric 15
 DR1 dopant 200, 201
 dual-core optical fibre 92
 dynamic Moss–Burstein effect 52, 54

 effective mass 39
 effective SHG coefficient d_{eff} 8, 22, 116, 120, 123, 127, 132
 EFISH 13, 143, 152, 153
 elastomer 191
 electric-field induced second-harmonic generation (EFISH) 13, 143, 152, 153
 electro-optic coefficient 162, 163, 169, 170, 221
 effect
 linear 11, 162, 163, 169
 quadratic 13
 electron
 acceptor group 151, 194
 donor group 151, 194
 ellipsometry 232
 epoxy polymer 206
 erbium-doped fibre 91
 error signal 49
 ester group 227
 etching, defect 179
 ether group 227
 Eu^{2+} -doped aluminosilicate fibre 85, 86
 Eu^{3+} -doped glass 84, 85
 exciton 41, 42
 coupling 234
 two-dimensional 63, 64, 66
 virtual 67
 excitonic absorption 41, 65
 extraordinary wave 8, 9, 107, 108, 110

 Fabry–Perot interferometer 51
 fatty acid 234
 femtosecond pulse 131
 Fermi
 energy 213, 214
 function 39, 53

- level, quasi 53
- Fermi's golden rule 38, 40, 45, 54
- fibre
 - aluminosilicate, Eu^{2+} -doped 85, 86
 - germanosilicate 85, 86
 - fibre loop mirror 29, 30, 91, 92, 93
 - figure of merit (FOM) 25, 51, 87, 221
 - first hyperpolarizability β 13, 144, 146, 154, 194
 - fluence 54
 - fluorescence, parametric 114
 - fluorocarbon chain 226
 - four-wave mixing 16
 - degenerate 16, 210
 - Fourier-transform infrared spectroscopy (FTIR) 232, 233
 - fractional free volume 193
 - frequency
 - chirp 88, 89
 - conversion 124, 125, 135
 - doubling 20, 25, 166, 167
 - mixing 15, 99, 101, 104, 130, 135, 138
- GaAs 25, 41, 42, 57, 58, 68, 72
- gaseous Langmuir film 228
- Gaussian pulse 49, 89, 160
- Ge-doped silica 85
- germanosilicate fibre 85, 86
- glass
 - chalcogenide 84
 - Eu^{3+} -doped 84, 85
 - heavy-metal oxide 83, 84
 - photorefractive 76, 84
 - semiconductor-doped 55, 77, 78, 87
 - transition-metal-ion-doped 81, 95
- glass transition temperature 192, 195
- gradient sublimation 171
- grating structure for quasi phase-matching 24, 25
- group velocity dispersion (GVD) 87, 90, 94
- growth dislocation 181
- guest/host polymer 200–205, 207

- half-beat-length device 91
- half-wave voltage 161, 169, 170
- heavy hole 37, 61
- heavy metal oxide glass 83
- hemicyanine 240, 243, 244, 245
 - polymer 245
- heterostructure 57
- hexamethyldisilazane 230
- hole
 - heavy 37, 61
 - light 37, 61
- homopolymer 190, 206
- hopping integral 212, 218

- horizontal lifting Langmuir–Blodgett trough 232, 247
- Hückel theory 212
- hydrocarbon chain 226, 240
- hydrogen bond 243, 244
- hydrophilic species 226, 227, 230, 243
- hydrophobic species 226, 227, 240
- hyperpolarizability
 - first 13, 144, 146, 154, 194
 - measurement of 152
 - second 144, 211

- indicatrix, optical 12, 105, 106, 112
- insulator 46
- intensity-dependent absorption 44, 47, 49
 - refractive index 13, 14, 26, 47, 49
- interband absorption 38
- interferometer
 - Fabry–Perot 51
 - Mach–Zehnder 29, 48
 - pump–probe 47, 48, 56
 - Sagnac 29
- intermolecular forces 171
- ion exchange 83, 95
- Ising model 198, 203, 205

- Kane momentum energy 45
- Kerr coefficient 222
 - effect
 - AC 13, 33
 - DC 13
 - optical 13, 25, 30, 84
- Kleinman symmetry 7, 12, 113, 115, 120, 123, 127, 132
- KNbO_3 (KN) 137, 138
- Kramers–Kronig transformation 40, 44, 46, 54, 66, 78
- KTiOPO_4 (KTP) 22, 45, 127–131

- Langmuir film 226
 - gaseous 228
 - liquid 228
 - solid 228
- Langmuir–Blodgett (LB) film deposition
 - X-type 231, 240
 - Y-type 231, 240, 244, 245
 - Z-type 231, 240, 243
- Langmuir–Blodgett trough 231, 232
 - double 231, 232
 - horizontal lifting 232, 247
- laser-induced grating 85
- LBO 131–137
- light hole 37, 61
- LiNbO_3 22, 23, 24, 25, 68
- linear electro-optic effect 11, 162, 163, 169
- lipophilic species 226, 230
- liquid crystal polymer 204, 205

- liquid crystalline order 198
 liquid Langmuir film 228
 LiTaO₃ 22, 24
 lithium
 niobate (LiNbO₃) 22, 23, 24, 25, 68
 tantarate (LiTaO₃) 22, 24
 triborate (LiB₃O₅, LBO) 131–137
 local field correction 154
 logic, all-optical 21, 30
 loop mirror 29, 30, 91, 92, 93
 low-dimensional semiconductor 56
- Mach–Zehnder interferometer 29, 48
 main-chain polymer 206, 207
 Maker fringe 159, 162, 165
 MAP 138
 Maxwell's equations 5, 22, 34, 101
 MBA-NP 151, 153, 163–167, 170, 177, 178, 180, 185
 mDNB 184
 measure calculus 17
 mechanical properties 121, 171, 189, 190
 merocyanine 240, 243, 244
 mesogen 204, 235
meta-nitroaniline (mNA) 151, 153, 162, 173, 181
 metal-organic chemical vapour deposition (MOCVD) 37
 metastable zone 172
 2-methyl-4-nitroaniline (MNA) 151, 153, 163, 183, 184, 200
 MgO:LiNbO₃ 137
 Miller's δ 115
 rule 114
 mirror
 fibre loop 29, 30, 91, 92, 93
 phase conjugate 17
 molecular beam epitaxy (MBE) 37
 mNA 151, 153, 162, 173, 181
 MNA 151, 153, 163, 183, 184, 200
 molar mass 190
 number average 190
 weight average 190
 momentum space 61, 62
 monomer 190
 MOPPV 208
 Moss–Burstein effect, dynamic 52, 54
 multiple-shot damage 121
- negative uniaxial crystal 107, 123, 137
 3-nitroaniline (mNA) 151, 153, 162, 173, 181
 4-nitroaniline (pNA) 149, 150, 151, 152, 153, 194, 195
 nitroaniline
 meta 151, 153, 162, 173, 181
 para 149, 150, 151, 152, 153, 194, 195
 NMBA 151, 167–170, 202
- non-centrosymmetry 118, 143, 149, 152, 161, 163, 194, 239, 244
 noncritical phase matching (NCPM) 111, 119, 128, 129, 130, 132, 133, 135, 136, 137, 155
 nonlinear Schrödinger equation 26, 88, 90
 nonlinear optical susceptibility
 average in polymer 196–200, 203
 symmetry 7, 112
 nonlinearity
 absorptive 46, 49
 nonresonant 50, 80
 refractive 46, 49
 resonant 28, 31, 55
 saturation of 55
 thermal 55, 56
 normal index surface 108
 NPAN 184
 NPP 151, 183, 184
 number-average molar mass 190
- oligomer 210
 thiophene 212
 one-dimensional model 207, 210
 optical band gap 214, 215
 bistability 14, 35, 51
 computing 35, 189
 optical
 damage 119
 multiple-shot 121
 threshold 124, 130, 132, 135, 161, 170
 tolerance 117, 118
 dual-core 92
 fibre 26, 29, 162, 189, 207
 indicatrix 12, 105, 106, 112
 Kerr effect 25, 30
 nonlinearity
 nonresonant 31, 35, 36, 40, 43, 46, 51
 resonant 31, 35, 40, 52
 pulse compressor 88, 89, 90
 rectification 11
 Stark effect 79
 optoelectronics 35, 189
 order parameter 203, 204
 ordered host 203–205
 ordinary wave 8, 9, 107, 108, 110
 organic channel waveguide 184, 185, 220
 crystal cored fibre 183, 184
 orthoscopy 167
 oscillation, parametric 16, 118, 122, 126, 131, 136, 137
 oscillator strength 146
 ω -tricosenoic acid 237, 244
- P(4-ABP) 208
 PAc 207, 208, 212, 214, 215, 216, 222

- para*-nitroaniline (pNA) 149, 150, 151, 152, 153, 194, 195
- parametric amplification 16, 99, 126, 131
 down-conversion 15
 fluorescence 114
 generation 104, 123, 130, 138
 oscillation 16, 118, 122, 126, 131, 136, 137
 up-conversion 15
- PDA 192
- permittivity 5
- perturbation expansion 68
- phase-conjugate mirror 17
- phase-matching 9, 22, 23, 104–110, 117, 118, 154, 155, 161, 165
 critical 111, 136
 noncritical 111, 119, 121, 128, 130, 132, 133, 135, 136, 137, 155
 retracing behaviour 133, 134
 type I 9, 107, 109, 120, 123, 127–129, 133, 136, 160, 167, 168
 type II 9, 107, 109, 120, 123, 127–129, 133, 136, 160, 167, 168
 locus 161, 166, 167, 168
- Phase modulator 220, 221
- phase-space filling (PSF) 66, 67
- phosgene, COCl₂ 191
- photoconductivity 218
- photogenerated carriers 54, 64
- photogenerated plasma 78
- photorefractive damage 23, 24
 effect 15
 glass 76, 84
- phthalocyanine 235, 236, 237, 246
 polymer 239
- plasma, photogenerated 78
- PMMA 192, 201
- pNA 149, 150, 151, 152, 153, 194, 195
- Pockels
 coefficient 12, 154, 169, 170
 effect 11, 155, 156, 161, 168, 169
- polarizability 143, 144, 145
 bond 70, 71
- polarized UV/visible spectroscopy 234, 239
- poling 195, 204, 220
 pulsed 201
- polyacetylene (PAC) 207, 208, 212, 214, 215, 216, 222
- poly(acrylate) 238, 243
- polycarbonate 191, 192, 201
- polydiacetylene (PDA) 192, 209, 216, 217, 246
- polydispersity 190
- polyether 243, 245
- poly(γ -benzyl-L-glutamate) 239
- polymer
 atactic 192
 bonded 205–206
 comb 191
 conducting 207
 epoxy 206
 guest/host 200–205, 207
 liquid crystal 204, 205
 main-chain 206, 207
 phthalocyanine 239
 side-chain 205, 206, 207
 polymer morphology 192
 synthesis 191–192
- polymeric Langmuir–Blodgett film 237
- polymerization
 addition 191
 condensation 191
 topochemical 216, 217
- poly(methacrylate) 238
- poly(methyl methacrylate) 192, 201, 244
- polymorphism of crystals 123, 171, 176, 178
- poly(*N*-alkylacrylamide) 238
- poly(phenylene vinylene) (PPV) 208
- polysilane 209
- polystyrene 192
- polythiophene (PT) 208, 246
- poly(4-vinyl pyridine) (P-4VP) 206
- poly(vinylidene difluoride) (PVDF) 204
- POM 138, 151, 163, 179
- porphyrin 235, 236
- positive uniaxial crystal 107, 120
- potassium titanyl phosphate, KTiOPO₄ (KTP) 127–131
- powder test for second-harmonic generation 155, 156
- Poynting vector 10, 111
- PPV 208
- pressure-area isotherm 228, 243
- proton
 bombardment 72
 exchange 24
- PT 208, 246
- PTS 209, 210, 218, 219
- pulse
 chirped 89
 femtosecond 131
 Gaussian 48, 89, 160
- pulse compressor
 optical 88, 89, 90
 distortion 26, 30
- pulsed poling 201
- pump–probe
 experiment 67, 79
 interferometer 47, 48, 56
- purification of organic nonlinear optical materials 170–171
- PVDF 204
- P-4VP 206
- pyridine derivative 204

- π -conjugation 210
- π -electron system 148, 149, 163, 167, 245
- quadratic electro-optic effect 13
- quantity calculus 17
- quantum well 57, 58, 59, 60, 64
- quartz 155, 159, 160
- quasi Fermi level 53, 66
- quasi one-dimensional band 193
- quasi phase-matching (QPM) 11, 23, 24, 25, 71, 161
 - grating structure for 24, 25
- quasi thermal equilibrium 53
- quaternary ammonium group 227
- rectification, optical 11
- reduced mass 39
- refractive index 106, 120, 124, 128, 133, 138, 156, 157, 159, 165, 167, 220
 - intensity-dependent 13, 14, 26, 47, 49
- relative permittivity 5, 221
- relaxation time 54
- resonance 144, 145, 146, 210, 215
 - integral 212, 218
 - three-photon 210, 219
 - two-photon 210, 215
- resonant nonlinearity 28, 31, 55
- retracing behaviour of phase-matching 133, 134
- rubber 191
- Rydberg energy 42, 64, 78
- Sagnac interferometer 29
- saturated molecule 148
- saturation of nonlinearity 55
- scaling law, chain length 211, 212, 214
- Schrödinger equation 41, 42, 59, 62, 210, 211
 - nonlinear 26, 88, 90
- second-harmonic generation (SHG) 8, 21, 22, 99, 104, 105, 136, 138, 155, 165
 - chromophore 239, 240
 - coherence length 24
 - efficiency 25
 - effect of defects on 178, 179
 - electric-field induced 13, 143, 152, 153
- second hyperpolarizability γ 144, 211
- SEED 28, 51, 57
- seed crystal 175
- segregation coefficient 171, 174
- self electro-optic effect device (SEED) 28, 51, 57
- self-focusing/defocusing 14, 49, 94
- Sellmeier equation 118, 120, 124, 128, 133, 159, 161
- semiconductor
 - low-dimensional 56
 - II–VI 46
 - III–V 36, 37, 45, 57, 68
- semiconductor-doped glass 55, 77, 78, 87
- semiconductor switch, 'world's fastest' 37
- SHG 8, 21, 22, 99, 104, 105, 136, 138, 155, 165
- shish-kebab polymer 239
- side-chain polymer 205, 206, 207
- signal processing, all-optical 21
- silica, Ge-doped 85
- silica fibre, doped 81, 83, 85
- silica waveguide 85
- siloxane 243
- silylation 230
- sinc² function 10
- slab waveguide 220
- slowly varying amplitude
 - approximation 103
- smectic phase 235
- Snell's law 157
- solid solution 200
- solid Langmuir film 228
- soliton 20, 90, 91
 - spatial 94, 95
 - temporal 90, 91
 - transmission 26, 27, 91
- solvent
 - casting 219
 - incorporation 176
 - influence 176, 177
- spatial soliton 94, 95
- speciality polymer 189
- sphalerite structure 36
- spin coating 199, 219
- split-off band 38
- Stark effect,
 - AC 66, 68
 - optical 79
- stearic acid 227, 229, 235, 236
- stilbene 240, 245
- structural assessment of crystals 178–182
- structural defect categories 179
- sum-frequency generation 15, 122, 126, 130, 135
- supersaturation 172, 175
- surface entropy factor in crystal
 - growth 176
- susceptibility tensor 5, 6, 154
- switching, all-optical 21, 28, 30, 35, 51, 91
- symmetry, Kleinman 7, 12, 113, 115, 120, 123, 127, 132
- symmetry of nonlinear susceptibility 112
- σ bond
- tacticity 192
- TCDU 209
- temperature tuning 109, 112, 132, 134, 135, 136, 137
- temporal soliton 90, 91

- thermal nonlinearity 55, 56, 79
thermal expansion 161, 193
 stability 171
thermoplastic 191, 192
thermoset 191, 193
thin-film waveguide of organic
 crystal 182, 183
thiophene oligomer 212
third-harmonic generation (THG) 8, 84,
 136, 239, 245
three-photon resonance 210, 219
'three trucks on a mattress' model 27, 28
three-wave mixing 15, 102, 104
tight-binding model 213
tilt angle in LB film 234, 235
time-dependent perturbation theory 145
topochemical polymerization 216, 217
topography
 white-radiation 161
 X-ray diffraction 180–182
trans-polyacetylene 207, 208, 212, 214,
 215, 216, 222
transfer length 31
transition-metal-ion-doped glass 81, 95
transmission electron microscopy
 (TEM) 179
transparency 117, 118, 123, 126, 136, 189
tricosenoic acid (ω) 237, 244
tunability 122, 127, 131
two-dimensional density of states (2D-
 DOS) 61, 63
two-photon absorption (TPA) 43, 44, 45,
 68, 80
two-photon resonance 210, 215
two-state model 146, 152, 195
type I phase-matching 9, 107, 109, 120,
 123, 127–129, 133, 136, 160, 167, 168
type II phase-matching 9, 107, 109, 120,
 123, 127–129, 123, 136, 160, 167, 168

uncertainty principle 147
 volume 61, 62
uniaxial crystal
 negative 107, 123, 137
 positive 107, 120
 units 17, 116
 unsaturated molecule 147
 up-conversion, parametric 15
 Urbach smearing 78
 urea, $\text{CO}(\text{NH}_2)_2$ 116, 120–122
 urethane 217

valence band 37, 38, 43, 48, 213, 215, 216
variable delay 48
vector potential 40
vinyl-maleic anhydride copolymer 238
virtual state 44, 147, 215, 216
Voigt contracted index notation 8, 12

walk-off 10, 102, 111, 129, 135, 136
wave
 equation 22, 101, 102, 103
 extraordinary 8, 9, 107, 108, 110
 ordinary 8, 9, 107, 108, 110
 propagation 101
waveguide 21, 162, 182–185
 bar 31, 32
 channel 184, 185, 220
 cross 31, 32
 slab 220
 thin-film organic crystal 182, 183
wavevector mismatch 9, 11, 16, 104
weight average molar mass 190
white-radiation topography 161
Wilhelmy plate 229, 230
'world's fastest' semiconductor switch 37

X-ray diffraction topography 180–182
 reflectivity 232, 233
X-type deposition 231, 240

Y-type deposition 231, 240, 244, 245

zinc blende structure 36, 37, 69
zone refining 171, 173
z-scan technique 49, 50
Z-type deposition 231, 240, 243