

Index of Authors

Benito, E 3, 189
de Vet, HCW 175
de Waard, F 69
Faivre, J 53
Filiberti, R 163
Franceschi, S 115
Giacosa, A 163, 189
Hill, MJ 25, 189
Judd, PA 101
Kok, FJ 131
La Vecchia, C 91
Leeds, AR 85
Lutz, WK 13
Maskens, AP 43
Merlo, F 163
Negri, E 91
Reed, PI 75
Schlatter, J 13
Thorling, EB 35
Trichopoulou, A 135
Varela, G 143
Visconti, P 163

Index

- additives, food, 192
- adenocarcinomas, renal cell, 93
- adenomas, large bowel, 60–1
- advice, dietary, *see* recommendations
- age of tissue, cancer risk related to, 37
- alcohol (ethanol), 20, 59–60, 115–29, *see also specific types of alcoholic beverage*
 - large bowel cancer and, 59–60, 61
 - in Mediterranean countries, availability/consumption, 136, 137
 - oral cavity/pharyngeal/oesophageal cancers and, 116–25
 - reduced consumption, recommended, 22
 - tobacco and, joint effects, 116–19, 125
- alimentary tract, *see specific areas*
- amines, aromatic, 15, 79
 - food processing producing, 79
- animal fat in Mediterranean countries, availability/consumption, 136, 137, 140
- animal studies, assessing value, 43–50
- anticarcinogens (inhibitors of carcinogenesis), 21, 25–33, 192, *see also specific anticarcinogens*
 - mechanisms of action, 25–6, 26–8
- antioxidants, 27
 - gastric cancer and, 81
- apple cider and apple jack, oesophageal cancer and, 123–4
- aromatic amines, *see* amines
- arsenic, 15
- ascorbic acid, *see* vitamin C
- attitude, dietary behaviour and effects of, 182
- azoxymethane-initiated tumours, 30, 45
- bacterial fermentation of fibre in colon, 87
- beer
 - oral cavity/pharyngeal/oesophageal cancer and, 117, 122, 123
 - rectal cancer and, 59–60
- behaviour, dietary, external factors influencing, 182–3
- benzene, 16
- beta-carotene, *see* β -carotene
- bias
 - confounding, 178
 - recall, 177–8
- bile acids, colorectal tumours and, 60–1
- bowel, large, *see entries under* intestinal; intestine
- bran, anticarcinogenicity, 56
- breast
 - atypical lobules in, 70
 - cancer, 69–73, 92, 93, 94, 103–5
 - fat and, 103–5
 - in Mediterranean countries, rates, 138, 139–41
 - protective factors, 30
 - weight and, 71, 92, 93, 94
- butyrate, anti-neoplastic action, 29
- calcium, large bowel cancer and, 58–9
- caloric intake, 18–20, 91–2
 - breast cancer and, 69
 - high, *see* overnutrition
 - large bowel adenomas and, 60
- Canada, Department of National Health and Welfare of, Nutrition Recommendations, 9–10
- canning of fish in various oils, 158
- carbohydrate, carcinogenic potency, 18–19
- carcinogens, dietary, 13–24, *see also* precarcinogens
 - inhibitors, *see* anticarcinogens
 - mutagenic, 15–18
 - scavenging/inactivation, 27, 29–30
 - transport, inhibition, 27
- cardiovascular disease, 144, *see also* coronary heart disease
- carotene(s), 39
 - gastric cancer and, 80
- β -carotene (provitamin A), 39, 40
 - gastric cancer and, 80
 - large bowel cancer and, 57
- cereals

- dietary recommendations, 190
 - in Mediterranean countries,
 - availability/consumption, 136, 137, 140
- 4-chloro-6-methoxyindole, 79
- cider, oesophageal cancer and, 123–4
- cigarettes, *see* tobacco
- colorectal (colonic and/or rectal; large bowel) cancer, 43–7, 53–68, 85–90
 - cereal intake and, 190
 - fat intake and, 53–4, 108–9, 141
 - meat consumptions and, 53–4, 108, 109, 141, 192
 - in Mediterranean countries, rates, 138, 141
 - protective/preventive factors, 30, 85–90
 - in rodents, diet experiments, 43–7
- confounding bias, 178
- cornstarch, carcinogenic potency, 18–19
- coronary heart disease and cancer
 - dietary recommendations in prevention of, compatibility of, 131–2
 - in Mediterranean region, mortalities, 138–9
- coumarins, vegetable, 31
- culture, dietary habits influenced by, 184
- decision-making with dietary recommendations, 169
- deep-frying, 152–8
- defence mechanisms (host), 27–8, 38–9
- deficiency disease, 147, *see also specific dietary deficiencies*
- degenerative disease, diet and, 146, 147–50
- Department of National Health and Welfare of Canada, Nutrition Recommendations, 9–10
- diluting effect, 181
- dose, in estimations of cancer risk, 14–15
- dry heating of food products, 79
- dysplasia, epithelial, 76
- education, health, *see* health education
- efficacy, self-, dietary behaviour and, 182, 183
- eggs in Mediterranean countries,
 - availability/consumption, 136, 137
- endocrine mechanisms in cancer, 93, 102–9
- endometrial cancer, 105–6
 - fat and, 105–6
 - weight and, 92, 93, 94, 105
- energy intake, *see* caloric intake
- enzymes
 - anticarcinogenic effects via inhibition of, 38
 - protective effects, 27–8, 39
- ethanol, *see* alcohol
- ethics, 163–73
 - of dietary advice for cancer prevention, 163–73
 - in medicine, defining codes of, 165–6
- ethyl carbamate, 16
- exercise, physical, 96–8
- experimental animal models, assessing value of, 43–50
- fat, 53–4, 101–14, 131–2, 150–8
 - carcinogenicity, 19, 53–4, 101–14, 131–2, 190–1, 192
 - colorectal, 53–4, 108–9, 141
 - consumption, in Mediterranean countries, 136, 137, 140, 150–8
 - consumption,
 - statements/recommendations on, 8, 171, 189, 190–1
 - coronary heart disease and cancer prevention and the compatibility of, 131–2
- fatty food, fat composition during frying, changes, 154, 155
- fava beans, 79
- fermentation, bacterial, of fibre in colon, 87
- fibre, dietary, 28–31, 54–7, 85–90
 - anticarcinogenicity, 28–31, 54–7
 - in rats, 44–5, 54–7
 - definition, 85
 - recommendations concerning, 189–90, 191
 - types, differentiation, 56
- fish
 - canning in various oils, 158
 - in Mediterranean countries,
 - availability/consumption, 136, 137, 151
 - treatments producing carcinogens in, 79
- Fishbein–Ajzen model, 182
- fitness, defining, 165
- food, processes producing carcinogenesis, 79–80
- formaldehyde, 16
- free radicals/oxygen radicals
 - generation, 38
 - toxic effects, 38, 39
 - protection from, 29–30, 39
- fruits, 57
 - large bowel cancer and, 57
 - in Mediterranean countries,
 - availability/consumption, 136, 137
 - recommended eating, 22, 190
 - frying, 152–8, 190–1
 - deep-, 152–8

- repeated use of oil, 157–8
- fungal toxins, 15–16
- gallbladder cancer, weight and, 92, 93
- gastric cancer, 75–84
 - histological types, 76
 - in Mediterranean countries, rates, 138
- gastritis
 - atrophic, 76, 77
 - superficial, 77
- gastrointestinal tract, *see specific areas*
- gastronomical aspects, food choices
 - influenced by, 184
- goals, dietary, 9
- Greece
 - coronary heart disease and cancer in, mortalities from, 138, 139
 - food availability/consumption, 136, 140
- guidelines, dietary, *see recommendations*
- Hayflick's theory, 37
- health
 - defining, 164–5
 - ill-, 164
 - negative, 164
 - positive, 164–5
- health education, 91–100, 166–7
 - dietary, 91–100
 - health promotion and ill-health prevention in relation to, 169
- health promotion, 167
- heart disease, *see cardiovascular disease*; coronary heart disease
- heating, dry, of food products, 79
- height, 95–6
- hormones, cancer mechanisms involving, 93, 102–9
- hydroxyl radicals, scavenging, 29–30
- ileostomy model in man, polysaccharide digestion, 85–6
- ill-health, defining, 164
- indoles in vegetables, 32
- intestinal metaplasia, 76, 80
- intestinal type of gastric cancer, 76
- intestine, large, cancer, *see colorectal cancer*
- isothiocyanates in vegetables, 32
- Italy
 - coronary heart disease and cancer in, mortalities from, 138
 - food availability/consumption, 136, 140
- kidney, adenocarcinoma, 93
- lactones, vegetable, 31
- lacto-ovo vegetarians, endometrial cancer incidence, 105
- lean food, fat composition during frying, changes, 154, 155
- lifestyle, proper/better
 - changes in recent years leading towards, 170
 - ethic of, 165–6
- lignans, 30–1
- lignin, 85
- lipid, dietary, *see fat*
- liquors, hard/spirits, oral
 - cavity/pharyngeal/oesophageal cancer and, 117, 122, 123
- lobules, atypical, in breast, 70
- meat
 - cancer and, 192
 - colorectal, 53–4, 108, 109, 141, 192
 - in Mediterranean countries, availability/consumption, 136, 137, 140
 - repeated frying of, fat intake with, 156, 158
- Mediterranean diet, 133–60
- menarche, breast cancer and the, 70
- metaplasia, intestinal, 76, 80
- micronutrients (trace minerals), 35–42
 - gastric cancer and, 80
- microsomal enzyme activity, substances decreasing, 28
- milk in Mediterranean countries, availability/consumption, 136, 137
- minerals, *see micronutrients*
- mixed function oxidases, 27–8
- models, animal, assessing value, 43–50
- monounsaturated fatty acids, olive oil
 - frying and its effects on levels of, 154, 155, 158
- mouth, alcohol and cancer of, 116, 117, 118, 119, 121, 124, 124–5
- Multiple Risk Factor Intervention Trial, 181
- mutagens, dietary, 13–24
- nitrate, gastric cancer and, 76, 78–9
- nitrite, gastric cancer and, 76, 77, 78, 79
- nitroso compounds, 15
 - gastric cancer and, 76, 77, 78, 79
- non-nutrient fractions of diet, 147–9
- non-starch polysaccharides, *see polysaccharides*, plant
- nutrition, *see micronutrients*; non-nutrient fractions; overnutrition
- Nutrition Recommendations (Dept. of National Health and Welfare of Canada), 9–10
- obesity, *see overnutrition*

- oesophageal cancer
 alcohol and, 116, 117, 118, 120–1, 121, 123, 124
 in Mediterranean countries, rates, 138
- oestrogen, breast cancer and, 30, 105
- oestrogen-binding sites, substances blocking, 27, 30–1
- oil(s)
 canning of fish in various, 158
 olive, frying in, 153, 154, 155–6, 158
 vegetable, *see* vegetable oils
- olive oil, frying in, 153, 154, 155–6, 158
- oral cavity cancer, alcohol and, 116, 117, 118, 119, 121, 124, 124–5
- ovarian cancer
 fat and, 106
 in Mediterranean countries, rates, 138
- overnutrition/obesity, 18–20, 92–4, *see also* caloric intake
 cancer and, 92–4, 190
 breast, 69–70, 92, 93, 94
 recommended avoidance, 22
- oxidases, mixed function, 27–8
- oxygen free radicals, *see* free radicals
- pectin, anticarcinogenicity in rats, 45
- pharyngeal cancer, alcohol and, 116, 117, 118, 119, 121, 124, 124–5
- phenolic compounds in vegetables, 31–2
- physical exercise, 96–8
- phytate/phytic acid, free radical scavenging by, 29–30
- phyto-oestrogens, 27, 30–1
- polysaccharides, plant, 85–90
 classification, 85
 non-starch (NSP), 85–9 *passim*, 191
 dietary recommendations, 88, 89
- polyunsaturated fat/fatty acid
 coronary heart disease and cancer
 prevention relating to, compatibility of dietary recommendations on, 131, 132
 olive oil frying and its effects on levels of, 154, 155–6
- population-attributable-risk proportion, 176–7
- Portugal
 coronary heart disease and cancer in, mortalities from, 138
 food availability/consumption, 136, 140
- potency, carcinogenic (TD₅₀), in estimations of cancer risk, 14–15, 17–18, 18–19
- precancerous lesions, factors reversing, 28
- precarcinogens, scavenging/inhibition of, 27
- pregnancy, breast cancer and, 70
- prevention, advice on, *see* recommendations
- proliferation of tissue
 ageing and, relationship, 37
 breast cancer and, 70
- promotion, health, 167
- promotion phase, tumour, anticarcinogens effective during, 57
- prostatic cancer, 106–7
 fat and, 106–7
 in Mediterranean countries, rates, 138
 weight and, 93, 94
- protein, cancer and, 192
- colorectal, 53–4, 192
- pulses in Mediterranean countries, availability/consumption, 136, 137, 140
- pyrolysis of food products, 79
- quality of life, concept of, 165–6
- rat, colon carcinogenesis, 43–7, *see also* rodents
- recall bias, 177–8
- recommendations/advice/guidelines, dietary, 3–12, 22, 32, 131–2, 161–93
 breast cancer-related, 71
 colorectal cancer-related, 48
 considerations on giving/making, 161–93
 coronary heart disease and cancer prevention-related, compatibility, 131–2
 effect on cancer occurrence of, likely, 175–87
 elaboration/implementation, strategies, 9–11
 ethics, 163–73
 ideal role, 4, 5
 overview, 5–9
 rationale, 5–6
 summary, 8
 of various groups/institutions/areas (in general), 7, 22, 32
 on vitamins/micronutrients, 36, 40
- rectal cancer, *see* colorectal cancer
- refrigeration, gastric cancer and, 79–80
- renal cell adenocarcinoma, 93
- reproduction, breast cancer and, 69–73
- restriction, dietary, 18
- retinol, *see* vitamin A
- risk, cancer (of dietary substances), 14–15, 17, 18, 175–87
 alcohol-related, 124–5
 assessment, 175–87
 dose and potency related to, 14–15

- risk factors, dietary carcinogenic, 15–16, 20–1
 high, 15, 20
 intermediate, 15–16
 low, 16, 20
 negligible, 20–1
- rodents
 breast carcinogenesis, 69
 colon carcinogenesis, 43–7
- saccharin, 20
- salt (sodium chloride), dietary, 20
 reduced intake, recommended, 22
- sardines, fatty composition, 151
- saturated fatty acids, olive oil frying and its effects on levels of, 154, 155, 158
- scavenging of carcinogens/precarcinogens, 27, 29–30
- selenium, deficiency, 39, 40
- self-efficacy, dietary behaviour and, 182, 183
- sexual reproduction, breast cancer and, 69–73
- smoking, *see* tobacco
- sodium chloride, dietary, *see* salt
- Spain
 coronary heart disease and cancer in, mortalities from, 138
 diet in, 136, 140, 143–4, 147, 151
- spirits/hard liquors, oral
 cavity/pharyngeal/oesophageal cancer and, 117, 122, 123
- starch, 85–90, *see also* cornstarch
 digestible/hydrolysable
 rapidly, 87
 slowly (but completely), 87
 physically inaccessible, 76, 77
 resistant (RS), 86, 87
 retrograded, 76, 77
- stature, 95–6
- stomach cancer, *see* gastric cancer
- stool weight, 89
- subjective norm, dietary behaviour and the, 182, 183
- substitution effect of foodstuffs, 150
- sugars in Mediterranean countries, availability/consumption, 136, 137
- sulphur compounds in vegetables, 32
- TCCD, 20
- TD₅₀ (carcinogenic potency/toxic dose) in estimations of cancer risk, 14–15, 17–18, 18–19
- 2,3,7,8-tetrachlorodibenzo [p] dioxin (TCCD), 20
- tetrachloroethylene, 16
- tobacco (smoking)
 alcohol and, joint effects, 116–19, 125
 large bowel cancer and, 61
- tocopherols, *see* vitamin E
- transport of carcinogens, inhibition, 27
- urethane, 16
- vegetable(s), consumption of, 31–2, 57
 large bowel cancer and, 57
 in Mediterranean countries, 136, 137, 140
 recommended, 22, 190
- vegetable oils
 coronary heart disease and cancer prevention relating to, compatibility of dietary recommendations, 131, 132
 in Mediterranean countries, availability/consumption, 136, 137, 140
- vegetarians, lacto-ovo, endometrial cancer incidence, 105
- vitamin(s), 35–42, 57–8, 80–1, *see also specific vitamins*
 deficiencies, 39, 40
 gastric cancer and, 80–1
 large bowel cancer and, 57–8
- vitamin A, *see also* β -carotene
 gastric cancer and, 80, 81
 large bowel cancer and, 57
- vitamin C (ascorbic acid), 58
 deficiency, 40
 gastric cancer and, 80, 81
 large bowel cancer and, 58
- vitamin D, large bowel cancer and, 58
- vitamin E (and tocopherols in general)
 antioxidant role, 38, 39
 deficiency, 39, 40
 gastric cancer and, 80, 81
- weight (body), 92–4
 breast cancer and, 71, 92, 93, 94
 endometrial cancer and, 92, 93, 94, 105
 other cancers and, 92–4
 over-, *see* overnutrition
- wholemeal products, recommended eating, 22
- wine, oral cavity/pharyngeal/oesophageal cancer and, 116, 117, 121, 122, 123, 124
- Women's Health Trial, 71
- zinc, deficiency, 40