

Index

- Abdominal skinfold measurements, 99, 100, 102, 103, 106-107
- Addictive behavior, 85
- Adipocytes, 27-29
- Adipose tissue, 23, 27
- Aerobic activity, 32-33
- Affect, 128-132
- Aging and body density, 97, 99
- Alpha-amylase inhibitors, 11
- Amitriptyline, 87
- Amphetamines, 10
- Anger, 128, 131
- Anthropometric measurements
 - of body composition, 93-94
 - in body density prediction, 94-96
 - in clinical assessment of obesity, 72-73
 - descriptive statistics for, 100
- Antidepressants, 86, 87
- Antigens, HLA, 78
- Antipsychotics, 86, 87
- Anxiety
 - oral activity and, 128
 - weight control and, 86
- Appetite
 - exercise affecting, 33
 - medications suppressing, 10-11
- Assertiveness skills, 132
- Assessment of obesity, 71-92
 - anthropometric and body measurements, 72-73
 - associated diseases, 73
 - developmental history, 78-81
 - diet and meal pattern, 81-82
 - family history, 77-78
 - medications, 86-87
 - metabolic rate, 73-77
 - personality, 85
 - physical activity pattern, 82-83
 - psychiatric disturbances, 86
 - response to external cues, 83
 - restrained eating, 83-84
- Basal metabolic rate, 73-74
- Behavior
 - activity pattern and, 137-139
 - eating. *See* Eating behavior
 - irrational beliefs and, 122-126
 - locus of control in, 120-122

- [Behavior]
 motivation in control of, 130
 self-defeating, 121, 122
 values affecting, 126-128
 weight-related, 134-139
 Behavior therapy
 for adult-onset obesity, 114
 cognitive approaches to, 16-21
 Bell Adjustment Inventory, 114
 Benzodiazepines, 86-87
 Binge eating behavior, 136
 Blood pressure, high. *See* Hypertension
 Body circumferences
 in body density prediction equations, 93, 94-96
 in population specific equations of body fat, 96-97
 Body composition measurements, 93-110
 generalized equations for, 97-109
 height-weight, 94-96
 interpretation of, 110
 population specific equations for, 96-97
 Body density, 93, 94
 accuracy of measurements of, 102
 aging and, 97, 99
 generalized equations for, 94, 97-109
 population specific equations for, 94, 96-97
 skinfold thickness measurements and, 97-99
 Body diameters, 93, 96
 Body fat, 23
 anthropometric variables for prediction of, 94-96
 of athletes, 110
 in developmental history, 79-80
 [Body fat]
 estimation of percentage of, 72, 94
 for men, 106-107
 for women, 108-109
 familial trends in, 78
 optimal levels of, 110
 weight of, 94
 Body image, 114
 Body measurements, 72-73
 Body weight. *See* Weight
 Bone weight, 94
 Calorie expenditure for physical activity, 137-139
 Calorie management, 4
 basal metabolic rate and, 73-74, 77
 via diet. *See* Diet
 education on, 119
 Carbohydrates
 amitriptyline causing cravings for; 87
 in diabetes, 51
 in hypertension, 59, 60
 triiodothyronine and, 76, 77
 Cardiovascular disease, 1, 2, 47-48
 Cattell Neuroticism Scale, 114
 Central nervous system, 6, 47
 Chest skinfold measurements, 99, 100, 102, 103, 106-107
 Chlordiazepoxide, 86-87
 Cholesterol
 in fat, 27
 in hypercholesterolemia, 54-56
 Chorionic gonadotropin, human, 11
 Cognitive processes in obesity, 120-128
 behavior therapy based on, 16-21
 factors affecting, 120
 irrational beliefs, 122-126
 locus of control, 120-122
 values, 126-128
 Communication skills, 128, 132

- Coping skills, 132
- Coronary artery disease, 1, 47
- Cost factors in weight control programs, 133-134
- Cultural factors
 - in bias against obesity, 2, 17
 - in eating behavior, 7, 35-36
- Cushing's disease, 73

- Defensiveness, 128
- Depression, 86
- Diabetes
 - cholesterol levels in, 56
 - insulin resistance in, 49-50
 - insulin secretion in, 48-49
 - obesity and, 1, 47, 73
 - treatment of, 50-54
 - with diet, 51-52
 - with exercise, 52-53
 - with insulin, 50-51
- Diazepam, 86-87
- Diets
 - assessment of patient knowledge of, 119
 - depression from, 86
 - in diabetes treatment, 51-52
 - evaluation of, 81-82
 - affecting fat deposition, 33-35
 - in hypercholesterolemia treatment, 56
 - in hypertension treatment, 60-61
 - metabolic rate and, 75-77
 - misinformation on, 118
 - for obesity treatment, 14-15
 - success rates for, 15
- Drugs
 - food consumption changes from, 86-87
 - weight loss, 10-11

- Eating Behavior Inventory, 137
- Eating behavior
 - binge, 136
 - biological factors in, 5-6
- [Eating behavior]
 - cue responsiveness in, 134-135
 - environmental factors in, 6
 - evaluation of, 81-82
 - negative moods and, 131
 - restrained, 83-84
 - therapy choice based on, 114
- Education
 - level of, vs predisposition to obesity, 132
 - nutrition, 114
 - of weight control principles, 13-14, 116-119
- Elavil, 87
- Emotional disturbances of obesity, 128-131
- Energy balance
 - cause of, 71-72
 - regulation of, 5-9, 23-38
 - biological determinants in, 5-7
 - immediate environment determinants, 9
 - macrosocial and experiential determinants, 7-9
- Energy costs of exercise, 138
- Environment
 - cognitive processes affected by, 120
 - cues in, for eating, 83, 134-135
 - in energy balance, 9
 - weight influenced by, 25, 35-37
- Evolution and eating behavior, 6
- Exercise
 - assessment of knowledge of principles of, 118
 - in diabetes treatment, 52-53
 - energy cost of, 138
 - in hypertension management, 60
 - misconceptions of, 123
 - weight loss from, 32-33

- Family
 - eating behaviors influenced by, 7-8

- [Family]
 - negative influence of, on weight loss, 132
 - weight trends within, 24, 77-78
- Fat
 - body. *See* Body fat
 - dietary factors affecting deposition of, 33-35
- Fat cells, 27-29
- Food
 - choices and preferences for, 134, 137
 - diets. *See* Diets
 - emotional needs satisfied by, 8
 - social adjustment and, 128
 - stigma attached to specific types of, 20
- Gastric surgery, 12, 54, 56
- Gastrointestinal factors in eating
 - behavior, 6
- Genetic factors in weight, 24-25
- Glucagon, 52
- Growth hormone, 26
- Guilt, 131, 133
- Height-weight measurements, 45, 46, 94-96
- Hereditary factors in obesity, 24-25
- Hormones
 - eating behavior and, 6
 - glucagon, 52
 - growth, 26
 - human chorionic gonadotropin, 11
 - insulin, 26, 48-51, 58-60
 - in obesity treatment, 11
 - thyroid, 76, 77
- Hostility, 128
- Human chorionic gonadotropin, 11
- Hypercholesterolemia, 54-56
- Hyperlipidemia, 73
- Hyperphagia, 25
- Hypertension
 - obesity and, 1, 47, 73
 - sodium intake and, 56-57, 60
 - weight loss for management of, 56-61
- Hypoglycemic agents, oral, 53
- Hypothalamus, 25-27
- Ileojejunal bypass operation, 11
- Income vs obesity, 133
- Insulin, 26
 - in hypertension, 58-60
 - in pathogenesis of diabetes, 48-50
 - in treatment of diabetes, 50-51
- Irrational beliefs, 123
- Isotopic dilution, 93
- Jaw wiring, 12
- Ketosis, 119
- Knowledge Test, 117
- Laurence-Moon-Bardet-Biedl syndrome, 73
- Laxatives in weight control, 12-13
- Leikert Scale, 127
- Librium, 86-87
- Lifestyle
 - activity pattern and, 137-139
 - eating behavior and, 8-9, 134-137
- Lithium, 87
- Locus of control construct, 120-122
- Love and affection, 130
- Malabsorption syndrome, 11
- Master Questionnaire, 117
- Media in weight control, 13, 134
- Medications
 - food consumption changes due to, 86-87
 - for weight loss, 10-11

- Metabolism
 basal rate of, 73-74
 exercise affecting, 32-33
MMPI, 114
Mortality ratios, 43-47
Motivation, 129-130
Muscle weight, 94
- Night eating syndrome, 136
Norepinephrine, 57-60
Nowlis Mood Checklist, 114
Nutrition
 assessment of, 81-82, 119
 eating behavior and, 6
 education on, 114
 faddism, 123
- Obesity
 in cause of death, 47-48
 central vs peripheral, 73
 clinical assessment of. *See*
 Assessment of obesity
 as crime, 18
 cultural bias against, 2, 17
 discrimination against, 17-18
 as disease, 18
 emotional disturbances and,
 128-134
 as health risk factor, 1
 hypertrophic vs hyperplastic, 28,
 78-80
 incidence of, 1
 level of education and income
 vs, 133
 mortality rates with, 43-47
 psychological factors associated
 with, 16-18, 113-147
 stigma attached to, 17-21
 thermogenic response to food
 intake in, 77
 urban vs rural areas and, 133
 weight loss for. *See* Weight loss
- Obesity tissue, 23
Overweight, 23
Oxygen consumption, 74
- Personality Factor Questionnaire,
 114
Personality, 85
Phenylpropanolamine, 10
Phospholipids, 27
Physical activity
 in appetite suppression, 33
 assessment of patterns of, 82-83,
 137-139, 142-143
 in weight control, 13, 14, 32-33
Physical fitness concepts, 118
Potassium-40, 93
Prader-Willi syndrome, 73
Psychiatric disturbances, 86
Psychological factors in obesity,
 16-17, 113-147
 affect, 128-132
 assessment of, 113-116, 143-
 144
 cognitive processes, 120-128
 irrational beliefs, 122-126
 locus of control, 120-122
 values, 126-128
 knowledge of weight control
 principles and, 116-119
 social influences, 132-134
 weight-related behaviors, 134-
 139
 activity patterns, 137-139
 eating habits, 134-137
Psychotherapy, 114
Purging, 12-13
- Radiographic analysis, 93
Rational-emotive therapy, 122-
 126
Religious views of obesity, 17-18
Repression, 128
Restrained Eating Questionnaire,
 138
Rorschach test, 114
- SCL-90, 114
Self-defeating behavior cycle, 121,
 122

- Self-esteem
 - inadequacy and, 131
 - obesity affecting, 17
- Self-rejection, 126
- Set point concept of weight regulation, 29-32
- Skinfold thickness measurements, 72, 93
 - abdomen, 99, 100, 102, 103, 106-107
 - in body density prediction equations, 94-96
 - generalized, 97-109
 - population specific, 96-97
 - chest, 99, 100, 102, 103, 106-107
 - suprailium, 99, 100, 102, 105, 108-109
 - thigh, 99, 100, 102, 104, 106-109
 - triceps, 99, 100, 102, 104, 108-109
- Social factors affecting weight, 35-37, 132-134, 143-144
- Sociocultural interventions for obesity treatment, 13-14
- Socioeconomic factors in obesity, 133
- Sodium retention, 56-60
- Somatotyping, 73
- Sports, 139
- Starch blockers, 11
- Sucrose, 34-35
- Suprailium skinfold measurements, 99, 100, 102, 105, 108-109
- Surgery in obesity treatment, 11
- Taste, 6
- Thigh skinfold measurements, 99, 100, 102, 103, 106-109
- Thyroid disorders, 73
- Thyroid hormones, 76, 77
- Tranquilizers, 86, 87
- Triceps skinfold measurements, 99, 100, 102, 104, 108-109
- Triglycerides, 27
- Triiodothyronine, 58, 76
- Ultrasound techniques, 93
- Underwater weighing, 93
- Vagus nerve, 25
- Valium, 86-87
- Values, 126-128
- Volume displacement, 93
- Vomiting in weight control, 12-13
- Weight
 - average, for men, 45
 - average, for women, 46
 - environmental influence on, 25, 83, 134-135
 - familial trends in, 24, 78
 - fat cells and, 27-29
 - genetics and, 24-25
 - height correlated to, 45, 46, 94-96
 - hypothalamus affecting, 25-27
 - maintenance of, motivation for, 130
 - mechanisms of regulation, 25-27
 - metabolic rate vs, 74-75
 - mortality vs, 43-47
 - physiologic factors affecting, 24-33, 140-141
 - set point concept in regulation of, 29-32
 - social/environmental factors affecting, 35-37
 - socioeconomic factors relating to, 133
 - tissue components of, 94
- Weight loss
 - assertiveness skills for, 132
 - assessment of knowledge of principles of, 116-119

[Weight loss]

- behavioral cognitive approaches to, 16-21
- cost factor in, 133-134
- in diabetes management, 48-54
- diets for, 14-15
- education for, 13-14
- energy balance regulation for, 5-9
 - biological determinants in, 5-7
 - immediate environmental determinants in, 9
 - macrosocial and experiential determinants in, 7-9
- evaluation of, 145
- fat cell size in, 80-81
- goals of, 3
- in hypercholesterolemia treatment, 54-56

[Weight loss]

- in hypertension treatment, 56-61
- interventions for, 10-15
- jaw wiring for, 12
- locus of control for, 120-122
- media in, 13
- medical indications for, 2, 43-69
- medications for, 10-11
- physical activity for, 13, 32-33
- purging for, 12-13
- rational-emotive therapy for, 123
- self-concept and, 131
- surgery for, 11-12
- treatment for, 1-21
- triiodothyronine in, 76
- values in, 126
- Willpower, 129
- Zucker fatty rat, 30, 32