

Index

- Acadian 202
activity,
 a_{CO_2} 192, 357, 381
 $a_{\text{H}_2\text{O}}$ estimates 113, 156, 192, 329–30, 345, 357
 $a_{\text{H}_2\text{O}}$ low in granulites 89–90, 273, 311, 381
 $a_{\text{H}_2\text{O}}$ with melt 5–6, 9, 90, 91–2, 95, 97, 98, 99, 101, 109, 150, 193, 295, 311, 4.1, 4.2, 4.3, 5.7
 $a_{\text{H}_2\text{O}}-T$ diagrams 4–5, 117, 5.7
adiabatic 99, 4.7
alkali feldspar *see* K feldspar
allanite 240
 U-Pb 155
Alps 29, 394
amphibole 166, 169, 193, 381
 Cl-rich 192
 replaced by Bt 154, 171, 188
 Ti content 211, 9.7
 see also hornblende etc.
amphibolite 142, 205, 227, 9.4
 facies 105, 141, 154, 168, 235, 262, 264, 275, 331, 339, 343, 377, 382, 389
 -granulite transition 20, 47, 113, 181, 192, 272, 324, 10.9, 12.7
anatexis 2, 11, 130, 145, 156, 172, 193, 328, 337, 377, 379, 392
andalusite (And) 63, 130, 237, 12.7
 + Crd + Kfs zone 275, 280, 286–8, 290
 analyses Table 11.2
 Fe^{3+} content 299, 302
 inclusions in 280, 302
 late 266, 288
 in leucosomes 295, 296, 311, 11.22
 replaced by Sil 203, 273, 288, 11.13
Andean Cordillera 381
anorthosite 180, 183, 190, 192
 massif 181, 320
Antarctica 45
 Archaean 324, 335–6, 345, 346, 347, 354, 356, 359, 362–3
 Enderby Land 258, 341–3, 343–6, 12.2
 Lutzow–Holm Bay Complex 339–41
 Napier Complex 29, 267, 273, 324, 326–35, 341–3, 346, 347, 359, 361, 363, Table 12.1, 12.3, 12.10
 Proterozoic 324, 341–3, 346, 352, 354, 355, 356, 357, 362–3
 Yamato-Belgica terrane 341, 346
anthophyllite 342, 9.7
apatite 240, 284, Table 13.4
arc 14, 174, 267, 361, 362
Archaean 11–12, 141, 150, 169, 174, 324, 371
assimilation-fractional crystallization 8–9, 125, 127, 6.1
augite *see* clinopyroxene
aureoles 48, 49–50, 184
 regional 143, 276, 313
Australia,
 Arunta Block 48, 267, 272, 274–5, 11.1
 Broken Hill Block 105, 117, 121, 334, 392, 393
 Cooma Complex 300, 301
 Cooma granodiorite 143
 New England Batholith 143
 Olary Block 117, 121, 311
backscattered electron images 10, 63, 3.3
behind-arc basin 14
beryl 343
biotite (Bt) 63, 89, 95, 130, 142, 155, 169, 171, 207, 238, 336, 339, 353, 355, 357, 10.2
 analyses Table 11.2
 dehydration 155, 159, 215, 216, 249, 345, 5.7
 dehydration melting 5–6, 11, 20, 46–51, 58, 59, 68, 98, 106, 114, 229, 299, 345, 353–4, 382, 5.3, 5.7, 9.18, 11.26
 equilibria with CO_2 162–3, 163–6
 late 188, 309, 343, 347, 357, 376
 Ti content 121, 210–11, 212, 302, 9.8
 X_{Fe} , X_{Mg} 20, 114, 121, 122, 215, 302, 5.1, 5.4, 5.5, 9.8, 9.10
boron, effect on melting T 6, 296, 299
buffering 95, 210, 258
 of $a_{\text{H}_2\text{O}}$ 5, 109, 117
 of f_{O_2} 29, 90, 381
 of K:Na in fluid 168
 of Sr isotopes 145
 of temperature 72, 76, 168

INDEX

- calc-silicate 147, 180–1, 192, 235, 322, 339, 341, 344, 346, 355, 357, 373, 9.4, 12.7, Table 13.4
- calcite (Cal) 142, 187, 190, 339, 357, Table 13.4
- Caledonides 11
- Canada,
 Abitibi 171
 Athabasca Mobile Zone 171
 Coast Range Batholith 154
- carbon isotopes 149
- carbonate 130
 in solution 163–4
 strontium 141, 143, 144, 6.6
 veins 142, 154, 168, 170–1, 190
see also calcite
- cathodoluminescence 190
- charnockite 154–6, 157, 168, 169, 183, 193, 235, 237, 239, 262, 265, 326, 346–7, 363, 7.2
- charnockitization 12, 163, 169, 193, 381
- chemical potential, μ 4, 20, 33–5, 35–9
 gradients 66, 69, 109
- chemography 3, 4, 6, 20
- chloride in solution 163–4
- chlorite (Chl) 190, Table 13.3
 grade 130, 136, 144
- clinopyroxene (Cpx) 183, 238
 Al content 253, 322
 analyses Table 10.3
 augite 61, 224, 9.13, 9.15
 composition, zoning 256, 10.6, 10.7
 diopside (Di) 62, 356, 357
 in granite 154, 376
 rims on Opx 242, 10.3a
 in veins 190
- clinozoisite 142
- CO₂,
 –H₂O activity model 90
 in melt 6, 90, 168
 -rich fluid 10, 12, 161, 168–9, 170, 172–3, 181, 193, 377, 379, 381
- compatibility diagram 20, 34, 2.1
see also projections
- contact metamorphism 76, 150, 152, 187, 192, 194, 284, 313, 314
- continental margin 14, 174, 361, 362
- continuous reaction 3, 24, 117, 214, 216, 253
- cordierite (Crd) 216–20, 2372
 + Grt + Kfs zone 216, 9.5, Table 9.1
 analyses Table 11.2
 in granite 130
 inclusions in 283, 291, 302
 late 121, 331, 341, 342, 343, 345, 352, 355, 358
 porphyroblasts 283, 286, 290, 11.3, 11.4, 11.5, 11.7, 11.8, 11.9, 11.16
- pseudomorphs after 10, 288, 300, 335, 11.11, 11.12, 12.5c
 replaced by And or Sil 266, 288, 301
 replaced by Bt + Sil 121
 replaced by Grt + Sil 302, 310
 water content 3, 45, 312, 329
 X_{Fe}, X_{Mg} 20, 24–5, 41, 44, 45, 302, 336, 2.3, 2.15, 5.4, 9.10
- coronas 108, 256, 266, 331, 341, 342, 345, 352
- corundum (Crn) 46, 47–8, 216, 336
- cotectic 91, 93, 380, 382, 4.2, 4.4, 13.4
- cumingtonite (Cum) 221, 224–5, 9.15
 melting reactions 227, 9.16, 9.18
- decompression 39, 99, 121, 266, 267, 334, 339, 362, 363
see also isothermal
- deformation,
 fracture 7, 57, 80, 192
 of isotherms 200
 with partial melt 7, 11, 14, 61, 80, 110, 295
 sequence 106, 202–3, 277, 328, 344, 346, 352, 356, Table 12.1
 timing relative to metamorphism 274, 280, 311, 312, 326, 344, 362, 389
- degeneracy 6, 22, 158
 Spl-Crd-Qtz collinearity 27
- dehydration melting 5–6, 88, 97, 98, 149, 150, 172, 225
see also biotite; hornblende; muscovite
- diapiric movement 8, 14, 168
- diffusion 7, 8, 34, 109, 110, 142, 8.4
 activation energy 70, 73–5, 79
 coefficient 66, 69, 186
 control 7, 65, 108, 122
 in fluid phase 186–7
 grain boundary 61
 intracrystalline 61, 80, 186
 in melt 9, 62, 65, 70, 72–3, 79
 theory 65, 68–9, 84–6
- discontinuous reaction 117, 214, 216
- distribution coefficient K_D ,
 between minerals 25, 331, 333
 Fe-Mg; inversion of 32; P dependence 43
 with melt 386–7
- divariant 2–3, 4, 19, 24, 33, 35, 114, 120, 122, 160, 214, 227
 assemblage, absent phases 24
 loop 24, 2.3, 9.15
- dumortierite 343
- dykes,
 in charnockite 155
 emplacement P 334, 337
 as time markers 328, 343, 346, 356, 358, 362, 12.3, 12.5c, Table 12.1, Table 13.1
- tonalitic 227

INDEX

- eclogite facies 61
 England, Cornwall, granites 135, 136, 6.4
 entropy,
 change, of reaction 21, 224
 estimation 159
 maximum 13, 199
 epidote (Ep) 154, 187–8, 190, 264, 339, 12.7,
 Table 13.3,
 -out reaction 220–1, 9.14
 equilibration volume 10, 109, 122
 equilibrium 2–3, 57, 58, 76, 93, 94, 95,
 158–9, 388
 texture 13
 erosion 14, 337, 364, 394
 -controlled exhumation 14, 274, 359, 362
 eutectic 64, 90, 92, 95, 97, 4.3
 exchange reaction 1, 322
 alkali 163, 164, 170
 Mg-Fe 25, 41, 109, 311
 experimental constraints, in FMAS 27, 28–9,
 39, 40
 experimental melting,
 granite-like 87, 90, 94–5
 kinetics 62–3, 93–4, 3.2, 3.4
 in KMASH-CO₂ 161
 in ‘real system’ 122
 tonalite 7, 227, 9.18
 experimental results in KMASH 7.4, 7.5
 exsolution 1, 394
 in feldspars 379
 Ilm, Rt in silicates 210
 Mag in Spl 38, 311
 in pyroxenes 241, 264–5, 266, 330–1, 333,
 377
 extension, crustal 13–14, 139, 142, 267, 274,
 334, 359, 361, 362, 12.9

 fayalite 322
 Fe³⁺ in minerals 4, 29, 35–6, 38, 121
 estimation 249
 Finland, Lapland 264
 fluid,
 : rock ratios 181, 188, 189–90
 absence 2, 5–6, 60, 62, 96–8, 109, 192–3,
 194, 225, 229, 357, 388
 catalyst 60
 circulation 131, 142, 181, 183
 fictive 2, 229
 H₂O-CO₂ 1, 2, 157, 163, 166, 168–9
 hydrothermal 124, 125, 130, 131, 142, 144,
 192, 6.1
 inclusions 1, 12, 150, 155, 169, 172, 193,
 295, 381
 influx *see* infiltration
 loss 114
 meteoric 184, 188
 sedimentary 11, 141, 144, 188
 solute in 2, 10, 12, 163, 167, 169, 170
 surface-derived 182–3, 191, 192
 fluorine, effect on melting 6, 296, 299
 forsterite (Fo) 356
 France,
 Brittany, granites 135–6, 6.4
 Pyrenees, granites 11, 130–5, 136, 142,
 144, 180, 314, 6.2, 6.3, 6.4
 fuchsite 334
 fugacity,
 H₂O 163
 O₂ 4, 29, 35, 36, 39, 190, 262, 329, 381

 garnet (Grt),
 + Cpx + Qtz breakdown 252, 256, 258
 + Qtz breakdown 39
 + Qtz production 332, 10.3, 12.5a
 analyses Table 10.3, Table 11.2
 Ca content 214, 216, 258, 10.7
 homogeneous 10, 106
 inclusions in 106, 252, 264, 266, 302,
 334–5, 339, 345, 12.5b
 late 121, 242, 267, 310, 331, 332–3, 342,
 355
 in leucosomes 8, 105, 352, 353
 Mn content 214, 216, 218
 pseudomorphs after 339, 358
 pyrope (Prp) end-member 20, 22
 X_{Fe}, X_{Mg} 20, 32, 40, 42–4, 45, 47, 48,
 215, 302, 334, 342, 343, 344, 354, 356,
 357, 2.6, 2.13, 2.14, 2.15, 5.1, 5.4, 9.10,
 10.6, 10.7
 zoning 249, 302, 10.4, 10.5
 see also grossular
 gedrite (Ged) 216–18, 342, 9.7, 9.12
 + Sil 216
 geothermalbarometry 3, 5, 88–9, 200, 322
 Cpx-Opx 264–5
 Fe-Mg solid-solution 19, 25, 45, 258,
 259–60, 262, 264, 322
 from KFMASH equilibria 113, 202, 311,
 Table 5.1, Table 11.3
 Grt-Pl-Opx-Qtz 258, 262, Table 10.4
 Mag-Ilm temperatures 190; results 106,
 113, 155, 181, 184, 229, 265–6, 312,
 329, 331, 336, 339, 344–5, 347, 353,
 354, 357, 377–9, 7.1, 9.3, 9.5, 10.8,
 Table 10.4, Table 11.3, 12.1, 12.2, 12.3,
 12.8, Table 12.1, 13.3, Table 13.2, Table
 13.3
 gneiss domes 203, 204
 gold 168, 171
 grain boundary reaction 7, 63, 3.3
 granite (granitoid) 2, 7, 12, 87, 88, 136, 137,
 141–2, 152–4, 168, 170, 181, 193, 313,
 328, 346, 372, 376, 11.1
 deformed 275, 284
 geochemistry 8, 154, 156
 K-rich 169, Table 12.1

INDEX

- peraluminous 95, 130, 135, 138
 S-type 5, 143, Table 12.1
 shear-zone associated 8, 169, 174
 source rocks for 7, 11, 87, 124–7, 129,
 130, 135, 139, 143–4, 156
- granulite,**
 connection with granite 88, 89, 98, 149,
 150, 156
 facies *P-T* field 149, 4.1, 12.1
 facies subdivision 322, 12.1
 geochemistry 149, 154, 156, 326, 334, 336,
 347, 355, 356, 377, 379, 385–8, 13.5
 low-pressure 14, 272, 312–13, 315
- graphite 207**
 absence as negating CO₂ flux 381
- Greenland,**
 Nordre Strømfjord 171
 West 393
- greenschist facies 150, 168, 171, 345, 356,
 363
- greenstone 150, 171, 7.9
- Grenville 181, 192–3
- grid *see* petrogenetic grid
- grossular (Grs) 142, 357
 rims on Pl 341
- haplogranite 6, 87, 90, 94, 95, 99, 161**
 heat capacity 59, 73, 76, Table 3.1
 heat flow 14, 362, 389, 12.9
 control of melting 58, 59, 76, 3.7, 3.8
 heating rate 72, 73, 75, 109, 129
 Hercynian 11, 130, 131, 135–6, 171, 6.2
 hercynite *see* spinel
- hornblende (Hbl) 89, 130, 193, 238, 240,
 337, 339, 344, 357, 10.7, Table 13.4
 dehydration 155, 221, 249
 dehydration melting 227, 382
 late 262, 264, 376
 Ti content 212, 242, 262, 264, 9.7, 10.9
- hydrogen isotopes 130
- ilmenite (Ilm) 6, 155, 190, 207, 240, 249,**
 262, 264, 284, 286, 290, 291, 302, 310,
 337, 353–4, 357, 381, 9.7, 9.8, Table
 13.4
 analyses Table 10.3, Table 11.2
 late 342, 355, 358
- ilmeno-haematite 29
- India, S 9, 12, 150–2, 152–4, 193, 264, 320,**
 381, 7.1
 Chitradurga 168
 Ganguvarpatti 39
 Karnataka 154, 7.2
 Kolar 168
 Paderu 39
- infiltration 11, 12, 34, 60–1, 155, 156, 181,
 183, 192, 193, 381, 6.1, 8.4
 before melting 11, 128, 131, 136
- channelled 12, 150, 172, 184, 187, 188,
 191, 390
 during melting 7, 11, 59, 61, 80, 98, 128,
 157, 167, 299
- invariant point 3, 6, 19, 21–2, 35, 113, 158,**
 216, 2.1, 3.1, 5.3, 9.11
 absent-phase notation 22, 2.2
 isobaric 165, 168
 metastable 3, 22, 29, 31, 2.2, 2.4, 2.5
 virtual 40
- isobaric cooling (IBC) 13, 14, 121, 238, 266,**
 267, 274, 311, 323, 331–4, 337, 347,
 359, 361–2, 389, 12.1, 12.9
- isochrons, Rb-Sr 131, 181, 341, 6.2**
- isograds 208, 209, 275, 278, 301, 9.5, 9.6,**
 12.3
- isopleths,**
 compositional 19, 25, 40–4, 2.3, 2.6, 2.12,
 2.13, 2.14, 2.15
- isothermal,**
 decompression (ITD) 13, 14, 238, 267,
 274, 323, 324, 342, 343, 345, 352,
 354–5, 357, 358, 359, 362, 12.1, 12.9
 -isobaric 35
 section 35
- isotopes *see* carbon; hydrogen; oxygen;
 radiogenic
- Italy, Gruf Complex 29
- K feldspar (Kfs) 47, 249, 286, 302, 343, 344,**
 345, 347, 353
 albitized 154
 analyses Table 11.2
 homogeneous 5.1
 inclusions in 302, 11.18
 incongruent melting product 110
 megacrysts 299
 mesoperthite 326, 330, 343, 378
- kornerupine 48**
- kyanite (Ky) 44, 203–4, 212, 217, 264, 266,**
 339, 342, 377, 9.5, Table 9.1, 12.7
 Cr-bearing 334
 late 342, 12.3
- leucogneisses 5, 352, 355, 376, 382–5, 386–7**
- leucogranite 8, 101, 139, 154, 155**
- leucosome 2, 5, 8, 106, 129, 280, 283, 290,**
 291, 293, 295, 299, 355, 357–8, 11.14,
 11.16, 11.17
 with igneous microstructure 295
 Kfs + Qtz 353
 modal composition 9, 110, 5.2
 patchy 288, 295, 337, 380
 structurally discordant 8–9, 353, 380, 12.5f
- mafic rock types 205, 272, 326, 331, 336,**
 344, 355, 357, 9.4

INDEX

- melting 5, 94, 98, 225–8, 326, 336, 337, 347, 355, 357–8, 9.16, 9.18
 mineral assemblages 205, 208, 216–20, 220–5, 290, 311, 337, 339, 344, 347, 354, 357, 9.11, 9.14
 relict igneous textures 275, 284, 290, 11.15
see also metabasic
- magma** 2, 10
 ascent 87, 92, 96, 99, 127, 4.7
 contamination 127, 128
 convection 8
 mixing 8, 124, 128
 as regional heat source 128, 193, 204, 267, 274, 276, 313, 315, 334, 388
- magmatic accretion** 13, 324, 334, 359, 361–2, 362–3, 12.9
- magmatic underplating** 267
- magnesite** 163
- magnetite (Mag)** 6, 155, 190, 240, 242, 249, 262, 302, 310, 353, 354–6, 381, Table 13.4
 analysis Table 11.2
- mantle** 11, 58, 90, 125, 127
 peridotites 57, 62, 80
 perturbation, as heat source 15, 313, 314, 315, 362
 source of fluids 172–4, 193, 391
- marble** 141, 181, 187, 190, 191, 192, 235, 237, 240, 344, 356
 contact with granite 184–7, 8.3
 source of deep fluids 172–3, 193
- melanosome** 2, 9, 353
- melt** 87
 crystallization 92, 99, 109, 127
 fractional crystallization 8–9, 156, 384–5
 H₂O content 47, 68, 95–6, 4.5, 4.7
 H₂O-saturated 11, 58, 61, 62–3, 79, 80, 87, 90–1, 92–3, 94, 95, 99, 101, 108, 225, 227, 296, 299, 386–7, 13.7
 lamprophyric 168
 loss 10, 110, 114, 120–1, 122, 193, 385
 migration 57, 80, 295, 313, 337
 peraluminous 64, 68, 295
 segregation 6, 7–8, 9, 11, 80, 110, 122, 126–7, 353, 385
 syenitic 166, 168
 viscosity 2, 10, 11, 80, 149, 157, 392
- melting**,
 with CO₂ 6, 12, 90, 160–3, 163–6, 168
 disequilibrium 9, 10, 57, 59–62, 80, 386
 incongruent 8, 59, 62, 105, 122, 353
 latent heat 58, 59, 72–3, 76, 79, 101, 127, Table 3.1
 metastable 7, 63
 rate 57, 58, 66–79, 80–1, 3.7, 3.8
 volume increase 2, 7, 57, 80
- meta-ironstone** 322, 326, 330–1, 355, 373, Table 13.2, Table 13.4
- metabasic rocks** 198, 240, 241
 mineral assemblages 108, 235–6, 240, 256, 258, 339, 10.2, Table 10.2, Table 13.2, Table 13.4
see also mafic rock types
- metagabbro** 61, 290
- metamorphic core complexes** 137
- metamorphic field gradient** 13, 198–202, 9.1
- metapelite** *see* pelite
- metasomatism** 11, 33–4, 128, 149, 150, 155, 156, 157, 171, 6.1
 K- (potash) 12, 154, 157, 163, 167, 169, 171
- migmatite** 6, 7, 9–10, 58, 80, 88, 128, 130, 149, 150, 152, 154, 167, 172, 235, 238, 275, 352, 355
 belt 14
see also leucosome
- minimum melt composition** 90, 91, 92, 95, 97, 166, 4.3
- monazite** 240, 386
 dating 237
- mullite** 63–4, 68
- multisystem** 31–2
n + 3 3, 22, 27
n + 4 48
- muscovite (Ms) (Mu)**,
 + Qtz dehydration 32, 113, 214
 -out isograd 9.9, Table 9.1
 late 286, 376
 melting reactions 6, 61, 63, 228–9, 3.1
 zone 275, 284, 286, 288, 290
- mylonite** 191, 203, 284
 zones 181, 342, 363
- nappes** 202, 239
- Nd isotopes** 238, 386
- neosomes** 2, 380, 385
- net-transfer reaction** 25, 41, 322
- Norway, Lofoten-Vesteralen** 149
- nucleation**,
 garnet 110
 in incongruent melting 7, 59, 62, 63, 3.2
 K feldspar 299
- open system** 7, 20, 128, 141, 155, 6.1
- orthoamphibole** 212, 216, 223–4, 339, 12.7
 hypersolvus 267
- orthogneisses** 136, 192, 238, 274, 331, 334, 336, 346–7, 352, 355, 357, 358, 361–2, 379
 basement 354, 362
 felsic 322, 326, 331, 345, 346, 355, 356, 357, Table 12.1
 granitic 238, 326, 336, 344, 356
- orthopyroxene (Opx)** 89, 155–6, 171, 183, 193, 208, 238, 376
 + Grt + Crd + Kfs zone 275, 291, 293

INDEX

- + Pl breakdown 242
- + Sil isograd 12.3
- Al (Tschermak's) content 24–5, 40, 41, 43, 322, 331, 2.13, 2.14
- analyses Table 10.3, Table 11.2
- around Cpx 253, 10.3
- enstatite (En) end-member 20, 159
- isograd 149, 154, 155, 7.1, 9.14
- late 239, 331, 341, 343, 358
- in migmatites 169, 172, 295, 357
- in pegmatoids or pegmatites 156, 157, 167, 169, 170, 328
- in pelites 290, 291, 329, 336, 343, 356–7
- X_{Fe} , X_{Mg} 20, 24–5, 40–1, 45, 302, 2.3, 2.13, 2.14, 2.15, 10.6, 10.7
- osumilite 329, 12.3
- overstep of equilibrium 7, 59, 61, 62, 68, 76, 77
- oxygen isotopes 11, 12, 124, 127–8, 129, 130–2, 135, 137–9, 141, 142, 143, 144, 145, 149, 180, 182–8, 188–90, 191–4, 6.2, 6.3, 6.4, 6.5, Table 8.1, 8.2, 8.3, 8.5
- effect of decarbonation 186
- fractionation with melt 127
- T-dependent fractionation 139, 142, 183, 185, 188, 8.2, 8.3, 8.5

- Pan African shield 174, 238, 267
- paragneiss 326, 336, 344, 346, 347, 352, 353, 362, Table 12.1
- pegmatites 295, 299, 328, 341, 346
 - late 342, 343, 355, 356, 372
- pegmatoids 156, 157, 167, 169, 170, 171
- pelite 20, 61, 98, 105, 108, 132, 141, 144, 192, 198, 228, 235, 240, 346
- KFMASH model 5, 20, 46, 110, 214, 306
- mineral assemblages 106, 205, 207, 212–16, 284–93, 329, 336, 339, 342, 343, 344, 353, 356, 357, Table 9.1, Table 13.4
- source of granites 130, 135, 139, 145
- permeability 180
- perrierite 328
- petrogenetic grid 2, 3–4, 5, 6, 19, 216, 306, 309, 2.18, 2.19, 5.3, 11.25, 11.26, 12.4
- residual 24, 29, 31, 2.2
- topology 3, 21, 22, 25, 27, 31, 32, 35, 36, 40, 111, 163, 164–5
- volume constraint 21, 35, 163
- phase rule 20
- piezothermic array 13, 199
- pigeonite 322, Table 13.2
 - inverted 241, 265, 330
- plagioclase (Pl) 6, 9, 61, 207, 216, 291
 - absence 286, 296
 - analyses Table 10.3, Table 11.2
 - interaction with fluid 163–6, 168
 - late 358, 10.3b
 - melting behaviour 6, 9, 62, 68, 93–4, 122, 4.4
 - metamorphic compositions 207, 215, 253, 302, 357, 5.1
 - replaced by Kfs 154, 168, 171
- porosity 2, 61, 187, 191
- projections 4, 19, 47, 116, 212, 223, 227, 9.12, 9.15, 11.25, 12.6
 - AFM variants 25, 47, 2.3, 9.9, 9.10, 9.11, 9.13, 10.6
 - AKCM 205, 9.4
 - AKN, AKCN, KCN 9.9, 9.17
 - FMH 110, 114, 5.5
- Proterozoic 15, 130, 135, 151, 172, 272, 311, 324, 371
- psammite 139, 144, 181, 189–90, 295, 336
 - response to deformation 283–4
- pseudosection 4–5, 116, 117, 5.6, 5.7

- quartz (Qtz),
 - absence 46, 51, 187, 216, 329, 336, 353, 356, 357
 - isotopic disequilibrium 189
- quartzite 128, 130, 139, 235, 237, 240, 326, 334, 336, 346

- radiogenic isotopes 124, 386
 - see also Nd; Sr
- radiometric dating 12, 143, 171, 182, 272, 274–5, 324, 326–8, 331, 335–6, 342–3, 344, 346, 371, Table 11.1, Table 12.1, Table 13.1
 - K-Ar, Ar-Ar 137, 139, 142
 - Rb-Sr 137, 237–8, 328, 346
 - Sm-Nd 237, 274, 328, 386, 394
 - U-Pb 139, 237, 328, 346
 - see also allanite; isochrons; monazite; zircon
- reaction textures 3, 230, 238, 241–2, 249, 323, 331, 342, 357, 358, 389
- residence (period) 238, 273–4, 324, 334, 361, 363
- restite 2, 353, 379, 386, 388
 - mixture with melt 8, 9, 10, 94, 95, 99
- retrograde,
 - fluids from melt 11, 150, 172, 187, 188, 191, 193, 300, 310, 389, 13.8
- homogenization 9, 10, 109
- infiltration 11, 60–1, 188–90
- P-T-t evolution 13, 121, 204, 230, 264–6, 266–7, 301, 302, 310–11, 312, 314, 333, 337, 339, 341, 342, 343, 345–6, 352, 354–5, 358, 394, 10.10, 11.26, 12.1, 12.2, 12.8, 13.2
- rifting 142, 314–15
- rutile (Rt) 262, 264, 342, 357, 358, 9.7, 9.8

INDEX

- sapphirine (Spr) 216, 328, 336, 347, 357
 + Qtz 40, 322, 329, 335, 12.3
 Fe³⁺ content 29, 38
 late 331, 343, 358, 12.7
 X_{Mg} 20, 40, 336, 2.3
 Saudi Arabia, granites 174
 scapolite (Scp) 190, 322, 339, 355, 357, 12.7,
 Table 13.2, Table 13.4
 Scotland,
 contact aureoles 49
 Lewisian (Scourian, Laxfordian) 3, 5, 7, 9,
 10, 12, 171, 371–2, 13.1, 13.6
 sedimentary structures 275, 280, 283, 285,
 291, 11.6, 11.7, 11.8, 11.9, 11.10
 sericite 190
 shear zones 11, 60, 61, 155, 188, 341–2, 343,
 345–6, 356, 372, 389
 crustal-scale 8, 12, 150, 157, 169–71,
 171–2, 7.9
 sillimanite (Sil) 20, 63, 130, 203–4, 237, 264,
 328, 12.7
 + Kfs zones 214–15, 9.5, Table 9.1
 analyses Table 11.2
 Fe³⁺ content 39, 302
 foliation 106, 288, 301–2, 353
 late 288, 301, 310, 331, 342, 347, 358, 377,
 11.23, 11.24
 prismatic 288, 11.13
 zones 212, 214, 9.5, Table 9.1
 solidus 11, 58, 59, 61, 90, 99, 108, 112, 161,
 166, 299, 4.1, 4.2, 4.4, 13.7
 South Africa, Namaqualand 159, 172, 334,
 392, 393
 spinel (Spl) 20, 32, 286, 336, 347, 353–4,
 355, 357, 358, 377, 12.7
 + Crd + Kfs zone 275, 290–1
 + Qtz 48, 322, 329
 analyses Table 11.2
 Fe³⁺ content 29, 38, 48
 hercynite 302
 relict in Crd 290–1, 293, 306, 309
 Zn content 48, 218, 302, 335
 Sr isotopes 11, 124, 127, 128, 129, 130–42,
 143–5, 6.2, 6.3, 6.4, 6.6
 Sri Lanka 14
 ‘Arenas’ 240, 242, 258, 262, 10.1
 Highland Series 235–8, 242, 258, 260, 262,
 264, 267, 10.1
 Kataragama 238–9, 262, 264, 10.1
 South West Group 235, 236–8
 Vijayan 235, 237, 238, 262, 264, 10.1
 staurolite (St) 32, 212, 214, 216–17, 339,
 12.7, Table 13.4
 -out isograd 214, 9.9, Table 9.1
 late 342, Table 13.3
 Zn content 214, 218
 subduction 173, 381, 391
 subsolidus,
 charnockite 156, 166, 170
 migmatization 10
 pre-anatectic history 125, 129, 143–5
 sulphide-silicate reaction 9.10
 supersaturation 63
 surinamite 328
 syenite 181, 182–4, 184–7, 188, 190, 192,
 193
 symplectite 10, 394
 And + Bt + Qtz 286, 290, 300, 302, 310,
 11.11, 11.12
 Cpx + Grt 242, 256, 258, 259, 265–6, 267
 Crd + Opx 323, 345, 358
 Grt + Qtz 242, 10.3a
 Opx + Pl 238, 242, 256, 258, 262, 266, 267,
 323, 10.3a, 10.5
 Opx + Pl 345, 352, 358, 12.5
 Opx + Pl + Ilm 355
 Opx + Pl + Spl 339
 Opx + Pl + Spl + Mag 355
 Spr + Opx + Qtz 335, 12.5
 Spr or Spl + Crd + Pl 343
 systems,
 FMAS (n=4) 3, 24–7, 329
 FMASO 4, 36
 KASH 66–7
 KFMASH 4, 19, 46–51, 105
 KFMASHTO 6, 306, 309
 KMASH 158–60
 KMASH-CO₂ 160–3
 MAS (n=3) 3, 20–4, 39, 40, 336
 Qz-Ab-An-H₂O 93–4, 4.4
 Qz-Ab-Or-H₂O 87, 97
 Qz-Ab-Or-H₂O-CO₂ 90–3
 talc 376
 terminal reaction 24
 thickening, crustal 13, 14, 199, 204, 238,
 273, 314, 323, 334, 335, 337, 359, 363,
 389, 394, 12.9
 by collision 14, 59, 359, 362
 with cooling 311
 thinning *see* extension
 Tibet 359, 394
 tie line 24, 25, 2.1
 titanite 262, 264
 tonalite, tonalitic 5, 7, 94, 156, 163, 227,
 240, 337, 386–7, 388
 gneisses 150, 326, 334, 336, 337, 355, 356,
 376, 380–5
 tourmaline 284, 286, 296, 343
 trace elements 9, 10, 154, 156, 385–8
 transmission electron microscopy 63
 tremolite 142, 376
 trondhjemitic rocks 5, 9, 150, 154, 163, 166,
 168, 337, 372, 376, 382, 384

INDEX

- U.S.A.,
 Adirondacks 12, 150, 172, 180, 181–2,
 185, 230, 334, 381, 8.1
 Basin and Range Province 136, 142, 359
 Colorado Front Range 172
 Idaho plutons 181
 Laramie aureole 49
 Maine 212, 9.8
 Massachusetts 198, 200, 202, 264, 9.2
 Nevada granites 11, 136–42, 145, 6.5, 6.6
 New England 181
 New Hampshire 198
 Peninsular Ranges Batholith 11, 6.4
- U.S.S.R.,
 Aldan Shield 45
 carbonatites 171
 Tien Shan 171
- Uganda, Labwor Hills 267
- univariant equilibrium line 2, 3, 19, 20–1,
 25, 66, 68, 114, 158, 161, 164, 5.3, 7.3,
 7.6, 7.8
 absent-phase notation 5, 21, 158, 2.1
 curvature 5, 20, 35, 39–45, 158, 2.12,
 2.13, 2.14, 2.15
 inflection point 32
 metastable extension 22, 31, 2.2, 2.4, 2.5c
- ‘vapour’ 2, 6, 90, 157, 161, 163
 -absent reaction 5, 20, 36, 47, 58, 61, 62,
 80, 88, 159, 358, 382
- viscosity 8
see also melt
- wollastonite (Wo) 187–8, 190, 192, 237, 322,
 339, 341, 355, 357, 12.7
- xenoliths 192
 in charnockite 336, 347
 in granite 275–6, 11.2
 in orthogneiss 355
 in volcanics 14, 322
- zircon 10, 157, 240, 386, 13.4
 U-Pb 142, 181, 237, 276, 326, 328
 zoning in minerals 3, 10, 45, 200, 323
see also garnet