

Index

- Acari, 24, 40, 130, 139, 241
Acer groserii, 50
Acrididae, 36, 42-43, 45, 104-105
Acroneuria lycorias, 159
Aedes aegypti, 96, 103, 136, 153-156
Aedes albopictus, 18
Aedes cantator, 103
Aedes polynesiensis, 18
Aedes taeniorhynchus, 160
Aedes vexans, 156
Agrotis ypsilon, 98, 187
alfalfa looper, 81
allergenicity, 37, 39, 52, 77, 94, 100, 178, 195, 208
Amara, 40
Amblyospora, 94, 97, 103, 109
Amblyospora connecticus, 103
Amblyseius cucumeris, 40
Amblyseius idaeus, 24
Amblyseius limonicus, 24
American alligator, 47
Amphimallon solstitialis, 49, 190
Anabaena flos-aquae, 242
Anagrapha falcifera, 81
Anchomenus dorsalis, 40, 53
Annelida, 105, 130
Anopheles gambiae, 106
Anopheles stephensi, 105
Anotylus rugosus, 46
Anticarsia gemmatilis, 81
Aphelinid, 250, 254
aphid, 20, 248, 251
Aphidius colemani, 251
Aphis gossypii, 251
Aphodius contaminatus, 189
Apis mellifera, 25, 44, 171, 248
Apis mellifera scutellata, 44
Apoanagyrus lopezi, 43, 253
Araneae, 48
armyworm, 74-76, 79
Arthroplea bipunctata, 159
Aschersonia aleyrodalis, 255
augmentative release, 94, 104, 109-110
Autographa californica, 81, 83
avian tapeworm, 21
Bacillus, 24, 98, 119-128, 137-138, 141, 152-158, 162, 245
Bacillus anthracis, 137
Bacillus cereus, 137
Bacillus lentimorbus, 119, 122
Bacillus popilliae, 119-126, 134-138
Bacillus sphaericus, 119-126, 130-138, 141, 152-155, 161-163
Bacillus subtilis, 138
Bacillus thuringiensis, 24, 98, 110, 119-141, 152-163, 245, 247
Bacillus thuringiensis israelensis, 120, 127-139, 153-163
Bacillus thuringiensis japonensis, 129
Bacillus thuringiensis kurstaki, 120-141
Bacillus thuringiensis toguchini, 129
bacteria, 15, 24, 95, 119-141, 151-163, 169-175, 177-209, 247
baculovirus, 15, 73-88
Baetidae, 159
banded darter, 161
Beauveria bassiana, 36, 38, 46-53, 63-70, 248-255
Beauveria brongniartii, 36, 38, 47, 49-55, 122
Beddingia siricidicola, 177, 179
Belostoma micantulum, 132
Bemisia argentifolii, 250
Bemisia tabaci, 250

- benthic invertebrates, 100, 134, 162, 241
 bioassay, 21, 28, 30, 52-53, 64, 67, 80, 84, 109-110, 127-129, 133, 141, 152-156, 187, 201, 240, 248-257
 black cutworm, 98
 black vine weevil, 187, 208
 blackfly, 134
Blepharicera, 158
 bluegill sunfish, 161, 243
Bombus lapidarius, 40, 64-66
Bombus lucorum, 40, 64-66
Bombus terrestris, 40-41, 64-70
Bombyx mori, 25, 102, 104, 246
Brachiola algerae, 96, 105, 108
Brachiola connori, 108
Brachiola vesicularum, 108
Bracon hebetor, 43
 Braconidae, 40, 43, 97, 100
Bradysia, 179
 brown-tail moth, 80
 bumblebee, 40-41, 47, 63-70
Burnupia, 159
 cabbage moth, 81
 caddisflies, 160, 163
Cadra figulilella, 104
 carabid beetle, 38-41, 46-48, 52-53, 71, 127, 132, 135, 197, 201, 209
Carabus, 40
Cardiocladius, 158
 carp, 243
 cassava green mite, 24
 catfish, 161, 243
Catocala ilia, 21
 celery looper, 81
Cephalcia abietis, 190
Cephalcia arvensis, 197
 Cerambycidae, 36, 49-50
 Ceratopogonidae, 153, 159
Ceroplastes rubens, 18
 Chaoboridae, 19, 153
Chaoborus astictopus, 19
 chemical insecticide, 24, 37, 44, 54-55, 77, 135-136, 152, 178, 197, 208, 238
 chicken, 2, 106, 196
Chilo infuscatellus, 75
 Chironomidae, 19, 127, 153, 155-158, 161
Chironomus crassicaudatus, 156
Chironomus decorus, 156-157
Chironomus hawaiiensis, 157
Chironomus plumosus, 127
Chironomus stigmaterus, 157
Chironomus thummi, 156
 chlorphoxim, 162
 chlorpyrifos, 136
Choristoneura fumiferana, 93, 96, 98, 104, 125
Chromobacterium, 196
Chrysopa carnea, 252
Chrysoteuchia topiaria, 179
 Cicadellidae, 20, 41
 Cicadidae, 50-51
Cicindela campestris, 50, 53
 citrus root weevil, 179, 208
 classical biological control, 1, 8, 15-31, 77, 94, 101, 104, 109, 194-195, 206-209, 247
Clivina fossor, 50
Clostridium bif fermentans, 120
 Coccinellidae, 41, 46-48, 246, 252
Coccus viridis, 18
 codling moth, 74
 Coelenterata, 130
Coelomomyces stegomyiae, 18
Coleomegilla maculata, 48
 Coleoptera, 38, 41, 43, 47, 49-50, 53, 123-124, 130, 139, 169, 171, 189-190, 209, 241, 246
 Collembola, 39-40, 50, 52, 137, 174, 192
 Colorado potato beetle, 248
 copepod, 18-19, 97
Cordyceps, 35

- Costelytra zealandica*, 119, 123, 136, 169-171
Cotesia congregata, 203
Cottus cognatus, 161
Cougourdella, 100
 crane fly, 159, 188-189
 cricket, 104, 179, 191, 194, 198
 Crustacea, 18, 130, 243
 Cuculliinae, 28
Culex pipiens, 106, 136
Culex quinquefasciatus, 136
Culex tarsalis, 155
 Culicidae, 136, 151-154
 Curculionidae, 46-51, 132, 187, 189
 cutworm, 179, 187
 cyclic peptide toxins, 36
Cyclops, 19
Cydia pomonella, 74
Cyprionodon variegatus, 161
 cytoplasmic polyhedrosis virus, 73
Daphnia, 19, 126, 243-246
Dasychira basiflava, 22-23
Dasychira dorsipennata, 22
Dasychira meridionalis, 23
Dasychira obliquata, 21-23
 Decapoda, 105
 decay rate, 86, 223-226
Dendrobanena octaedra, 131
Dendrolimus spectabilis, 73
Deroceras, 177, 179
Diabrotica, 248
Diaprepes abbreviatus, 179
Dictyoptera, 124, 139
Diospilus capito, 40-41
 Diptera, 28, 36, 41, 45, 51, 74, 79, 105, 123-124, 130-131, 136, 139, 152, 156, 159, 188-189, 241, 246
 dispersal, 3-11, 19, 27, 37, 41, 45, 77, 94, 97, 121, 123, 126, 192, 194-195, 202, 210, 231-234
 dispersal rate, 231-234
 Dixidae, 153, 159
 dose response, 128, 234
 douglas fir tussock moth, 80
 dynastid beetle, 73
 earthworm, 39-40, 50-52, 129-133, 137, 174, 181, 194, 243, 245
 ecological host range, 9, 26, 31, 36, 38, 49, 102, 110, 248
 economic threshold, 110, 199
Edhazardia aedis, 96, 103
 emigration rate, 223, 231
Empoasca fabae, 19
Encarsia pergandiella, 250
Encephalitozoon cuniculi, 100
Endoreticulatus, 96, 98-99
 Enterobacteriaceae, 119, 170, 177, 180
Enterococcus faecalis, 138
Entomophaga grylli, 20, 26
Entomophaga maimaiga, 17, 21-24, 27-30
Entomophthora muscae, 28
 Entomophthorales, 15, 17, 19, 20, 27
 Ephemeroptera, 124, 130, 159
 epizootic, 4, 15, 19, 38, 46, 49, 68-71, 75-76, 79, 84-88, 100, 134, 170, 172, 189, 191
 EPV, 73
Eretmocerus mundus, 250, 254
Eretmocerus eremicus, 254
Eucalymnatus tessellates, 18
Eukiefferella, 158
Euproctis chrysorrhoea, 80, 93
 European corn borer, 46, 48, 93, 96-100, 103
 exotic organism, 1-5, 8, 12, 15-17, 21, 24, 26, 30-31, 94, 109-110, 129, 178-185, 193-195, 198-199, 202-211, 247
 fall webworm, 74
 fenitrothion, 45
 filariasis, 18
 filter feeder, 100, 153, 156, 158-159
 fish, 13, 39, 44, 47, 130, 132, 154-155, 160-163, 239, 241, 243, 245

- Folsomia candida*, 39
Folsomia fimetaria, 39
 Formicidae, 18, 48
Frankliniella occidentalis, 198, 253
 freshwater clam, 243
 frog, 39, 105, 197
Fundulus heteroclitus, 160
Fusarium subglutinans, 37
Galleria mellonella, 171, 189-191, 198-203
Gambusia affinis, 39, 155
Geocoris, 252-253
Geocoris punctipes, 252
Glossosoma nigrrior, 93, 100
Glyptotendipes paripes, 156
Goeldichironomus holoprasinus, 157
 grub, 123-126, 138, 169-190, 201, 208
 grasshopper, 20-21, 42-47, 73, 97, 104-105, 222, 234, 255
 green tiger beetle, 50-51
 gregarious species, 87
 guinea pig, 39, 196
Gutierrezia, 20
 granulovirus (GV), 74-75, 82
 gypsy moth, 21, 30, 74, 80, 134
Gyrophynus augustatus, 46
Harpalus affinis, 50
Helicoverpa virescens, 135
Heliothis zea, 98, 105
 Hemiptera, 51, 53, 105, 124, 130, 133, 139, 241, 246
Hesperotettix viridis, 20
Heterorhabditis, 136, 177-182, 185-190, 197, 209
Heterorhabditis bacteriophora, 136, 179, 184-190, 193, 196-198, 208-209
Heterorhabditis indica, 179, 184, 193, 200
Heterorhabditis megidis, 179, 198, 209
Heterorhabditis zealandica, 179
Hieroglyphus daganensis, 45
Hippodamia convergens, 40
 histerid beetle, 198
 honeybee, 25, 29, 39-40, 47, 50, 52, 63-64, 67, 70, 79, 131, 239, 241, 245, 249, 254
Hopolia philanthus, 189
 horizontal transmission, 75, 93, 103, 109, 223
 host specificity, 3-4, 6, 8, 11, 16-17, 20, 26-29, 46, 101-105, 108-109, 185-191, 202, 206, 240
 host-pathogen interaction, 86, 185, 189, 221, 234
Hydrilla, 132
 Hydropsychidae, 159-163
 Hymenoptera, 40, 43-45, 50, 53, 74, 79, 100, 124, 130, 132, 139, 171, 189-190, 209, 241, 246, 253
Hyphantria cunea, 74, 98, 102, 104
 Hyphomycetes, 27, 35-56, 63-70, 234, 255-256
Hypoaspis aculeifer, 40
Hypoaspis miles, 40
 iguanid lizard, 196-197
 immigration rate, 223
 immunocompromised, 37, 39, 47, 54, 105, 107-108
 Indian meal moth, 83
 infectivity, 45, 77, 122, 125, 161, 182, 195-196, 223-226, 230, 241, 245, 250
 inoculative application, 16-19, 94, 109, 195
 instantaneous infection rate, 222
 inundative use, 1, 8, 16-17, 28, 37, 74, 101, 105, 109, 169, 189, 195, 206, 209-210, 221-222
 Isoptera, 124, 139
 Ixodidae, 41
 June beetle, 190
 killifish, 160
 laboratory challenge test, 47, 66, 170

- Laccotrephes griseus*, 133
Lagenidium giganteum, 18-19, 136
 land tortoise, 47
 Lasiocampidae, 21
 LdMNPV, 30, 98
 leafcutting bee, 48
Lecanicillium lecanii, 17-18
 Lecaniine scale, 18
Lemna gibba, 242
 Lepidoptera, 20-24, 28-29, 36, 41, 43, 49, 53, 74, 76, 79-83, 87, 99, 103-106, 124, 127, 129-134, 139, 171, 174, 189, 203
Lepomis macrochirus, 161
Leuctra tenuis, 127, 134
 limacodid moth, 73
 locust, 42-45, 97, 104, 222, 234
Locusta migratoria, 104
Lumbricus terrestris, 40, 50
Lycoriella, 179
 Lycosidae, 48
Lygus, 248, 252, 255
Lygus hesperus, 252, 255
Lymantria dispar, 21-24, 74, 80, 98-99, 102-103, 109
 Lymantriidae, 21-23, 29-30, 75, 80, 85, 138
Macrocentrus grandii, 97, 100
 madtom, 161
Malacosoma americanum, 102
Malacosoma disstria, 21, 104
Mamestra brassicae, 81
Manduca sexta, 101, 203
Maruca vitrata, 43
 mass-action term, 221, 229
 maximum challenge, 54, 66, 70, 103, 127, 139, 170, 174
 mayfly, 159-160, 243
 Megaloptera, 105, 130
Meidia beryllina, 39, 241
Melanoplus sanguinipes, 73, 248
Meligethes aeneus, 49, 63
Melolontha hippocastani, 49
Melolontha melolontha, 49-55, 125, 171, 189
 metabolites, 1, 35-37, 50, 94, 101, 182, 240, 243
Metarhizium anisopliae, 36-46, 49, 51, 53, 63-71, 136, 240, 250, 253
Metarhizium anisopliae var. *acridum*, 36, 38, 42-46, 250, 253
 Microsporidia, 93-110, 242
Microsporidium africanum, 108
Microsporidium ceylonensis, 108
 minnow, 160-161, 243
 Miridae, 41, 53, 246
 mite, 1, 24-25, 244
 mole cricket, 179, 191, 194
Mononychellus tanajoa, 24
Moraxella osloensis, 177
 mortality rate, 223, 249, 254
 mosquito, 18-19, 39, 97, 103-108, 119, 122-128, 133-139, 151-163
 mouse, 39, 105-108, 196, 206
 multiply-occluded, 74
 mummichog, 160
Mythimna separata, 75
Myzus persicae, 20
Nabis, 252
 naïve host, 97, 100
Nebria brevicollis, 50
 Nematocera, 152, 155-159, 188
 nematode, 1, 5, 7, 12, 15, 63, 110, 129-130, 136, 177-211, 238
 Nemouridae, 159
Neochetina bruchi, 46
Neochetina eichhorniae, 47, 132
Neodiprion sertifer, 74
Neozygites, 24-25
Neozygites floridana, 25
Neozygites tanajoae, 24
 Neuroptera, 124, 139, 241, 246, 252
 Noctuidae, 21-22, 28, 75, 80-82, 104, 179, 187, 194
Nomuraea rileyi, 98
 northern pike, 243

- Nosema apis*, 96
Nosema bombycis, 102-106, 110
Nosema disstriae, 104
Nosema fumiferanae, 96, 98, 104
Nosema heliothis, 96
Nosema invadens, 104
Nosema locustae, 97, 104-105, 109
Nosema mesnili, 104
Nosema ocularum, 107-108
Nosema polyvora, 104
Nosema portugal, 98, 102
Nosema pyrausta, 96-100
Nosema sphingidis, 101
Nosema trichoplusiae, 104
Notonecta indica, 160
Notonecta irrorata, 160
Notonecta undulata, 160
Nucleopolyhedrovirus (NPV), 30, 74-76, 80-83, 98
occluded viruses, 73-75
occlusion bodies, 74, 83
Octosporea muscaedomesticae, 96
Odonata, 105, 130
Oligonychus gossypii, 25
Oncorhynchus mykiss, 160-161
Opiliones, 48
Oreochromis niloticus, 44
Orgyia antiqua, 80
Orgyia pseudotsugata, 80
Orius, 40, 252-253
Orius majusculus, 40
Orius insidiosus, 40
Orthocladinae, 157
Orthoptera, 42-45, 50, 104-105, 191, 248, 250, 255
Oryctes rhinoceros, 73
Oryctes monoceros, 73
Ostrinia nubilalis, 46, 48, 93, 96-100, 103
Otiiorhynchus, 50, 179, 187, 189, 194, 208
Otiiorhynchus ovatus, 179
Otiiorhynchus sulcatus, 50, 179, 189, 208
oyster, 130, 243
Oxytelus, 40
Paenibacillus lentimorbus, 119, 122
Paenibacillus popilliae, 119-128, 134-138
Palaemonetes pugio, 39
Palaemonetes vulgaris, 241
Parapoynx diminutalis, 132
parasitoid, 1, 4, 12, 15, 17, 27, 30, 40-44, 71, 77, 79, 93, 97, 100, 110, 127, 129, 132, 135-136, 141, 181, 197, 203, 238, 241, 250-255
Pardosa, 244
passive dispersal, 5, 77
pathogen threshold, 221
pathogenicity, 21, 24-25, 37, 39, 80, 93-94, 101, 120, 161, 169, 171, 174, 182, 185, 188, 196, 238, 240-241, 249, 253-254
Pentatomidae, 41, 53
pepper disease, 102
Perlidae, 159
persistence, 6, 17, 35-38, 41, 45, 48-51, 63, 71, 75, 94-96, 121-126, 133, 137, 139, 141, 154, 169-174, 187, 190-194, 199-202, 210, 226-231, 240, 251; see also survival
persistent infection, 75-76, 83
Phacelia tanacetifolia, 67
Phanerotoma, 43
Phasianus colchicus, 44
Phasmarhabditis hermaphrodita, 177, 179
Phasmatodea, 50
Phlebotomus duboscqi, 133
Photorhabdus, 171, 177, 180, 182, 196, 200, 203
Photorhabdus asymbiotica, 196
Photorhabdus luminescens, 182, 196, 200
Phradis morionellus, 40

- Phthiraptera*, 124
Phyllopertha horticola, 179, 189-190, 201
Phyllophaga, 136
 physiological host range, 28, 31, 36, 248
Pieris brassicae, 104
Pimelia senegalensis, 43
Pimelia subquadrata chudeaui, 253
Pimephales promelas, 160
 pine caterpillar, 73
 pine processionary moth, 73
 pine sawfly, 74
Pinus radiata, 177
Pissodes nitidus, 49
 platyhelminth, 105, 130
 Plectoptera, 159
Pleistophora, 98-99, 106
Plodia interpunctella, 83
 Plusiinae, 81-82
 pollen beetle, 63
 polymorphic DNA, 26, 122
 polyorganotrophic, 74
Polypedilum, 156-158
Polypedilum nubifer, 156-157
Popillia japonica, 125, 171, 178-179, 194
 population model, 86, 221, 234
 potato leafhopper, 19
 predator, 4, 7, 15, 17, 24, 27, 30, 40, 46, 77-79, 97, 127-136, 140, 153-155, 159-163, 192, 197, 203, 206, 210, 238, 241-243, 252, 254-255
Procladius, 157
Proisotoma minuta, 39
Prosimulium mixtum, 158
Prostoia completa, 159
Psacotha hilaris, 50
Psectrocladius psilopterus, 156
Pseudomonas, 120, 177, 196
 Psychodidae, 153, 159
Pterostichus versicolor, 50
 purple bacteria, 180
 Pyralidae, 43, 49, 132, 171
 rabbit, 39, 100, 107, 196
 rainbow trout, 243
 rat, 39, 106, 196
 rate of breakdown, 224
 red mite, 25
 REN analysis, 78, 82-83
 residual activity, 125, 224-226
Rheotanytarsus, 158
 rhinoceros beetle, 73
Rhopalosiphum maidis, 20
 risk assessment, 1-5, 8, 11-12, 54, 70-71, 79, 108, 178, 191-192, 202, 206-207, 234, 238, 245, 248, 256-257
 risk management, 8, 12, 207
 rock bass, 161
 rove beetle, 40
Salmo trutta, 160
 Salticidae, 48
 sawfly, 74, 79, 197
Scapholoberis, 19
Scapterisci, 179
 Scarabaeidae, 36, 48-49, 119, 122-126, 129, 136, 169-171, 179, 187, 190, 194
Schistosoma mansoni, 106
 sciarid flies, 179, 208
 secondary cycling, 45, 223
Selenastrum capricornutum, 242
 sensitisation, 37, 52
Sergentomyia schwetzi, 133
Serratia entomophila, 119-120, 123-133, 136-138, 141, 169-175
Serratia proteamaculans, 138, 169, 174
Sesamia nonagroides, 91
 shield darter, 161
 shrimp, 39, 44, 106, 241, 243
 silver side fish, 39
 Simuliidae, 151, 159, 162
Simulium damnosum, 152
Simulium venustum, 158

- Sinea*, 252
 Siphonuridae, 160
 Siphonaptera, 139
Sirex, 177, 179
Skeletonema costatum, 242
 slimy sculpin, 161
 snail, 106, 130, 159
 snakeweed, 20-21
 spider mite, 24-25
Spodoptera exempta, 76
Spodoptera exigua, 74, 194
Spodoptera littoralis, 98, 135
 spotfin shiner, 161
 spruce budworm, 93, 96, 98, 104, 125
 Staphylinidae, 38, 40, 46-47, 197, 209
Staphylinus, 40
 static exposure assay, 47
Stegopterna mutata, 158
Steinernema abassi, 200
Steinernema arenarium, 197
Steinernema carpocapsae, 179, 186-187, 191-198, 201, 203
Steinernema glaseri, 136, 178-179, 186, 191, 194, 196-197, 203
Steinernema kraussei, 184, 190, 191
Steinernema kushidai, 179
Steinernema riobrave, 179, 193, 198, 208-209
Steinernema scapterisci, 179, 191, 194-195, 209
 stickle back, 160
 stonefly, 127, 134, 160
Streptocephalus proboscideus, 44
 survival, 5-6, 17, 45, 75, 95-96, 99, 125-126, 182, 192-194, 198-199, 243, see also persistence
 susceptibility threshold, 221
Tachyporus, 40
 tadpole, 197
Tanypus, 157
 Tanytarsini, 157-158
Tanytarsus, 156
Technomyrmex albipes, 18
 temephos, 136
Tenebrio molitor, 47, 64-67
 teratogenicity, 77
Tetranychus bastosi, 24
Tetranychus urticae, 24-25
Thaumtopoea pityocampa, 73
 Thysanoptera, 124
 tiered testing, 37, 45-46, 54, 70, 139, 174, 239-243, 251, 256
 tiger beetle, 50-51
Tilapia, 160
Tipula, 159, 188, 189
 toxicity, 36-39, 77, 86, 100, 121-132, 135-139, 195-196, 238-241, 245
Toxorhynchites, 153-156
Toxorhynchites amboinensis, 155-156
Toxorhynchites brevipalpis, 155-156
Toxorhynchites rutilus, 154-156
Toxorhynchites theobaldi, 155
Trachipleistophora hominis, 106
Trachyderma hispida, 43, 253
 transmission function, 229-231, 234
 transmission term, 221, 223, 226, 228, 230-231
Trialeuroides, 255
Trichoplusia ni, 104
 Trichoptera, 130, 159
Tricorythus discolor, 159
Turbatrix aceti, 130
Typhlodromus pyri, 244
Tyria jacobaeae, 132
Vairimorpha ephestiae, 98
Vairimorpha necatrix, 96, 99, 104
 vapourer moth, 80
 vertical transmission, 75-76, 109-110
 Vespidae, 50, 53
Vibrio, 196
 virulence, 4, 42-44, 47-48, 76, 93, 125, 129, 137, 185-186, 191-192, 199-201
Vittiforma corneum, 107-108

- walleye, 243
- western flower thrips, 198, 253
- whitefly, 248, 250-252, 255
- Wolbachia*, 203
- Xenopus laevis*, 39
- Xenorhabdus*, 171, 177, 180, 196, 203
- Xenorhabdus bovienii*, 196
- Xenorhabdus nematophila*, 196
- Xylocoris flavipes*, 252
- Zelus*, 252
- Zonocerus variegatus*, 43
- Zoopthora phytonomi*, 26
- Zoopthora radicans*, 19, 26