

Author Index

A

Adiguzel O., 141

B

Bespalova I., 149
Bondarenko M., 239, 297
Borschak V., 227
Botton G.A., 45
Bourgeois O., 35
Brytavskiy Ie., 227

E

Eckmann A., 19

F

Filevska L.M., 259
Fiorillo A.S., 201
Frydman A., 35

G

Garden J.-L., 35
Gauquelin N., 45
Geveliuk S.A., 281
Grigaliūnas V., 159
Grigorieva I.V., 19
Grinevych V.S., 259
Grushevskaya H.V., 97
Grygorova G., 289
Guskos N., 109

H

Harea D.V., 127
Harea E.E., 127
Hawthorn D.G., 45

I

Iaseniuc O.V., 127
Iovu M.S., 127

J

Janušas G., 159

K

Kharlamov O., 239, 297
Kharlamova G., 239, 297
Khyzhun O., 239, 297
Klochkov V., 149, 289
Kolomzarov Yu.V., 267
Kompitsas M., 187
Konup I.P., 281
Koralli P., 187
Kruchinin S.P., 67
Krylova N.G., 97
Kusiak-Nejman E., 109

L

Laarraj M., 35
Lipnevich I.V., 97

M

Maksimchuk P., 149
Maksimenko L.S., 259, 267
Malyukin Yu., 149, 289
Mamotyuk Ye., 289
Masalov A., 149
Matyash I.E., 267
McMahon C., 45
Melnik R., 25
Mischuk O.M., 267
Mishchenko A., 19
Moldovan D., 3
Morawski A.W., 109
Mousdis G.A., 187
Moza S., 109

N

Nawrocki W., 215
Nguyen-Duc T., 35
Novoselov K.S., 19

O

Orekhovskaja T.I., 97

P

Palevičius A., 159
Palevičius P., 159
Peeters F.M., 3
Penin A., 311
Petropoulou G., 187
Prabhakar S., 25
Pullano S.A., 201

R

Repetsky , 67
Richard J., 35
Rudenko S.P., 259, 267

S

Šakalys R., 159
Salomon P., 175
Seminko V., 149
Serdega B.K., 259, 267
Sherman A., 57
Shulitski B.G., 97
Sidorenko A., 311
Smyntyna V.A., 227, 259, 281
Stamataki M., 187
Starodub M.F., 281
Stetsenko M.O., 259, 267

T

Tavakoli A., 35
Tereshchenko A.V., 281
Tiriolo R., 201
Tsamakis D., 187
Typek J., 109

V

van Heeren H., 175
Viagin O., 149
Vinko J.D., 201
Volodina G.F., 127
Vyshyvana I.G., 67

W

Wei J.Y.T., 45

Z

Zhang H., 45
Zolnierkiewicz G., 109

Subject Index

Symbol

3D microstructure, 159

A

acetone sensor, 187
amorphous films, 127
artificial nuclei, 3
Au, 187
Au-PTFE, 267
azagraphene, 239

B

Bain distortion, 141
biomems, 175
biosensing, 175
biosensors, 175, 281
Bovine leucosis, 281

C

carbon nanotubes, 68
carbon nitride oxide, 239
ceria, 149
charged vacancy, 3
communication line, 311
computer generated holography, 159
conductive AFM, 19
coupled mathematical models, 25
CO sensor, 187

Cu-enrichment, 46

Cu_xO, 187

D

density of states, 57
detector, 215
diluted magnetic semiconductors, 109

E

electron beam lithography, 159
electron-phonon interaction, 25

F

first sharp diffraction peak, 127
fluorinated graphene, 19
four wire communication line, 311

G

gene modified organism, 297
glass transition, 35
glasses, 127
graphene, 3, 239

H

heterojunction, 227
high sensitivity, 35

Hubbard model, 57
hydrogen peroxide, 149
hydrogen sensor, 187

I

in vivo, 289
infrared spectra, 201
irradiation, 289

L

Langmuir–Blodgett technique, 97
lattice invariant shear, 141
layered structures, 141
luminescence, 149

M

magnetic interference, 215
magnetic properties, 109
martensitic transformation, 141
meta-generalized gradient approximation, 68
methane sensor, 187
microfluidic, 175
micromorphology, 227
modulation polarization spectroscopy, 259, 267
multi-walled carbon nanotubes, 97

N

nanocalorimetry, 35
nanocomposite, 267
nanofood, 297
nanoJoule, 35
nanometer scale, 35
nanoobjects, 297
nanoparticles, 187, 289
nanoporous materials, 201
nanostructured sensor, 227
nanotechnology, 175
nanothreat, 297
noise level, 215

O

O-doped carbon nitride, 239

P

phase conversion, 46
photoluminescence, 281
plasma frequency, 267
Point of Care, 175
polarization effect, 97

Q

quasi-bound states, 3

R

radioprotective effect, 289
rats, 289
reactive oxygen species, 149
roadmap, 175

S

Salmonella, 281
security, 297
semiconductor quantum dots, 25
sensor application, 267
sensors, 201
shape memory effect, 141
small mass detection, 35
spectral functions, 57
spin-dependent transport, 68
spin-flip rates, 25
spin-orbit coupling, 25
spin relaxation mechanisms, 25
SQUID, 215
strong coupling diagram technique, 57
supercritical charge, 3
surface plasmon resonances, 259
surface plasmons, 267

T

thermal memory, 141
thin films, 35, 187
tin dioxide cluster films, 259
TiO₂, 281
titanium oxide nanocomposite, 109

W

waveguides, 175

X

X-ray diffraction, 127

Y

Y-B-Cu-O thin film, 46

Z

Zeolite, 201
ZnO, 187, 281