

References

- Abramowitz, M., & Stegun, I. A. (1970). *Handbook of mathematical functions, with formulas, graphs, and mathematical tables*. New York: Dover.
- Abu-Salih, M. S. (1983). Distributions of the product and the quotient of power-function random variables. *Arab Journal of Mathematics*, 4, 77–90.
- Agrawal, M. K., & Elmaghraby, S. K. (2001). On computing the distribution function of the sum of independent random variables. *Computers and Operations Research*, 28, 473–483.
- Ahsanullah, M. (1987). A note on the characterization of the normal distribution. *Biometrical Journal*, 29(7), 885–888.
- Ahsanullah, M. (1989a). Characterizations of the normal distribution by properties of linear functions and chi-squared. *Pakistan Journal of Statistics*, 5(3), 13, 267–276.
- Ahsanullah, M. (1989b). On characterizations of the normal law. *Bulletin of the Institute of Mathematics Academia Sinica*, 17(2), 229–232.
- Ahsanullah, M. (1990). Some characterizations properties of normal distribution. *Computational Statistics and Data Analysis*, 10, 117–120.
- Ahsanullah, M. (2011). *Handbook of univariate statistical distributions*. MI, USA: Trafford Publishers.
- Ahsanullah, M., Bansal, N., & Hamedani, G. G. (1991). On characterization of normal distribution. *Calcutta Statistical Association Bulletin*, 41(161–164), 157–162.
- Ahsanullah, M., & Hamedani, G. G. (1988). Some characterizations of normal distribution. *Calcutta Statistical Association Bulletin*, 37, 145–146.
- Ahsanullah, M., & Hamedani, G. G. (2010). *Exponential distribution*. New York: Nova Science Publishers.
- Ahsanullah, M., & Kirmani, S. N. U. A. (2008). *Topics in extreme value distributions*. New York, USA: Nova Science Publishers.
- Ahsanullah, M., & Nevzorov, M. (2001). *Ordered random variables*. New York: Nova Science Publishers.
- Ahsanullah, M., & Nevzorov, V. B. (2005). *Order statistics :Examples and exercises*. New York: Nova Publishers.
- Ahsanullah, M., Nevzorov, V. B., & Shakil, M. (2013). *An introduction to order statistics*. Paris, France: Atlantis Press.
- Aigner, D. J., Lovell, C. A. K., & Schmidt, P. (1977). Formulation and estimation of stochastic frontier production function models. *Journal of Econometrics*, 6, 21–37.
- Airy, G. B. (1861). *On the algebraical and numerical theory of errors of observations and the combination of observations*. London: Macmillan.

- Akundov, I. S., Balakrishnan, N., & Nevzorov, V. B. (2004). New characterizations by properties of midrange and related statistics. *Communications in Statistics-Theory and Methods*, 33(12), 3133–3143.
- Akundov, I. S., & Nevzorov, V. B. (2010). A simple characterization of Student t_2 distribution. *Statistics and Probability Letters*, 80(5–6), 293–295.
- Ali, M. M. (1982). Distribution of linear combinations of exponential variates. *Communications in Statistics-Theory and Methods*, 11, 1453–1463.
- Ali, M. M., & Nadarajah, S. (2004). On the product and the ratio of t and logistic random variables. *Calcutta Statistical Association Bulletin*, 55, 1–14.
- Ali, M. M., & Nadarajah, S. (2005). On the product and ratio of t and Laplace random variables. *Pakistan Journal of Statistics*, 21(1), 1–14.
- Altman, D. G. (1993). Construction of age-related reference centiles using absolute residuals. *Statistics in Medicine*, 12(10), 917–924.
- Amari, S. V., & Misra, R. B. (1997). Closed-form expressions for distribution of sum of exponential random variables. *IEEE Transactions on Reliability*, 46, 519–522.
- Amoroso, L. (1925). Recherche intorno alla curve die redditi. *Annali di Matematica Pura ed Applicata*, 21, 123–159.
- Andersen, P. K., Borgan, O., Gill, R. D., & Keiding, N. (1993). *Statistical models based on counting processes*. New York: Springer.
- Arellano-Valle, R. B., & Azzalini, A. (2006). On the unification of families of skew-normal distributions. *Scandinavian Journal of Statistics*, 33, 561–574.
- Arellano-Valle, R. B., Del Pino, G., & San Martin, E. (2002). Definition and probabilistic properties of skew-distributions. *Statistics and Probability Letters*, 58(2), 111–121.
- Arellano-Valle, R. B., Gómez, H. W., & Quintana, F. A. (2004). A new class of skew-normal distributions. *Communications in Statistics-Theory and Methods*, 33(7), 1465–1480.
- Arnold, B. C. (1979). Some characterizations of the Cauchy distribution. *Australian Journal of Statistics*, 21, 166–169.
- Arnold, B. C., & Lin, G. D. (2004). Characterizations of the skew-normal and generalized chi distributions. *Sankhyā: The Indian Journal of Statistics*, 66(4), 593–606.
- Azzalini, A. (1985). A class of distributions which includes the normal ones. *Scandinavian Journal of Statistics*, 12, 171–178.
- Azzalini, A. (1986). Further results on a class of distributions which includes the normal ones. *Statistica*, 46, 199–208.
- Azzalini, A. (2001). A note on regions of given probability of the skew-normal distribution. *Metron*, LIX, 27–34.
- Azzalini, A. (2005). The skew-normal distribution and related multivariate families. *Scandinavian Journal of Statistics*, 32, 159–188.
- Azzalini, A. (2006). Some recent developments in the theory of distributions and their applications. *Atti della XLIII Riunione della Società Italiana di Statistica*, volume Riunioni plenarie e specializzate, pp. 51–64.
- Azzalini, A., & Capitanio, A. (1999). Statistical applications of the multivariate skew-normal distribution. *Journal of Royal Statistical Society B*, 61, 579–602.
- Azzalini, A., & Dalla_Valle, A. (1996). The multivariate skew-normal distribution. *Biometrika*, 83, 715–726.
- Azzalini, A., & Regoli, G. (2012). Some properties of skew-symmetric distributions. *Annals of the Institute of Statistical Mathematics*, 64, 857–879.
- Babbitt, G. A., Kiltie, R., & Bolker, B. (2006). Are fluctuating asymmetry studies adequately sampled? Implications of a new model for size distribution. *The American Naturalist*, 167(2), 230–245.
- Bagui, S., & Bagui, S. (2006). Computing percentiles of Skew normal distributions. *Journal of Modern Applied Statistical Methods*, 5(2), 283–595.
- Balakrishnan, N., & Nevzorov, V. B. (2003). *A primer on statistical distributions*. New Jersey: Wiley.

- Barndorff-Nielsen, O. (1977). Exponentially decreasing log-size distributions. *Proceedings of the Royal Society of London Series A*, 353, 401–419.
- Barndorff-Nielsen, O. (1978). Hyperbolic distributions and distributions on hyperbolae. *Scandinavian Journal of Statistics*, 5, 151–159.
- Barranco-Chamorro, I., Moreno-Rebollo, J. L., Pascual-Acosta, A., & Enguix-Gonzalez, A. (2007). An overview of asymptotic properties of estimators in truncated distributions. *Communications in Statistics-Theory and Methods*, 36(13), 2351–2366.
- Basu, D. (1951). On the independence of linear functions of independent chance variables. *Bulletin of the International Statistics Institute*, 39, 83–96.
- Basu, A. K., & Ahsanullah, M. (1983). On decomposition of normal and Poisson law. *Calcutta Statistical Association Bulletin*, 32, 103–109.
- Basu, A. P., & Lochner, R. H. (1971). On the distribution of the having generalized life distributions. *Technometrics*, 13, 281–287.
- Behrens, W. V. (1929). Ein Beitrag zur Fehlerberechnung bei wenigen Beobachtungen. *Landw Jb*, 68, 807–837.
- Bessel, F. W. (1818). *Astronomiae pro anno MDCCLV deducta ex observationibus viri incomparabilis James Bradley specula Grenovicensi per annos 1750–1762*.
- Bessel, F. W. (1838). Untersuchungen uber der Wahrscheinlichkeit der Beobachtungsfehler. *Astronomische Nachrichten*, 15, 368–404.
- Bhargava, R. P., & Khatri, C. G. (1981). The distribution of product of independent beta random variables with application to multivariate analysis. *Annals of the Institute of Statistical Mathematics*, 33, 287–296.
- Birnbaum, Z. W. (1950). Effect of linear tuncation on a multinormal population. *The Annals of Mathematical Statistics*, 21, 272–279.
- Bland, J. M. (2005). The Half-Normal distribution method for measurement error: two case studies. Unpublished talk available on <http://www-users.york.ac.uk/~mb55/talks/halfnor.pdf>
- Bland, J. M., & Altman, D. G. (1999). Measuring agreement in method comparison studies. *Statistical Methods in Medical Research*, 8, 135–160.
- Blatberg, R. C., & Gonedes, N. J. (1974). A comparison of the stable and student distributions as statistical models for stock prices. *Journal of Business*, 47, 224–280.
- Blisshcke, W. R., & Murthy, D. N. P. (2000). *Reliability, modeling, prediction, and optimization*. New York: Wiley.
- Bose, R. C., & Roy, S. N. (1938). The distribution of the D^2 studentized-statistic. *Sankhya*, 4, 19–38.
- Box, J. F. (1981). Gosset, Fisher and t distribution. *The American Statistician*, 35, 61–67.
- Bravais, A. (1846). *Analyse mathematique sur les probabilites des erreurs de situation d'un point, Memores des Savans Etrangers* (Vol. 9, pp. 255–332). Paris: Academie (Royale) des Sciences del'Institut de France.
- Brody, J. P., Williams, B. A., Wold, B. J., & Quake, S. R. (2002). Significance and statistical errors in the analysis of DNA microarray data. *Proceedings of the National Academy of Sciences USA*, 99(20), 12975–12978.
- Buccianti, A. (2005). Meaning of the parameter of skew-normal and log-skew normal distributions in fluid geochemistry. *CODAWORK'05, Girona, Spain* October 19–21, 2005.
- Buckland, S. T., Anderson, D. R., Burnham, K. P., & Laake, J. L. (1993). *Distance sampling: Estimating abundance of biological populations*. London: Chapman and Hall.
- Cambanis, S., Huang, S., & Simons, G. (1981). On the theory of elliptically contoured distributions. *Journal of Multivariate Analysis*, 11, 368–385.
- Casella, G., & Berger, R. L. (2002). *Statistical inference*. California: Thomson Learning.
- Cedilnik, A., Kosmelj, K., & Blejee, A. (2004). The distribution of the ratio of jointly normal variables. *Metodoloskizvezki*, 1(1), 99–108.
- Chakraborty, S., & Hazarika, P. J. (2011). A survey on the theoretical developments in univariate skew normal distributions. *Assam Statistical Review*, 25(1), 41–63.
- Chapman, D. G. (1950). Some Two Sample Tests. *Annals of Mathematical Statistics*, 21, 601–606.

- Chapman, D. G. (1956). Estimating the parameters of a truncated Gamma distribution. *The Annals of Mathematical Statistics*, 27(2), 498–506.
- Charlier, C. V. L. (1905). Über die Darstellung willkürlicher Funktionen. *Arkiv for Matematik, Astronomi och Fysik*, 2(20), 1–35.
- Chen, Y. Y., & Wang, H. J. (2004). A method of moments estimator for a stochastic frontier model with errors in variables. *Economics Letters*, 85(2), 221–228.
- Chiogna, M. (1998). Some results on the scalar skew-normal distribution. *Journal of the Italian Statistical Society*, 7(1), 1–13.
- Chou, C. Y., & Liu, H. R. (1998). Properties of the half-normal distribution and its application to quality control. *Journal of Industrial Technology*, 14(3), 4–7.
- Cigizoglu, H. K., & Bayazit, M. (2000). A generalized seasonal model for flow duration curve. *Hydrological Processes*, 14, 1053–1067.
- Coffey, C. S., Kairalla, J. A., & Muller, K. E. (2007). Practical methods for bounding type I error rate with an internal pilot design. *Communications in Statistics-Theory and Methods*, 36(11), 2143–2157.
- Conover, W. J. (1999). *Practical nonparametric statistics*. New York: Wiley.
- Cohen, A. C. (1959). Simplified estimators for the normal distribution when samples are singly censored or truncated. *Technometrics*, 1, 217–237.
- Cohen, A. (1991). *Truncated and censored samples*. New York: Marcel Dekker.
- Cooray, K., & Ananda, M. M. (2008). A generalization of the half-normal distribution with applications to lifetime data. *Communications in Statistics-Theory and Methods*, 37(9), 1323–1337.
- Copson, E. T. (1957). *An introduction to the theory of functions of a complex variable*. Oxford, U.K.: Oxford University Press.
- Cramer, H. (1936). Über eine eigenschaft der normalen verteilungs function. *Mathematische Zeitschrift*, 11, 405–411.
- Curtiss, J. H. (1941). On the distribution of the quotient of two chance variables. *The Annals of Mathematical Statistics*, 12(4), 409–421.
- D'Agostino, R. B. (1971). An omnibus test of normality for moderate and large size samples. *Biometrika*, 58, 341–348.
- Dalla Valle, A. (2004). “The skew-normal distribution”. In M. G. Genton (Ed.), *Skew-elliptical distributions and their applications: A journey beyond normality* (pp. 3–24). Boca Raton, FL: Chapman & Hall.
- Daniel, C. (1959). Use of half-normal plots in interpreting factorial two-level experiments. *Technometrics*, 1(4), 311–341.
- Darmois D. (1951). Sur diverse propriete caracteristique de la loi de probabilite de Laplace- Gauss. *Bulletin of the Institute of Economics and Statistics Institute*, 13, 79–82.
- David, H. A., & Nagaraja, H. N. (2003). *Order statistics* (3rd ed.). Hoboken: Wiley.
- Dobzhansky, T., & Wright, S. (1947). Genetics of natural populations. XV. Rate of diffusion of a mutant gene through a population of *Drosophila pseudoobscura*. *Genetics*, 32(3), 303.
- Donahue, J. D. (1964). *Products and quotients of random variables and their applications*. Denver, Colorado: The Martin Company.
- Dreiera, I., & Kotz S. (2002). A note on the characteristic function of the *t*-distribution. *Statistics and Probability Letters*, 57, 221–224.
- Dudewicz, E. J., & Mishra, S. N. (1988). *Modern mathematical statistics*. New York: Wiley.
- Edgeworth, F. Y. (1892). Correlated averages. *Philosophical Magazine Series*, 5(34), 190–204.
- Edgeworth, F. Y. (1883). The law of error. *Philosophical Magazine*, 16, 300–309.
- Edgeworth, F. Y. (1905). The law of error. *Proceedings of the Cambridge Philosophical Society*, 20, 36–65.
- Eisenhart, C. (1979). On the transition from “Student’s” *z* to “Student’s” *t*. *The American Statistician*, 33, 6–11.
- Elandt, R. C. (1961). The folded normal distribution: Two methods of estimating parameters from moments. *Technometrics*, 3(4), 551–562.

- Eling, M. (2011). Fitting insurance claims to skewed distributions: Are the Skew-normal and Skew-student good models? Working papers on risk management and insurance, No. 98-November, 2011, Institute of Insurance Economics, University of St. Gallen, St. Gallen, Switzerland.
- Embrechts, P., Klüppelberg, C., & Mikosch, T. (1997). *Modelling extremal events: For insurance and finance*. Berlin: Springer.
- Epstein, B. (1948). Some applications of the Mellin transform in statistics. *Annals of Mathematics Statistics*, 19, 370–379.
- Evans, M., Hastings, N., & Peacock, B. (2000). *Statistical distributions* (3rd ed.). New York: Wiley.
- Fang, K. T., & Anderson, T. W. (1990). *Statistical inference in elliptically contoured and related distributions*. New York: Allerton Press.
- Farebrother, R. W. (1984). Algorithm AS 204: The distribution of a positive linear combination of chi-squared random variables. *Applied Statistics*, 33, 332–339.
- Feller, W. (1968). *An introduction to probability theory and applications* (Vol. 1). New York: Wiley.
- Feller, W. (1971). *An introduction to probability theory and applications* (Vol. 2). New York: Wiley.
- Fernandes, E., Pacheco, A., & Penha-Gonçalves, C. (2007). Mapping of quantitative trait loci using the skew-normal distribution. *Journal of Zhejiang University Science B*, 8(11), 792–801.
- Fieller, E. C. (1932). The distribution of the index in a normal bivariate population. *Biometrika*, 24(3/4), 428–440.
- Fisher, R. A. (1925). Applications of student's t distribution. *Metron*, 5, 90–104.
- Fisher, R. A. (1930). The moments of the distribution for normal samples of measures of departure from normality. *Proceedings of the Royal Society of London*, A130, 16–28.
- Fisher, R. A. (1931). The truncated normal distribution. British Association for the Advancement of Science. *Mathematical Tables*, 5, xxxiii–xxxiv.
- Fisher, R. A. (1935). The fiducial argument in statistical inference. *Annals of Eugenics*, 6, 391–398.
- Fisher, R. A. (1939). The comparison of samples with possibly unequal variances. *Annals of Eugenics*, 9, 174–180.
- Fisher, R. A. (1941). The asymptotic approach to Behrens' integral, with further tables for the d test of significance. *Annals of Eugenics*, 11, 141–173.
- Fisher, R. A., & Healy, M. J. R. (1956). New tables of Behrens' test of significance. *Journal of the Royal Statistical Society Series B*, 18(2), 212–216.
- Fisher, R. A., & Yates, F. (1957). *Statistical tables for biological agricultural and medical research*. Edinburgh: Oliver and Boyd.
- Folks, J. L., & Chhikara, R. S. (1978). The inverse Gaussian distribution and its statistical application—a review. *Journal of the Royal Statistical Society Series B (Methodological)*, 40, 263–289.
- Fotowicz, P. (2006). An analytical method for calculating a coverage interval. *Metrologia*, 43, 42–45.
- Frisch, U., & Sornette, D. (1997). Extreme deviations and applications. *Journal of Physics I France*, 7, 1155–1171.
- Galambos, J., & Simonelli, I. (2005). *Products of random variables—applications to problems of physics and to arithmetical functions*. Boca Raton, Atlanta: CRC Press.
- Galton, F. (1875). Statistics by inter comparison, with remarks on the law of frequency of error. *Philosophical Magazine*, 49, 33–46.
- Galton, F. (1889). *Natural inheritance*. London: Macmillan.
- Gauss, C. F. (1809). *Theoria Motus Corporum Coelestium*, Lib. 2, Sec. III, 205–224. Hamburg.: Perthes u. Besser.
- Geary, R. C. (1930). The frequency distribution of the quotient of two normal variates. *Journal of the Royal Statistical Society*, 93(3), 442–446.
- Geary, R. C. (1934). Distribution of student's ratio for non normal distribution. *Journal of Royal Statistites Society Series B*, 3, 178–184.
- Genton, M. G. (Ed.). (2004). *Skew-elliptical distributions and their applications: A journey beyond normality*. Boca Raton, FL: Chapman & Hall.

- Ghosh, B. K. (1975). On the distribution of the difference of two t-Variables. *Journal of the American Statistical Association*, 70(350), 463–467.
- Glen, A. G., Leemis, L. M., & Drew, J. H. (2004). Computing the distribution of the product of two continuous random variables. *Computational Statistics and Data Analysis*, 44(3), 451–464.
- Goldar, B., & Misra, S. (2001). Valuation of environmental goods: Correcting for bias in contingent valuation studies based on willingness-to-accept. *American Journal of Agricultural Economics*, 83(1), 150–156.
- Good, I. J. (1953). The population frequencies of species and the estimation of population parameters. *Biometrika*, 40, 237–260.
- Gosset, W. S. (“Student”) (1908). The probable error of a mean. *Biometrika*, 6, 1–25.
- Gradshteyn, I. S., & Ryzhik, I. M. (2000). *Table of integrals, series, and products* (6th ed.). San Diego: Academic Press.
- Greene, W. H. (2005). Censored data and truncated distributions. NYU Working Paper No. 2451/26101, Available at SSRN (Social Science Research Network) 825845.
- Grubel, H. G. (1968). Internationally diversified portfolios: Welfare gains capital flows. *American Economic Review*, 58, 1299–1314.
- Gupta, R. C., & Gupta, R. D. (2004). Generalized skew normal model. *Test*, 13(2), 501–524.
- Gupta, A. K., Chang, F. C., & Huang, W. J. (2002). Some skew-symmetric models. *Random Operators Stochastic Equations*, 10, 133–140.
- Gupta, A. K., & Chen, J. T. (2004). A class of multivariate skew-normal models. *Annals of the Institute of Statistical Mathematics*, 56(2), 305–315.
- Gupta, S. C., & Kapoor, V. K. (2002). *Fundamentals of mathematical statistics*. New Delhi: Sultan Chand & Sons.
- Gupta, A. K., Nguyen, T. T., & Sanqui, J. A. T. (2004). Characterization of the skew-normal distribution. *Annals of the Institute of Statistical Mathematics*, 56(2), 351–360.
- Haberle, J. G. (1991). Strength and failure mechanisms of unidirectional carbon fibre-reinforced plastics under axial compression, Unpublished Ph.D. thesis. London, U.K.: Imperial College.
- Hald, A. (1952). *Statistical theory with engineering applications*. New York: Wiley.
- Harter, H. L. (1951). On the distribution of Wald’s classification statistic. *Annals of Mathematical Statistics*, 22, 58–67.
- Hausman, J. A., & Wise, D. A. (1977). Social experimentation, truncated distributions, and efficient estimation. *Econometrica: Journal of the Econometric Society*, 45(4), 919–938.
- Hawkins, D. I., & Han, C. P. (1986). Bivariate distributions noncentral chi-square random variables. *Communications in Statistics-Theory and Methods*, 15, 261–277.
- Hayya, J., Armstrong, D., & Gressis, N. (1975). A note on the ratio of two normally distributed variables. *Management Science*, 21(11), 1338–1341.
- Helmert, F. R. (1876). Die Genauigkeit der Formel von Peters zur Berechnung des wahrscheinlichen Beobachtungsfehlers director Beobachtungen tungen gleicher Genauigkeit. *Astronomische Nachrichten*, 88, 113–120.
- Henze, N. (1986). A probabilistic representation of the ‘skew-normal’ distribution. *Scandinavian Journal of Statistics*, 13, 271–275.
- Hinkley, D. V. (1969). On the ratio of two correlated normal random variables. *Biometrika*, 56(3), 635–639.
- Hitezenko, P. (1998). A note on a distribution of weighted sums of iid Rayleigh random variables. *Sankhya, A*, 60, 171–175.
- Hogg, R. V., McKean, J., & Craig, A. T. (2005). *Introduction to mathematical statistics*. New Jersey: Pearson Prentice Hall.
- Hogg, R. V., & Tanis, E. A. (2006). *Probability and statistical inference*. New Jersey: Pearson Prentice Hall.
- Holton, G. A. (2003). *Value-at-risk: Theory and practice*. San Diego, CA: Academic Press.
- Hu, C.-Y., & Lin, G. D. (2001). An inequality for the weighted sums of pairwise i.i.d. generalized Rayleigh random variables. *Journal of Statistical Planning and Inference*, 92, 1–5.

- Hurst, S. (1995). The characteristic function of the Student t-distribution. Financial Mathematics Research Report 006–95. Australia: Australian National University, Canberra ACT 0200.
- Ifram, A. F. (1970). On the characteristic functions of the F and t-distributions. *Sankhya*, *A32*, 350–352.
- Jamalzadeh, A., Behboodan, J., & Balakrishnan, N. (2008). A two-parameter generalized skew-normal distribution. *Statistics and Probability Letters*, *78*(13), 1722–1726.
- James, G. S. (1959). The Behrens-Fisher distribution and weighted means. *Journal of the Royal Statistics Society B*, *21*, 73–90.
- Jawitz, J. W. (2004). Moments of truncated continuous univariate distributions. *Advances in Water Resources*, *27*, 269–281.
- Joarder, A. H. (1998). Some useful Wishart expectations based on the multivariate t-model. *Statistical Papers*, *39*(2), 223–229.
- Joarder, A. H., & Ali, M. M. (1996). On the characteristic function of the multivariate t distribution. *Pakistan Journal of Statistics*, *12*, 55–62.
- Joarder, A. H., & Ali, M. M. (1997). Estimation of the scale matrix of a multivariate t-model under entropy loss. *Metrika*, *46*(1), 21–32.
- Joarder, A. H., & Singh, S. (1997). Estimation of the trace of the scale matrix of a multivariate t-model using regression type estimator. *Statistics*, *29*, 161–168.
- Johnson, A. C. (2001). *On the truncated normal distribution: characteristics of singly- and doubly-truncated populations of application in management science*, PhD. Dissertation. Illinois.: Stuart Graduate School of Business, Illinois Institute of Technology.
- Johnson, N. L., Kotz, L., & Balakrishnan, N. (1994). *Continuous univariate distributions* (2nd ed., Vol. 1). New York: Wiley.
- Johnson, N. L., Kotz, L., & Balakrishnan, N. (1995). *Continuous univariate distributions* (2nd ed., Vol. 2). New York: Wiley.
- Johnstone, I., & Silverman, B. (2004). Needles and hay in haystacks: Empirical Bayes estimates of possibly sparse sequences. *Annals of Statistics*, *32*, 1594–1649.
- Johnstone, I., & Silverman, B. (2005). Empirical Bayes selection of wavelet thresholds. *Annals of Statistics*, *33*, 1700–1752.
- Jones, D. S. (1979). *Elementary information theory*. Oxford: Clarendon Press.
- Jørgensen, B. (1982). *Statistical properties of the generalized inverse gaussian distribution*. New York: Springer.
- Kagan, A. M., Linnik, Yu V, & Rao, C. R. (1973). *Characterization problems in mathematical statistics*. New York: Wiley.
- Kagan, A. M., & Zinger, A. R. (1971). Sample mean as an alternative of location parameter: Case of non quadratic loss function. *Sankhya Series A*, *33*, 351–358.
- Kamgar-Parsi, B., & Brosh, M. (1995). Distribution and moments of weighted sum of uniform random variables with applications in reducing Monte Carlo simulations. *Journal of Statistical Computation and Simulation*, *52*, 399–414.
- Kamerud, D. (1978). The random variable X/Y , X, Y normal. *The American Monthly*, *85*(3), 206–207.
- Kapadia, A. S., Chan, W., & Moyé, L. A. (2005). *Mathematical statistics with applications* (Vol. 176). New York.: Chapman & Hall.
- Kapur, J. N. (1993). *Maximum-entropy models in science and engineering*. New Delhi: Wiley-Eastern.
- Kappenman, R. F. (1971). A note on the multivariate t ratio distribution. *Annals of Mathematical Statistics*, *42*, 349–351.
- Kazemi, M. R., Haghbin, H., & Behboodan, J. (2011). Another generalization of the Skew normal distribution. *World Applied Sciences Journal*, *12*(7), 1034–1039.
- Kececioglu, D. (1991). *Reliability engineering handbook* (Vol. 1). Englewood Cliffs, NJ:Prentice Hall.
- Kelejian, H. H., & Prucha, I. R. (1985). Independent or uncorrelated disturbances in linear regression. *Economic Letters*, *19*, 35–38.

- Kelker, D. (1970). Distribution theory of spherical distributions and locations scale parameters. *Sankhya, A*, 32, 419–430.
- Kendall, D. (1938). Effect of radiation damping and doppler broadening on the atomic absorption coefficient. *Z. Astrophysics*, 16, 308–317.
- Kendall, M. G. (1952). *The advanced theory of statistics* (5th ed., Vol. 1). London: Charles Griffin and Company.
- Kendall, M. G., & Stuart, A. (1958). *The advanced theory of statistics, I*. New York: Hafner Pub. Co.
- Kibria, B. M. G. (1996). On shrinkage ridge regression estimators for restricted linear models with multivariate t disturbances. *Students*, 1(3), 177–188.
- Kibria, B. M. G., & Haq, M. S. (1998). Marginal likelihood and prediction for the multivariate ARMA(1,1) linear models with multivariate t error distribution. *Journal of Statistical Research*, 32(1), 71–80.
- Kibria, B. M. G., & Haq, M. S. (1999). The multivariate linear model with multivariate t and intra-class covariance structure. *Statistical Paper*, 40, 263–276.
- Kibria, B. M. G., & Nadarajah, S. (2007). Reliability modeling: Linear combination and ratio of exponential and Rayleigh. *IEEE Transactions on Reliability*, 56(1), 102–105.
- Kibria, B. M. G., Saleh, A. K. Md. E. (2003). Preliminary test ridge regression estimators with student's t errors and conflicting test-statistics. *Metrika*, 59, 105–124.
- Kim, H. J. (2006). On the ratio of two folded normal distributions. *Communications in Statistics-Theory and Methods*, 35(6), 965–977.
- Kimber, A. C., & Jaynes, C. (1987). An application of the truncated two-piece normal distribution to the measurement of depths of arsenic implants in silicon. *Applied statistics*, 35, 352–357.
- Klugman, S., Panjer, H., & Willmot, G. (1998). *Loss models: From data to decisions*. New York: Wiley.
- Korhonen, P. J., & Narula, S. C. (1989). The probability distribution of the ratio of the absolute values of two normal variables. *Journal of Statistical Computation and Simulation*, 33, 173–182.
- Kotlarski, I. (1960). On random variables whose quotient follows the Cauchy law. *Colloquium Mathematicum*, 7, 277–284.
- Kotz, S., & Nadarajah, S. (2004). *Multivariate t Distributions and their Applications*. New York: Cambridge University Press.
- Krzanowski, W. J., & Marriott, F. H. C. (1994). *Multivariate Analysis*. London: Arnold.
- Ladekarl, M., Jensen, V., & Nielsen, B. (1997). Total number of cancer cell nuclei and mitoses in breast tumors estimated by the optical disector. *Analytical and Quantitative Cytology and Histology*, 19, 329–337.
- Laha, R. G. (1957). On a characterization of the normal distribution from properties of suitable linear statistics. *Ann. Math. Statistics*, 28, 126–139.
- Laplace, P. S. (1812). *Theorie Analytique des Probabilités* (Vol. 7). Paris: Oeuvres Completes.
- Larson, R. J., & Marx, M. L. (2006). *An introduction to mathematical statistics and its applications*. New Jersey: Pearson Prentice Hall.
- Lawless, J. F. (2003). *Statistical models and methods for lifetime data* (2nd ed.). New York: Wiley.
- Lazo, A. C. G. V., & Rathie, P. N. (1978). On the entropy of continuous probability distributions. *IEEE Transactions on Information Theory*, IT-24, 120–122.
- Lebedev, N. N. (1972). *Special functions and their applications*. New York: Dover.
- Lee, R. Y., Holland, B. S., & Flueck, J. A. (1979). Distribution of a ratio of correlated gamma random variables. *SIAM Journal on Applied Mathematics*, 36, 304–320.
- Legendre, A. M. (1805). *Nouvelles Methodes pour la Determination des Orbites des Cometes*, Paris.
- Leone, F. C., Nelson, L. S., & Nottingham, R. B. (1961). The folded normal distribution. *Technometrics*, 3(4), 543–550.
- Levy, H. (1982). Stochastic dominance rules for truncated normal distributions: A note. *The Journal of Finance*, 37(5), 1299–1303.
- Linnik, Yu V. (1964). *Decomposition of probability distributions*. London: Oliver & Boyd.

- Lomnicki, Z. A. (1967). On the distribution of products of random variables. *Journal of the Royal Statistical Society. Series B*, 29(3), 513–524.
- Lukas, E. (1942). A characterization of the normal distribution. *Annals of Mathematical Statistics*, 13, 91–93.
- Lukacs, E. (1972). *Probability and mathematical statistical statistics—an introduction*. New York: Academic Press.
- Lukacs, E., & Laha, R. G. (1964). *Applications of characteristic functions*. New York: Hefner Publishing Company.
- Lyapunov, A. M. (1901). Nouvelle forme d'un theoreme sur la limite de probabilitie, *Memoires de l'Academie Imperiale des Sciences de St. Petersburg*, 12, 1–24.
- Maksay, S., & Stoica, D. M. (2006). Considerations on modeling some distribution laws. *Applied Mathematics and Computation*, 175(1), 238–246.
- Malik, H. J., & Trudel, R. (1986). Probability density function of the product and quotient of two correlated exponential random variables. *Canadian Mathematical Bulletin*, 29, 413–418.
- Mari, D. D., & Kotz, S. (2001). *Correlation and dependence*. London: Imperial College Press.
- Markov, A. A. (1899–1900). The law of large numbers and the method of least squares. *Izvestia Physiko-matematicheskago Obschestva pri Imperatorskom Kazanskom Universitet*, 8, 110–128.
- Marsaglia, G. (1965). Ratios of normal variables and ratios of sums of uniform variables. *Journal of the American Statistical Association*, 60, 193–204.
- Mateu-Figueras, G., Pedro, P., & Pewsey, A. (2007). Goodness-of-fit tests for the Skew-normal distribution when the parameters are estimated from the data. *Communications in Statistics: Theory and Methods*, 36(9), 1735–1755.
- McLaughlin, M. P. (1999). *A compendium of common probability distributions*. <http://www.ub.edu/stat/docencia/Diplomatura/Compendium.pdf>
- Meeusen, W., & van den Broeck, J. (1977). Efficiency estimation from Cobb-Douglas production functions with composed error. *International Economic Review*, 8, 435–444.
- Mitra, S. S. (1978). *Recursive formula for the characteristic function of Student t- distribution for odd degrees of freedom*, Manuscript. University Park, PA: Pennsylvania State University.
- Mood, A. M., Graybill, F. A., & Boes, D. C. (1974). *Introduction to the theory of statistics*. New York: McGraw-Hill Book Co.
- Moivre, A. de (1733). Approximatio ad Summam Ferminorum Binomii in Seriem expansi, Supplementum II to Miscellanae. *Analytica*, 1–7.
- Moivre, A. de (1738). *The doctrine of chances*. London: Fank Cass & Co (Reprint 1967).
- Moix, P.-Y. (2001). *The measurement of market risk: Modelling of risk factors, asset pricing, and approximation of portfolio distributions*. New York: Springer.
- Monti, A. C. (2003). A note on the estimation of the skew normal and the skew exponential power distributions. *Metron*, 61(2), 205–219.
- Moschopoulos, P. G. (1985). The distribution of the sum of independent gamma random variables. *Annals of the Institute of Statistical Mathematics*, 37, 541–544.
- Mukhopadhyay, N. (2006). *Introductory statistical inference*. London: Chapman & Hall.
- Mukhopadhyay, S., & Vidakovic, B. (1995). Efficiency of linear Bayes rules for a normal mean skewed priors class. *The Statistician*, 44, 389–397.
- Nadarajah, S. (2005a). A generalized normal distribution. *Journal of Applied Statistics*, 32(7), 685–694.
- Nadarajah, S. (2005b). Products, and ratios for a bivariate gamma distribution. *Applied Mathematics and Computation*, 171(1), 581–595.
- Nadarajah, S. (2005c). On the product XY for some elliptically symmetric distributions. *Statistics and Probability Letters*, 72, 67–75.
- Nadarajah, S. (2005d). On the product and ratio of laplace and bessel random variables. *Journal of Applied Mathematics*, 4, 393–402.
- Nadarajah, S. (2005e). Linear combination, product and ratio of normal and logistic random variables. *Kybernetika*, 41(6), 787–798.

- Nadarajah, S. (2006a). Exact calculation of the coverage interval for the convolution of two student's t distributions. *Metrologia*, 43, L21–L22.
- Nadarajah, S. (2006b). On the ratio X/Y for some elliptically symmetric distributions. *Journal of Multivariate Analysis*, 97(2), 342–358.
- Nadarajah, S., & Ali, M. M. (2004). On the product of Laplace and Bessel random variables. *Journal of the Korean Data & Information Science Society*, 15(4), 1011–1017.
- Nadarajah, S., & Ali, M. M. (2005). On the product and ratio of t and laplace random variables. *Pakistan Journal of Statistics*, 21, 1–1.
- Nadarajah, S., & Dey, D. K. (2006). On the product and ratio of t random variables. *Applied Mathematics Letters*, 19, 45–55.
- Nadarajah, S., & Gupta, A. K. (2005). On the product and ratio of Bessel random variables. *International Journal of Mathematics and Mathematical Sciences*, 18, 2977–2989.
- Nadarajah, S., & Gupta, A. K. (2006). On the ratio of logistic random variables. *Computational Statistics & Data Analysis*, 50(5), 1206–1219.
- Nadarajah, S., & Kotz, S. (2003). Skewed distributions generated by the normal kernel. *Statistics and Probability Letters*, 65, 269–277.
- Nadarajah, S., & Kotz, S. (2005a). On the product and ratio of Pearson type VII and Laplace random variables. *Austrian Journal of Statistics*, 34(11), 11–23.
- Nadarajah, S., & Kotz, S. (2005b). On the ratio of Pearson type VII and Bessel random variables. *Journal of Applied Mathematics and Decision Sciences*, 9(4), 191–199.
- Nadarajah, S., & Kotz, S. (2005c). On the linear combination of exponential and gamma random variables. *Entropy*, 7(2), 161–171.
- Nadarajah, S., & Kotz, S. (2006a). Skew distributions generated from different families. *Acta Applicandae Mathematica*, 91(1), 1–37.
- Nadarajah, S., & Kotz, S. (2006b). On the product and ratio of gamma and Weibull random variables. *Econometric Theory*, 22, 338–344.
- Nadarajah, S., & Kotz, S. (2006c). The linear combination of logistic and Gumbel random variables. *Fundamenta Informaticae*, 74(2–3), 341–350.
- Nadarajah, S., & Kotz, S. (2006d). On the product XY for the elliptically symmetric Pearson type VII distribution. *Mathematical Proceedings of the Royal Irish Academy*, 106A(2), 149–162.
- Nadarajah, S., & Kotz, S. (2006e). The Bessel ratio distribution. *Comptes rendus de l'Académie des Sciences, Series I*, 343, 531–534.
- Nadarajah, S., & Kotz, S. (2007). Programs in R for computing truncated t distributions. *Quality and Reliability Engineering International*, 23(2), 273–278.
- Nason, G. (2001). Robust projection indices. *Journal Royal Statistical Society B*, 63, 551–567.
- Nason, G. (2006). On the sum of t and Gaussian random variables. *Statistics & Probability Letters*, 76, 1280–1286.
- Nezvorov, V. B. (2002). On a property of student t distribution with 2 degrees of freedom. *Zap Nauchn Sem. POMI294*, 148–157 (Russian).
- Nezvorov, V. B., Balakrishnan, N, and Ahsanullah, M. (2003). Simple Characterizations of Student's t_2 distribution. *Statistician*, 52(3), 395–400.
- Nezvorov, L., Nezvorov, V.B. and Akundov, I. (2007). A simple characterization of Student's t_2 distribution. *Metron*, LXV(1), 53–57.
- Novosyolov, A. (2006). The sum of dependent normal variables may be not normal. Krasnoyarsk, Russia: Institute of Computational Modelling, Siberian Branch of the Russian Academy of Sciences.
- O'Hagan, A., & Leonard, T. (1976). Bayes estimation subject to uncertainty about parameter constraints. *Biometrika*, 63, 201–203.
- Pastena, D. (1991). Note on a paper by Ifram. *Sankhya*, A39, 396–397.
- Patel, J. K., Kapadia, C. H., & Owen, D. B. (1976). *Handbook of statistical distributions*. New York: Marcel Dekker Inc.
- Patel, J. K., & Read, C. B. (1982). *Handbook of the normal distribution*. New York: Marcel Dekker Inc.

- Patil, V. H. (1965). Approximation to the Behrens-Fisher distributions. *Biometrika*, 52, 267–271.
- Pearson, E. S. (1967). Some reflexions on continuity in the development of mathematical statistics, 1885–1920. *Biometrika*, 54, 341–355.
- Pearson, E. S. (1970). William Sealy Gosset, 1876–1937: “Student” as a statistician. In E. S. Pearson, & M. G. Kendall, (Eds.), *Studies in the history of statistics and probability* (pp. 360–403). New York: Hafner.
- Pearson, K. (1896). Mathematical contributions to the theory of evolution, III: Regression, heredity, and panmixia. *Philosophical Transactions of the Royal Society of London*, A187, 253–318.
- Pewsey, A. (2000). Problems of inference for Azzalini’s skewnormal distribution. *Journal of Applied Statistics*, 27(7), 859–870.
- Pewsey, A. (2002). Large-sample inference for the general half-normal distribution. *Communications in Statistics-Theory and Methods*, 31, 1045–1054.
- Pewsey, A. (2004). Improved likelihood based inference for the general half-normal distribution. *Communications in Statistics-Theory and Methods*, 33, 197–204.
- Pewsey, A. (2006). Modelling asymmetrically distributed circular data using the wrapped skew-normal distribution. *Environmental and Ecological Statistics*, 13(3), 257–269.
- Pham-Gia, T. (2000). Distributions of the ratios of independent beta variables and applications. *Communications in Statistics-Theory and Methods*, 29, 2693–2715.
- Pham-Gia, T. G., & Turkkan, N. (1994). Reliability of a standby system with beta-distributed component lives. *IEEE Transactions on Reliability*, 43, 71–75.
- Pham-Gia, T., Turkkan, N., & Marchand, E. (2006). Density of the ratio of two normal random variables and applications. *Communications in Statistics-Theory and Methods*, 35(9), 1569–1591.
- Podolski, H. (1972). The distribution of a product of n independent random variables with generalized gamma distribution. *Demonstratio Mathematica*, 4, 119–123.
- Polya, G. (1923). Herleitung der Gausschen fehler genetztes aux einer functional gleichung. *Math-Zeit*, 18, 96–108.
- Press, S. J. (1969). The t ratio distribution. *Journal of the American Statistical Association*, 64, 242–252.
- Provost, S. B. (1989a). On sums of independent gamma random variables. *Statistics*, 20, 583–591.
- Provost, S. B. (1989b). On the distribution of the ratio of powers of sums of gamma random variables. *Pakistan Journal Statistics*, 5, 157–174.
- Prucha, I. R., & Kelejian, H. H. (1984). The structure of simultaneous equation estimators: A generalization towards nonnormal disturbances. *Econometrica*, 52, 721–736.
- Prudnikov, A. P., Brychkov, Y. A., & Marichev, O. I. (1986). *Integrals and series (Vols. 1, 2, and 3)*. Amsterdam: Gordon and Breach Science Publishers.
- Rathie, P. N., & Rohrer, H. G. (1987). The exact distribution of products of independent random variables. *Metron*, 45, 235–245.
- Rényi, A. (1961). On measures of information and entropy. *Proceedings of the fourth Berkeley Symposium on Mathematics, Statistics and Probability, 1960*, 547–561.
- Rider, P. R. (1965). Distributions of product and quotient of Cauchy variables. *The American Mathematical Monthly*, 72(3), 303–305.
- Roberts, C. (1966). A correlation model useful in the study of twins. *Journal of the American Statistical Association*, 61, 1184–1190.
- Rohatgi, V. K., & Saleh, A. K. M. E. (2001). *An introduction to probability and statistics*. New York: Wiley.
- Rokeach, M., & Kliejunas, P. (1972). Behavior as a function of attitude-toward-object and attitude-toward-situation. *Journal of Personality and Social Psychology*, 22, 194–201.
- Ruben, H. (1960). On the distribution of the weighted difference of two independent student variables. *Journal of the Royal Statistical Society, Series B*, 22(1), 188–194.
- Sakamoto, H. (1943). On the distributions of the product and the quotient of the independent and uniformly distributed random variables. *Tohoku Mathematical Journal*, 49, 243–260.
- Savchuk, V., & Tsokos, C. P. (2011). *Bayesian theory and methods with applications*. Paris, France: Atlantis Press.

- Scheffe, H. (1970). Practical solutions of the Behrens-Fisher problem. *Journal of the American Statistical Association*, 65, 1501–1508.
- Schneider, H. (1986). *Truncated and censored samples from normal populations*. New York: Marcel Dekker Inc.
- Schrodinger, E. (1915). Zur Theorie der Fall- und Steigversuche an Teilchen mit Brownscher Bewegung. *Physikalische Zeitschrift*, 16, 289–295.
- Severini, T. A. (2005). *Elements of distribution theory*. New York: Cambridge University Press.
- Shah, S. M., & Jaiswal, M. C. (1966). Estimation of parameters of doubly truncated normal distribution from first four sample moments. *Annals of the Institute of Statistical Mathematics*, 18(1), 107–111.
- Shakil, M., Kibria, B. M. G., & Singh, J. N. (2006). Distribution of the ratio of Maxwell and Rice random variables. *International Journal of Contemporary Mathematical Sciences*, 1(13), 623–637.
- Shakil, M., & Kibria, B. M. G. (2006). Exact distribution of the ratio of gamma and rayleigh random variables. *Pakistan Journal of Statistics and Operations Research*, 2(2), 87–98.
- Shakil, M., & Kibria, B. M. G. (2007). On the product of Maxwell and Rice random variables. *Journal of Modern Applied Statistical Methods*, 6(1), 212–218.
- Shakil, M., & Kibria, B. M. G. (2009). A new student's t-type distribution and its properties. *Journal of Applied Statistical Science*, 16(3), 355–364.
- Shakil, M., Kibria, B. M. G., & Chang, K.-C. (2008). Distributions of the product and ratio of Maxwell and Rayleigh random variables. *Statistical Papers*, 49, 729–747.
- Shannon, C. E. (1948). A mathematical theory of communication. *Bell System Technical Journal*, 27, 379–432.
- Shapiro, S. S., & Francia, R. S. (1972). An approximate analysis of variance test for normality. *Journal of the American Statistical Association*, 67, 215–216.
- Sholnick, S. M. (1985). On the ratio of independent stable random variables. *Lecture Notes in Mathematics* (Vol. 1155, pp. 349–354). Berlin, Germany: Springer.
- Shkedy, Z., Aerts, M., & Callaert, H. (2006). The weight of Eurocoins: Its distribution might not be as normal as you would expect. *Journal of Statistics Education*, 14(2), 102–129.
- Sichel, H. S. (1974). On a distribution representing sentence-length in written prose. *Journal of the Royal Statistical Society Series A*, 137, 25–34.
- Sichel, H. S. (1975). On a distribution law for word frequencies. *Journal of the American Statistical Association*, 70, 542–547.
- Sinha, S. K. (1983). Folded normal distribution: A Bayesian approach. *Journal of the Indian Statistical Association*, 21(1083), 31–34.
- Song, K.-S. (2001). Rényi information, loglikelihood and an intrinsic distribution measure. *Journal of Statistical Planning and Inference*, 93(1–2), 51–69.
- Sornette, D. (1998). Multiplicative processes and power laws. *Physical Review*, E, 57, 4811–4813.
- Sornette, D. (2004). *Critical phenomena in natural sciences, chaos, fractals, self-organization and disorder: Concepts and tools* (2nd ed.). Heidelberg, Germany: Springer Series in Synergetics.
- Springer, M. D. (1979). *The algebra of random variables*. New York: Wiley.
- Springer, M. D., & Thompson, W. E. (1966). The distribution of product of independent random variables. *SIAM Journal of Applied Mathematics*, 14(3), 511–526.
- Springer, M. D., & Thompson, W. E. (1970). The distribution of products of beta, gamma and Gaussian random variables. *SIAM Journal on Applied Mathematics*, 18, 721–737.
- Srivastava, H. M., & Nadarajah, S. (2006). Some families of Bessel distributions and their applications. *Integral Transforms and Special Functions*, 17(1), 65–73.
- Steece, B. M. (1976). On the exact distribution for the product of two independent beta-distributed random variables. *Metron*, 34, 187–190.
- Stigler, S. M. (1999). *Statistics on the table*. Cambridge, MA: Harvard University Press.
- Stuart, A. (1962). Gamma-distributed products of independent random variables. *Biometrika*, 49, 564–565.

- Sugiura, N., & Gomi, A. (1985). Pearson diagrams for truncated normal and truncated Weibull distributions. *Biometrika*, 72(1), 219–222.
- Suhir, E. (1997). *Applied probability for engineers and scientists*. New York: McGraw-Hill.
- Sukhatme, P. V. (1938). On Fisher and Behrens test of significance for the difference in means of two normal samples. *Sankhya*, 4, 39–48.
- Tang, J., & Gupta, A. K. (1984). On the distribution of the product of independent beta random variables. *Statistics & Probability Letters*, 2, 165–168.
- Tchebyshev, P. L. (1890). Sur deux theorems relatifs aux probabilites. *Acta Mathematica*, 14, 305–315; Reprinted (1962) in *Oeuvres*, Vol. 2, Chelsea, New York.
- Thomopoulos, N. T. (1980). *Applied forecasting methods*. Englewood Cliffs, New Jersey: Prentice-Hall.
- Triola, M. F. (2005). *Biostatistics for the biological and health science*. New Jersey: Pearson.
- Tsokos, C. P. (1972). *Probability distributions: An introduction to probability theory with applications*. California: Duxbury Press.
- Tweedie, M. C. K. (1957a). Statistical properties of inverse Gaussian distribution. I. *Annals of Mathematical Statistics*, 28, 362–377.
- Tweedie, M. C. K. (1957b). Statistical properties of inverse Gaussian distribution. II. *Annals of Mathematical Statistics*, 28, 696–705.
- Vernic, R. (2006). Multivariate skew-normal distributions with applications in insurance. *Insurance: Mathematics and Economics*, 38, 413–426.
- Walker, G. A., & Saw, J. G. (1978). The distribution of linear combinations of t-variables. *Journal of the American Statistical Association*, 73(364), 876–878.
- Wallgren, C. M. (1980). The distribution of the product of two correlated variates. *Journal of the American Statistical Association*, 75, 996–1000.
- Watson, G. N. (1962). *A treatise on the theory of Bessel functions* (2nd ed.). London: Cambridge University Press.
- Weisstein, E. W. (2007). “Half-normal distribution”. <http://mathworld.wolfram.com>
- Weisstein, E. W. (2007). “Inverse Erf”. From MathWorld-A Wolfram Web Resource. <http://mathworld.wolfram.com/InverseErf.html>
- Whittaker, E. T., & Robinson, G. (1967). *The calculus of observations: A treatise on numerical mathematics* (4th ed.). New York: Dover.
- Wiper, M. P., Giron, F. J., and Pewsey, A. (2005). Bayesian inference for the half-normal and half-t distributions. *Statistics and Econometrics Series 9*, Working Papers 05–47.
- Witkovsky, V. (2001). Computing the distribution of a linear combination of inverted gamma variables. *Kybernetika*, 37, 79–90.
- Yanev, G. P., & Ahsanullah, M. (2012). Characterizations of student’s t-distribution via regression of order statistics. *Statistics*, 46(4), 425–429.
- Zabell, S. L. (2008). On student’s t 1908 article “The probable error of a mean”. *Journal of the American Statistical Association*, 103(481), 1–7.
- Zellner, A. (1976). Bayesian and non-Bayesian analysis of the regression model with multivariate student error terms. *Journal of the American Statistical Association*, 71, 400–405.
- Zolotarev, V. M. (1957). Mellin-Stieltjes transforms in probability theory. *Teoriya Veroyat. Primen*, 2, 444–469.