

Index

A

Absolute quantification, 157
Achromopeptidase, 23
ACTB, 89
Adenosine triphosphate (ATP), 204
Adhl, 87
Adsorbent pad, 248
Adulteration, 3–4
Affinity chromatography, 228
Affinity PCR, 232
Agrobacterium tumefaciens, 323
Allele-specific oligonucleotides, 421
American Foundry Association, 63
Amplicon sequencing, 372
Amplification efficiency, 155
AMV reverse transcriptase, 203
Annealing, 41
Annealing temperature, 38
Annotation, 374
Antibody-dependent format, 256
Aptamer, 8
Aptasensors, 231–232
Aptazymes, 262–264
Artificial oligonucleotide, 39
A-T linker adaptor PCR, 110–112

B

Backing pad, 248
Base pair mismatches, 394–396
Basic local alignment search tool (BLAST), 96
 β -actins, 87, 88
Betaine, 197
Bioinformatic analysis, 373–375
Biological activity, 74

Biological composition, 74
Biological construction, 75
Biological pollution, 4
Biological properties, 73
Bio-metering, 71
Bisulfite sequencing, 426
Branched RCA (BRCA), 207

C

Cantilevers, 293
Carrier protein, 222
Cassette-ligation mediated PCR, 110
Catalytic beacon, 391
Cations, 44
Cauliflower mosaic virus 35s promoter
(CaMV35S), 325
Cell lysis, 31
Central dogma, 7
Certified reference materials, 64
Cetyltrimethylammonium bromide
(CTAB), 20
Chemical oxidation cleavage, 428
Chemical pollutants, 4
Chemiluminescence, 290
Clone-library, 371
Clustering, 374
Codex Alimentarius Commission (CAC), 2
Codex Hammurabi, 63
Cold vapor atomic absorption spectrometry
(CVAAS), 386
Colony PCR, 250
COMAR, 66
Common single-primer multiplex PCR
(CSP-M-PCR), 88

Competitive PCR, 147
 Conjugate pad, 247
 Construct-specific PCR, 325
 Copy number variation, 331
 Coustic sensor, 292
Cox II, 88
 Crisis, 2
 CRISPR/Cas9, 335
 Cross-priming amplification (CPA), 253
 Ct value, 154
 Cultivation, 1
 Culture, 344
 Cyclic probe technology, 254
 Cyclophilin, 88
cytb, 88

D

Darwin, Charles, 6
 Deep-processed food, 30
 Denaturation, 41
 Denaturing gradient gel electrophoresis (DGGE), 351
 Denaturing high-performance liquid chromatography (DHPLC), 146
 de novo synthesis, 197
 Deoxynucleoside triphosphates (dNTPs), 43
 Deoxyribonuclease I (DNase I), 355
 Deoxyribonucleic acid (DNA), 7
 extraction, 17–18
 methylation, 423
 microarray, 174
 polymerase, 43
 quality, 19
 replication, 39
 Dielectrophoresis, 356
 Differential pulse voltammetry (DPV), 312
 Dirks, Robert M., 205
 ϕ 9 DNA polymerase, 198
 DNazymes, 262
 Double hybridized probes, 151
 Double standard curve method, 159
 Dynamic, 40

E

Ebola virus (EBOV), 79
 Efficiency of amplification, 45
 Ehrlich, Paul, 71
 Electrochemical analysis, 236
 Electrochemical sensor, 295
 Endogenous gene, 331

Endogenous reference gene, 86
 5-Enolpyruvylshikimate-3-phosphate synthase (EPSPS), 334
 Enterobacteria phage T4, 203
Escherichia coli (*E. coli*)
 endonuclease IV, 204
 UvrD helicase, 202
 Ethidium monoazide bromide (EMA), 353
 Event-specific PCR, 325
 Exonuclease III (exo III), 295
 Exonuclease-deficient (exo-) DNA polymerase, 187
 Exponential amplification reaction (EXPAR), 199–200
 Extension, 41

F

Flanking sequence, 326
 Flow cytometry (FCM), 221, 357
 Fluorescence energy resonance transfer (FRET), 206
 Fluorescence in situ hybridization (FISH), 367, 457
 Fluorometry, 32
 Fluorospectrophotometry, 145
 Food, 1
 Fourier transform infrared (FTIR), 355
 Freezing–boiling, 20
 Functional nucleic acid-dependent format, 260–264
 Functional product, 2

G

γ -actins, 88
 GAPDH, 89
 G/C-rich DNA, 296
 Gene editing technologies, 335
 Gene-specific methylation, 425–429
 Gene-specific PCR, 325
 Genetically modification technology, 323
 Genetically modified organisms, 5, 324
 Genetic mutations, 418
 Genome, 10
 Genome walking, 107
 Genome-wide methylation, 425
 Genotoxicity, 417
 GMO CRMs, 72
 Gold nanoparticles (GNPs), 205, 282
 G-quadruplex, 281
 Graphene oxide (GO), 396
gyrB, 92

H

Hairpin, 53
Healthy level, 2
Heating, 1
Heavy metals, 383
Helicase-dependent amplification (HAD), 202
High-performance liquid chromatography (HPLC), 146
HMG-I/Y, 87
Homogeneity, 69
hsp, 87
Hybridization chain reaction (HCR), 53, 205
Hybridization-dependent format, 257

I

Identification, 5
Immune diffusion technique (IDT), 345
Immunoblot technique (IBT), 345
Immuno-PCR, 302
Incident, 2
Initiator, 53
In situ hybridization (ISH), 449
Insulator-based dielectrophoresis (iDEP), 356
International Service for the Acquisition of Agri-biotech Applications (ISAAA), 324
Inverse PCR (I-PCR), 108
In vitro, 37
Isolation, 347
Isopropanol-assisted precipitation, 20
ISO/REMCO, 66
Isothermal amplification, 186
Isothermal strand displacement polymerase reaction (ISDPR), 256

J

Joint Research Centre (JRC), 66

K

Keck Graduate Institute, 200

L

Laser-induced breakdown spectroscopy (LIBS), 326
Lateral flow biosensor, 245
Lhcb2, 87
Libraries, 220
Liquid chip, 177
Living or dead bacteria, 343–359

Localized surface plasmon resonance (LSPR), 282
Logic gates, 460
Loop-linker PCR, 112
Loop-mediated isothermal amplification (LAMP), 192
Loop primer, 192
LUX primer, 152

M

MALDI-TOF mass spectrometry, 147
Melting curve, 154
Mendel, Gregor, 6
Metal indicator, 195
Methylation-sensitive restriction endonuclease-PCR/Southern (MSRE-PCR/Southern), 427
Methylation-specific PCR (MSP), 427
Metrology, 63
Microarray data analysis, 95
Microbial diversity, 365
Microcapillary, 307
MicroRNAs (miRNAs), 429
microarrays, 445
miR-345, 90
miR-26a, 90
miR-130-b, 91
Mitochondrial DNA (mtDNA), 332
Molecular beacon, 152
Molecular characterization, 116
Monoclonal surface display SELEX (MSD-SELEX), 226
Mullis, Kary, 40
Multiplexed digital PCR, 173
Multiplex ligation-dependent probe amplification (MLPA), 169
Multiplex PCR (M-PCR), 168
Multistate model, 49
Mycotoxins, 8

N

National Bureau of Standardization (NBS), 63, 67
ND2, 88
Nearest-neighbor model, 47
NEase-assisted strand displacement polymerization (NASDP), 254
Neomycin phosphotransferase II (NPTII), 334
Nested PCR, 51–52
Next-generation sequencing (NGS), 116

- Nicking endonuclease-mediated isothermal amplification (NEMA), 195
- Nicking endonuclease-mediated isothermal amplification with a small molecular beacons (NEMA-SMB), 197
- Nicking enzyme signal amplification (NESA), 403
- Nitrocellulose membrane, 247
- Non-SELEX, 223
- Northern blot, 446
- Nt. BstNBI, 197
- Nuclease PCR, 354–355
- Nucleic acid-based biosensors (NABs), 275–278
- Nucleic acid enzymes (NAEs), 279
sensors, 388
- Nucleic acids, 6
- Nucleic acid sequence-based amplification (NASBA), 203
- O**
- One way analysis of variance (ANOVA), 95
- Optical density (OD), 31
- Optical sensors, 233–236
- Organization for Economic Cooperation and Development (OECD), 330
- P**
- Papain, 87
- Partition, 220
- PCR buffer, 43
- PCR-ELISA, 176
- PEP*, 87
- Peroxidase, 279
- Peroxidase-like DNzyme, 288
- Piezoelectric transducers, 334
- Photo-SELEX, 225
- Pierce, Niles A., 205
- PLD*, 87
- Polyacrylamide gel electrophoresis, 45
- Poly(A)-tailing PCR, 430
- Polyethylene glycol-assisted precipitation, 20
- Polymerase chain reaction (PCR), 40–42
- Polyvinylpyrrolidone (PVP), 23
- Porcine, 224
- Porphyrinic metal–organic framework, 462
- Posphinothricin acetyltransferase (PAT), 334
- Primer and probe design, 46
- Primers, 43
- Principal component analysis (PCA), 374
- Processing, 8
- Proportion competitive quantitative PCR (PCQ-PCR), 265
- Proteinase K, 23
- Proximity ligation assay (PLA), 303
- Pseudomonas aeruginosa*, 268
- Pulsed-field gel electrophoresis (PFGE), 370
- Pyrosequencing, 172
- Q**
- Quantification, 144
- Quantitative PCR (qPCR), 148
- Quantum dots (QDs), 234
- Quartz crystal, 294
- R**
- Raman spectroscopy, 355
- Random amplified polymorphic DNA (RAPD), 351
- Randomly broken fragment PCR (RBF-PCR), 114
- Rapid isothermal nucleic acid detection assay (RIDA), 25
- Real-time HCR, 54
- Recognition, 39
- Recombinase, 203
- Recombinase polymerase amplification (RPA), 203
- Reference gene, 85
- Reference materials, 64
- Relative quantification, 157
- Reproducibility, 155
- Reputation, 2
- Resolution limitation, 375
- Restriction fragment length polymorphism (RFLP), 350
- Restriction-landmark genomic scanning (RLGS), 427
- Reverse transcriptase (RT), 203
- Reverse transcription polymerase chain reaction (RT-PCR), 249
- Ribonucleic acid (RNA), 7
extraction, 18
- Riboswitches, 238
- RNase H, 203
- RNU6-2, 91
- Rockefeller University Hospital, 6
- Rolling circle amplification (RCA), 198
- rpoA*, 92
- rpoB*, 92
- rpoC*, 92
- rpoD*, 92
- Ru(phen)₃²⁺, 309

S

Sad1, 87
Sample pad, 246
Sanger sequencing, 351, 371
Screening PCR, 325
SELEX. *See* Systematic evolution of ligands by exponential enrichment (SELEX)
Sequential analysis of gene expression (SAGE), 94
Serotyping, 241
Shotgun sequencing, 376
Sigmoidal, 44
Signal mediated amplification of RNA technology (SMART), 204
Signal-on, 286
Single-cell sequencing, 432
Single-nucleotide polymorphisms (SNPs), 422
Single-oligonucleotide duplication mechanism, 200
Single-strand conformation polymorphism (SSCP), 370
Single-stranded DNA binding proteins (SSBs), 202
Single telomere length analysis (STELA), 456
Single universal primer multiplex ligation-dependent probe amplification (SUP-MLPA), 170
Small nucleic acids, 10
Sodium dodecyl sulfate (SDS), 20
Southern blot, 96
Spectrophotometric method, 144
SPS, 87
5S rRNA, 90
18S rRNA, 89
28S rRNA, 89
Stability, 70
Stem-loop PCR, 430
Strand displacement amplification (SDA), 187
Stringency, 38
Surface-enhanced Raman spectroscopy (SERS), 399
Surface plasmon resonance (SPR), 180, 293
SYBR Green I, 328
Systematic evolution of ligands by exponential enrichment (SELEX), 219
variants, 230

T

TaqMan probe, 329
TE buffer, 20

Telomere, 444
Terminal restriction fragment, 453
Terminal restriction fragment length polymorphism (T-RFLP), 369
Terminator of *Agrobacterium tumefaciens* nopaline synthase (T-NOS), 325
Tertiary RNA, 222
Therapeutics, 236
Thermal asymmetric interlaced PCR (TAIL-PCR), 109
Thermal cycling, 185
Thermal gradient gel electrophoresis, 370
Third-generation sequencing, 162
Threshold, 329
Toggle SELEX, 224
Touchdown PCR, 52
Toxins, 4
Transcriptome, 85
Trehalose, 197
Triplex DNA, 281, 458
Triprimer PCR, 250
T7 RNA polymerase, 203
Turbidity measurement, 195

U

Ultraviolet absorption, 144
Universal primer (UP), 168
Universal primer multiplex PCR, 327
Untargeted methods, 366
U6 snRNA, 90
UV spectrophotometry, 31

V

Viability dyes, 353
Viability PCR, 353

W

Watering, 1
Watson-Crick base pairing, 38
Waxy-D1, 87
Whole genome amplification, 187
Whole-genome shotgun sequencing, 377

Z

zSSIIb, 87