

References for Problems

Chapter 1

- 1a. H. Prinzbach, *Pure Appl. Chem.*, **28**, 281 (1971).
- b. E. S. Gould, *Mechanism and Structure in Organic Chemistry*, Holt-Dryden, New York, 1959, pp. 69–70.
- c. K. E. Laidig, P. Speers, and A. Streitwieser, *Can. J. Chem.*, **74**, 1215 (1996).
- 2a. R. L. Reeves and W. F. Smith, *J. Am. Chem. Soc.*, **85**, 724 (1963).
- b. R. B. Martin, *J. Chem. Soc., Chem. Commun.*, 793 (1972).
- c, d. J. A. Joule and G. F. Smith, *Heterocyclic Chemistry*, Van Nostrand Reinhold, London, 1972; c: pp 194–195; d: p. 64.
- 3a. H. L. Ammon and G. L. Wheeler, *J. Am. Chem. Soc.*, **97**, 2326 (1975).
- b. R. Breslow, T. Eicher, A. Krebs, R. A. Peterson, and J. Posner, *J. Am. Chem. Soc.*, **87**, 1320 (1965).
- c. R. B. Woodward, *J. Am. Chem. Soc.*, **63**, 1123 (1941).
- 4a. E. D. Glendening and J. A. Hrabal, II, *J. Am. Chem. Soc.*, **119**, 12940 (1997).
- b. B. B. Ross and N. S. True, *J. Am. Chem. Soc.*, **106**, 2451 (1984).
- c. H. Slebocka-Tilk and R. S. Brown, *J. Org. Chem.*, **52**, 805 (1987); V. Somayaji and R. S. Brown, *J. Org. Chem.*, **51**, 2676 (1986).
5. S. Cunha and A. Kascheres, *Theochem.*, **364**, 45 (1996).
6. B. Jursic, *Tetrahedron*, **53**, 13285 (1997).
7. K. B. Wiberg and F. H. Walker, *J. Am. Chem. Soc.*, **104**, 5239 (1982).
8. R. B. Turner, B. J. Mallon, M. Tichy, W. v. E. Doering, W. R. Roth, and G. Schroeder, *J. Am. Chem. Soc.*, **95**, 8605 (1973).
9. D. W. Rogers and F. J. McLafferty, *J. Org. Chem.*, **66**, 1157 (2001).
10. A. M. Toth, M. D. Liptak, D. L. Phillips, and G. C. Shields, *J. Chem. Phys.*, **114**, 4595 (2001).
11. J. B. Lambert, R. G. Keske, R. E. Carhart, and A. P. Jovanovich, *J. Am. Chem. Soc.*, **89**, 3761 (1967); P. J. Krueger and J. Jan, *Can. J. Chem.*, **48**, 3236 (1970).
- 12a. R. C. Bingham, *J. Am. Chem. Soc.*, **98**, 535 (1976).
- b. W. L. Jorgensen and L. Salem, *The Organic Chemist's Book of Orbitals*, Academic Press, New York, 1973, pp. 179–184.
- c. H. Stafast and H. Bock, *Tetrahedron*, **32**, 855 (1976).
- d. L. Libit and R. Hoffmann, *J. Am. Chem. Soc.*, **96**, 1370 (1974).
- e. I. Fleming, *Frontier Orbitals and Organic Chemical Reactions*, Wiley-Interscience, New York, 1976, pp. 51–57.
- f. W. J. Hehre, L. Radom, and J. A. Pople, *J. Am. Chem. Soc.*, **94**, 1496 (1972).
13. K. B. Wiberg and K. E. Laidig, *J. Org. Chem.*, **57**, 5092 (1992); M. A. McAllister and T. T. Tidwell, *J. Org. Chem.*, **59**, 4506 (1994).

14. K. N. Houk, N. G. Rondan, M. N. Paddon-Row, C. W. Jefford, P. T. Huy, P. D. Burrow, and K. N. Jordan, *J. Am. Chem. Soc.*, **105**, 5563 (1983).
15. C. A. Coulson and A. Streitwieser, Jr., *Dictionary of π -Electron Calculations*, W. H. Freeman, San Francisco, 1965, p. 184.
16. T. Ohwada and K. Shudo, *J. Am. Chem. Soc.*, **111**, 34 (1989).
17. C. A. Coulson and A. Streitwieser, *Dictionary of π -Electron Calculations*, W. H. Freeman, San Francisco, 1965.
18. R. D. Bertrand, D. M. Grant, E. L. Allred, J. C. Hinshaw, and A. B. Strong, *J. Am. Chem. Soc.*, **94**, 997 (1972); R. Boese, D. Blaeser, K. Goman, and U. H. Brinker, *J. Am. Chem. Soc.*, **111**, 1501 (1989); L. B. Krivdin, *Magn. Res. Chem.*, **41**, 91 (2003).
- 19a. C. H. DePuy, V. M. Bierbaum, and R. Damrauer, *J. Am. Chem. Soc.*, **106**, 4051 (1984); C. H. DePuy, S. Gronert, S. E. Barlow, V. M. Bierbaum, and R. Damrauer, *J. Am. Chem. Soc.*, **111**, 1968 (1989).
- b. P. C. Redfern, J. S. Murray, and P. Politzer, *Can. J. Chem.*, **70**, 636 (1992).
- c. C. F. Rodriguez, S. Sirois, and A. C. Hopkinson, *J. Org. Chem.*, **57**, 4869 (1992).
- 20a. R. Breslow and J. M. Hoffmann, Jr., *J. Am. Chem. Soc.*, **94**, 2110 (1972).
- b. R. Breslow and P. Dowd, *J. Am. Chem. Soc.*, **85**, 2729 (1963); J. E. Bartmess, J. Kester, W. T. Borden, and H. G. Koser, *Tetrahedron Lett.*, **27**, 5931 (1986).
- c. R. Breslow and J. M. Hoffmann, *J. Am. Chem. Soc.*, **94**, 2110 (1972); M. Saunders, R. Berger, A. Jaffe, M. McBride, J. O'Neill, R. Breslow, J. M. Hoffmann, Jr., C. Perchonock, E. Wasserman, R. S. Hutton, and V. J. Kuck, *J. Am. Chem. Soc.*, **95**, 3017 (1973); R. Breslow and S. Mazur, *J. Am. Chem. Soc.*, **95**, 584 (1973).
21. W. Kirmse, K. Kund, E. Pitzer, A. Dorigo, and K. N. Houk, *J. Am. Chem. Soc.*, **108**, 6045 (1986).
22. M. A. McAllister and T. T. Tidwell, *J. Chem. Soc., Perkin Trans. 2*, 2239 (1994).
23. P. M. Deya, A. Frontera, G. A. Sunier, D. Quinonero, C. Garau, A. Costa, and P. Ballester, *Theor. Chem. Acc.*, **108**, 157 (2002).

Chapter 2

- 2a. J. A. Pettus, Jr., and R. E. Moore, *J. Am. Chem. Soc.*, **93**, 3087 (1971).
- b. K. T. Black and H. Hope, *J. Am. Chem. Soc.*, **93**, 3053 (1971).
- c. J. Dillon and K. Nakanishi, *J. Am. Chem. Soc.*, **96**, 4055 (1974).
- d. M. Miyano and C. R. Dorn, *J. Am. Chem. Soc.*, **95**, 2664 (1973).
- e. M. Koreeda, G. Weiss, and K. Nakanishi, *J. Am. Chem. Soc.*, **95**, 239 (1973).
- f. P. A. Apgar and M. L. Ludwig, *J. Am. Chem. Soc.*, **94**, 964 (1972).
- g. M. R. Jones and D. J. Cram, *J. Am. Chem. Soc.*, **96**, 2183 (1974).
- 3a. J. W. deHaan and L. J. M. van den Ven, *Tetrahedron Lett.*, 2703 (1971).
- b. T. Sone, S. Terashima, and S. Yamada, *Synthesis*, 725 (1974).
- c. B. Witkop and C. M. Foltz, *J. Am. Chem. Soc.*, **79**, 197 (1957).
- d. S. Iwaki, S. Marumo, T. Saito, M. Yamada, and K. Katagiri, *J. Am. Chem. Soc.*, **96**, 7842 (1974).
- e. E. W. Yankee, B. Spencer, N. E. Howe, and D. J. Cram, *J. Am. Chem. Soc.*, **95**, 4220 (1973).
- f. R. S. Lenox and J. A. Katzenellenbogen, *J. Am. Chem. Soc.*, **95**, 957 (1973).
- g. R. Bausch, B. Bogdanovic, H. Dreeskamp, and J. B. Koster, *Liebigs Ann. Chem.*, 1625 (1974).
5. N. L. Allinger and M. T. Tribble, *Tetrahedron Lett.*, 3259 (1971); E. L. Eliel and M. Manoharan, *J. Org. Chem.*, **46**, 1959 (1981); D. J. Hodgson, U. Rychlewska, E. L. Eliel, M. Manoharan, D. E. Knox, and E. M. Olefirowicz, *J. Org. Chem.*, **50**, 4838 (1985).
6. K. B. Wiberg, *J. Am. Chem. Soc.*, **108**, 5817 (1986).
- 7a. H. C. Brown, J. H. Kawakami, and S. Ikegami, *J. Am. Chem. Soc.*, **92**, 6914 (1970).
- b. B. Waegell and C. W. Jefford, *Bull. Soc. Chim. Fr.*, 844 (1964).
- c. H. C. Brown and J. H. Kawakami, *J. Am. Chem. Soc.*, **92**, 1990 (1970).
- d. L. A. Spurlock and K. P. Clark, *J. Am. Chem. Soc.*, **94**, 5349 (1972).
- e. W. P. Griffith and J. M. Jolliffe, *J. Chem. Soc., Dalton Trans.*, 3483 (1992); although the *exo* stereochemistry is not expressly stated in this reference, it can be assumed from the well-documented stereochemistry of KMnO_4 dihydroxylation, e.g., J. E. Taylor, *Synthesis*, 1142 (1985).
- f. H. C. Brown, J. H. Kawakami, and S. Ikegami, *J. Am. Chem. Soc.*, **92**, 6914 (1970).
- g. E. C. Asby and S. A. Noding, *J. Am. Chem. Soc.*, **98**, 2010 (1976).
- 8a, b. A. L. Verma, W. F. Murphy, and H. J. Bernstein, *J. Phys. Chem.*, **60**, 1540 (1974); R. L. Lipnick and E. W. Garbisch, Jr., *J. Am. Chem. Soc.*, **95**, 6375 (1973); L. Lunazzi, D. Macciantelli, F. Bernardi,

- and K. U. Ingold, *J. Am. Chem. Soc.*, **99**, 4573 (1977); E. Osawa, H. Shirahama, and T. Matsumoto, *J. Am. Chem. Soc.*, **101**, 4824 (1979); K. B. Wiberg and M. A. Murcko, *J. Am. Chem. Soc.*, **110**, 8029 (1988); D. S. Maxwell, J. Tirado-Rives, and W. L. Jorgensen, *J. Comput. Chem.*, **16**, 984 (1995).
- c. B. Rickborn and M. T. Wuesthoff, *J. Am. Chem. Soc.*, **92**, 6894 (1970).
9. D. K. Dalling and D. M. Grant, *J. Am. Chem. Soc.*, **94**, 5318 (1972).
10. A. Bienvenue, *J. Am. Chem. Soc.*, **95**, 7345 (1973).
11. D. J. Cram and F. A. Abd Elhafez, *J. Am. Chem. Soc.*, **74**, 5828 (1952).
12. M. J. Burk, J. G. Allen, and W. F. Kiesman, *J. Am. Chem. Soc.*, **120**, 657 (1998).
- 14a. Y.-F. Cheung and C. Walsh, *J. Am. Chem. Soc.*, **98**, 3397 (1976).
- b. D. M. Jerina, H. Selander, H. Yagi, M. C. Wells, J. F. Davey, V. Magadevan, and D. T. Gibson, *J. Am. Chem. Soc.*, **98**, 5988 (1976).
- c. R. K. Hill, S. Yan, and S. M. Arfin, *J. Am. Chem. Soc.*, **95**, 7857 (1973).
- d. F. C. Huang, L. F. H. Lee, R. S. D. Mittal, P. R. Ravikumar, J. A. Chan, C. J. Sih, E. Capsi, and C. R. Eck, *J. Am. Chem. Soc.*, **97**, 4144 (1975).
15. J. Dominguez, J. D. Dunitz, H. Gerlach, and V. Prelog, *Helv. Chim. Acta*, **45**, 129 (1962); H. Gerlach and V. Prelog, *Liebigs Ann. Chem.*, **669**, 121 (1963); B. T. Kilbourn, J. D. Dunitz, L. A. R. Pioda, and W. Simon, *J. Molec. Biol.*, **30**, 559 (1967).
- 16a. R. K. Hill and T.-H. Chan, *Tetrahedron*, **21**, 2015 (1965).
- b. M. Raban, S. K. Lauderback, and D. Kost, *J. Am. Chem. Soc.*, **97**, 5178 (1975).
17. E. Eliel and S. H. Schroeter, *J. Am. Chem. Soc.*, **87**, 5031 (1965).
18. S. E. Denmark, M. S. Dappen, N. L. Sear, and R. T. Jacobs, *J. Am. Chem. Soc.*, **112**, 3466 (1990).
19. E. Ghera, Y. Gaoni, and S. Shoua, *J. Am. Chem. Soc.*, **98**, 3627 (1976).
20. H. W. Gschwend, *J. Am. Chem. Soc.*, **94**, 8430 (1972).
21. J. K. Thottanil, C. Przybyla, M. Malley, and J. Z. Gougoutas, *Tetrahedron Lett.*, **27**, 1533 (1986).
22. T. Varnali, V. Aviyente, B. Terryn, and M. F. Ruiz-Lopez, *Theochem*, **280**, 169 (1993).
- 23a. G. Bartoli, M. Bosco, E. Marcantoni, M. Massaccesi, S. Rinaldi, and L. Sambri, *Eur. J. Org. Chem.*, 4679 (2001).
- b. M. Shimagaki, A. Suzuki, T. Nakata, and T. Oishi, *Chem. Pharm. Bull.*, **36**, 3138 (1988).
- 24a. J. W. Hilborn, Z.-H. Lu, A. R. Jurgens, Q. K. Fang, P. Byers, S. A. Wald, and C. H. Senanayake, *Tetrahedron Lett.*, **42**, 8919 (2001).
- 25a. b. M. Kainosho, K. Akjisaka, W. H. Pirkle, and S. D. Beare, *J. Am. Chem. Soc.*, **94**, 5924 (1972).
- c. M. Rabin and K. Mislow, *Tetrahedron Lett.*, 3961 (1966).
- d. R. K. Hill, S. Yan, and S. M. Arfin, *J. Am. Chem. Soc.*, **95**, 7857 (1973).
- e. V. J. Morlino and R. B. Martin, *J. Am. Chem. Soc.*, **89**, 3107 (1967).
- f. J. A. Elvidge and R. G. Foster, *J. Chem. Soc.*, 981 (1964); L. S. Rattet and J. H. Goldstein, *Org. Magn. Reson.*, **1**, 229 (1969).
- 26a. G. Helmchen and G. Staiger, *Angew. Chem., Int. Ed. Engl.*, **16**, 116 (1977).
- b. M. Farina and C. Morandi, *Tetrahedron*, **30**, 1819 (1974).
- c. D. T. Longone and M. T. Reetz, *J. Chem. Soc., Chem. Commun.*, 46 (1967).
- d. I. T. Jacobson, *Acta Chem. Scand.*, **21**, 2235 (1967).
- e. R. J. Ternansky, D. W. Balogh, and L. A. Paquette, *J. Am. Chem. Soc.*, **104**, 4503 (1982).
- f. C. Ganter and K. Wicker, *Helv. Chim. Acta*, **53**, 1693 (1970).
- g. M. S. Newman and D. Lednicer, *J. Am. Chem. Soc.*, **78**, 4765 (1956).
- h. T. Otsubo, R. Gray, and V. Boekelheide, *J. Am. Chem. Soc.*, **100**, 2449 (1978).
- i. J. H. Brewster and R. S. Jones, Jr., *J. Org. Chem.*, **34**, 354 (1969).
- j. H. Gerlach, *Helv. Chim. Acta*, **51**, 1587 (1968).
- k, l. H. Gerlach, *Helv. Chim. Acta*, **68**, 1815 (1985).
- m. R. K. Hill, G. H. Morton, J. R. Peterson, J. A. Walsh, and L. A. Paquette, *J. Org. Chem.*, **50**, 5528 (1985).
27. H. C. Kolb, M. S. Van Niewenhuizen, and K. B. Sharpless, *Chem. Rev.*, **94**, 2483 (1994).
- 28a. J. V. B. Kanth and H. C. Brown, *Tetrahedron*, **58**, 1069 (2002); B. Jiang, Y. Feng, and J. Zheng, *Tetrahedron Lett.*, **41**, 10281 (2000).
- b. Y. Hanzawa, K. Kawagoe, and Y. Kobayashi, *Chem. Pharm. Bull.*, **35**, 2609 (1987).
- c. J. G. Hill and K. B. Sharpless, *Org. Synth.*, **63**, 66 (1985).
- 29a. E. J. Ebberts, B. J. M. Plam, G. J. A. Ariaans, B. Kaptein, Q. B. Broxterman, A. Bruggink, and B. Zwanenburg, *Tetrahedron Asymmetry*, **8**, 4047 (1997).
- b. B. S. Lakshmi, P. Kanguano, Y. Guo, Y. Z. Chen, and P. Gautam, *Biocatal. Biotrans.*, **17**, 475 (2000); M. Trani, A. Ducret, P. Pepin, and R. Lortie, *Biotech. Lett.*, **17**, 1095 (1995).

- c. R. Bushan and J. Martens, *Biomed. Chromatogr.*, **12**, 309 (1998).
- d. T. Uemura, X. Zhang, K. Matsumura, N. Sayo, H. Kumobayashi, T. Ohta, K. Nozaki, and H. Takaya, *J. Org. Chem.*, **61**, 5510 (1996).
- e. H. Ishibashi, M. Maeki, J. Yagi, M. Ohba, and T. Kanai, *Tetrahedron*, **55**, 6075 (1999).
- f. M. Cleij, A. Archelas, and R. Furstoss, *J. Org. Chem.*, **64**, 5029 (1999).
30. A. Pross, L. Radom, and N. V. Riggs, *J. Am. Chem. Soc.*, **102**, 2252 (1980); L. Goodman, T. Kundu, and J. Leszczynski, *J. Am. Chem. Soc.*, **117**, 2082 (1995).
31. J.-F. Cavalier, F. Fotiadu, R. Verger, and G. Buono, *Synlett*, 73 (1998).
32. H. C. Brown, W. J. Hammar, J. H. Kawakami, I. Rothberg, and D. L. Vander Jagt, *J. Am. Chem. Soc.*, **89**, 6381 (1967).
33. L. Brener and H. C. Brown, *J. Org. Chem.*, **42**, 2702 (1977).
34. J. R. Del Valle and M. Goodman, *J. Org. Chem.*, **68**, 3923 (2003).

Chapter 3

2. N. L. Allinger and N. A. Pamphilis, *J. Org. Chem.*, **38**, 316 (1973).
3. W. Kusters and P. de Mayo, *J. Am. Chem. Soc.*, **96**, 3502 (1974).
- 4a. A. Streitwieser, H. A. Hammond, R. H. Jagow, R. M. Williams, R. G. Jesaitis, C. J. Chang, and R. Wolf, *J. Am. Chem. Soc.*, **92**, 5141 (1970).
- b. M. T. H. Liu, and D. H. T. Chien, *J. Chem. Soc., Perkin Trans. 2*, 937 (1974).
5. W. E. Billups, K. H. Leavell, E. S. Lewis, and S. Vanderpool, *J. Am. Chem. Soc.*, **95**, 8096 (1973); J. C. Gilbert and D. P. Higley, *Tetrahedron Lett.*, 2075 (1973); E. R. Davidson, J. J. Gajewski, C. A. Shook, and T. Cohen, *J. Am. Chem. Soc.*, **112**, 8495 (1995).
6. G. Mehta and N. Mohal, *J. Chem. Soc., Perkin Trans. 1*, 505 (1998).
- 7a. O. R. Zaborosky and E. T. Kaiser, *J. Am. Chem. Soc.*, **92**, 860 (1970).
- b. W. M. Schubert and J. R. Keefe, *J. Am. Chem. Soc.*, **94**, 559 (1972).
- c. D. H. Rosenblatt, L. A. Hull, D. C. DeLuca, G. T. Davis, R. C. Weglein, and H. K. R. Williams, *J. Am. Chem. Soc.*, **89**, 1158 (1967).
- 8a. W. K. Kwok, W. G. Lee, and S. I. Miller, *J. Am. Chem. Soc.*, **91**, 468 (1969).
- b. H. C. Brown and E. N. Peters, *J. Am. Chem. Soc.*, **95**, 2400 (1973).
- c. W. M. Schubert and D. F. Gurka, *J. Am. Chem. Soc.*, **91**, 1443 (1969).
- d. J. Rocek and A. Riehl, *J. Am. Chem. Soc.*, **88**, 4749 (1966).
9. B. S. Jursic, *Theochem*, **468**, 171 (1999).
10. D. W. Rogers, F. J. McLafferty, and A. V. Podosenin, *J. Phys. Chem.*, **102**, 1209 (1998).
11. C. G. Swain, A. L. Powell, W. A. Sheppard, and C. R. Morgan, *J. Am. Chem. Soc.*, **101**, 3576 (1979).
12. R. S. Shue, *J. Am. Chem. Soc.*, **93**, 7116 (1971).
13. T. B. McMahon and P. Kebarle, *J. Am. Chem. Soc.*, **99**, 2222 (1977).
14. J. Bromilow, R. T. C. Brownlee, V. O. Lopez, and R. W. Taft, *J. Org. Chem.*, **44**, 4766 (1979).
15. A. Fischer, W. J. Galloway, and J. Vaughn, *J. Chem. Soc.*, 3591 (1964); C. Liotta, E. M. Perdue, and H. P. Hopkins, *J. Am. Chem. Soc.*, **96**, 7308 (1974).
- 16a. D. W. Rogers, F. J. McLafferty, W. Fang, Q. Yang, and Y. Zhao, *Struct. Chem.*, **3**, 53 (1992).
- b. D. W. Rogers and F. J. McLafferty, *J. Phys. Chem. A*, **103**, 8733 (1999).
17. T. T. Wang and T.-C. Huang, *Chem. Eng. J.*, **53**, 1076 (1993).
18. I. A. Koppel, J. Koppel, V. Pihl, I. Leito, M. Mishima, V. M. Vlasov, L. M. Yagupolskii, and R. W. Taft, *J. Chem. Soc., Perkin Trans. 2*, 1125 (2000).
19. X. Creary, *J. Org. Chem.*, **45**, 280 (1980); X. Creary, M. E. Mehrsheikh-Mohammadi, and S. McDonald, *J. Org. Chem.*, **52**, 3254 (1987).
20. J. P. Richard, G. Williams, and J. Gao, *J. Am. Chem. Soc.*, **121**, 715 (1999); G. N. Merrill, G. D. Dahlke, and S. R. Kass, *J. Am. Chem. Soc.*, **118**, 4462 (1996).
21. M. Roth, W. Damm, and B. Giese, *Tetrahedron Lett.*, **37**, 351 (1996).
22. A. Ponti and A. Gamba, *Gazz. Chim. Ital.*, **127**, 151 (1997).
23. R. Fuchs and L. L. Cole, *J. Am. Chem. Soc.*, **95**, 3194 (1973).
- 24a. O. Castano, R. Notario, J.-L. M. Abboud, R. Palmeiro, and J. L. Andres, *J. Phys. Chem. A*, **102**, 4949 (1998).
- b. J. E. Walker, P. A. Adamson, and S. R. Davis, *Theochem*, **487**, 145 (1999).

- 1a. H. C. Brown and E. N. Peters, *J. Am. Chem. Soc.*, **99**, 1712 (1977).
- b. X. Creary, M. E. Mehrsheikh–Mohammadi, and M. D. Eggers, *J. Am. Chem. Soc.*, **109**, 2435 (1987).
- c. J. L. Fry, E. M. Engler, and P. v. R. Schleyer, *J. Am. Chem. Soc.*, **94**, 4628 (1972).
- d. F. G. Bordwell and W. T. Brannen, *J. Am. Chem. Soc.*, **86**, 4645 (1964).
- 2b. P. v. R. Schleyer, W. E. Watts, and C. Cupas, *J. Am. Chem. Soc.*, **86**, 2722 (1964).
- c. P. E. Peterson and J. E. Dudley, *J. Am. Chem. Soc.*, **85**, 2865 (1963).
- d. M. Cherest, H. Felkin, J. Sicher, F. Sipos, and M. Tichy, *J. Chem. Soc.*, 2513 (1965).
- e. J. C. Martin and P. D. Bartlett, *J. Am. Chem. Soc.*, **79**, 2533 (1957).
- f. S. Archer, T. R. Lewis, M. R. Bell, and J. W. Schulenberg, *J. Am. Chem. Soc.*, **83**, 2386 (1961).
- g. D. A. Tomalia and J. N. Paige, *J. Org. Chem.*, **38**, 422 (1973).
- 3a. R. K. Crossland, W. E. Wells, and V. J. Shiner, Jr., *J. Am. Chem. Soc.*, **93**, 4217 (1971).
- b. R. L. Buckson and S. G. Smith, *J. Org. Chem.*, **32**, 634 (1967).
- c. C. J. Norton, Ph.D. Thesis, Harvard University, 1955; cited by P. v. R. Schleyer, W. E. Watts, R. C. Fort, Jr., M. B. Comisarow, and G. A. Olah, *J. Am. Chem. Soc.*, **86**, 5679 (1964); P. Mueller and J. Mareda, *Helv. Chim. Acta*, **70**, 1017 (1987).
- d. E. N. Peters and H. C. Brown, *J. Am. Chem. Soc.*, **97**, 2892 (1975).
- e. B. R. Ree and J. C. Martin, *J. Am. Chem. Soc.*, **92**, 1660 (1970).
- f. F. G. Bordwell and W. T. Brannen, Jr., *J. Am. Chem. Soc.*, **86**, 4645 (1964).
- g. D. D. Roberts, *J. Org. Chem.*, **34**, 285 (1969).
- h. R. G. Lawton, *J. Am. Chem. Soc.*, **83**, 2399 (1961).
- i. F. G. Bordwell and W. T. Brannen, Jr., *J. Am. Chem. Soc.*, **86**, 4645 (1964).
- j. S. Kim, S. S. Friedrich, L. J. Andrews, and R. M. Keefer, *J. Am. Chem. Soc.*, **92**, 5452 (1970).
4. H. L. Goering and B. E. Jones, *J. Am. Chem. Soc.*, **102**, 1628 (1980).
5. K. Banert and W. Kirmse, *J. Am. Chem. Soc.*, **104**, 3766 (1982); C. A. Grob, R. Hanreich, and A. Waldner, *Tetrahedron Lett.*, **22**, 3231 (1981).
6. Y. Pocker and M. J. Hill, *J. Am. Chem. Soc.*, **93**, 691 (1971).
7. R. Baird and S. Winstein, *J. Am. Chem. Soc.*, **85**, 567 (1963).
8. S. Winstein and E. T. Stafford, *J. Am. Chem. Soc.*, **79**, 505 (1957).
- 9a. M. Brookhart, A. Diaz, and S. Winstein, *J. Am. Chem. Soc.*, **88**, 3135 (1966); M. Bremer, K. Schoetz, P. v. R. Schleyer, U. Fleischer, M. Schindler, W. Kutzelnigg, W. Koch, and P. Palay, *Angew. Chem. Int. Ed. Engl.*, **28**, 1042 (1989).
- b. G. A. Olah, J. M. Bollinger, C. A. Cupas, and J. Lukas, *J. Am. Chem. Soc.*, **89**, 2692 (1967).
- c. G. A. Olah and R. D. Porter, *J. Am. Chem. Soc.*, **92**, 7627 (1970).
- d. G. A. Olah and G. Liang, *J. Am. Chem. Soc.*, **97**, 2236 (1975).
- e,f. G. A. Olah and G. Liang, *J. Am. Chem. Soc.*, **93**, 6873 (1971).
10. C. Paradisi and J. F. Bunnett, *J. Am. Chem. Soc.*, **103**, 946 (1981).
11. S. Kobayashi, T. Matsumoto, H. Taniguchi, M. Mishima, M. Fujio, and Y. Tsuno, *Tetrahedron Lett.*, **34**, 5903 (1993).
12. J. P. Richard and W. P. Jencks, *J. Am. Chem. Soc.*, **106**, 1373, 1383 (1984).
- 13a. J. Wilt and P. J. Chenier, *J. Am. Chem. Soc.*, **90**, 7366 (1968); S. J. Cristol and G. W. Nachtigall, *J. Am. Chem. Soc.*, **90**, 7132, 7133 (1968).
- b. H. C. Brown and E. N. Peters, *J. Am. Chem. Soc.*, **97**, 1927 (1975).
- c. P. G. Gassman and W. C. Pike, *J. Am. Chem. Soc.*, **90**, 1250 (1975).
- d. J. M. Harris, J. R. Moffatt, M. G. Case, F. W. Clarke, J. S. Polley, T. K. Morgan, Jr., T. M. Ford, and R. K. Murray, Jr., *J. Org. Chem.*, **47**, 2740 (1982).
- e. M. Xie and W. J. le Noble, *J. Org. Chem.*, **54**, 3839 (1989).
14. A. Cunje, C. F. Rodriguez, M. H. Lien, and A. C. Hopkinson, *J. Org. Chem.*, **61**, 5212 (1996).
15. J. S. Haywood–Farmer and R. E. Pincock, *J. Am. Chem. Soc.*, **91**, 3020 (1969).
16. G. A. Olah, A. L. Berrier, M. Arvanaghi, and G. K. S. Prakash, *J. Am. Chem. Soc.*, **103**, 1122 (1981).
17. J. J. Tufariello and R. J. Lorence, *J. Am. Chem. Soc.*, **91**, 1546 (1969); J. Lhomme, A. Diaz, and S. Winstein, *J. Am. Chem. Soc.*, **91**, 1548 (1969).
18. C. Lim, S.-H. Kim, S.-D. Yoh, M. Fujio, and Y. Tsuno, *Tetrahedron Lett.*, **38**, 3243 (1997).
19. K. Nataka, M. Fujio, Y. Saeki, M. Mishima, Y. Tsuno, and K. Nishimoto, *J. Phys. Org. Chem.*, **9**, 561 (1996).

20. J. P. Richard, T. L. Amyes, and T. Vontor, *J. Am. Chem. Soc.*, **113**, 5871 (1991).
21. R. Fuchs and L. L. Cole, *J. Am. Chem. Soc.*, **95**, 3194 (1973).
22. Y. Tsuno and M. Fujio, *Chem. Soc. Rev.*, **25**, 129 (1996).
- 22a. M. Fujio, M. Goto, S. Suzuki, M. Mishima, and Y. Tsuno, *J. Phys. Org. Chem.*, **3**, 449 (1990); M. Mishima, H. Inoue, S. Itai, M. Fujio, and Y. Tsuno, *Bull. Chem. Soc. Jpn.*, **69**, 3273 (1996).
- 22b. M. Okamura, K. Hazama, M. Ohra, K. Kato, T. Horaguci, and A. Ohno, *Chem. Lett.*, 973 (1997); M. Fujio, K. Funatsu, M. Goto, Y. Seki, M. Mishima, and Y. Tsuno, *Bull. Chem. Soc. Jpn.*, **60**, 1091 (1987).
23. P. G. Gassman and K. Saito, *Tetrahedron Lett.*, **22**, 1311 (1981).
24. T. Nakashima, R. Fujiyama, M. J. Fujio, and Y. Tsuno, *Bull. Chem. Soc. Jpn.*, **72**, 741, 1043 (1999); T. Nakashima, R. Fujiyama, H.-J. Kim, M. Fujio, and Y. Tsuno, *Bull. Chem. Soc. Jpn.*, **73**, 429 (2000).
25. P. M. F. M. Bastiaansen, J. B. P. A. Wijnberg, and A. deGroot, *J. Org. Chem.*, **60**, 4240 (1995).
26. K. van Alem, G. Lodder, and H. Zuilhof, *J. Phys. Chem. A*, **106**, 10681 (2002).
27. S. Nagumo, T. Furukawa, M. Ono, and H. Akita, *Tetrahedron Lett.*, **38**, 2849 (1997); S. Nagumo, T. Hisano, Y. Kakimoto, N. Kawahara, M. Ono, T. Furukawa, S. Takeda, and H. Akita, *Tetrahedron Lett.*, **39**, 8109 (1998).

Chapter 5

- 1a. K. Yates, G. H. Schmid, T. W. Regulski, D. G. Garratt, H.-W. Leung, and R. McDonald, *J. Am. Chem. Soc.*, **95**, 160 (1973).
- b. J. F. King and M. J. Coppen, *Can. J. Chem.*, **49**, 3714 (1971).
- c. N. C. Deno, F. A. Kish, and H. J. Peterson, *J. Am. Chem. Soc.*, **87**, 2157 (1965).
- d. M. A. Cooper, C. M. Holden, P. Loftus, and D. Whittaker, *J. Chem. Soc., Perkin Trans. 2*, 665 (1973).
- e. R. A. Bartsch and J. F. Bunnett, *J. Am. Chem. Soc.*, **91**, 1376 (1969).
- f. K. Yates and T. A. Go, *J. Org. Chem.*, **45**, 2377 (1980).
- g. C. B. Quinn and J. R. Wiseman, *J. Am. Chem. Soc.*, **95**, 1342 (1973).
- 2a. H. Wong, J. Chapuis, and I. Monkovic, *J. Org. Chem.*, **39**, 1042 (1974).
- b. P. K. Freeman, F. A. Raymond, and M. F. Grostic, *J. Org. Chem.*, **32**, 24 (1967).
- c. T. I. Crowell, R. T. Kemp, R. E. Lutz, and A. A. Wall, *J. Am. Chem. Soc.*, **90**, 4638 (1968).
- d. L. C. King, L. A. Subluskey, and E. W. Stern, *J. Org. Chem.*, **21**, 1232 (1956).
- e. M. L. Poutsma and P. A. Ibarbia, *J. Am. Chem. Soc.*, **93**, 440 (1971).
- f. S. P. Acharya and H. C. Brown, *J. Chem. Soc., Chem. Commun.*, 305 (1968).
- g. K. Yates and T. A. Go, *J. Org. Chem.*, **45**, 2377 (1980).
3. D. Y. Curtin, R. D. Stolow, and W. Maya, *J. Am. Chem. Soc.*, **81**, 3330 (1959).
4. W. H. Saunders and A. F. Cockerill, *Mechanisms of Elimination Reactions*, John Wiley & Sons, New York, 1973, pp. 79–80.
5. R. A. Bartsch, *J. Am. Chem. Soc.*, **93**, 3683 (1971).
6. K. Oyama and T. T. Tidwell, *J. Am. Chem. Soc.*, **98**, 947 (1976).
- 7a. K. D. Berlin, R. O. Lyerla, D. E. Gibbs, and J. P. Devlin, *J. Chem. Soc., Chem. Commun.*, 1246 (1970).
- b. R. J. Abraham and J. R. Monasterios, *J. Chem. Soc. Perkin Trans. 2*, 574 (1975).
- c. H. C. Brown and K.-T. Liu, *J. Am. Chem. Soc.*, **97**, 2469 (1975).
- d. D. J. Pasto and J. A. Gontarz, *J. Am. Chem. Soc.*, **93**, 6902 (1971).
- 8a. J. F. Bunnett and S. Sridharan, *J. Org. Chem.*, **44**, 1458 (1979); L. F. Blackwell, A. Fischer, and J. Vaughan, *J. Chem. Soc. B*, 1084 (1967).
- b. J. E. Nordlander, P. O. Owuor, and J. E. Haky, *J. Am. Chem. Soc.*, **101**, 1288 (1979).
- c. G. E. Heasley, T. R. Bower, K. W. Dougharty, J. C. Easdon, V. L. Heasley, S. Arnold, T. L. Carter, D. B. Yaeger, B. T. Gipe, and D. F. Shellhamer, *J. Org. Chem.*, **45**, 5150 (1980).
- d. P. Cramer and T. T. Tidwell, *J. Org. Chem.*, **46**, 2683 (1981).
- e. R. C. Fahey and C. A. McPherson, *J. Am. Chem. Soc.*, **91**, 3865 (1969); R. C. Fahey, M. W. Mohahan, and C. A. McPherson, *J. Am. Chem. Soc.*, **92**, 2810 (1970).
- f. C. H. DePuy and A. L. Schultz, *J. Org. Chem.*, **39**, 878 (1974).
- 9a. R. B. Miller and G. McGarvey, *J. Org. Chem.*, **44**, 4623 (1979).
- b. P. F. Hudrlik and D. Peterson, *J. Am. Chem. Soc.*, **97**, 1464 (1975).
- c. G. Bellucci, A. Marsili, E. Mastrorilli, I. Morelli, and V. Scartoni, *J. Chem. Soc., Perkin Trans. 2*, 201 (1974).

- d. K. J. Shea, A. C. Greeley, S. Nguyen, P. D. Beauchamp, D. H. Aue, and J. S. Witzeman, *J. Am. Chem. Soc.*, **108**, 5901 (1986).
10. G. H. Schmid, A. Modro, and K. Yates, *J. Org. Chem.*, **45**, 665 (1980); A. D. Allen, Y. Chiang, A. J. Kresge, and T. T. Tidwell, *J. Org. Chem.*, **47**, 775 (1982).
11. G. Bellucci, R. Bianchi, and S. Vecchiani, *J. Org. Chem.*, **52**, 3355 (1987).
12. D. S. Noyce, D. R. Hartter, and F. B. Miles, *J. Am. Chem. Soc.*, **90**, 3794 (1968).
13. Y. Pocker, K. D. Stevens, and J. J. Champoux, *J. Am. Chem. Soc.*, **91**, 4199 (1969).
14. M. F. Ruasse, A. Argile, and J. E. Dubois, *J. Am. Chem. Soc.*, **100**, 7645 (1978).
15. W. K. Chwang, P. Knittel, K. M. Koshy, and T. T. Tidwell, *J. Am. Chem. Soc.*, **99**, 3395 (1977).
16. D. J. Pasto and J. F. Gadberrry, *J. Am. Chem. Soc.*, **100**, 1469 (1978).
17. J. F. Bunnett and C. A. Migdal, *J. Org. Chem.*, **54**, 3037 (1989).
- 18a. S. Kobayashi, T. Matsumoto, H. Taniguchi, M. Mishima, M. Fujio, and Y. Tsuno, *Tetrahedron Lett.*, **34**, 5903 (1993); M. Mishima, H. Nakamura, K. Nakata, M. Fujio, and Y. Tsuno, *Chem. Lett.*, 1607 (1994).
- b. M. Mishima and H. Yamataka, *Bull. Chem. Soc. Jpn.*, **71**, 2427 (1998).
19. H. Sharghi, A. R. Massah, H. Eshghi, and K. Niknam, *J. Org. Chem.*, **63**, 1455 (1998).
20. D. J. Pasto and J. A. Gontarz, *J. Am. Chem. Soc.*, **93**, 6902 (1971); H. C. Brown, G. J. Lynch, W. J. Hammar, and L. C. Liu, *J. Org. Chem.*, **44**, 1910 (1979).
- 21a. C. H. Heathcock, R. A. Badger, and J. W. Patterson, Jr., *J. Am. Chem. Soc.*, **89**, 4133 (1967).
- b. J. -P. Dulcere and J. Rodriguez, *Synlett*, 347 (1992).
- c. J. Rodriguez and J. -P. Dulcere, *Synthesis*, 1177 (1993).

Chapter 6

- 1b. F. G. Bordwell, *Acc. Chem. Res.*, **21**, 456 (1988).
- c. A. Streitwieser, L. Xie, P. Wang, and S. M. Bachrach, *J. Org. Chem.*, **58**, 1778 (1993).
- d. J. R. Jones and S. P. Patel, *J. Am. Chem. Soc.*, **96**, 574 (1974); J. R. Jones and S. P. Patel, *J. Chem. Soc., Perkin Trans. 2*, 1231 (1975).
- e. A. F. Cockerill and J. E. Lamper, *J. Chem. Soc. B*, 503 (1971).
- 2b. G. L. Closs and L. E. Closs, *J. Am. Chem. Soc.*, **85**, 2022 (1963).
- c. R. A. Lee, C. M. Andrews, K. M. Patel, and W. Reusch, *Tetrahedron Lett.*, 965 (1973).
- d. J. D. White and W. L. Sung, *J. Org. Chem.*, **39**, 2323 (1974); D. Nasipuri, M. Mitra, and S. Venkataraman, *J. Chem. Soc., Perkin Trans. 1*, 1836 (1972).
- f. R. Breslow, *J. Am. Chem. Soc.*, **79**, 1762 (1957).
- g. K. Ogura and G. Tsuchihashi, *Tetrahedron Lett.*, 3151 (1971).
- h. G. L. Closs and R. B. Larabee, *Tetrahedron Lett.*, 287 (1965); A. Fattah, R. E. McCarthy, M. R. Ahmad, and S. R. Kass, *J. Am. Chem. Soc.*, **125**, 11746 (2003).
- i. J. A. Zoltewicz, G. M. Kaufmann, and C. L. Smith, *J. Am. Chem. Soc.*, **90**, 5939 (1968).
- 3a. T.-Y. Luh and L. M. Stock, *J. Am. Chem. Soc.*, **96**, 3712 (1974); A. Streitwieser, L. Xie, D. Speere, and P. G. Williams, *Magn. Res. Chem.*, **36**, S509 (1996); M. Hare, T. Emrich, P. E. Eaton, and S. R. Kass, *J. Am. Chem. Soc.*, **119**, 237 (1997); R. R. Sauers, *Tetrahedron*, **55**, 10013 (1999).
- b. H. W. Amburn, K. C. Kaufman, and H. Shechter, *J. Am. Chem. Soc.*, **91**, 530 (1969); F. G. Bordwell, J. C. Branca, C. R. Johnson, and N. R. Vanier, *J. Org. Chem.*, **45**, 3884 (1980).
- c. F. G. Bordwell, G. E. Drucker, and H. E. Fried, *J. Org. Chem.*, **46**, 632 (1981); E. M. Arnett and K. G. Venkatasubramanian, *J. Org. Chem.*, **48**, 1569 (1983); K. Daasbjerg, *Acta Chem. Scand.*, **49**, 878 (1995).
- d. T. B. Thompson and W. T. Ford, *J. Am. Chem. Soc.*, **101**, 5459 (1979).
- 4a. G. A. Abad, S. P. Jindal, and T. T. Tidwell, *J. Am. Chem. Soc.*, **95**, 6326 (1973).
- b. A. Nickon and J. L. Lambert, *J. Am. Chem. Soc.*, **84**, 4604 (1962).
6. G. B. Trimitis and E. M. Van Dam, *J. Chem. Soc., Chem. Commun.*, 610 (1974).
7. A. Streitwieser, Jr., W. B. Hollyhead, A. H. Pudjaatmaka, P. H. Owens, T. L. Kruger, P. A. Rubenstein, R. A. MacQuarrie, M. L. Brokaw, W. K. C. Chu, and H. M. Niemeyer, *J. Am. Chem. Soc.*, **93**, 5088 (1971).
8. F. G. Bordwell and F. J. Cornforth, *J. Org. Chem.*, **43**, 1763 (1978).
- 9a. P. T. Lansbury, *J. Am. Chem. Soc.*, **83**, 429 (1961).
- b. D. W. Griffiths and C. D. Gutsche, *J. Am. Chem. Soc.*, **93**, 4788 (1971).
- c. T. D. Hoffinan and D. J. Cram, *J. Am. Chem. Soc.*, **91**, 1000 (1969).

- d. G. Buchi, D. M. Foulkes, M. Kurono, G. F. Mitchell, and R. S. Schneider, *J. Am. Chem. Soc.*, **89**, 6745 (1967).
- e. G. Stork, G. L. Nelson, F. Rouessac, and O. Grignone, *J. Am. Chem. Soc.*, **93**, 3091 (1971).
10. S. Danishefsky and R. K. Singh, *J. Am. Chem. Soc.*, **97**, 3239 (1975); E. M. Arnett, S. G. Maroldo, S. L. Schilling, and J. A. Harrelson, *J. Am. Chem. Soc.*, **106**, 6759 (1984); E. M. Arnett and J. A. Harrelson, Jr., *J. Am. Chem. Soc.*, **109**, 809 (1987).
11. A. Streitwieser, Jr., R. G. Lawler, and C. Perrin, *J. Am. Chem. Soc.*, **87**, 5383 (1965); J. E. Hofmann, A. Schriesheim, and R. E. Nichols, *Tetrahedron Lett.*, 1745 (1965).
- 13a. J. W. Bunting and J. P. Kanter, *J. Am. Chem. Soc.*, **115**, 11705 (1993).
- b. M. P. Harcourt and R. A. More O'Ferrall, *Bull. Soc. Chim. Fr.*, 407 (1988).
- c. J. K. Mukhopadhyaya, S. Sklenak, and Z. Rappoport, *J. Org. Chem.*, **65**, 6856 (2000).
- 14a. J. R. Keefe, A. J. Kresge, and Y. Yin, *J. Am. Chem. Soc.*, **110**, 1982 (1988); S. Eldin, R. M. Pollack, and D. L. Whalen, *J. Am. Chem. Soc.*, **113**, 1344 (1991); E. Eldin, D. L. Whalen, and R. M. Pollack, *J. Org. Chem.*, **58**, 3490 (1993).
- b. F. G. Bordwell and H. E. Fried, *J. Org. Chem.*, **56**, 4218 (1991).
- c. E. M. Arnett, S. G. Maroldo, S. L. Schilling, and J. A. Harrelson, **106**, 6759 (1984).
15. T. J. Sprules and J.-F. Lavalley, *J. Org. Chem.* **60**, 5041 (1995).
16. B. G. Cox, *J. Am. Chem. Soc.* **96**, 6823 (1974).
17. E. L. Eliel, A. A. Hartmann, and A. G. Abatjoglou, *J. Am. Chem. Soc.*, **96**, 1807 (1974); J.-M. Lehn and G. Wipff, *J. Am. Chem. Soc.*, **98**, 7498 (1976).
- 18a. N. S. Mills, J. Shapiro, and M. Hollingsworth, *J. Am. Chem. Soc.*, **103**, 1263 (1981).
- b. N. S. Mills, *J. Am. Chem. Soc.*, **104**, 5689 (1982).
19. R. B. Woodward and G. Small, Jr., *J. Am. Chem. Soc.*, **72**, 1297 (1950).
- 20a. E. J. Corey, T. H. Hopie, and W. A. Wozniak, *J. Am. Chem. Soc.*, **77**, 5415 (1955).
- b. E. W. Garbisch, Jr., *J. Org. Chem.*, **30**, 2109 (1965).
- c. F. Cajouille and D. Q. Quan, *C. R. Acad. Sci. C*, **265**, 269 (1967).
- d. C. W. P. Crowne, R. M. Evans, G. F. H. Green, and A. G. Long, *J. Chem. Soc.*, 4351 (1956).
- e. N. C. Deno and R. Fishbein, *J. Am. Chem. Soc.*, **95**, 7445 (1973).
- 21a. P. L. Stotter and K. A. Hill, *J. Am. Chem. Soc.*, **96**, 6524 (1974).
- b. B. J. L. Huff, F. N. Tuller, and D. Caine, *J. Org. Chem.*, **34**, 3070 (1969).
- c. H. O. House and T. M. Bare, *J. Org. Chem.*, **33**, 943 (1968).
- d. C. H. Heathcock, R. A. Badger, and J. W. Patterson, Jr., *J. Am. Chem. Soc.*, **89**, 4133 (1967).
- e. J. E. McMurry, *J. Am. Chem. Soc.*, **90**, 6821 (1968).
22. M. S. Newman, V. De Vries, and R. Darlak, *J. Org. Chem.*, **31**, 2171 (1966).
23. H. M. Walborsky and L. M. Turner, *J. Am. Chem. Soc.*, **94**, 2273 (1972); J. F. Arnett and H. M. Walborsky, *J. Org. Chem.*, **37**, 3678 (1972).
24. Y. Jasar, M. Gaudry, and A. Marquet, *Tetrahedron Lett.*, 53 (1976).
- 25a. J. Uenishi, Y. Tatsumi, N. Kobayashi, and O. Yonemitsu, *Tetrahedron Lett.*, **36**, 5909 (1995).
- b. A. G. Myers, B. H. Yang, H. Chen, L. McKinstry, D. J. Kopecky, and J. L. Gleason, *J. Am. Chem. Soc.*, **119**, 6496 (1997); J. L. Vicario, D. Badia, E. Dominguez, and L. Carrillo, *J. Org. Chem.*, **64**, 4610 (1999).
- c. D. Kim, W. J. Choi, J. Y. Hong, I. Y. Park, and Y. B. Kim, *Tetrahedron Lett.*, **37**, 1433 (1996).
26. M. Sefkow, A. Koch, and E. Kleinpeter, *Helv. Chim. Acta*, **85**, 4216 (2002).

Chapter 7

1. R. P. Bell, *Adv. Phys. Org. Chem.*, **4**, 1 (1966).
- 2a. A. Lapworth and R. H. F. Manske, *J. Chem. Soc.*, 1976 (1930).
- b. K. Bowden and A. M. Last, *J. Chem. Soc., Chem. Commun.* 1315 (1970).
- c. P. R. Young and W. P. Jencks, *J. Am. Chem. Soc.*, **99**, 1206 (1977).
- d. H. Dahn and M.-N. Ung-Truong, *Helv. Chim. Acta*, **70**, 2130 (1987).
- 3a,b. M. M. Kreevoy and R. W. Taft, Jr., *J. Am. Chem. Soc.*, **77**, 5590 (1955).
- c,d. M. M. Kreevoy, C. R. Morgan, and R. W. Taft, Jr., *J. Am. Chem. Soc.*, **82**, 3064 (1960).
- e. T. H. Fife and L. H. Brod, *J. Org. Chem.*, **33**, 4136 (1968).
4. R. G. Bergstrom, M. J. Cashen, Y. Chiang, and A. J. Kresge, *J. Org. Chem.*, **44**, 1639 (1979).
- 5a. S. M. Felton and T. C. Bruice, *J. Am. Chem. Soc.*, **91**, 6721 (1969); T. Maugh, II, and T. C. Bruice, *J. Am. Chem. Soc.*, **93**, 3237 (1971).

- b. L. E. Ebersson and L.-A. Svensson, *J. Am. Chem. Soc.*, **93**, 3827 (1971).
c. G. A. Rogers and T. C. Bruice, *J. Am. Chem. Soc.*, **96**, 2463 (1974).
d. T. C. Bruice and S. J. Benkovic, *J. Am. Chem. Soc.*, **85**, 1 (1963).
6. E. Anderson and T. H. Fife, *J. Am. Chem. Soc.*, **95**, 6437 (1973).
7. M. W. Williams and G. T. Young, *J. Chem. Soc.*, 3701 (1964).
8a. V. Somayaji and R. S. Brown, *J. Org. Chem.*, **51**, 2676 (1986).
b. A. J. Briggs, C. M. Evans, R. Glenn, and A. J. Kirby, *J. Chem. Soc., Perkin Trans. 2*, 1637 (1983);
C. B. Quin and J. R. Wiseman, *J. Am. Chem. Soc.*, **95**, 1342 (1973).
9a. N. S. Nudelman, Z. Gatto, and L. Bohe, *J. Org. Chem.*, **49**, 1540 (1984).
b. P. Baierwick, D. Hoell, and K. Mueller, *Angew. Chem. Int. Ed. Engl.*, **24**, 972 (1985).
c. C. Alvarez-Ibarra, P. Perez-Ossorio, A. Perez-Rubalcaba, M. L. Quiroga, and M. J. Santemases,
J. Chem. Soc., Perkin Trans. 2, 1645 (1983).
10. H. R. Mahler and E. H. Cordes, *Biological Chemistry*, Harper and Row, New York, 1966, p. 201.
11. J. Hajdu and G. M. Smith, *J. Am. Chem. Soc.*, **103**, 6192 (1981).
12. T. Okuyama, H. Shibuya, and T. Fueno, *J. Am. Chem. Soc.*, **104**, 730 (1982).
13. R. P. Bell, M. H. Rand, and K. M. A. Wynne-Jones, *Trans. Faraday Soc.*, **52**, 1093 (1956).
14. S. T. Purrington and J. H. Pittman, *Tetrahedron Lett.*, **28**, 3901 (1987).
15. J. T. Edwards and S. C. Wong, *J. Am. Chem. Soc.*, **101**, 1807 (1979).
16. H. Slebocka-Tilk, A. J. Bennet, J. W. Keillor, R. S. Brown, J. P. Guthrie, and A. Jodhan,
J. Am. Chem. Soc., **112**, 8507 (1990); H. Slebocka-Tilk, A. J. Bennet, H. J. Hogg, and R. S. Brown,
J. Am. Chem. Soc., **113**, 1288 (1991).
17. B. Capon and K. Nimmo, *J. Chem. Soc., Perkin Trans. 2*, 1113 (1975).
18. A. R. Fersht and A. J. Kirby, *J. Am. Chem. Soc.*, **90**, 5833 (1968).
19. D. P. Weeks and D. B. Whitney, *J. Am. Chem. Soc.*, **103**, 3555 (1981).
20. R. L. Schowen, C. R. Hopper, and C. M. Bazikian, *J. Am. Chem. Soc.*, **94**, 3095 (1972).
21. C. M. Evans, R. Glenn, and A. J. Kirby, *J. Am. Chem. Soc.*, **104**, 4706 (1982).
22a. T. Higuchi, H. Takeshi, I. H. Pitman, and H.-L. Fung, *J. Am. Chem. Soc.*, **93**, 539 (1971); T. C. Bruice
and I. Oka, *J. Am. Chem. Soc.*, **96**, 4500 (1974).
b. R. Hershfield and G. L. Schmir, *J. Am. Chem. Soc.*, **95**, 7359 (1973).
c. T. H. Fife and J. E. C. Hutchins, *J. Am. Chem. Soc.*, **94**, 2837 (1972).
d. C. J. Brown and A. J. Kirby, *J. Chem. Soc. Perkin Trans. 2*, 1081 (1997).
23. T. H. Fife, R. Bembi, and R. Natarajan, *J. Am. Chem. Soc.*, **118**, 12956 (1996).
24. T. S. Davis, P. D. Feil, D. G. Kubler, and D. J. Wells Jr., *J. Org. Chem.*, **40**, 1478 (1975).
25. A. J. Kirby and P. W. Lancaster, *J. Chem. Soc., Perkin Trans. 2*, 1206 (1972).
26. E. H. Cordes and W. P. Jencks, *J. Am. Chem. Soc.*, **85**, 2843 (1963).
27a. M. Hausermann, *Helv. Chim. Acta*, **34**, 1482 (1951).
b. A. C. Anderson and J. A. Nelson, *J. Am. Chem. Soc.*, **73**, 232 (1951).
c. W. A. Kleschick, C. T. Buse, and C. H. Heathcock, *J. Am. Chem. Soc.*, **99**, 247 (1977); C. H. Heathcock,
C. T. Buse, W. A. Kleschick, M. C. Pirrung, J. E. Sohn, and J. Lampe, *J. Org. Chem.*, **45**, 1066
(1980).
d. A. T. Nielsen and W. J. Houlihan, *Org. React.*, **16**, 1 (1968).
28. R. S. Brown and A. Aman, *J. Org. Chem.*, **62**, 4816 (1997).
29. T. C. Bruice and D. W. Tanner, *J. Org. Chem.*, **30**, 1668 (1965).
30. J. A. Walder, R. S. Johnson, and I. M. Klotz, *J. Am. Chem. Soc.*, **100**, 5156 (1978).
31. T. H. Fife, R. Singh, and R. Bembi, *J. Org. Chem.*, **67**, 3179 (2002).

Chapter 8

1. P. Reeves, T. Devon, and R. Pettit, *J. Am. Chem. Soc.*, **91**, 5890 (1969).
2a. H. L. Ammon and G. L. Wheeler, *J. Am. Chem. Soc.*, **97**, 2326 (1975).
b. W. v. E. Doering and C. H. DePuy, *J. Am. Chem. Soc.*, **75**, 5955 (1953).
c. J. H. M. Hill, *J. Org. Chem.*, **32**, 3214 (1967).
d. D. J. Bertelli, *J. Org. Chem.*, **30**, 891 (1965).
3a. W. v. E. Doering and F. L. Detert, *J. Am. Chem. Soc.*, **73**, 876 (1951).
b. E. F. Jenny and J. D. Roberts, *J. Am. Chem. Soc.*, **78**, 2005 (1956).
4a. J. J. Eisch, J. E. Galle, and S. Kozima, *J. Am. Chem. Soc.*, **108**, 379 (1986).
b. P. J. Garratt, N. E. Rowland, and F. Sondheimer, *Tetrahedron*, **27**, 3157 (1971).

- c. R. Concepcion, R. C. Reiter, and G. R. Stevenson, *J. Am. Chem. Soc.*, **105**, 1778 (1983).
d. G. Jonsall and P. Ahlberg, *J. Am. Chem. Soc.*, **108**, 3819 (1986).
e. J. M. Hebert, P. D. Woodgate, and W. A. Denny, *J. Med. Chem.*, **30**, 2081 (1987).
f. R. F. X. Klein and V. Horak, *J. Org. Chem.*, **51**, 4644 (1986).
g. D. A. Smith and J. Bitar, *J. Org. Chem.*, **58**, 6 (1993).
h. T. K. Zywiets, H. Jiao, P. v. R. Schleyer, and A. de Meijere, *J. Org. Chem.*, **63**, 3417 (1998).
i. M. J. S. Dewar and N. Trinajstic, *J. Chem. Soc. A*, 1754 (1969).
5. D. Cremer, T. Schmidt, and C. W. Bock, *J. Org. Chem.*, **50**, 2684 (1985).
6. B. A. Hess, Jr., and L. J. Schaad, *J. Am. Chem. Soc.*, **93**, 305 (1971).
7a. D. Bostwick, H. F. Henneike, and Jr. H. P. Hopkins, *J. Am. Chem. Soc.*, **97**, 1505 (1975).
b. A. Greenberg, R. P. T. Tomkins, M. Dobrovolny, and J. E. Liebman, *J. Am. Chem. Soc.*, **105**, 6855 (1983); F. Gavina, A. M. Costero, P. Gil, and S. V. Luis, *J. Am. Chem. Soc.*, **106**, 2077 (1984).
8. M. A. McAllister and T. T. Tidwell, *J. Am. Chem. Soc.*, **114**, 5362 (1992).
9. T. Otsuba, R. Gray, and V. Boekelheide, *J. Am. Chem. Soc.*, **100**, 2449 (1978).
10a. Z. Yoshida, M. Shibata, and T. Sugimoto, *Tetrahedron Lett.*, **24**, 4585 (1983); *J. Am. Chem. Soc.*, **106**, 6383 (1984).
b. K. Nakasuji, K. Yoshida, and I. Murata, *J. Am. Chem. Soc.*, **105**, 5136 (1983).
c. K. Takahashi, T. Nozoe, K. Takase, and T. Kudo, *Tetrahedron Lett.*, **25**, 77 (1984).
d. A. Minsky, A. Y. Meyers, K. Hafner, and M. Rabinovitz, *J. Am. Chem. Soc.*, **105**, 3975 (1983).
11. R. A. Wood, T. R. Welberry, and A. D. Rae, *J. Chem. Soc., Perkin Trans. 2*, 451 (1985); W. E. Rhine, J. H. Davis, and G. Stucky, *J. Organomet. Chem.*, **134**, 139 (1977); Y. Cohen, N. H. Roelofs, G. Reinhardt, L. T. Scott, and M. Rabinovitz, *J. Org. Chem.*, **52**, 4207 (1987); B. Eliasson and H. Edlund, *J. Chem. Soc., Perkin Trans. 2*, 1837 (1983); B. C. Becker, W. Huber, C. Schneiders, and K. Mueller, *Chem. Ber.*, **116**, 1573 (1983); A. Minsky, A. Y. Meyers, K. Hafner, and M. Rabinovitz, *J. Am. Chem. Soc.*, **105**, 3975 (1983); C. Glidewell and D. Lloyd, *J. Chem. Res.*, 283 (1989).
12. H. Prinzbach, V. Freudenberg, and U. Scheidegger, *Helv. Chim. Acta*, **50**, 1087 (1967); B. Eliasson, D. Johnels, I. Sethson, U. Edlund, and K. Mueller, *J. Chem. Soc. Perkin Trans. 2*, 897 (1990); I. Sethson, D. Johnels, U. Edlund, and A. Sygula, *J. Chem. Soc., Perkin Trans. 2*, 1339 (1990); C. Glidewell and D. Lloyd, *J. Chem. Res.*, 106 (1986).
13. J. F. M. Oth, K. Muller, H.-V. Runzheimer, P. Mues, and E. Vogel, *Angew. Chem. Int. Ed. Engl.*, **16**, 872 (1977). For computational studies on the conformations of octalene, see: G. Favini, G. Moro, R. Todeschini, and M. Simonetta, *J. Comput. Chem.*, **5**, 343 (1984); S. Koseki, M. Kataoka, M. Hanamara, T. Nakajima, and A. Toyota, *J. Org. Chem.*, **49**, 2988 (1984).
14. G. Jonsall and P. Ahlberg, *J. Am. Chem. Soc.*, **108**, 3819 (1986); P. Svensson, F. Reichel, P. Ahlberg, and D. Cremer, *J. Chem. Soc., Perkin Trans. 2*, 1463 (1991); D. Cremer, P. Svensson, E. Kraka, Z. Konkoli, and P. Ahlberg, *J. Am. Chem. Soc.*, **115**, 7457 (1993).
15. G. R. Stevenson and B. E. Forch, *J. Am. Chem. Soc.*, **102**, 5985 (1980).
16. H. A. Staab, F. Diedrich, C. Krieger, and D. Schwitzer, *Chem. Ber.*, **116**, 3504 (1983); H. Jiao and P. v. R. Schleyer, *Angew. Chem. Int. Ed. Engl.*, **35**, 2383 (1996).
17. T. K. Zywiets, H. Jiao, P. v. R. Schleyer, and A. de Meijere, *J. Org. Chem.*, **63**, 3417 (1998); R. Haag, R. Fleischer, D. Stalke, and A. de Meijere, *Angew. Chem. Int. Ed. Engl.*, **34**, 1492 (1995).
18. S. N. Rao, R. A. More O'Ferrall, S. C. Kelly, D. R. Boyd, and R. Agarwal, *J. Am. Chem. Soc.*, **115**, 5458 (1993); Z. S. Jia, P. Brandt, and A. Thibblin, *J. Am. Chem. Soc.*, **123**, 10147 (2001).
19. J.-L. M. Abboud, O. Castano, M. Herreros, I. Leito, R. Notario, and K. Sak, *J. Org. Chem.*, **63**, 8995 (1998).
20. S. P. Verevkin, H.-D. Beckhaus, C. Ruchardt, R. Haag, S. I. Kozhushkov, T. Zywiets, A. de Meijere, H. Jiao, and P. v. R. Schleyer, *J. Am. Chem. Soc.*, **120**, 11130 (1998).

Chapter 9

- 1a. C. K. Ingold and E. H. Ingold, *J. Chem. Soc.* 2249 (1928).
b. R. J. Albers and E. C. Kooyman, *Recl. Trav. Chim.*, **83**, 930 (1964).
c. J. R. Knowles and R. O. C. Norman, *J. Chem. Soc.*, 1938 (1961).
d. A. Gastaminza, T. A. Modro, J. H. Ridd, and J. H. P. Utley, *J. Chem. Soc. B*, 534 (1968).
e. J. R. Knowles, R. O. C. Norman, and G. K. Radda, *J. Chem. Soc.*, 4885 (1960).
f. F. L. Riley and E. Rothstein, *J. Chem. Soc.*, 3860 (1964).

2. T. C. van Hock, P. E. Verkade, and B. M. Wepster, *Recl. Trav. Chim.*, **77**, 559 (1958); A. van Loon, P. E. Verkade, and B. M. Wepster, *Recl. Trav. Chim.*, **79**, 977 (1960).
3. G. Olah, S. J. Kuhn, S. H. Flood, and J. C. Evans, *J. Am. Chem. Soc.*, **84**, 3687 (1962).
4. J. E. Dubois, J. J. Aaron, P. Alcais, J. P. Doucet, F. Rothenberg, and R. Uzan, *J. Am. Chem. Soc.*, **94**, 6823 (1972).
5. R. M. Roberts and D. Shienghong, *J. Am. Chem. Soc.*, **86**, 2851 (1964).
6. R. L. Dannley, J. E. Gagen, and K. Zak, *J. Org. Chem.*, **38**, 1 (1973); R. L. Dannley and W. R. Knipple, *J. Org. Chem.*, **38**, 6 (1973).
- 7a. C. D. Gutsche and K. H. No, *J. Org. Chem.*, **47**, 2708 (1982).
- b. G. D. Figuly and J. C. Martin, *J. Org. Chem.*, **45**, 3728 (1980).
- c. K. Dey, C. Eaborn, and D. R. M. Walton, *Organomet. Chem. Synth.*, **1**, 151 (1970-1971).
- d. S. Winstein and R. Baird, *J. Am. Chem. Soc.*, **79**, 756 (1957).
8. D. S. Noyce, P. A. Kittle, and E. H. Bannitt, *J. Org. Chem.*, **33**, 1500 (1958).
9. M. Essiz, G. Guillaumet, J.-J. Brunet, and P. Caubere, *J. Org. Chem.*, **45**, 240 (1980).
10. W. Nagata, K. Okada, and T. Akoi, *Synthesis*, 365 (1979).
11. W. G. Miller and C. U. Pittman, Jr., *J. Org. Chem.*, **39**, 1955 (1974).
12. T. A. Modro and K. Yates, *J. Am. Chem. Soc.*, **98**, 4247 (1976).
13. A. V. R. Rao, V. H. Desphande, and N. L. Reddy, *Tetrahedron Lett.*, **23**, 4373 (1982).
14. L. M. Jackman and V. R. Haddon, *J. Am. Chem. Soc.*, **96**, 5130 (1974); M. Gates, D. L. Frank, and W. C. von Felten, *J. Am. Chem. Soc.*, **96**, 5138 (1974).
15. C. K. Ingold, *Structure and Mechanism in Organic Chemistry*, 2nd Edition, Cornell University Press, Ithaca, 1969, pp. 340-344; C. G. Swain and D. R. Crist, *J. Am. Chem. Soc.*, **94**, 3195 (1972).
16. J. Rosenthal and D. I. Schuster, *J. Chem. Ed.*, **80**, 679 (2003).
17. R. B. Moodie and K. Schofield, *Acc. Chem. Res.*, **9**, 287 (1976).
18. P. C. Myhre, M. Beug, and L. L. James, *J. Am. Chem. Soc.*, **90**, 2105 (1968).
- 19a. L. R. C. Barclay, B. A. Ginn, and C. E. Milligan, *Can. J. Chem.*, **42**, 579 (1964).
- b. A. A. Khalaf and R. M. Roberts, *J. Org. Chem.*, **34**, 3571 (1969); A. A. Khalaf, *Rev. Chim. (Bucharest)*, **19**, 1373 (1974).
- c. S. K. Taylor, G. H. Hockerman, G. L. Karrick, S. B. Lyle, and S. B. Schramm, *J. Org. Chem.*, **48**, 2449 (1983).
- 20a. G. P. Stahly, *J. Org. Chem.*, **50**, 3091 (1985).
- b. A. I. Meyers and P. D. Pansegrau, *Tetrahedron Lett.*, **24**, 4935 (1983).
- c. M. Makosza and J. Winiarski, *J. Org. Chem.*, **49**, 1494 (1984).
- d. I. J. Anthony and D. Wege, *Aust. J. Chem.*, **37**, 1283 (1984).
- e. Y. Konayashi, T. Nagai, I. Kumadaki, M. Takahashi, and T. Yamauchi, *Chem. Pharm. Bull.*, **32**, 4382 (1984); P. C. Myhre and G. D. Andrews, *J. Am. Chem. Soc.*, **92**, 7596 (1970).
- f. A. R. Katritzky and K. S. Laurenzo, *J. Org. Chem.*, **51**, 5039 (1986).
- g. T. Yamato, G. Hideshima, G. K. Surya Prakash, and G. A. Olah, *J. Org. Chem.*, **56**, 3955 (1991).
21. A. Wang, J. A. Maquire and E. Biehl, *J. Org. Chem.*, **63**, 2451 (1998).

Chapter 10

- 1a. R. B. Woodward and R. Hoffmann, *Angew. Chem. Int. Ed. Engl.*, **8**, 781 (1969); O. N. Faza, C. S. Lopez, R. Alvarez, and A. R. de Lera, *Chem. Eur. J.*, **10**, 4324 (2004).
- b. R. B. Woodward and R. Hoffmann, *J. Am. Chem. Soc.*, **87**, 395 (1965); D. R. Williams and J. T. Reeves, *J. Am. Chem. Soc.*, **126**, 3434 (2004).
- c. R. Hoffmann and R. A. Olofson, *J. Am. Chem. Soc.*, **88**, 943 (1966); R. B. Bates, W. H. Deines, D. A. McCombs, and D. E. Potter, *J. Am. Chem. Soc.*, **91**, 4608 (1969).
- 2a. E. Vogel, *Liebigs Ann. Chem.*, **615**, 14 (1958).
- b. A. C. Cope, A. C. Haven, Jr., F. L. Ramp, and E. R. Turnbull, *J. Am. Chem. Soc.*, **74**, 4867 (1952).
- c. R. Pettit, *J. Am. Chem. Soc.*, **82**, 1972 (1960).
- d. K. M. Rapp and J. Daub, *Tetrahedron Lett.*, 2011 (1976).
- e. E. J. Corey and D. K. Herron, *Tetrahedron Lett.*, 1641 (1971).
3. A. G. Anastassiou, V. Orfanos, and J. H. Gebrian, *Tetrahedron Lett.*, 4491 (1969); P. Radlick and G. Alford, *J. Am. Chem. Soc.*, **91**, 6529 (1969).
- 4a. K. B. Wiberg, V. Z. Williams, Jr., and L. E. Friedrich, *J. Am. Chem. Soc.*, **90**, 5338 (1968).
- b. P. S. Wharton and R. A. Kretchmer, *J. Org. Chem.*, **33**, 4258 (1968).

- c. d. R. K. Hill and M. G. Bock, *J. Am. Chem. Soc.*, **100**, 637 (1978).
d. M. Newcomb and W. T. Ford, *J. Am. Chem. Soc.*, **95**, 7186 (1973).
e. R. K. Hill, C. B. Giberson, and J. V. Silverton, *J. Am. Chem. Soc.*, **110**, 497 (1988).
- 5a. S. W. Staley and T. J. Henry, *J. Am. Chem. Soc.*, **93**, 1292 (1971).
b. T. Kaufmann and E. Koppelman, *Angew. Chem. Int. Ed. Engl.*, **11**, 290 (1972).
c. C. W. Jefford, A. F. Boschung, and C. G. Rimbault, *Tetrahedron Lett.*, 3387 (1974).
d. M. F. Semmelhack, H. N. Weller, and J. S. Foos, *J. Am. Chem. Soc.*, **99**, 292 (1977).
e. R. K. Boeckman, Jr., M. H. Delton, T. Nagasaka, and T. Watanabe, *J. Org. Chem.*, **42**, 2946 (1977); M. F. Semmelhack, H. N. Weller, and J. Clardy, *J. Org. Chem.*, **43**, 3791 (1978).
f. I. Hasan and F. W. Fowler, *J. Am. Chem. Soc.*, **100**, 6696 (1978).
g. R. Subramanyam, P. D. Bartlett, G. Y. M. Iglesias, W. H. Watson, and J. Galloy, *J. Org. Chem.*, **47**, 4491 (1982).
6. C. Basavaiah, S. Pandiaraju, and M. Krishnamacharyulu, *Synlett*, 747 (1996).
- 7a. L. A. Feiler, R. Huisgen, and P. Koppitz, *J. Am. Chem. Soc.*, **96**, 2270 (1974).
b. H. H. Wasserman, J. U. Piper, and E. V. Dehmlow, *J. Org. Chem.*, **38**, 1451 (1973).
c. D. A. Evans and A. M. Golob, *J. Am. Chem. Soc.*, **97**, 4765 (1975).
d. K. Oshima, H. Takahashi, H. Yamamoto, and H. Nozaki, *J. Am. Chem. Soc.*, **95**, 2693 (1973).
e. V. Cere, E. Dalcanele, C. Paolucci, S. Pollicino, E. Sandri, L. Lunazzi, and A. Fava, *J. Org. Chem.*, **47**, 3540 (1982).
f. L. A. Paquette and M. J. Wyratt, *J. Am. Chem. Soc.*, **96**, 4671 (1974); D. McNeil, B. R. Vogt, J. J. Sudol, S. Theodoropoulos, and E. Hedaya, *J. Am. Chem. Soc.*, **96**, 4673 (1974).
g. W. Grimme, *J. Am. Chem. Soc.*, **95**, 2381 (1973).
h. W. Weyler, Jr., L. R. Byrd, M. C. Caserio, and H. W. Moore, *J. Am. Chem. Soc.*, **94**, 1027 (1972).
i. M. Nakazaki, K. Naemura, H. Harada, and H. Narutaki, *J. Org. Chem.*, **47**, 3470 (1982).
j. F. Binns, R. Hayes, K. J. Hodgetts, S. T. Saengchantara, T. W. Wallace, and C. J. Wallis, *Tetrahedron*, **52**, 3631 (1996).
8. W. H. Rastetter and T. J. Richard, *J. Am. Chem. Soc.*, **101**, 3893 (1979).
9. R. Huisgen and W. E. Konz, *J. Am. Chem. Soc.*, **92**, 4102 (1970).
10. D. B. Ramachary, N. S. Chowdari, and C. F. Barbas, III, *Tetrahedron Lett.*, **43**, 6743 (2002).
- 11a. D. A. Evans, D. H. B. Ripin, J. S. Johnson, and E. A. Shaughnessy, *Angew. Chem. Int. Ed. Engl.*, **36**, 2119 (1997).
b. H. Waldman, E. Blaeser, M. Jansen, and H.-P. Letschert, *Chem. Eur. J.*, **1**, 150 (1995).
c. U. Chiacchio, F. Casuscelli, A. Corsaro, A. Rescifina, G. Romeo, and N. Uccella, *Tetrahedron*, **50**, 6671 (1994).
- 12a. L. A. Paquette and R. S. Beckley, *J. Am. Chem. Soc.*, **97**, 1084 (1975).
b. K. C. Nicolaou, N. A. Petasis, R. E. Zipkin, and J. Uenishi, *J. Am. Chem. Soc.*, **104**, 5555 (1982).
c. B. M. Trost and A. J. Bridges, *J. Am. Chem. Soc.*, **98**, 5017 (1976).
d. K. C. Nicolaou, N. A. Petasis, R. E. Zipkin, and J. Uenishi, *J. Am. Chem. Soc.*, **104**, 5555 (1982).
e. K. J. Shea and R. B. Phillips, *J. Am. Chem. Soc.*, **100**, 654 (1978).
f. J. G. Millar, *Tetrahedron Lett.*, **38**, 7971 (1997).
13. R. K. Hill, J. W. Morgan, R. V. Shetty, and M. E. Synerholm, *J. Am. Chem. Soc.*, **96**, 4201 (1974); H. M. R. Hoffmann, *Angew. Chem. Int. Ed. Engl.*, **8**, 556 (1969).
- 14a. T. J. Brocksom and M. G. Constantino, *J. Org. Chem.*, **47**, 3450 (1982).
b. L. E. Overman, G. F. Taylor, K. N. Houk, and L. N. Domelsmith, *J. Am. Chem. Soc.*, **100**, 3182 (1978).
c. P. W. Tang and C. A. Maggulli, *J. Org. Chem.*, **46**, 3429 (1981).
d. R. B. Woodward, F. Sondheimer, D. Taub, K. Heusler, and W. M. McLamore, *J. Am. Chem. Soc.*, **74**, 4223 (1952).
e. T. Cohen and Z. Kosarych, *J. Org. Chem.*, **47**, 4005 (1982).
- 15a. S. V. Ley and L. A. Paquette, *J. Am. Chem. Soc.*, **96**, 6670 (1974).
16a. A. K. Cheng, F. A. L. Anet, J. Mioduski, and J. Meinwald, *J. Am. Chem. Soc.*, **96**, 2887 (1974).
b. J. S. McKennis, L. Brener, J. S. Ward, and R. Pettit, *J. Am. Chem. Soc.*, **93**, 4957 (1971).
c. W. Grimme, H. J. Riebel, and E. Vogel, *Angew. Chem. Int. Ed. Engl.*, **7**, 823 (1968).
d. W. Grimme, *J. Am. Chem. Soc.*, **94**, 2525 (1972).
e. J. J. Gajewski, L. K. Hoffman, and C. N. Shih, *J. Am. Chem. Soc.*, **96**, 3705 (1974).
f. D. P. Lutz and J. D. Roberts, *J. Am. Chem. Soc.*, **83**, 2198 (1961).
17. A. Krantz, *J. Am. Chem. Soc.*, **94**, 4020 (1972).
18. D. A. Smith and C. W. Ulmer, II, *J. Org. Chem.*, **62**, 5110 (1997); T. Suzuki, T. Ohwada, and K. Shudo, *J. Am. Chem. Soc.*, **119**, 6774 (1997).
- 19a. A. Viola and L. Levasseur, *J. Am. Chem. Soc.*, **87**, 1150 (1965).

- b. S. F. Reed, Jr., *J. Org. Chem.*, **30**, 1663 (1965).
c. T. S. Cantrell and H. Schecter, *J. Am. Chem. Soc.*, **89**, 5868 (1967).
d. R. B. Woodward, R. E. Lehr, and H. H. Inhoffen, *Liebigs Ann. Chem.*, **714**, 57 (1968).
e. R. B. Woodward and T. J. Katz, *Tetrahedron*, **5**, 70 (1959).
f. N. J. Turro and W. B. Hammond, *Tetrahedron*, **24**, 6029 (1968).
g. W. J. Linn and R. E. Benson, *J. Am. Chem. Soc.*, **87**, 3657 (1965).
h. M. Jones, Jr., S. D. Reich, and L. T. Scott, *J. Am. Chem. Soc.*, **92**, 3118 (1970).
i. P. G. Gassman, J. J. Roos, and S. J. Lee, *J. Org. Chem.*, **49**, 717 (1984).
j. V. Glock, M. Wette, and F.-G. Klärner, *Tetrahedron Lett.*, **26**, 1441 (1985).
k. Y. N. Gupta, M. J. Don, and K. N. Houk, *J. Am. Chem. Soc.*, **104**, 7336 (1982).
l. P. A. Zoretic, R. J. Chambers, G. D. Marbury, and A. A. Riebiro, *J. Org. Chem.*, **50**, 2981 (1985).
m. S. Sato, K. Tomita, H. Fujita, and Y. Sabo, *Heterocycles*, **22**, 1045 (1984).
n. M. Nakazaki, K. Naemura, H. Harada, and H. Narutaki, *J. Org. Chem.*, **47**, 3470 (1982).
20. A. G. Anastassiou and E. Yakali, *J. Chem. Soc., Chem. Commun.*, 92 (1972); M. Mauksch, V. Gogonea, H. Jiao, and P. v. R. Schleyer, *Angew. Chem. Int. Ed. Engl.*, **37**, 2395 (1998).
21. U. Salzner and S. M. Bachrach, *J. Org. Chem.*, **61**, 237 (1996).

Chapter 11

- 1a. H. O. House, C.-Y. Chu, W. V. Phillips, T. S. B. Sayer, and C.-C. Yau, *J. Org. Chem.*, **42**, 1709 (1977).
b. K. Fukunishi, Y. Inoue, Y. Kishimoto, and F. Mashio, *J. Org. Chem.*, **40**, 628 (1975).
c. C. Walling and D. Bristol, *J. Org. Chem.*, **37**, 3514 (1972).
d. D. H. Miles, P. Loew, W. S. Johnson, A. F. Kluge, and J. Meinwald, *Tetrahedron Lett.*, 3019 (1972).
e. K. Pederson, P. Jakobsen, and S.-O. Lawesson, *Org. Synth.*, **V**, 70 (1973).
f. R. Dowbenko, *Org. Synth.*, **V**, 93 (1973).
g. W. H. Sharkey and C. M. Langkammerer, *Org. Synth.*, **V**, 445 (1973).
h. P. D. Klemmensen, H. Kolind-Andersen, H. B. Madsen, and A. Svendsen, *J. Org. Chem.*, **44**, 416 (1979).
i. R. A. Rossi, R. H. deRossi, and A. F. Lopez, *J. Am. Chem. Soc.*, **98**, 1252 (1976).
j. D. W. Grattan, J. M. Locke, and S. R. Wallis, *J. Chem. Soc., Perkin Trans. 1*, 2264 (1973).
2. W. A. Pryor, D. L. Fuller, and J. P. Stanley, *J. Am. Chem. Soc.*, **94**, 1632 (1972).
3. L. H. Gale, *J. Am. Chem. Soc.*, **88**, 4661 (1961).
4. I. Rosenthal and D. Elad, *J. Org. Chem.*, **33**, 825 (1968); R. Lalande, B. Maillard, and M. Cazaux, *Tetrahedron Lett.*, 745 (1969).
5a. D. D. Tanner, H. Yabuuchi, and E. V. Blackburn, *J. Am. Chem. Soc.*, **93**, 4802 (1971); Z.-H. Li, K.-N. Fan, and M. W. Wong, *J. Phys. Chem. A*, **105**, 10890 (2001).
b. E. Mueller, *Tetrahedron Lett.*, 1835 (1974).
c. A. L. J. Beckwith and C. J. Easton, *J. Am. Chem. Soc.*, **103**, 615 (1981).
d. H. C. Brown, M. S. Kharasch, and T. H. Caho, *J. Am. Chem. Soc.*, **62**, 3435 (1940).
e. A. Effio, D. Griller, K. U. Ingold, J. C. Scaiano, and S. J. Sheng, *J. Am. Chem. Soc.*, **102**, 6063 (1980).
f. N. O. Brace, *J. Am. Chem. Soc.*, **86**, 523 (1964).
g. J. M. Cummins, U.-H. Dolling, A. W. Douglas, S. Karady, W. R. Leonard, Jr., and B. F. Marcume, *Tetrahedron Lett.*, **40**, 6153 (1999).
h. C. L. Karl, E. J. Maas, and W. Reusch, *J. Org. Chem.*, **37**, 2834 (1972).
6a. W. H. Urry, D. R. Trecker, and H. D. Hartzler, *J. Org. Chem.*, **29**, 1663 (1964).
b. H. Pines, N. C. Sih, and D. B. Rosenfeld, *J. Org. Chem.*, **31**, 2255 (1966).
c. D. D. Tanner, E. V. Blackburn, and G. E. Diaz, *J. Am. Chem. Soc.*, **103**, 1557 (1981).
d. H. Driquez, J. M. Pantan, and J. Lessard, *Can. J. Chem.*, **55**, 700 (1977).
e. H. Feuer, J. Doty, and J. P. Lawrence, *J. Org. Chem.*, **38**, 417 (1973).
f. E. A. Mayeda, *J. Am. Chem. Soc.*, **97**, 4012 (1975).
g. X. Creary, *J. Org. Chem.*, **45**, 280 (1980).
h. A. L. J. Beckwith and R. D. Wagner, *J. Am. Chem. Soc.*, **101**, 7099 (1979).
7. L. K. Montgomery and J. W. Matt, *J. Am. Chem. Soc.*, **89**, 6556 (1967).
8. P. D. Bartlett, R. E. Pincock, J. H. Rolston, W. G. Schindel, and L. A. Singer, *J. Am. Chem. Soc.*, **87**, 2590 (1965).
9. E. S. Huysen and B. Giddings, *J. Org. Chem.*, **27**, 3391 (1962).

10. N. C. Deno, W. E. Billups, R. Fishbein, C. Pierson, R. Whalen, and J. C. Wyckoff, *J. Am. Chem. Soc.*, **93**, 438 (1971).
- 11a. D. H. Levy and R. J. Myers, *J. Chem. Phys.*, **41**, 1062 (1964).
- b. J. K. Kochi and P. J. Krusic, *J. Am. Chem. Soc.*, **90**, 7157 (1968).
- 12a. S. Winstein and F. H. Seubold, Jr., *J. Am. Chem. Soc.*, **69**, 2916 (1947).
- b. J. W. Wilt and H. P. Hogan, *J. Org. Chem.*, **24**, 441 (1959).
- c. P. S. Skell, R. G. Allen, and N. D. Gilmour, *J. Am. Chem. Soc.*, **83**, 504 (1961).
- d. L. H. Slaugh, *J. Am. Chem. Soc.*, **87**, 1522 (1965).
- e. H. Meislich, J. Constanza, and J. Strelitz, *J. Am. Chem. Soc.*, **33**, 3221 (1968).
13. P. R. Story, D. D. Denson, C. E. Bishop, B. C. Clark, Jr., and J.-C. Farine, *J. Am. Chem. Soc.*, **90**, 817 (1968).
14. K. J. Shea and P. S. Skell, *J. Am. Chem. Soc.*, **95**, 6728 (1973).
15. W. A. Bonner and F. D. Mango, *J. Org. Chem.*, **29**, 430 (1964).
- 16a. N. Kornblum, H. K. Singh, and W. J. Kelly, *J. Org. Chem.*, **48**, 332 (1983).
- b. G. A. Russell, F. Ros, J. Hershberger, and H. Tashtoush, *J. Org. Chem.*, **47**, 1480 (1982).
- c. G. A. Russell, J. Hershberger, and K. Owens, *J. Am. Chem. Soc.*, **101**, 1312 (1979).
17. S. S. D. Brown, J. J. Colquhoun, W. McFarlane, M. Murray, I. D. Salfer, and V. Sik, *J. Chem. Soc., Chem. Commun.*, 53 (1986).
18. D. J. DeFrees, R. J. McIver, and W. J. Hehre, *J. Am. Chem. Soc.*, **102**, 3334 (1980); J. D. Roberts, A. Streitwieser, and C. M. Regan, *J. Am. Chem. Soc.*, **74**, 4579 (1952).
- 19a. K. S. Feldman, A. L. Romanelli, R. E. Ruckle, Jr., and G. Jean, *J. Org. Chem.*, **57**, 100 (1992).
- b. J. P. Vionnet and P. Renaud, *Helv. Chim. Acta*, **77**, 1781 (1994).
20. J. R. Bews, C. Glidewell, and J. C. Walton, *J. Chem. Soc., Perkin Trans. 2*, 1447 (1982). M.-S. Lee, D. A. Hrovat, and W. T. Borden, *J. Am. Chem. Soc.*, **117**, 10353 (1995).
21. T. H. Peterson and B. K. Carpenter, *J. Am. Chem. Soc.*, **114**, 1496 (1992).

Chapter 12

1. C. C. Lee and D. Unger, *Can. J. Chem.*, **50**, 593 (1972).
- 2a. E. Vogel, W. Grimme, and E. Dinne, *Tetrahedron Lett.*, 391 (1965); W. G. Dauben and M. S. Kellogg, *J. Am. Chem. Soc.*, **102**, 4456 (1980).
- b. J. Meinwald and J. W. Young, *J. Am. Chem. Soc.*, **93**, 725 (1971).
- c. D. M. Madigan and J. S. Swenton, *J. Am. Chem. Soc.*, **93**, 6316 (1971).
- d. E. J. Corey and A. G. Hortmann, *J. Am. Chem. Soc.*, **85**, 4033 (1963).
- e.f. K. M. Shumate, P. N. Neumann, and G. J. Fonken, *J. Am. Chem. Soc.*, **87**, 3996 (1965); K. M. Shumate and G. J. Fonken, *J. Am. Chem. Soc.*, **88**, 1073 (1966).
- 3a. O. Rodriguez and H. Morrison, *J. Chem. Soc. Chem. Commun.*, 679 (1971).
- b. W. G. Dauben and M. S. Kellogg, *J. Am. Chem. Soc.*, **102**, 4456 (1980).
- c. D. H. R. Barton, D. L. J. Clive, P. D. Magnus, and G. Smith, *J. Chem. Soc. C*, 2193 (1971).
- 4a. W. C. Agosta and A. B. Smith, III, *J. Am. Chem. Soc.*, **93**, 5513 (1971).
- b. W. Ferree, Jr., J. B. Grutzner, and H. Morrison, *J. Am. Chem. Soc.*, **93**, 5502 (1971).
- c. A. Wissner, *J. Org. Chem.*, **42**, 356 (1977).
- d. G. W. Shaffer and M. Pesaro, *J. Org. Chem.*, **39**, 2489 (1974).
- e. D. R. Morton and N. J. Turro, *J. Am. Chem. Soc.*, **95**, 3947 (1973).
- f. H. Hart and A. F. Naples, *J. Am. Chem. Soc.*, **94**, 3256 (1972).
- g. M. Pomerantz and G. W. Gruber, *J. Am. Chem. Soc.*, **93**, 6615 (1971).
- h. O. L. Chapman, G. W. Borden, R. W. King, and B. Winkler, *J. Am. Chem. Soc.*, **86**, 2660 (1964); A. Padwa, L. Brodsky, and S. Clough, *J. Am. Chem. Soc.*, **94**, 6767 (1972).
- i. D. I. Schuster and C. W. Kim, *J. Am. Chem. Soc.*, **96**, 7437 (1974).
- j. W. G. Dauben, M. S. Kellogg, J. I. Seeman, and W. A. Spitzer, *J. Am. Chem. Soc.*, **92**, 1786 (1970).
- k. A. Padwa and W. Eisenberg, *J. Am. Chem. Soc.*, **92**, 2590 (1970).
- l. D. H. R. Barton and G. Quinkert, *J. Chem. Soc.*, 1 (1960); J. Griffiths and H. Hart, *J. Am. Chem. Soc.*, **90**, 5296 (1968).
- m. R. S. Cooke and G. D. Lyon, *J. Am. Chem. Soc.*, **93**, 3840 (1971).
- n. D. Bryce-Smith and J. E. Lodge, *J. Chem. Soc.*, 695 (1963); E. Grovenstein and D. V. Rao, *Tetrahedron Lett.*, 148 (1961).
- o. L. E. Friedrich and J. D. Bower, *J. Am. Chem. Soc.*, **95**, 6869 (1973).

5. T.-Y. Leong, I. Imagawa, K. Kimoto, and M. Kawanishi, *Bull. Chem. Soc. Jpn.*, **46**, 596 (1973).
6. W. B. Hammond and T. S. Yeung, *Tetrahedron Lett.*, 1173 (1975).
7. H. E. Zimmerman, R. S. Givens, and R. M. Pagni, *J. Am. Chem. Soc.*, **90**, 6096 (1968).
8. P. J. Wagner, P. A. Kelso, and R. G. Zepp, *J. Am. Chem. Soc.*, **94**, 7480 (1972).
10. N. J. Turro and D. S. Weiss, *J. Am. Chem. Soc.*, **90**, 2185 (1968).
11. S. Boue and R. Srinivasan, *J. Am. Chem. Soc.*, **92**, 3226 (1970); J. Saltiel et al., *Org. Photochem.*, **3**, 1 (1973).
12. W. G. Dauben, K. Koch, S. L. Smith, and O. L. Chapman, *J. Am. Chem. Soc.*, **85**, 2616 (1963).
13. H. E. Zimmerman and R. D. Solomon, *J. Am. Chem. Soc.*, **108**, 6276 (1986).
14. H. E. Zimmerman, *Angew. Chem. Int. Ed. Engl.*, **8**, 1 (1969).
15. K. R. Huffman, M. Burger, W. H. Henderson, Jr., M. Loy, and E. F. Ullman, *J. Org. Chem.*, **34**, 2407 (1969).
16. F. D. Lewis, R. W. Johnson, and D. E. Johnson, *J. Am. Chem. Soc.*, **96**, 6090 (1974).
17. H. E. Zimmerman, R. J. Boettcher, N. E. Buehler, G. E. Keck, and M. G. Steinmetz, *J. Am. Chem. Soc.*, **98**, 7680 (1976).
18. H. E. Zimmerman, R. J. Boettcher, and W. Braig, *J. Am. Chem. Soc.*, **95**, 2155 (1973).
19. J. R. Scheffer, K. S. Bhandari, R. E. Gayler, and R. A. Wostradowski, *J. Am. Chem. Soc.*, **97**, 2178 (1975).
20. C. W. Jefford and F. Delay, *J. Am. Chem. Soc.*, **97**, 2272 (1975).
21. G. Rattray, J. Yang, A. D. Gudmundsdottir, and J. R. Scheffer, *Tetrahedron Lett.*, **34**, 35 (1993).
22. H. Meier and P. Konig, *Nouv. J. Chem.*, **10**, 437 (1986); M. Zheng, K. J. DiRico, M. M. Kirchoff, K. M. Phillips, L. M. Cuff, and R. P. Johnson, *J. Am. Chem. Soc.*, **115**, 12167 (1993).
23. T. Hasegawa, Y. Yang, and M. Yoshioka, *Bull. Chem. Soc. Jpn.*, **64**, 3488 (1991).

Index

- ab initio, *see* MO Theory
- absorption bands
 - comparison of a *cis-trans* isomer pair, 1081
 - of *E-* and *Z-*stilbene, 1087
 - wavelength ranges for organic compounds, 1074
- acenaphthacene
 - bond lengths of, 751
- acetaldehyde
 - conformation, 148
 - hydration, 638
- acetals
 - conformation, 83, 231–232
 - formation of, 640
 - hydrolysis of, 641–645
 - general acid catalysis of, 641–644, 669
 - nucleophilic catalysis in, 669
 - solvent isotope effect in, 641
 - specific acid catalysis of, 641
 - of salicylic acid
 - mechanism of hydrolysis, 668–669
- acetic acid derivatives
 - acidity of, 13, 53, 102–103
- acetone
 - aldol reaction of, 685
 - enolization of, 608
- acetophenone
 - enolization of, 607
- acetylene, *see* ethyne
- acidity
 - of alcohols, 104
 - of carbonyl compounds, 591–597
 - of carboxylic acids, 13, 53–54, 102–103, 105
 - of cyano compounds, 598
 - of halogenated alcohols, 105
 - of hydrides of second and third row elements, 103–104
 - of hydrocarbons, computation of, 56–57
 - of nitroalkanes, 591, 597
 - of phosphorus ylides, 600–601
 - of representative compounds, table, 593
- acidity functions, 349–350
- acids, *see also* carboxylic acids
 - strong, gas phase ionization energies, 57
- acrolein, *see* propenal
- acryloyl lactates
 - as dienophiles, 849
- acylases
 - as catalysts for esterification, 223
- acylation
 - of alcohols, 664–667
 - of amines, 667
 - in Friedel-Crafts reactions, 809–813
- acyl halides
 - in Friedel-Crafts reactions, 772, 809–813
 - Lewis acid complexes of, 810
 - relative reactivity of, 328
- acylium ion
 - as intermediates
 - in alcohol acylation, 666
 - in Friedel-Crafts acylation, 809–813
- acyloxy radicals
 - decarboxylation of, 967, 980, 1013
- acyl radicals
 - addition reactions of, 1032–1033
 - decarbonylation of, 967, 1017, 1122
 - generation of, 1031–1032
 - from acyl selenides, 1032
 - from aldehydes, 1031
 - SOMO of, 1031
 - stabilization of, 318, 1055
- adamantane
 - derivatives, in nucleophilic substitution, 402, 412–413, 416

- adamantane (*cont.*)
halides, substitution reactions, 1052
structure of, 166
- adamantanone
polar effects in reduction of, 238–239
- AIBN, *see* azoisobutyronitrile
- AIM, *see* atoms in molecules approach
- Albery-More O’Ferrall-Jencks diagram, *see*
potential energy diagram, two-dimensional
- alcohol dehydrogenase
enantiospecificity of, 135
- alcohols
acetal formation, 640
acidity of, 104–105
acylation of, 664–667
acylium ions as intermediates, 664–665
carbodiimides in, 667
allylic
enantioselective epoxidation of, 196–199
dehydration of, 474, 563–564
esterification of, 664–668
nucleophilic catalysis in, 665
synthesis using organoboranes, 527–528
- aldehydes, *see also* carbonyl compounds
addition reactions of, 629–632
conformation of, 148
cyanohydrins from, 635
imine formation from, 645–650
radical addition reactions of, 1031–1034
- Alder rule, 840–841
- aldol reaction, 682
acid-catalyzed mechanism, 683
analysis by Marcus equation, 283–285
base-catalyzed mechanism, 683
directed, 687
kinetic control in, 688–689
stereochemistry of, 688–692
enantioselective catalysts for, 695–697
examples of, 682
kinetics of, 284–5, 685
mixed aldol reaction, 685–686
regioselectivity of, 686
stereoselectivity of, 685
silyl ketene acetals as nucleophiles in, 697
silyl ketene thioacetals as nucleophiles in, 697
thermodynamic control in, 690
- alkanes
bond orders for, 77
computation of enthalpy of formation by MO
methods, 52
conformation of, 142–145
molecular graphs for, 64
- alkenes
bridgehead, synthesis by intramolecular
Diels-Alder reactions, 871
bromination, 482–497
bromonium ion intermediates in, 486
mechanism of, 492
reagents for, 491
stereospecificity of, 183–185, 487–489
- chlorination, 487–488
rearrangement during, 494
configuration of, 113
conformation of, 145–148
bisected, definition, 145
eclipsed, definition, 145
cyclic, photoreactions of, 1094
cycloaddition reactions with enones, 1125–1126
dihydroxylation of, 186
computational model for, 202–203
enantioselective, 200–203
electrophilic addition reactions of, 473–476
comparison of, 531–536
mechanisms for, 474–478
enthalpy of formation, 256–257
epoxidation, 186–187, 503–511
by dimethyldioxirane, 507–510
- fluorination
reagents for, 496
- halogenation, 485–497
relative rate in, table, 487
stereochemistry of, 487–488
- hydration of, 474, 482–484
relative rates of, table, 484
- hydroboration of, 521–526
electrophilic character of, 522
mechanism of, 522
reagents for, 521, 524–525
regioselectivity of, table, 523
steric effects in, 523
thermal reversibility of, 524–525
- hydroboration-oxidation of, 187–188
- hydrobromination, radical
examples of, 1036
regiochemistry of, 1027
stereochemistry, 1027–1028
- hydrohalogenation, 474, 476–482
by radical addition, 1026–1028
stereochemistry of, 478–479
- oxymercuration of, 515–520
relative rates for, table, 516
substituent effects in, 518–520
- photochemical cycloadditions, 1109–1111
with aromatic compounds, 1135–1137
with carbonyl compounds, 1132–1134
- photochemical isomerization of, 1081–1090
composition of photostationary state, 1082
of ethene, 1082–1083
of stilbene, 1085–1090
of styrene, 1083–1085
- photochemical reactions of, 1091–1096,
1109–1111
examples, 1111
- radical addition reactions, 1004–1008
of aldehydes, 1031, 1034
examples, 1033–1036
of formamide, 1032–1033

- of halomethanes, 1029–1031
- of hydrogen halides, 1026–1028
- substituent effects on rates, 1004–1006
- of thiols and thiocarboxylic acids, 1033
- relative reactivity of, summary, 531–535
 - with trifluoroacetic acid, 484–485
 - with trifluoromethanesulfonic acid, 484
- selenenylation, 497, 498, 500–503
 - relative reactivity of, 501
- silver complexes of, 520–521
- stabilization by substituents, 52
- sulfonylation, 497–500
 - relative reactivity of, 501
- alkoxyl radicals
 - formation from alkyl hypochlorites, 1015
 - fragmentation of, 1114–1116
- alkylboranes, *see* boranes, alkyl
- alkyl groups
 - as electron donating groups, 13
 - electronegativity of, 13, 102–103
- alkyl halides
 - bridgehead, reactivity of, 435
 - $S_{RN}1$ substitution reactions, 1051
 - $S_{RN}1$ substitution reactions of, 1048–1052
 - synthesis
 - using organoboranes, 529
- 1,3-allylic strain, definition, 147
- in alkylidene cyclohexanes, 161
- alkyl radicals
 - disproportionation of, 966
 - halo-substituted
 - Structure of, 981–982
 - structure of, 980–984
- alkynes
 - Acidity of, 584
 - electrophilic addition reactions of, 537–545
 - halogenation, 540–544
 - hydration of, 538, 544
 - hydrohalogenation of, 539–540
 - mercuration of, 545
- allenes
 - chirality of, 129
 - electrophilic addition reactions of, 545–546
 - hybridization in, 6
- allyl cation
 - cycloaddition with alkenes, 48
 - from cyclopropyl cation, 907–908
 - MOs of, 48
 - stabilization of, 302
- allyl phenyl ethers
 - Claisen rearrangement of, 934
- allyl radical
 - resonance in, 312–313, 985
 - structure of, 985
 - substituent effects on, 986–987
- allyl vinyl ether
 - Claisen rearrangement of, 273, 933–934
- AlpineHydride®
 - in enantioselective reduction of ketones, 193
- aluminum trichloride
 - in Friedel-Crafts reaction, 809–813
 - as Lewis acid catalyst, 354
- AM1 MO method, 32
- amides
 - hydrolysis, 662–664
 - mechanism of, 327
 - protonation of, 663–664
 - resonance in, 320–322
- amine oxides
 - allyl, [2,3]-sigmatropic rearrangements of, 941
- amines
 - alkylation by $S_{RN}1$ substitution reactions, 1047
 - bifunctional, intramolecular catalysis by, 675
 - bond energies in, 317, 1054
 - configuration and inversion of, 129
 - diazotization of, 405
 - hyperconjugation in, 315, 1054
 - N*-allyl, aza Wittig rearrangement of, 944
 - synthesis using organoboranes, 528–529
- aminolysis
 - of esters, 659–662
 - of salicylate esters, 673
- anhydrides, *see* carboxylic acid anhydrides
- annulenes, 715–718
 - [10]annulene, 728–730
 - [12]annulene, 730
 - dianion of, 742
 - Mobius topology, 737
 - [14]annulene, 730–732
 - [16]annulene, 732–733
 - Mobius topology, 737
 - [18]annulene, 733–734
 - [20]annulene, 734
 - Mobius topology, 737
 - [22]annulene, 734
 - [24]annulene, 734
 - Hückel MOs for, 30
 - large ring, 734–735
 - NICS values for, 735
- anomeric effect, *see also* hyperconjugation
 - in acyclic molecules, 81–85
 - computational analysis of, 231–232
 - in conformation of disubstituted methanes, 81–85
 - in cyclic ethers, 227–233
 - electrostatic effects in, 230–231
 - hyperconjugation in, 230–231
 - MO interpretation, 82
 - role in nucleoside conformation, 233–234
 - solvent effects on, 231–232
 - in tetrahydropyrans, 228–233
- anthracene, 749
 - Diels-Alder reaction with tetracyanoethene, 859
 - electrophilic aromatic substitution in, 793
- antiaromatic, definition, 714
- antioxidants, 994–995
- ARCS, *see* aromatic ring current shielding

- aromatic compounds
fused ring systems, 745–758
Diels-Alder reactions of, 748–749, 857–858
examples of, 746
halogenation of, 800–804
hardness of, 750, 795
heterocyclic, 758–760
nitration of, 796–800
photochemistry of, 1134–1137
redox potentials of, 990
- aromaticity
of charged rings, 32, 738–743
examples of, 738
criteria for, 714
bond length alternation, 718–719
electronic, 720–724
in fused ring systems, 747–748
stabilization energy, 715–718
of cyclopropenium ions, 738–739
of fused ring systems, 745–758
Huckel rule for, 31, 713
of transition state in Diels-Alder reaction, 851
- aromatic ring current shielding
as a criterion of aromaticity, 721
- aromatic stabilization energy, definition, 717
- of heteroaromatic compounds, 758
of indacene, 754
- aromatic substitution, *see* electrophilic, nucleophilic etc.
- Arrhenius equation, 272
- aryl halides
benzyne from, 821–822
 $S_{RN}1$ substitution reactions, 1048–1052
examples of, 1051
mechanism of, 1049, 1052
- aryl radicals
from *N*-acyloxypyridine-2-thiones, 980
from *N*-nitrosoacetanilides, 979
- ASE, *see* aromatic stabilization energy
- aspirin, *see* salicylic acid esters
- 1,2-asymmetric induction, 171
Cieplak model for, 180
Cram's rule for, 179
Felkin-Ahn model for, 179
- 1,3-asymmetric induction
in hydride reduction of ketones, 181
- atomic charge, *see also* electron density distribution
definition, 27, 713
- atoms in molecules approach, 62–69
for aromatic compounds, 723–724
- atom transfer reactions, definition, 966
- Aufbau principle, 35
- autoxidation, 1024
of aldehydes, 1025
of ethers, 1026
of hydrocarbons, 995, 1025
relative rates, 1025
of isopropylbenzene, 1025
- azetidiones
formation by [2+2] cycloadditions of imines, 890–891
- azides
as 1,3-dipoles, 875
aryl, as ambiphilic 1,3-dipoles, 876–878
frontier orbitals of, 880–881
- azo compounds
configuration of, 121
as sources of radicals, 978
- azoisobutyronitrile
as radical source, 978
- azomethine imines
as 1,3-dipoles, 875
- azomethine ylides
as 1,3-dipoles, 875
generation from aziridines, 885
- azulene
dipole moment of, 753
stabilization of, 747, 752
structure of, 752
- B3LYP computational method, 55
- 9-BBN, *see* 9-borabicyclo[3.3.1]nonane
- Baeyer-Villiger reaction, 1025
- basicity function
 H_- , 580
- basis sets, definition, 26–27
abbreviations for, table, 34
characteristics of, 33–35
- Bell-Evans-Polyani relationship, 288–289
in 1,3-dipolar cycloaddition reactions of ethene, 883
for hydrogen abstraction reactions, 1001–1002, 1056–1057
quadratic, for reaction of hydroxyl radical with halomethanes, 1060
- benzaldehyde
excited state of, 1118
- benzene
acidity of, 583
electron density in, 57–58
Hückel MO diagram for, 714
photocycloaddition with alkenes, 1135–1137
photoisomerization of, 1135
photoproducts of, 1134
radical anion of, 990
ESR spectrum of, 972
resonance in, 18, 62
stabilization in, 716–718, 727
- benzocyclobutadiene
generation of, 751
properties of, 751–2
- benzophenone
reductive photodimerization of, 1119–1120
- benzvalene, *see* tricyclo[3.1.0.0^{2,6}]hex-3-ene
- benzyl cation
in Friedel-Crafts alkylation reactions, 806, 808

- resonance in, 62
- substituent effects on, 432–433
- benzyl radical
 - resonance in, 312–313
 - substituent effects on, 986–987
- benzyne
 - additions to, 823
 - generation of, 821–824
- biaryls
 - chirality of, 129–130
- bicyclo[1.1.0]butane, 87–88
 - reaction with halogens, 87
- bicyclo[1.1.1]pentane, 87–88
- bicyclo[2.2.0]hexa-2,5-diene
 - conversion to benzene, transition structures for, 904
 - derivatives of, 904
 - kinetic stability of, 904
 - synthesis of, 904
- bicyclo[4.1.0]hepta-2,4-dienes
 - electrocyclic reactions of, 905
- bicyclo[5.2.0]octa-3,5-diene
 - Cope rearrangement of, 927
- bicyclo[6.2.0]deca-1,3,5,7,9-pentaene, 753–4
- BINAP, *see* *bis*-2,2'-(diphenylphosphinyl)-1,1'-binaphthalene
- 1,1'-binaphthalene-2,2'-diol
 - chirality of, 130
 - derivatives as catalysts for enantioselective Diels-Alder reactions, 868
- 1,1'-binaphthyl derivatives
 - chirality of, 129–130
- BINOL, *see* 1,1'-binaphthalene-2,2'-diol
- biphenylene, 824
- bis*-2,2'-(diphenylphosphinyl)-1,1'-binaphthalene
 - chirality of, 130
 - as ligand in enantioselective hydrogenation, 190
- bis*-oxazoline catalysts
 - for aldol reaction, 696
 - for enantioselective Diels-Alder reactions, 867–868
- bond angles
 - in relation to hybridization, 4–5, 87
- bond critical point, AIM definition, 63
- bond dipole, 10
- bond dissociation energy, 257–258
 - computation of, 318
 - electronegativity effect on, 14, 259–260
 - of halogens, 258–259
 - relationship to radical stability, 312–313, 317, 1052–1055
 - relation to hybridization, 259–260
 - in relation to hydrogen abstraction reactions, 1001
 - table of, 258, 1053
- bond energy, *see also* bond dissociation energy
 - intrinsic, 1053
 - in substituted carbonyl compounds, 321
- bond length
 - computation by MO methods, 51
 - as a criterion of aromaticity, 718–719
- bond order
 - in carbonyl compounds, 320–321
 - as a criterion of aromaticity, 723–724
 - of hydrocarbons, 77
 - relation to electron density, 76–77
- bond path
 - AIM definition, 63
- bonds, *see* chemical bonds
- 9-borabicyclo[3.3.1]borane
 - formation of, 188
 - hydroboration by, 524, 533
- boranes
 - alkyl
 - chiral, 529–531
 - formation of, 188
 - halogenation of, 529
 - hydroboration by, 524
 - oxidation of, 527–528
 - reactions of, 526–529
 - reduction of ketones by, 193–194
 - allyl, facile 1,3-sigmatropic shift in, 916
 - chloro
 - reduction of ketones by, 193–194
 - halo
 - hydroboration by, 524, 531
 - as radical sources, 979
- borohydrides, alkyl
 - in reduction of ketones, 193
- boron enolates
 - in aldol reactions, 690–691
 - of amides, 693
 - of esters, 693
 - of *N*-acyloxazolidinones
 - in aldol reactions, 694–695
- boron trifluoride
 - complex with 2-methylpropenal, 849
 - as Lewis acid catalyst, 354
- BOX catalysts, *see bis*-oxazolines
- BPE, *see* phosphines
- bromination, *see also* halogenation
 - of alkenes
 - mechanism of, 486–489
 - reagents for, 491
 - stereospecificity of, 183–185
 - allylic, 1020–1021
 - of aromatic compounds, 802–803
 - substituent effects on, 290–293
 - of butene, kinetic isotope effect, 335
 - by *N*-bromosuccinimide, 1020–1
 - by radical substitution, 1018–24
 - examples, 1002–4
 - of dienes, 496–497
- bromohydrins
 - formation of, 492

- bromonium ions
in bromination of alkenes, 185, 486, 535
characterization of, 489–491
computational modeling, 494–495
- bromotrichloromethane, *see* halomethanes
- Brønsted catalysis law, 348, 602
- 1,3-butadiene and derivatives
2,3-*bis*-(*t*-butyl)
photoproducts from, 1103
- 2,3-dimethyl
photocyclization of, 1101
- 2-cyano
photoproducts from, 1103
- conformation of, 149–51
- electron density distribution in, 21, 73–74
- electrostatic potential surface of, 73–74
- excited states for
computational modeling, 1137–1142
- photochemical reactions of, 1100–1101
- photodimerization of, 1103–4
effect of photosensitizers, 1104
- photoisomerization of, 1096–1097
- resonance in, 20, 62
- stabilization of, 262
- but-3-enyl radical
from ring opening of cyclopropylmethyl radical, 972
- butane
chlorination of, 996
conformation of, 143–144
rotational barrier in, 80
- 2-butanone
conformation of, 149
- 1-butene
kinetic isotope effect in bromination, 335
kinetic isotope effect in epoxidation, 335
- 2-butene
photochemical cycloaddition of, 1109
- t*-butyl carbocation
structure of, 430
- t*-butyl hydroperoxide
as a radical source, 977
in Sharpless asymmetric epoxidation, 197
- t*-butyl hypochlorite, 1022
- 2-butylium cation
rearrangement of, 441–444
- Cahn-Ingold-Prelog priority rules, 120, 122
- capto-dative stabilization of radicals, 316, 987–988
- carbanions
[12]annulene dianion, 742
additions to carbonyl compounds, 676–682, 687–692
bicyclo[3.2.1]octa-2,6-dienide, 744–745
charge distribution in, 308
cyclononatetraenide, aromaticity of, 741
cyclooctatetraene dianion, aromaticity of, 741
cyclopentadienide, aromaticity of, 740
- hybridization of, 307
as nucleophiles, 609–619
organometallic compounds, relation to, 588–591
phenalenyl, 757
proton affinity of, 308
table, 310
stabilization by substituents, 307–311, 591–601
computation of, 309–311
phosphorus-containing, 599
sulfur-containing, 599
structure of, 307, 585
- carbocations
[C₃H₇]⁺ isomers, 441
[C₄H₇]⁺ isomers, 453
[C₄H₉]⁺ isomers, 441–443
[C₅H₁₁]⁺ isomers, 444–445
- 2-butyl
rearrangements of, 441–444
- adamantyl, 431
- alkenyl, 435–436
- allyl
from cyclopropyl cation by ring opening, 907–908
stabilization of, 302
- aromatic, 303
- aryl, 436
- benzylic, 302, 439
substituent effects on, 432–433
- bicyclic, rearrangement of, 446
- bicyclobutonium, 453, 744
electron density for, 744
- bridged, 301, 432, 440, 447–453
examples, 452
- t*-butyl, 430
- charge distribution in, 306–307, 429–430
- computational characterization of, 305–306
- cycloheptatrienyl, 740
- cyclohexadienyl
Huckel MO diagram for, 775
observation of, 777–778
role in electrophilic aromatic substitution, 775–776
trapping of, 778
- cyclohexyl, rearrangement of, 445–446
- cyclooctatrienyl, 743–745
- cyclopentadienyl, 739–740
- cyclopropenyl, 738–739
- cyclopropyl, ring opening of, 907–908
- cyclopropylmethyl, 427
elimination versus substitution, 437–439
from diazonium ions, 405–407
hybridization of, 300
hydride affinity of, 303, 314
table, 303, 314
- hyperconjugation in, 301, 305, 307, 429, 432
as intermediates
in electrophilic addition reactions, 479, 480
in Friedel-Crafts alkylation, 806, 808
in nucleophilic substitution, 391–393

- methyl, 300
 electron distribution in, 65
methylcyclohexyl, 430–431
norbornyl, 422, 448–452
observation of, 436–438
pentadienyl
 electrocyclization of, 908–909
in petroleum processing, 454–459
phenalenyl, 757
phenonium, 425
phenyl, 436, 817
rearrangement of, 440–447, 480
resonance in, 22, 301–302, 433
stability of, 300, 426–429
 table, 427
structure of, 430–433
substituent effects on, 304–305, 432–434, 632
substitution versus elimination, 437–439
trichloromethyl, 434
trifluoromethyl, 434
vinyl, 435–436
 α -alkoxy, 22
- carbodiimides
 in acylation reactions, 667
- carbon
 electronegativity of, 12–14
- carbonium ions, 456–458
 structure of, 458
- carbon monoxide
 electron density by Laplacian function, 94
- carbon tetrachloride, *see* halomethanes
- carbonyl addition reactions
 acid and base catalysis of, 345, 630
 mechanisms of, 325–327
 nucleophilic, intermediates in, 319–331
 radical, comparison of rates with alkenes, 1007–1008
 tetrahedral intermediate in
 evaluation of relative stability, 329–30
- carbonyl compounds, *see also* aldehydes, esters, ketones, etc.
 acetal formation, 640
 addition reactions of, 629–632
 with enolates and enols, 682–697
 with organometallic reagents, 676–682
 condensation reactions of, 629, 645–653
 with nitrogen nucleophiles, 645–653
 conformation of, 148–149
 cyanohydrin formation from, 635
 enolization of, 601–608
 excited states of, 1116–1117
 charge distribution and bond order, 1117
 structure, 1116–1117
 hydration of, 638–639
 acid and base catalysis of, 639
 equilibrium constants for, table, 329, 638
 interaction with Lewis acids, 323, 636–637, 848–850
 photochemical reactions of, 1116–1132
 cycloaddition with alkenes, 1132–1134
 type-II cleavage, proton affinity of, 636
 α -cleavage, 1118, 1120–1122, 1124
 reactions with organometallic reagents, 676–682
 stereoselectivity of, 680–682
 reduction, 176–179
 by sodium borohydride, 633–634
 enantioselective, 193–196
 relative reactivity of, 319–323, 632–637
 resonance effects in, 320–321
 substituent effects in, 320–322
 substitution reactions of, 629, 654–668
 acylation of alcohols, 664–667
 amide hydrolysis, 662–664
 ester aminolysis, 659–662
 ester hydrolysis, 654–658
 intramolecular catalysis of, 668–676
 tetrahedral intermediates in, 630
 unsaturated
 conformation of, 151
 excited states of, 1117–1118
 photocycloaddition reactions with alkenes, 1125–1126
 photoreactions of, 1123–1124
 resonance of, 21
- carboxylic acid anhydrides
 rate of hydrolysis, 328
- carboxylic acid derivatives, *see also* acyl chloride, acid anhydrides, etc.
 acylation reactions of, 664–668
 reactivity toward organometallic compounds, 677
 relative reactivity of, 636
 substitution reactions of, 654–668
- carboxylic acids
 acid dissociation constants, computation of, 53
 derivatives, relative reactivity of, 328
 substituent effects on acidity, 13, 53–54, 105, 322
- CAS MO method, 36
- catalysis, 345–358
 by acids and bases, 345–353
 by Lewis acids, 354–358
 intramolecular in carbonyl substitution reactions, 668–676
 nucleophilic
 in ester hydrolysis, 657
- catalytic hydrogenation, *see* hydrogenation
- catalytic reforming, 454–456
- catalytic triad in enzymatic hydrolysis, 675–676
- catechol borane
 hydroboration by, 525
- CBS catalysts, *see also* oxazaborolidines
 for enantioselective reduction of ketones, 194–196
- CBS MO method, 36
- CD, *see* circular dichroism

- chain reaction, definition, 965
chain length of, 965, 993
initiation of, 965, 993
kinetic characteristics of, 992–995
propagation phase, 965, 993
termination of, 965, 993
- charge distribution, *see* electron density distribution
- chelation control
in hydride reduction of ketones, 181–182
in organometallic additions to carbonyl compounds, 680–682
computational modeling of, 681–682
- chemical bonds
bent, in cyclopropanes, 85
polarity of, 10
- chemical kinetics, *see* kinetics
- chemically induced dynamic nuclear polarization
in decomposition of benzoyl peroxide, 975
in decomposition of trichloroacetyl peroxide, 976
for detection of radicals, 974–975
- chemical potential, definition, 95
- chiral auxiliaries
in control of stereoselectivity, 207–208
for Diels-Alder reactions, 865–866
- chirality, definition, 122
relationship to molecular symmetry, 131–133
- chiral selectors, in capillary electrophoresis, 214
- chiral shift reagents, 208–211
- chiral stationary phase
brush type, 213
chiracels as, 212
for enantiomeric separation, 211–213
- chiraphos, *see* phosphines
- chlorination, *see also* halogenation
of alkenes, 487–488
of alkynes, 540–543
of aromatic compounds, 800–804
of butane, 996
by radical chain substitution
substituent effects on, 1022
by *t*-butyl hypochlorite, 1022
- chlorohydrins
formation of, 492
- chloronium ions, 490, 535
computational modeling, 494–495
- chrysene, 749
- α -chymotrypsin
in resolution of α -amino esters, 222
- CIDNP, *see* chemically induced dynamic nuclear polarization
- Cieplak model, 180, 234
- circular dichroism, definition, 125
- Claisen rearrangements, 933–937
activation parameters for, 273, 933
of allyl aryl ethers, 934–935
of allyl vinyl ether, 933
Marcus theory treatment of, 936
stereochemistry of, 935
substituent effect on, 935–938
- Claisen-Schmidt condensation, 685–686
examples of, 687
- CNDO MO method, 32
- concerted pericyclic reaction, definition, 833
- configuration, definition, 117
specification of in Fischer projection formulas, 127
at tetrahedral atoms, 122
- conformation, definition, 117
of 1,3-butadiene, 149–151
of 1-butene, 147
of 2-butanone, 149
of 3-pentanone, 149
of acyclic compounds, 142–151
of aldehydes, 148
of alkanes, 142–145
of alkenes, 145–147
of butane, 80, 143–144
of chlorocyclohexane, 155–156
of cycloalkanes, 161–166
of cyclobutane derivatives, 161
of cyclodecane, 165–166
of cycloheptane, 163–164
of cyclohexane derivatives, 152–161
of cyclohexanones, 161
of cyclohexene, 160
of cyclooctane, 164–165
of cyclopentane derivatives, 162–163
of disubstituted methanes, 81–85
of ethane, 142–143
of iodocyclohexane, 156–157
of ketones, 148–149
of large ring hydrocarbons, 166
of methanol, 145
of methylamine, 145
of propenal, 148, 151
- conformational free energy, definition, 156
measurement of, 156–158
table of values, 158
- conical intersections in photochemical reactions, 1080
of 1,3,5-hexatriene
computational modeling of, 1142–1144
of 1,3-butadiene
computational modeling of, 1140–1142
of photocycloaddition of benzene and ethane, 1136–1137
potential energy surface for, 1080
of stilbene, 1089–1090
- connectivity, 1
- conrotatory, definition, 893
- conservation of orbital symmetry
for concerted pericyclic reactions, 833
- constitution, molecular, 1
- Cope rearrangement, 920–931
of 3-amino-1,5-hexadienes, 933–934
activation energy for, 920

- of barbaralane, 931
- of bulvalene, 930–931
- chair versus boat transition structure for, 923
- computational modeling of, 926–927
- cyano substituents, effect on, 927
- of divinylcyclopropane, 929
- effect of strain on, 928
- More-O’Ferrall-Jencks diagram for, 928
- of semibullvalene, 931
- stereochemistry of, 922–923
- substituent effects on, 924–928
- covalent radii, 24
 - definition within DFT, 97
 - table of, 25, 98
- Crabtree catalyst, 174
- cracking, 454–456
- Cram’s rule, 179
- critical micellar concentration, definition, 219
- critical point, in electron density distribution, 63
 - for substituted methanes, 66–68
- crown ether catalysts, 364–365
- CSP, *see* chiral stationary phase
- cubane
 - acidity of, 373–374
 - halogenation of, 1003
- Curtin-Hammett principle, 296–297
- cyano groups
 - anion stabilization by, 598
- cyanohydrins
 - formation from carbonyl compounds, 635
- cycloaddition reactions, 834–892
 - [2+2] of ketenes, 835, 888–892
 - azetidiones from, 891–892
 - intramolecular, 890–891
 - orbital array for, 888–889
 - stereoselectivity of, 890
 - transition structure for, 889
 - 1,3-dipolar cycloaddition as, *see also* 1,3-dipolar cycloaddition, 834
 - antarafacial and suprafacial modes of, 836
 - application of DFT concepts to regiochemistry, 945–951
 - Diels-Alder as, *see also* Diels-Alder reaction, 834
 - as examples of concerted pericyclic reactions, 834
 - Huckel versus Mobius topology of, 836
 - of ozone with ethene, 49–50
 - photochemical, of alkenes, 1125–1126
 - Woodward-Hoffmann rules for, 836–837
- cycloalkanes
 - configuration of, 121
 - conformation of, 161–166
 - molecular symmetry of, 133
 - strain in, 161–166
- cycloalkenes
 - chirality of, 130
 - E*-cycloalkenes, racemization of, 131
 - photochemistry of, 1094–1096
- 1,3-cyclobutadiene
 - antiaromaticity of, 714, 718, 726
 - destabilization of, 718, 726
 - generation of, 725
 - Huckel MO diagram for, 714
 - reactions of, 725
 - structure of, 726
- 1,3-cyclohexadiene derivatives
 - electrocyclic ring opening of, 1108–1109
 - photoproducts from, 1106, 1112
- cyclobutane derivatives
 - conformation of, 162
 - formation by cycloaddition, 891
- cyclobutenes
 - 1-aryl
 - photoproducts from, 1105
 - electrocyclic ring opening of, 892–893
 - 3,4-dichlorocyclobutene, 903
 - inward versus outward rotation during, 901–903
 - stereochemistry of, 896–897
 - photochemical reactions of, 1104–1105
- cyclodecane
 - conformation of, 165–166
- cycloheptane
 - conformation of, 163–164
- cycloheptatrienes
 - electrocyclic reactions of, 905
 - sigmatropic shift of hydrogen in, 917–918
- cycloheptatrienyl cation
 - aromaticity of, 32, 740
- cycloheptene
 - photoreactions of, 1094
- 1,5-cyclohexadienone
 - 4,4-diphenyl, photochemistry of, 1130–1132
- cyclohexane derivatives
 - alkyl, conformation of, 157–159
 - chloro-
 - conformational half-life of, 153–154
 - conformation of, 152–161
 - iodo- conformation by NMR, 156–157
 - kinetics of ring inversion, 152–156
- cyclohexanone derivatives
 - conformation of, 161
 - stereoselective reduction of, 176–179
- cyclohexene
 - 1-phenyl
 - photodimerization of, 1110–1111
 - conformation of, 170
 - photoreactions of, 1094–1095, 1110
- cyclohexyl radical
 - structure of, 984
- 1,3-cyclooctadiene
 - photocyclization of, 1101
- 1,4-cyclooctadiene
 - photocyclization of, 1111
- 1,5-cyclooctadiene
 - photochemistry of, 1145

- cyclooctane
 conformation of, 164–165
cyclooctatrienyl cation, 743
1,3,5,7-cyclooctatetraene
 dianion of, 741–742, 990
 dication of, 742
 photochemistry of, 1144
 properties of, 727–728
cyclooctene
 E-isomer, chirality of, 131
 photoreactions of, 1094
cyclopentadiene
 acidity of, 740
 derivatives, sigmatropic shifts in, 917
 Diels-Alder reactions of, 840–841, 843
cyclopentadienyl anion
 aromaticity of, 32, 740
cyclopentadienyl cation, 739–740
cyclopentane derivatives
 conformation of, 162–163
 pseudorotation in, 163
cyclopentene
 photocycloaddition with cyclohexene, 1125–1126
 photoreactions of, 1095
cyclopentenone
 photochemical reactions of, 1125
cyclopropane
 bonding in, 85–87
 divinyl, Cope rearrangement, 929
 electron delocalization in, 86–87
 hybridization in, 86
 protonated
 in carbocation rearrangements, 441–443
 structure of, 162
 vinyl, thermal rearrangement, 929
cyclopropenium cation, 738–739
cyclopropyl cation
 electrocyclic ring opening of, 907–908
cyclopropyl halides
 S_{RN}1 substitution reactions, 1051
cyclopropylmethyl cation, 427
cyclopropylmethyl radical
 generation of, 972
 potential energy profile for, 974
 ring opening of, 973–974, 1008–1009

decahydronaphthalene, *see* decalin
decalin
 conformations of, 159–160
decarbonylation
 of acyl radicals, 967
 of ketones, photochemical, 1120–1122
decarboxylation
 Of acyloxy radicals, 967, 979–980
degenerate rearrangements, 930–931
dehalogenation
 stereochemistry of, 564–565

dehydration
 of alcohols, 474, 564–565
 in aldol reactions, 683–685
delocalization energy, definition, 19
 as a criteria of aromaticity, 715
 estimation of, 30
density functional theory
 application to properties and reactivity, 94–105
 B3LYP method, 55–57
 concepts, application to cycloaddition reactions, 947–951
 electron density functionals, 54–57
 interpretation of substituent effects by, 100–105
 Kohn-Sham equation, 54
Dewar benzene, *see* bicyclo[2.2.0]hexa-2,5-diene
DFT, *see* density functional theory
DHQ, *see* quinoline alkaloids
DHQD, *see* quinoline alkaloids
diamines
 intramolecular catalysis by, 675
diaminomethane, conformation, 84
diamond lattice, as conformational framework, 166
diastereomers, definition, 126–127
diastereotopic, definition, 134
 relationship to NMR spectra, 134–135
diazoalkanes
 as 1,3-dipoles, 875, 878–879
 relative reactivity of, table, 877
 frontier orbitals of, 880–881
diazonium ions
 alkyl
 nucleophilic substitution reactions of, 405–407
 stability of, 68
 aryl
 as electrophiles in aromatic substitution, 813–814
 benzyl, in electrophilic aromatic substitution, 808
 methyl, charge distribution in, 66
 α -dicarbonyl compounds
 enolization of, 606
 β -dicarbonyl compounds
 acidity of, 592
 enolization of, 603–606
Diels-Alder reaction, 839–873
 as an indicator of aromatic stabilization, 748–749
 application of DFT concepts to reactivity, 945–950
 in comparison with frontier MO theory, 949
 softness matching for regioselectivity, 948
catalysis by Lewis acids, 356, 848–850
 chiral auxiliaries for, 865–866
 enantioselective, 865–868
 examples of, 861
 intramolecular, 868–873
 conformational factors in, 869–870
 examples of, 872–873
 inverse electron demand, 843
 of isobenzofuran derivatives, 760, 858, 864
 kinetic isotope effect in, 335

- of polycyclic aromatic hydrocarbons, 748–749, 857–858
- regioselectivity of, 843–848
- frontier MO analysis of, 843–847
- stereochemistry of, 839
- Alder rule for, 840–841
- computational analysis of, 852–853
- Lewis acids, effect on, 853
- secondary orbital interactions in, 842, 854–855
- substituent effects on, 843–848
- synthetic applications of, 860–864
- transition structures for, 840–841
- aromaticity of, 851
- charge transfer character in, 847, 857–858, 950
- computational characterization of, 851–860
- synchronicity of, 852, 855–856
- water, as solvent for, 850
- 1,4-dienes
- photochemical reactions of, 1112–1116
- 1,5-dienes
- [3,3]-sigmatropic rearrangements of, 920–930
- substituted, BDE for, table, 988
- dienes, *see also* specific dienes e.g. 1,3-butadiene
- addition reactions
- bromination of, 496–497
- with hydrogen halides, 481
- conformation of, 149–151
- in Diels-Alder reactions, 842
- Danishefsky's diene, 864
- in Diels-Alder reactions, 839
- 2-substituted, 847–848
- effect of conformation, 842
- effect of substituents on rate, 843–848
- electrocyclic reactions of, 892–893
- global electrophilicity of, table, 946
- local electrophilicity of, 947
- local nucleophilicity of, 947
- local softness of, 948
- photochemical reactions of, 1100–1104
- computational interpretation, 1137–1145
- photoisomerization of, 1096–7
- quinodimethanes as, 857, 864
- dienophiles, 839
- chiral acrylate esters as, 865–866
- effect of substituents on reactivity, 843–848
- examples of, 844
- frontier orbitals of, 846–847
- global electrophilicity of, 946
- local electrophilicity of, 947
- local nucleophilicity of, 947
- local softness of, 948
- nitroethene as, 862
- quinones as, 862
- vinylphosphonium salts as, 863
- vinyl sulfones as, 863
- vinyl sulfoxides as, 863
- dihydroxylation of alkenes
- enantioselective, 200–203
- computational model for, 202–203
- reagent control of, 206–207
- diisopinocampheylborane
- in enantioselective reduction of ketones, 194
- hydroboration by, 529–531
- dimethoxymethane
- conformation, 83
- stabilization of, 262–263
- dimethyl sulfoxide
- as solvent, 363, 411–412
- 2,4-dinitrofluorobenzene
- nucleophilic substitution reactions of, 820
- dinitrogen, *see* Nitrogen, molecular
- DIOP, *see* phosphines
- dioxoles
- anomeric effects in, 233
- DIPAMP, *see* phosphines
- 1,2-diphenylethane-1,2-diamine
- as chiral shift additive for NMR, 210
- diphenylpicrylhydrazyl, as radical inhibitor, 994
- 1,3-dipolar cycloaddition reactions, 873–888
- application of DFT concepts to, 950–951
- Bell-Evans-Polyani relation in, 883
- catalysis of, 886–888
- computational modeling of, 887
- tris*-aryloxyaluminum as, 886
- comparison with Diels-Alder reaction, 883
- computational model of, 880–883
- examples of, 885
- frontier MO interpretation of, 874–882
- intramolecular, 884
- regiochemistry, 880–883
- effect of catalysts, 886–888
- electronic versus steric control, 880, 886
- stereochemistry of, 877–879
- synchronicity of, 882
- synthetic applications of, 884–886
- 1,3-dipoles
- characteristics of, 874
- examples of, 875
- frontier orbitals of, 880–881
- global electrophilicity of, 950
- dipolarophiles
- frontier orbitals of, 845–847
- relative reactivity of, table, 876
- with ethene, 883
- dipole moment
- computation of, 53
- diradicals
- photochemical generation, 1123
- structural effect on lifetimes, 1017–1018
- disiamylborane
- formation of, 188
- hydroboration by, 524
- dispersion forces, 24
- disrotatory, definition, 893
- dithianes
- acidity of, 599
- anomeric effects in, 233

- di- π -methane rearrangement, 1112–1116
 conical intersection, computational model, 1113–1114
 of cyclohexenones, 1127–1129
 mechanism of, 1112–1113
 orbital array for, 1129
 stereochemistry of, 1113
 substituent effects in, 1114–1115
 DMF, *see* *N,N*-dimethylformamide
 DMSO, *see* dimethyl sulfoxide
 double stereodifferentiation
 in aldol reactions, 205
 examples of, 204–207
 in organozinc addition reactions, 205–206
 reactant control in, 206
 substrate control in, 206
 DPPH, *see* diphenylpicrylhydrazyl
 dual substituent parameter equation, 341
 DuPHOS, *see* phosphines
- EA, *see* electron affinity
 eclipsed, definition, 142
 EHT MO method, 32
 electrocyclic reactions, 892–911
 of [10]annulene, 728–729
 of 1,3,5-trienes, 893–894
 computational analysis of, 899–900
 heteroatom analogs of, 910–911
 of 1,3-dienes, 892–893
 computational modeling of, 1140–1142
 of 2,4,6,8-decatetraene, 899
 of charged species, 906–910
 as concerted pericyclic reactions, 834
 of cyclopropyl cation
 stereochemistry of, 907–908
 examples of, 903–906
 frontier MO interpretation of, 894–895
 inward versus outward rotation in, 901–903
 orbital correlation diagrams for, 895–897
 orbital symmetry rules for, 900
 of pentadienyl cations, 908–909
 substituent effects on, 909
 photochemical, 1099–1100
 of photoenols, 1120
 stereospecificity of, 892–4
 summary of thermodynamics for, 901
 transition state
 aromaticity of, 898
 orbitals for, 897
 electron affinity, 9, 95
 electron correlation
 treatments in MO calculations, 34–35
 electron density distribution
 1,3,5-hexatriene, 19
 in 1,3-butadiene, 20, 48, 74
 in ammonia, 92
 in aromatic compounds, 723–724
 in relation to electrophilic substitution, 784
 in benzene, 57–58, 723–724
 in bicyclobutonium ion, 744
 in carbanions, 308
 in carbon monoxide, 94
 critical point of, 63
 in cyclooctatrienyl ion, 744
 in cyclopropane, 86–87, 537
 deformation electron density, definition, 57
 ellipticity of, 58, 64–65
 in ethane, 94
 in ethenamine, 48, 74
 in ethene, 93–94
 in formaldehyde, 59, 61, 70, 94
 excited state, 1117
 in formamide, 71
 in hydrides of second row elements, table, 66
 in hydrogen molecule, 3–4, 6
 in methoxide ion, 68–69
 in methyl cation, 65
 in methyl derivatives, 68–69
 Mulliken population analysis of, 60–61
 in nitrogen, 94
 in oxirane and conjugate acid, 537
 in propenal, 21, 48, 60, 74
 in propene, 23
 representation of, 57–77
 by Laplacian function, 92–94
 in substituted ethenes, 71–73, 75
 electronegativity, 8–11
 absolute, 9
 of alkyl groups, 13
 Allred-Rochow, 9
 of carbon, 12–14
 Luo-Benson, 9, 95
 Mulliken, 9, 95
 Pauling, 9
 correlation with hardness, 96
 in relation to bond strength, 14
 spectroscopic determination of, 9
 of substituent groups, 260
 electronegativity equalization, 11–12, 95, 260
 electron paramagnetic resonance, *see* electron spin resonance
 electron spin resonance, 970–972
 of bridgehead radicals, 985
 in detection and characterization of radicals, 970–972
 hyperfine splitting in, 970–971
 electron transfer
 in aromatic nitration, 799–800
 in initiation of $S_{RN}1$ substitution reactions, 1048–1049
 in organometallic addition reactions, 679
 electrophilic aromatic substitution
 bromination, *see* halogenation
 chlorination, *see also* halogenation
 kinetics of, 801
 cyclohexadienyl cation as intermediates in, 775–778

- diazonium coupling, 813–814
 - examples of, 772–773
 - Friedel-Crafts acylation, 809–813
 - Friedel-Crafts alkylation, 805–809
 - position selectivity, 807
 - general mechanism for, 772–779
 - halogenation, 800–804
 - Hammett reaction constants for
 - Table, 790
 - of heteroaromatic compounds, 793–794
 - HOMO distribution in relation to, 783
 - Ips*o substitution in, 778, 814–816
 - kinetic isotope effects in, 777
 - table, 790
 - localization energy in, 782, 791
 - nitration, 796–800
 - partial rate factors for, 786–787
 - table, 788
 - of polycyclic hydrocarbons, 791–793
 - position selectivity in, 787–791
 - proton exchange as, 804–805
 - of naphthalene, 792
 - reactivity-selectivity relationships for, 787–791
 - role of π complexes in, 773–775
 - role of σ complexes in, 775–776
 - substituent effects in, 779–787
 - MO interpretation of, 780–781
 - summary of, 784–785
 - electrostatic effects
 - in reduction of substituted ketones, 238
 - elimination reactions, 473–474, 546–568
 - computational modeling, 561–562
 - examples of, 548
 - kinetic isotope effects in, 552
 - mechanisms of, 548–554
 - distinguishing features of, 552
 - E1, 548
 - E1cb, 549
 - E2, 548
 - of organomercury compounds, 565–566
 - reductive, 564–5
 - regiochemistry of, 554–558
 - effect of base strength, 556–557
 - effect of leaving group, 557–558
 - Hofmann rule for, 556
 - Saytzeff rule for, 556
 - solvent effects on, 554
 - stereochemistry of, 558–563
 - anti versus syn, 558–562
 - leaving group effect, 559–561
 - steric effects on, 562–563
 - variable transition state theory for, 549–551
 - enamines, 608–609
 - formation of, 653
 - hydrolysis of, 653
 - nucleophilicity of, 608–609
 - resonance in, 22, 608–609
 - enantiomeric excess, definition, 123–124
 - determination of, 208–211
 - enantiomeric mixtures
 - analysis and separation by capillary electrophoresis, 213–215
 - analysis of, 208–211
 - separation of by chromatography, 211–213
 - enantiomers
 - properties of, 123, 127
 - resolution of, 136–141
 - enantioselective catalysts for
 - 1,3-dipolar cycloaddition reactions, 886–888
 - aldol reaction, 695–696
 - Diels-Alder reactions, 867–868
 - dihydroxylation, 200–203
 - epoxidation, 196–199
 - hydroboration, 529–531
 - enantioselective reactions, 189–203
 - dihydroxylation of alkenes, 200–203
 - examples of, 189–203
 - hydrogenation, 189–193
 - reduction of ketones, 193–196
 - enantiotopic, definition, 133
 - energy dependence of light wavelength, 1074
 - energy of atomization, definition, 257
 - calculation of, 265–267
 - enolates, 591
 - alkylation of, 614–619
 - stereoselectivity of, 615–619
 - arylation by , substitution reactions, examples, 1051
 - boron
 - in aldol reactions, 691–692
 - composition of, 595–596
 - effect of base on, 689
 - computational characterization, 613
 - C- versus O-alkylation, 366–368, 614–615
 - of esters
 - aldol reactions of, 692–693
 - formation of, 592–595
 - kinetic control of formation, 287, 595, 689
 - nucleophilicity of, 331–332
 - structure of, 612–613
 - substitution reactions of, 611–618
- tin
 - in aldol reactions, 692
- titanium
 - in aldol reactions, 691–692
- enol esters
 - in acylation reactions, 667–668
- enols, 601–608
 - equilibrium constants for, table, 604
 - formation of, 607
 - nucleophilicity of, 602
- enthalpy of formation, definition, 254
 - calculation using group equivalents, 261–262
 - calculation using molecular mechanics, 263–264
 - computation by MO and DFT methods, 265–267
 - determination of, 255
 - of hydrocarbons, 256

- enthalpy of reaction, 253
 calculation of, 258–259
 determination of, 271
 examples of, 273
 relation to reaction rates, 269–270
- entropy of reaction, 253
 determination of, 271
 examples of, 273–274
 for solvolysis of *t*-butyl chloride, 273
- enzymes
 alcohol dehydrogenase, 135
 epoxide hydrolases, 224–227
 hydrolytic, 875–876
 lipases, 216–221
 proteases, 222–224
 in resolution of enantiomers, 215–227
 stereoselective reactions of, 133–136
- epoxidation
 of alkenes, 503–511
 by dimethyldioxirane, 507–510
 hydroxy group directing effects in, 505–506
 mechanism of, 504
 reagents for, 503–504, 510–511
 substituent effect on, 504, 506–508
 transition structures for, 507–508
 Sharpless asymmetric, 196–199
 computational model for, 198–199
- epoxides
 enzymatic hydrolysis of, 224–227
 ring-opening of, 186–187, 511–512
 pH-rate profile for, 512
 regioselectivity of, 511–512, 515
 stereochemistry of, 513–515
- ESR, *see* electron spin resonance
- esterases, *see also* hydrolases
 pig liver esterase
 in resolution of enantiomers, 217–220
 selectivity model for, 217–220
 in resolution of enantiomers, 216–221
- esterification
 by acylation of alcohols, 664–668
 enzymes as catalysts for, 216, 223
- esters
 aminolysis, 659–662
 catalysis by 2-pyridone, 661–662, 673–674
 general base catalysis of, 659
 leaving group effects on, 661
 rate of, 328
 enolates of
 in aldol reactions, 692–694
 boron, 693
 formation of, 937
 solvent effects on, 937
 formation
 by Fischer esterification, 664
 from acid anhydrides, 665
 from acyl halides, 665–666
 hydrolysis, 654–656
 A_{AC}2 mechanism, 654
 A_{AL}1 mechanism, 656
 B_{AC}2 mechanism, 654
 computational model for, 325–326
 intramolecular catalysis of, 670–674
 leaving group effects on, 655
 mechanism of, 324–326, 654–656
 nucleophilic catalysis of, 657
 solvent effects on, 365–366
 of tertiary alcohols, 656
 rate of hydrolysis, 328
 reactions with organometallic compounds, 678
 effect of TMEDA, 678
- E_T(30), as measure of solvent polarity, 360
- ethane
 conformation of, 78–81, 142–143
 electron density by Laplacian function, 93–94
 rotational barrier in, 78–81
- ethenamine
 electron density distribution in, 73–74
 electrostatic potential surface for, 73–74
 MOs of, 47
 resonance in, 22
- ethene
 electron density by Laplacian function, 93
 MOs of, 39–42, 46–47
 photocycloaddition with benzene
 computational modeling of, 1136–1137
 photodimerization of
 computational modeling, 1109–1110
 photoexcited states of, 1082–1083
 reaction with ozone, 49–50
 stabilization by substituents, 52
 substituted
 electron density distribution, 71–73
 electrostatic potential surface, 74–75
- ethers
 allyl phenyl, sigmatropic rearrangement of, 934–935
 allyl vinyl, sigmatropic rearrangement of, 273, 933
 autoxidation, 1026
 neighboring group participation, 421
 α-halo, effect of hyperconjugation on reactivity, 84–85
- ethylene, *see* ethene
- ethyl radical
 ESR spectrum of, 971
- ethyne
 electron density by Laplacian function, 93
- excited states of
 1,3-cyclohexadiene, 1106
 benzaldehyde, 1118
 ethene, 1082–1083
 stilbene, 1085–1090
 styrene, 1083–1085

- Felkin-Ahn model, 179, 234
for addition reactions with carbonyl compounds, 680
- field effect, 338
- Fischer projection formulas, 127
- fluorescence, 1077
- fluorination, *see also* halogenation
of alkenes
 reagents for, 496
of aromatic compounds, 804
of hydrocarbons, 1023
- fluoromethanol, conformation, 83
- fluoromethylamine, conformation, 84
- FMO, *see* frontier molecular orbital theory
- formaldehyde
 electron density distribution in, 59, 61, 70, 94
 excited states of, 1116–1117
 Fukui functions of, 99–100
 MOs of, 43–46
- formamide
 electron density distribution in, 71
 radical addition to alkenes, 1032–1033
 resonance in, 62
- formate anion
 resonance in, 62
- fragmentation reactions
 photochemical, 1118
 of radicals, 1013–1017
- Frank-Condon principle, 1075
- free energy
 of activation, 254, 270, 271
 of reaction, 253, 270
- free radicals, *see* radicals
- Friedel-Crafts acylation, 809–813
 of naphthalene, 812–813
 selectivity in, 812
- Friedel-Crafts alkylation, 805–809
- frontier molecular orbitals, 29, 43, 99
 of cycloaddition reactions, 837, 844–847
 of Diels-Alder reactions, 843–847
 of electrocyclic reactions, 894–895
 of electrophilic aromatic substitution, 783–784
 of radical substituent effects, 1004–1006
 in sigmatropic rearrangements, 912–915, 920
- Frost's circle, 31
- Fukui functions, 97–100
- fulvalenes, 755–757
- fulvene, 754–755
- functional groups, 2
- furan
 aromatic stabilization of, 758–759
 electrophilic aromatic substitution of, 793–794
- G2 MO method, 36
- gauche*, definition, 143–144
 increments for in enthalpy calculation, 261
 interactions
 in butane, 144
 in *cis*- and *trans*-decalin, 159
 in cyclohexane derivatives, 154
- general acid catalysis, 346
- general base catalysis, 347
- glyceraldehyde, as reference for configuration, 127
 in radical reactions, 1037–1039
- Grignard reagents, *see* magnesium
- group transfer reactions, definition, 966
- halides, *see* alkyl halides, aryl halides etc.
- halogenation, *see also* bromination, chlorination etc.
 of alkenes, 485–497
 of alkynes, 540–544
 intermediates in, 542–543
 aromatic, 800–804
 reagents for, 803
 of hydrocarbons by radical mechanisms, 1002–1004
- halomethanes
 atmospheric lifetimes of, table, 1060
 radical addition reactions of, 1029–1031
 to cyclooctene, 1041
 reactions with hydroxyl radical, 1059–1062
 correlation with global hardness, 1061–1062
 relative reactivity of, 1029
- halonium ions
 computational comparison, 494–495
- Hammett equation, 335–342
 non-linear, 344
 reaction constant for, 337
 examples of, 340
 substituent constant for, 337
 table of, 339
- Hammond's postulate, 289–293
 application in electrophilic aromatic substitution, 788
 application in radical halogenation, 1021
- hardness, definition, 14, 96
 as an indicator of aromaticity, 720, 750
 of metal ions, 14
 of methyl halides, 16
 principle of maximum hardness, 15–16
 relationship to HOMO-LUMO gap, 15
 in relation to electrophilic aromatic substitution, 794–795
- hard-soft-acid-base theory, 14–17, 105
 principle of maximum hardness, 15–16
 in relation to nucleophilicity, 410
- harmonic oscillator model for aromaticity, 718–719
- heat of formation, *see* enthalpy of formation
- hemiacetals, 640
- heptafulvalene, 755–757
- heptalene, 753
- heptatrienyl anion, 740
 electrocyclization of, 910
- heteroaromatic compounds, 758–760
 electrophilic aromatic substitution in, 793–794

- heterotopic, definition, 133
- hex-5-enyl radical rearrangement
energetics of, 1042–1043
- 2,4-hexadiene
photocyclization of, 1102
- hexahelicene
chirality of, 130
- hexamethylphosphoric triamide
effect on enolate alkylation, 616
effect on enolate composition, 596
- 1,3,5-hexatriene derivatives
electrocyclization reactions of, 895, 899–900
photochemical, 1106–1107
excited states
computational modeling of, 1142–1144
Hückel MO orbitals for, 29
- 5-hexenyl radical
cyclization of, 1009–1011
- high performance liquid chromatography
in separation of enantiomers, 211–213
- HMPA, *see* hexamethylphosphoric triamide
- Hofmann-Loeffler reaction, 1040
- Hofmann rule, 556
- HOMA, *see* harmonic oscillator model for aromaticity
- HOMO, 15, 29, 44, 97
distribution, in relation to electrophilic aromatic substitution, 783
- homoaromaticity, 743–745
in cyclooctatrienyl cation, 743
- homodesmotic reactions, 265–267
in estimation of aromatic stabilization, 716–717
- HOMO-LUMO gap, 750
relationship to hardness, 15
- homolytic bond cleavage, definition, 965
examples, 965
- homotropilidene, *see* bicyclo[5.2.0]octa-3,5-diene
- homotropylium ion, *see* cyclooctatrienyl cation
- HPLC, *see* high performance liquid chromatography
- HSAB theory, *see* hard-soft acid-base theory
- Hückel's rule, 713, 738
application to charged rings, 742–743
- Hückel MO Method, 27–32
- hybridization, 4–7
in allene, 6
in cyclopropane, 85–86
effect on electronegativity of carbon, 12–13
effect on hydrocarbon acidity, 373, 376, 584–585
sp, 5
*sp*², 5
*sp*³, 5
- hydration
of alkenes, 474, 482–484
of carbonyl compounds, 329, 638–639
- hydrazone, 646
mechanism of formation, 651
- hydride affinity
of carbocation, 303
of carbonyl compound
table, 330
- hydroboration, 521–526
electrophilic character of, 522
enantioselective, 529–531
mechanism of, 522
reagents for, 521, 524–525
regioselectivity of, table, 523
stereoselectivity, 187–188
steric effects in, 523
- hydrocarbons, *see also* alkanes, alkenes, etc.
acidity of, 368–376, 579–587
computation of, 56–57, 586
effect of anion delocalization, 375
electrochemical determination of, 372, 584
gas phase, 585–586
hybridization effect on, 373, 376, 584–585
measurement of, 580–584
in relation to anion aromaticity, 740
table of, 371, 583
- aromatic
fused ring systems, 745–758
hardness of, 750, 795
photochemical reactions of, 1134–1137
redox potentials for, 990
stability comparisons for, 715–718, 746–748
- autoxidation of, 995
- bond dissociation energies for, 1053
- bond orders for, 77
- bromination of
Bell-Evans-Polyani relationship for, 288
by free radical substitution, 1018–1020, 1022
- computation of enthalpy of formation by MO methods, 52
- enthalpy of formation, table, 256
calculation by MO and DFT methods, 265–269
calculation using group equivalents, 29
relation to structure, 256
- fluorination of, 1023
- halogenation of
by radical substitution, 1018–1024
by tetrahalomethanes, 1003
- octane numbers of, 454
- polycyclic aromatic
aromaticity of, 749–751
electrophilic substitution of, 791–793
strained, bonding in, 87–89
- hydrocracking, 454–456
- hydrogenation, catalytic
catalysts for, 173–174
enantioselective, 189–193
of α , β -unsaturated carboxylic acids, 190
of α -amidoacrylic acids, 191–192
- heterogeneous catalysis, 172
- homogeneous catalysis, 172
mechanism of, 172, 174, 189–192

- stereoselectivity of, 170–176
substituent directive effects in, 171–176
- hydrogen atom abstraction reactions, 1001–1004
by bromine atoms, 288
by *t*-butoxy radical, 289, 1022
interacting state model for, 1057–1058
effect of bond energies on, 1001
intramolecular, 1040–1041
photochemical, 1118–1121
intramolecular, 1122, 1123, 1126
reactivity-selectivity relationship for, 1002
structure-reactivity relationships for, 1056–1062
Bell-Evans-Polyani relationship for, 1056–1057
transition state, computational model for, 1058
- hydrogen bonding
in enols, 605–606
- hydrolases
epoxide, 224–227
mechanism of, 216–217
in resolution of enantiomers, 216–221
- hydrolysis
of acetals, 641–645
of amides, 662–664
of enamines, 653
of enol ethers, 485
of esters, 654–658
of imines, 647–649
of vinyl ethers, 485
- hydroxy group
directing effect in epoxidation, 194–197
directing effect in hydrogenation, 174–176
neighboring group participation by, 420–421
- hydroxyl radical
reaction with halomethanes, 1059–1060
- hyperconjugation, 22–24
of alkyl groups, 23
in amines, 315, 1054
anomeric effect, relation to, 230–231
in carbocations, 301, 305, 307, 429
in disubstitute methanes, 81–85
of heteroatoms, 81–85
in natural population analysis, 62
in radicals, 981–982
in regiochemistry of E1 reactions, 555–556
in relation to alkene conformation, 146–7
in relation to rotational barriers, 78–81
role in kinetic isotope effects, 333
role in substitution effects, 297–8
- IA, *see* index of aromaticity
- imidazole derivatives
in catalytic triad of enzymes, 675–676
intramolecular catalysis by, 671–672
N-acyl, 324
reactivity of, 664
nucleophilic catalysis by, 656
- imines, 646
[2+2] cycloaddition reactions with ketenes, 891–892
configuration of, 121
equilibrium constants for formation, table, 646
hydrolysis of, 648–649
intramolecular catalysis of formation, 675
mechanism of formation, 646–650
pH-rate profile for formation and hydrolysis, 647–649
potential energy diagram for, 648–650
computation of, 648–650
- indacene
stability of, 754
- 1-indanones, formation by Nazarov reaction, 909
- index of aromaticity, 719
- induced decomposition of peroxides, 977
- inductive effect, 12, 338
- intermediates
in reaction mechanisms, 253
- internal return
in hydrocarbon deprotonation, 581–582
in nucleophilic substitution, 396–398
- intersystem crossing, 1075
- intrinsic barrier, in Marcus equation, 293
- intrinsic reaction coordinate, 279
in computational modeling of chelation control, 681
- iodination, *see also* halogenation
of aromatic compounds, 804
- iodohydrins
formation of, 492
- ion pairs
in nucleophilic substitution, 395–398, 404
- IP, *see* ionization potential
- ionization potential, 9, 95
- (Ipc)₂BH, *see* diisopinocampheylborane
- Ips*o substitution, 778, 814–816
- Ireland-Claisen rearrangement, 937–938
stereoselectivity of, 937
effect of solvent on, 937
- isobenzofuran
as Diels-Alder diene, 760, 858, 864
- isobutene
acid-catalyzed dimerization, 455
- isodesmic reactions
definition, 51
for determining hydrocarbon stability, 265
for evaluation of carbonyl addition intermediates, 329–330
for evaluation of stabilization of carbonyl compounds, 320–321
- isoindole
stability of, 760
- isopinocampheylborane
hydroboration by, 530
- isotope effects, *see* kinetic isotope effects

- isotopic labeling
in detection of internal return, 396–398
in hydrolysis of aspirin, 670–671
in racemization of benzhydriyl *p*-nitrobenzoates, 396
in solvolysis of sulfonate esters, 395–396
- kekulene, 735–736
- ketenes
[2+2] cycloaddition reactions of, 835
intramolecular, 890–891
orbital array for, 888–889
stereoselectivity of, 890
transition structure for, 889
formation from acyl halides, 666
synthetic equivalents for in Diels-Alder reaction, 862
- ketones, *see also* carbonyl compounds
acidity of, 592–593
acyclic
conformation of, 148–149
stereoselective reduction of, 179–182
addition reactions of, 629–632
alcohols, 640
hydride reducing agents, 176–181, 633–634
of organometallic reagents, 680–682
cyclic
relative reactivity of, 634–635
stereoselective reduction of, 176–179
enantioselective reduction of, 193–196
enolate formation from, 592–595
kinetic control of, 287, 595
stereoselectivity of, 597
enolization of, 601–608
equilibrium constants for, table, 604
hydration, 638–639
photochemical reactions of, 1116–1132
decarbonylation, 1120–1122
photoenolization, formation of
benzocyclobutenols by, 1120
type-II cleavage, 1122
 α -cleavage, 1118, 1120–1122, 1124
reactions with organometallic compounds, 676–682
chelation in, 680–682
stereoselectivity of, 680–682
reduction of
electrostatic effects in, 238
polar effects on, 234–239
reductive photodimerization, 1119–1120
relative reactivity of, 633–634
towards NaBH_4 , 633
synthesis
by hydration of alkynes, 544
using organoboranes, 528
unsaturated
conformation of, 151–152
cyclic, photochemical reactions of, 1125–1129
photochemical cycloaddition reactions, 1125–1126
photochemical deconjugation of, 1124
ketyl radicals, 991
kinetic acidity, 581
kinetic control of product composition, 285–287
of enolate formation, 287
kinetic isotope effect, 332–335
in benzylic bromination, 1021–1022
determination of, 334–335
in diazonium coupling, 814
in Diels-Alder reaction, 851
in electrophilic aromatic substitution, 777
bromination, 803
table of, 790
in elimination reactions, 552
examples of, 334
primary, 332–333
secondary, 333
solvent, 347
kinetics
of chain reactions, 992–995
integrated rate expressions, 280–285
Michaelis-Menten, 140
rate expressions
for addition of hydrogen halides to alkenes, 478
for aldol reactions, 284–285, 685
aromatic chlorination, 801
for bromination of alkenes, 486
chain reactions, 993–994
examples of, 283–285
for Friedel-Crafts acylation, 811
for Friedel-Crafts alkylation, 805–806
for nitration, 796–797
for nucleophilic substitution, 391, 393–394
reaction order, 280
steady state approximation, 282, 993
Kohn-Sham equation, 54
- β -lactams, *see* azetidiones
- lactones
formation by 8-*endo* cyclization, 1014
ring size effect in formation, 422
- lanthanides
as chiral shift reagents, 208–209
- Laplacian representation of electron density, 92–94
in cyclopropane, 86–87
- LCAO, *see* linear combination of atomic orbitals
- leaving groups
in aromatic nucleophilic substitution, 817–819
in elimination reactions, 558
in nucleophilic substitution
reactivity of, 413–415
table of, 414, 415
in relation to enolate alkylation, 614–615
- Lewis acids
as catalysts, 355–358

- in 1,3-dipolar cycloaddition, 886–888
- in aromatic nitration, 797
- in Diels-Alder reactions, 848–850
- in radical cyclization, 1013, 1039
- chelation of, 354–355
- effect on carbonyl ¹³C chemical shifts, 357
- empirical measures of, 357–358
- in Friedel-Crafts acylation reaction, 809–813
- in Friedel-Crafts alkylation reaction, 805–809
- hardness and softness of, 354
- interaction with carbonyl compounds, 323
- metal ions as, 354
- relative strength of, 357–358
- linear combination of atomic orbitals, definition of, 26
- linear free energy relationships, 298, 335–343
 - application of in characterization of mechanisms, 343–344
- Linnett structures, 8
 - of radicals, 313, 315–318, 968, 987
- lipases, *see also* enzymes
 - from *Pseudomonas*, 220–221
 - kinetic resolution by, 141, 216–221
 - porcine pancreatic lipase
 - in resolution of enantiomers, 219–220
 - selectivity model for, 219–220
- lithium
 - hexamethyldisilylamide
 - as a strong base, 592
 - organolithium compounds
 - addition to carbonyl compounds, 676–682
 - kinetics of addition reactions, 677–679
 - structure of, 588–591
- localization energy
 - for electrophilic aromatic substitution, 782
 - for polycyclic hydrocarbons, 791
- lumiketone rearrangement, 1127–1128
 - orbital array for, 1128
 - stereochemistry of, 1128
- LUMO, 15, 29, 44, 97
 - of alkenes, correlation with radical addition rates, 1005
 - distribution of 1-methylcyclohexyl cation, 431
- magic acid, 436
- magnesium, organo- compounds of
 - addition to carbonyl compounds, 676–682
- magnetic anisotropy, *see also* ring current
 - as a criterion of aromaticity, 720
- magnetic susceptibility
 - as a criterion of aromaticity, 722
- malonate anions
 - ω -halo, cyclization of, 422
- Marcus equation, 293–296
 - application to Cope rearrangement, 936
- McConnell equation, 971
- Meisenheimer complexes, 819
- mercuration, *see* oxymercuration
- mercurinium ion
 - as intermediate in oxymercuration, 517, 536
- mercury, organo compounds of
 - elimination reactions of, 565–566
 - formation by addition reactions, 515–520
- mero stabilization, *see* captodative stabilization
- MESP, *see* molecular electrostatic potential
- metal ions
 - as catalysts for Diels-Alder reactions, 850
 - hardness of, 14
 - role in hydride reductions of ketones, 181
- methane
 - derivatives, hyperconjugation in, 81–85
 - Laplacian representation of electron density, 92
 - MOs of, 37–39
- methanol
 - rotational barrier of, 81
- methoxide ion
 - electron density in, 68–69
- methyl acrylate
 - as dienophile, transition structures for, 853–854
- methylamine
 - rotational barrier of, 81
- methyl anion
 - electron distribution in, 308
 - structure of, 308
 - substituent effects on stability, 310
- methyl cation
 - electron density of, 65
 - substituent effects on stability, 304
- methyl derivatives
 - electron distribution of by AIM method, table, 69
 - halides, hardness of, 16
 - of second row elements, electron population in, 61
- methyl radical
 - structure of, 311, 980–981
- Michaelis-Menten kinetics, 140
- microscopic reversibility, 275–276, 475
 - non-applicability in photochemical reactions, 1100
- MM, *see* molecular mechanics
- MNDO MO method, 32
- Mobius topology
 - in relation to aromaticity, 736–737
 - in transition structures for
 - [2 + 2]-photocycloaddition of alkenes, 1098
 - 1,7 hydrogen shift in trienes, 914, 918
 - cyclohexadienone photorearrangement, 1131–1132
 - di- π -methane photorearrangement, 1113
- molecular electrostatic potential
 - CHELPG method for calculation, 73
 - as a criterion of aromaticity, 722–723
 - for representation of electron density, 73–76
 - of 1,3-butadiene, 73–74
 - of carbonyl compounds, 323
 - of ethenamine, 73–74
 - of propenal, 73–74

- molecular graph, 63–64
of alkanes, 64
- molecular mechanics, 166–169
calculation of enthalpy of formation using, 263–264
composite calculations with MO/DFT, 169
- molecular orbitals
of 1,3-butadiene, 46–47
of aromatic compounds, 31–32
of cyclopropane, 85–86
of ethenamine, 46–47
of ethene, 39–42, 46–47
of formaldehyde, 43–46
frontier, 29, 44
Hückel, 27–32
of methane, 37–39
pictorial representation of, 35–41
of polyenes, 27–30
of propenal, 46–47
reactive hybrid orbitals, 784
symmetry adapted, 837–838
symmetry of, 35–37
- molecular orbital theory, *see* MO theory
- molecular structure
computation by DFT methods, 55–56
computation by MO methods, 51
- molecular symmetry
center of, 132
of cycloalkanes, 133
meso compounds, 131–134
plane of, 131
relationship to chirality, 131–133
- More O'Ferrall diagram, *see* potential energy diagram, two-dimensional
- Mosher reagent, 209
- MO theory, 26–54
ab initio methods, 32–35
characteristics of, summary, 36
application of, 41–54
in electrophilic aromatic substitution, 780–782
computation of enthalpy of formation of hydrocarbons, 52, 264–269
computation of structure by, 51
Hückel, 27–32
numerical applications, 50–54
perturbational, 41–50
pictorial representation, 35–41
PMO theory, *see* MO theory, perturbational
qualitative application, 41–50
semi-empirical methods, 32
solvation treatment in, 50–51
- Mulliken electronegativity, 9, 95
correlation with acidity of carboxylic acids, 105
- Mulliken population analysis, 60–61
- N,N*-dimethylformamide
As solvent, 363, 411–412
- naphthalene
bond lengths, 18, 751
as a Diels-Alder diene, 858–859
Friedel-Crafts acylation of, 812–813
proton exchange in, 792
radical anion of, 990
- natural bond orbitals, 61–62
- natural population analysis, 61–62
- Nazarov reaction, 908–909
- NB-Enantride©
in enantioselective reduction of ketones, 193
- NEER, *see* nonequilibrium of excited rotamers
- neighboring group participation, 419–425
by acetoxy groups, 419–420
by alkoxy groups, 421
by aryl groups, 423–425
by carbon-carbon double bonds, 422–423
by hydroxy group, 420–421
ring size effects on, 421–422
- Newman projection formulas, 128
- N*-fluoro-*N,N*-dimethylamine, conformation, 84
- N*-haloamides
radical reactions of, 1040
- N*-hydroxyphthalimide
in polarity reversal catalysis of radical addition, 1034
- N*-hydroxypyridine-2-thione
acyl derivatives as radical sources, 979
- NICS, *see* nucleus independent chemical shift
- nitration, aromatic, 796–800
computational modeling of, 799–800
electron transfer mechanism for, 799
isomer distribution for substituted benzenes, table, 786
Lewis acid catalysis of, 797
mechanism of, 796, 799–800
reagents for, 797
- nitrile imines
as 1,3-dipoles, 875
frontier orbitals of, 880–881
- nitrile oxides
as 1,3-dipoles, 875
frontier orbitals of, 880–881
- nitrile ylides
as 1,3-dipoles, 875
substituent effects on, 882–883
frontier orbitals of, 880–881
- nitro compounds
acidity of, 597
in aromatic nucleophilic substitution, 817–820
reductive denitration by thiolates, 1048
in $S_{RN}1$ substitution reactions, 1045–1048
examples of, 1049
- nitroethene
as dienophile and ketene synthetic equivalent, 862

- nitrogen, molecular
 electron density by Laplacian function, 94
- nitronates, 591
 $S_{RN}1$ substitution reactions, 1045–1048
- nitrones
 as 1,3-dipoles, 875
 frontier orbitals of, 880–881
- nitronium ion
 role in electrophilic aromatic substitution, 776
- nitroxide radicals
 formation by spin trapping, 973
 stability of, 968
- NMR spectra
 ^{17}O chemical shifts in carbonyl compounds, 322
 aromaticity, in relation to, 720–722
 calculation by MP2–GIAO, 431, 437
 in characterization of carbocations, 436–438
 norbornyl cation, 449–450
 in determining enantiomeric purity, 208–211
 chiral additive for, 209
 in determining kinetic acidity of hydrocarbons, 370, 581
 diastereotopicity in, 134–135
 in monitoring enolization, 602–603
 in relation to conformational equilibria, 154–155
- N*-Nitrosoanilides
 as a source of aryl radicals, 979
- noactin
 chirality of, 132
- nonclassical carbocations, *see* carbocations, bridged
- nonequilibrium of excited rotamers, 1078
- nonradiative decay, 1076
- nonsteroidal anti-inflammation drugs
 enantioselective synthesis of, 203
- norbornanones
 stereoselective hydride reduction, 177–178
- norbornene
 addition reactions of
 with hydrogen halides, 481–482
 with phenylselenenyl chloride, 502
 with polyhalomethanes, 1030
 photoreactions of, 1095–1096
- norbornyl cation, *see also* carbocations
 formation of, 422
 in solvolysis reactions, 447–448
 structure of, 448–452
- NSAIDs, *see* nonsteroidal anti-inflammation drugs
- nucleophilic aromatic substitution
 addition-elimination mechanism, 817–821
 computational modeling of, 818
 elimination-addition mechanism, 821–824
 leaving groups in, 819
 mechanisms for, 816–817
 nucleophiles for, 819
 vicarious, 820–821
- nucleophilic catalysis
 in ester hydrolysis, 657
 in esterification, 665
- nucleophilicity
 characteristics of, 407–411
 measurement of, 408–409
 relations to hardness, softness, 410–411
 table of, 411
 solvent effects on, 411–413
- nucleophilic substitution
 adamantyl derivatives in, 402, 412–413, 416
 borderline mechanisms, 395–402
 carbocation intermediates in, 391–393
 in competition with elimination, 437–439
 conjugation, effect on, 427–29
 direct displacement (S_N2) mechanism, 393–5
 MO interpretation, 393–394
 rate expression for, 393–394
 examples of, 389
 ionization (S_N1) mechanism, 391–393
 rate expression for, 391
 ion pairs in, 395–398, 404
 leaving groups in, 413–415
 table, 414, 415
 mechanisms of, 389–391
 solvent effects, 392–393, 401, 411–413
 solvolysis, 389, 395
 stereochemistry of, 403–405, 406–407
 steric effects in, 415–417
 substituent effects on, 418–419
- nucleus independent chemical shift
 as an indicator of transition state aromaticity, 851
 as a criterion of aromaticity, 721
 of polycyclic arenes, 750
- octet rule, 3
- 1,3,5-octatriene
 1,7-sigmatropic hydrogen shift in, 917–918
- 2,4,6-octatriene
 photocyclization of, 1106
- optical activity, definition, 123
- optical purity, *see* enantiomeric excess
- optical rotatory dispersion, 124–125
- orbital correlation diagram
 for [2+4] cycloaddition, 837–838
 for electrocyclic reactions, 895–897
 for photochemical addition of alkenes, 1098
 for photochemical electrocyclic reactions, 1100
- orbitals, *see* molecular orbitals
- ORD, *see* optical rotatory dispersion
- organolithium compounds, *see* lithium
- organomercury compounds, *see* mercury
- organometallic compounds
 addition to carbonyl compounds, 676–682
 electron transfer mechanism for, 679
 carbanion character of, 588–591
 substitution reactions of, 609–611
 examples, 610
 mechanism of, 609–611
- osmium tetroxide
 as catalyst for dihydroxylation of alkenes, 200–203

- oxadi- π -methane rearrangement, 1129
- oxazaborolidines
- as catalysts for
 - aldol reaction, 695–696
 - Diels-Alder reaction, 867–868
 - enantioselective reduction of ketones, 194–196
 - computational model for, 196
- oxazolidinones
- boron enolates of, 694–695
 - as chiral auxiliaries, 207–208, 694–695
 - for Diels-Alder reactions, 866
- 2-oxo-5-hexenyl radical
- cyclization in comparison with 5-hexenyl radical, 1010–1012
- oximes, 646, 651
- configuration of, 121
 - formation of, 651–653
 - catalysis of, 653
 - pH-rate profiles for, 651–652
 - stability of, 651
- oxy-Cope rearrangement, 931–932
- anionic, 932
 - origin of rate acceleration in, 932
 - transition structure for, 933
- oxygen
- origin of paramagnetism, 7
 - reaction with radicals, 1024–1026
- oxymercuration
- of alkenes, 515–520
 - reagents for, 515
 - relative rate for, 516
 - stereochemistry of, 517–518
 - substituent effects in, 518–520
- ozone
- MOs of, 49
 - reaction with ethene, 49–50
- PA, *see* proton affinity
- pantolactone
- as chiral auxiliary for Diels-Alder reaction, 865–866
- partial rate factors
- for electrophilic aromatic substitution, 786–787
 - bromination, 802
 - hydrogen exchange, 804–805
 - nitration, 798
 - table of, 788
- Paterno-Buchi reaction, 1132–1134
- regiochemistry of, 1132–1133
- Pauli exclusion principle, 7, 35
- in relation to rotational barriers, 78–81
- 1,3-pentadiene
- photoproducts from, 1101–1102
- 1,4-pentadiene
- 1,1,5,5-tetraphenyl, photoproducts from, 1114
 - 1,5-diphenyl, photoproducts from, 1114
- pentafulvalene, 755–757
- pentalene, 753
- 3-pentanone
- conformation of, 149
- 4-pentenyl radical
- cyclization of, 1012
- pericyclic reactions, *see* concerted pericyclic reactions
- peroxides
- as radical sources, 976–978
- peroxycarboxylic acids
- epoxidation of alkenes by, 504–506
- peroxy esters
- as radical sources, 977
 - structural effects on rate of decomposition, 1015–1016
- perturbational molecular orbital theory, 41–50
- phase transfer catalysts
- effect on nucleophilicity, 363–364
- phenalene
- anion, 757
 - cation, 757
 - Hückel MO diagram for, 757
- phenanthrene, 749
- electrophilic aromatic substitution in, 793
- phenols
- solvent effect on alkylation, 368
- phenonium ion, 423–425
- structure of, 425
- phenyl cation, 436, 817
- phosphines
- BPE, 192
 - chirality of, 129
 - chiraphos, 192
 - DIPAMP, 192
 - DuPHOS, 192
 - as ligand in enantioselective hydrogenation, 190–192
- phosphorescence, 1077
- phosphorus-containing groups
- carbanion stabilization by, 599
 - ylides, 599–600
- photochemical reactions, *see also* photoexcitation
- adiabatic and diabatic transitions, 1075
 - alkene photocycloaddition, 1109–1111
 - alkene photoisomerization, 1081–1090
 - of 1,3-butadienes, 1096–1097
 - of ethene, 1082–1083
 - of stilbene, 1085–1090
 - of styrene, 1083–1085
 - conical intersection, definition, 1080
 - of cyclic alkenes, 1094–6
 - cycloaddition of alkenes
 - computational modeling of, 1109–1110
 - with aromatic compounds, 1136–1137
 - of dienes, 1100–1104
 - computational modeling of, 1137–1145
 - di- π -methane rearrangement, 1112–1116
 - conical intersection, computational model, 1113–1114

- mechanism of, 1112–1115
- stereochemistry of, 1113
- electrocyclic reactions, 1099–1100
- fluorescence, 1077
- Frank-Condon principle, 1075
- general principles, 1073–1080
- internal conversion, 1076
- intersystem crossing, 1075
- nonequilibrium of excited rotamers (NEER), 1078
- nonradiative decay, 1076
- orbital symmetry considerations for, 1097–1100
- phosphorescence, 1077
- potential energy diagram for, 1079
- quantum yield, 1077
- quenching, 1077
- Rydberg states, 1073
- singlet excited states, 1073
- Stern-Volmer plot, 1078
- triplet excited states, 1073
- photoexcitation, *see also* photosensitization
 - of 1,3-cyclohexadiene, 1106
 - energy equivalence of, 1074
 - of ethene, 1082–1083
 - schematic potential energy diagram for, 1076
 - of stilbene, 1085–1090
 - of styrene, 1083–1085
 - of trienes, 1106–1108
- photosensitization, 1076–1077
 - of 1,3-butadiene dimerization, 1103–1104
 - mechanism of, 1077
 - of stilbene photoisomerization, 1087–1088
- pH-rate profiles, 350–353
 - for hydrolysis of 2,2-dimethyloxirane, 512
 - for hydrolysis of salicylic acid acetals, 669
 - for hydrolysis of salicylic acid esters, 670
 - for imine formation and hydrolysis, 647–649
 - for oxime formation, 649–650
- picene, 749
- pinacol borane
 - hydroboration by, 525
- Pirkle alcohol, *see* 2,2,2-trifluoro-1-(9-anthryl)ethanol
- PM3 MO method, 32
- PMO theory, *see* perturbation molecular orbital theory
- polarity reversal catalysis, 1034
- polarizability, 14–18
 - correlation with softness, 96
- polycyclic aromatic hydrocarbons, 745–758
 - as Diels-Alder dienes, 748–749, 857
 - electrophilic aromatic substitution in, 791–793
 - redox potentials for, table, 990
- polyenes
 - cyclic
 - Hückel MO diagrams for, 30, 713
 - stability criteria for, 747–748
 - cycloaddition reactions of, 836
 - Hückel MO diagrams for, 28
 - as a reference for aromatic stabilization, 716, 747–748
- porcine pancreatic lipase, 219–221
- potassium
 - hexamethyldisilylamide, as a strong base, 592
- potential energy diagrams
 - for 1,3-butadiene photoexcitation, 1102
 - for alkene photoisomerization, 1093
 - for carbonyl addition reactions, 631
 - for cyclohexadiene photoreactions, 1106
 - for cyclohexene photoreactions, 1095
 - for electrophilic aromatic substitution, 791
 - for elimination reactions, 550–551
 - for hex-5-enoyl radical cyclization, 1043
 - for hydration of alkenes, 475
 - for hydrolysis of methyl acetate, 324–326
 - for imine formation and hydrolysis, 648–650
 - for nucleophilic substitution, 391, 394, 399–400
 - for a photochemical reaction, 1079
 - for rearrangement of 2-butyl cation, 442
 - for rearrangement of 3-methyl-2-butyl cation, 445
 - relation to Hammond's postulate, 290
 - relation to reaction mechanism, 274–276
 - relation to transition state theory, 263–64, 273–280
 - for stilbene excited states, 1088, 1090
 - for styrene excited states, 1085
- three-dimensional, 277–279
- two-dimensional, 276–277
 - acetal hydrolysis, 643
 - Cope rearrangement, 928
 - elimination reactions, 550–551
 - nucleophilic addition to carbonyl groups, 631
 - nucleophilic substitution, 401
- PPL, *see* porcine pancreatic lipase
- priority rules, *see* Cahn-Ingold-Prelog priority rules
- prochiral centers, definition, 133
- projection formulas
 - Fischer, 127
 - Newman, 128
- prop-2-en-1-one
 - 1-aryl, cyclization by strong acid, 909
- [1.1.1]propellane, 87–88
 - reactivity of, 90–91
 - structure of, 89
- propenal
 - 3-methyl, BF₃ complex, structure of, 849
 - conformation of, 148–149, 151
 - as dienophile, transition structures for, 853–854
 - electron density distribution in, 21, 48, 60, 74
 - electrostatic potential surface for, 73–74
 - resonance in, 20–21
- propene
 - acidity of, 583
 - conformation of, 147
 - electron density distribution in, 22
 - hyperconjugation in, 22–23

- proteases
 in resolution of enantiomers, 222–224
- proton affinity
 of hydrocarbon anions, 374–375
- proton transfer
 in acetal hydrolysis, 644
 in carbonyl addition reactions, 630
- pseudorotation
 in relation to cyclopentane conformations, 163
- pyrans
 formation by electrocyclization, 910–911
- pyridine derivatives
 aromaticity of, 758
 dihydro by electrocyclization, 910–911
 electrophilic aromatic substitution of, 794
 nucleophilic aromatic substitution of, 820
- 2-pyridone
 catalysis of carbohydrate anomerization, 674
 catalysis of ester aminolysis by, 661–662, 673–674
- pyrrole
 aromatic stabilization of, 758–760
 electrophilic aromatic substitution of, 793–794
- quantum yield, 1077
- quenching, 1077
- quinodimethanes
 as Diels-Alder dienes, 857, 864
- quinoline alkaloids
 as chiral shift additives, 210
 DHQ, 200
 DHQD, 200
 as ligands in alkene dihydroxylation, 200–203
- racemate, *see* racemic mixture
- racemic mixture
 properties of, 123–124
- racemization
 of allylic sulfoxides, 940
 during nucleophilic substitution, 396, 398
 during radical reactions, 983–984
 of *E*-cyclooctene, 131
- radical anions, 988
 from naphthalene, 990
 in $S_{RN}1$ substitution, 1045–1052
- radical cations, 988
- radical reactions
 addition reactions
 of aldehydes, 1031, 1034
 comparison of, by computation, 1007–1008
 examples of, 1033–1036
 of halomethanes, 1029–1031, 1036, 1041
 of hydrogen halides, 1026–1028
 rates of, 1004–1008
 substituent effects on, 1004–1006
 atom transfer, 966
 chain length, 965
 cyclization, 1008–1013
 8-endo cyclization to lactones, 1013–1014
 atom and group transfer reactions in, 1037–1039
 computational modeling, 1010–1012
 rates of, 1008–1013
 regiochemistry in relation to ring size, 1009–1010
 stereoelectronic effects on, 1009–1010
 disproportionation, 966
 group transfer reactions, 1037–1039
 halogenation, 1002–1004, 1018–1024
 energetics of, 1018–1020
 selectivity of, 1019–1020
 substituent effects on, 1003–1004
 hydrogen atom abstraction, 1001–1004
 inhibitors for, 994–5
 initiation, 965
 iodine atom transfer, 1037–1038
 kinetics of, 992–995
 propagation, 965
 rates of, 995–1000
 competition methods for, 995–996
 table of, 997–1000
 rearrangement, 1041–1044
 of cyclopent-2-enylmethyl radical, 1044
 examples, 1044
 of hex-5-enoyl radical, 1042–1043
 selenyl group transfer reactions, 1037–1039
 Lewis acid catalysis of, 1039
 spin trapping of, 973
 stereochemistry of, 983–986
 examples of, 983
 substitution by $S_{RN}1$ processes, 1044–1052
 mechanisms for, 1044–1045
 of nitro compounds, 1045–1048
 termination, 965
 with oxygen, 1023–1026
 β -scission, 966–7, 1013
- radicals, *see also* alkyl, aryl, vinyl etc.
 9-decalyloxy
 fragmentation of, 1016
- acyl
 decarbonylation of, 967, 1017
- acyloxy
 decarboxylation of, 967
- alkoxyl
 formation from alkyl hypochlorites, 1015
- alkyl
 disproportionation, 966
- allyl
 resonance of, 312–313
 substituent effects on, 985–987
- bridgehead, 984–985
 ESR parameters for, 985
- capto-dative, 316, 987–988
 examples, 989
- charged, 988–992
- cyclization of unsaturated, 1008–1013, 1037–1039

- cyclohexyl
 structure of, 984
delocalized, 312–313
detection of, 966–976
 by CIDNP, 974–975
 by ESR spectroscopy, 970–971
 by spin trapping, 973
electrophilic versus nucleophilic character of, 1004
 frontier MO interpretation of, 1004–1006
generation of, 976–80
 from azo compounds, 978–979
 from boranes, 979
 from *N*-acyloxy pyridine-2-thiones, 979–980
 from *N*-nitrosoacetanilides, 979
 from peroxides, 976–978
group transfer reactions of, 1037–1039
halogen bridging in, 1028
hybridization of, 311
long-lived, 968–970
 examples of, 969
methyl, 967
 structure of, 980–981
nitroxide, 968, 973
persistent, 968
reaction with oxygen, 1023
rearrangements of, 1041–1044
 of acyl groups, 1042
 of aryl groups, 1042–1043
 of cyano groups, 1042–1043
 hex-5-enoyl radical, 1042–1043
 of vinyl groups, 1042
stabilization of, 312–313, 317, 1052–1055
structure of, 311, 980–982
substituent effects on, 317–318
 table, 317, 1055
trifluoromethyl
 structure of, 981–982
triphenylmethyl, 967
unsaturated, cyclization of, 1008–1013, 1037–1039
vinyl, 986
α-amino, 315
radical stabilization energy, definition, 314
 relation to bond dissociation energy, 312–313, 317, 1052–1055
 table, 315, 1055
rate determining step, 276
RE, *see* resonance energy
reaction constant, in Hammett equation, 338
 for electrophilic aromatic substitution, 790
 table of, 341
reaction cube, *see* potential energy diagram, three-dimensional
reaction rates, *see also* kinetics
 relation to thermodynamic stability, 285–287
reactivity-selectivity relationships
 for electrophilic aromatic substitution, 787–791
rearrangements
 of carbocations, 440–447
 during addition of hydrogen chloride to alkenes, 448–450
 during chlorination of alkenes, 494
 of radicals, 1041–1044
refractive index
 relationship to polarizability, 17
regioselective, definition, 476
resolution of enantiomers, 136–141
 chromatographic, 137
 dynamic, 215
 enzymatic, 215–227
 by epoxide hydrolases, 225–226
 selectivity in, 140–141
 kinetic, 138–141
 chemical, 139
 enzymatic, 140–141
resolving agents
 examples of, 136–137
resonance, 18–22
 in 1,3-butadiene, 20, 62
 in allyl radicals, 312–313
 in amides, 320–322
 in benzene, 18, 62
 in carbocations, 22, 433
 in carbonyl compounds, evaluation of, 320–321
 in enamines, 22
 in formamide, 62
 in formate anion, 62
 in naphthalene, 18
 natural bond orbital representation, 62
 in propenal, 20–21
 in substituent effects, role of, 297–298
 in vinyl ethers, 21–22
resonance energy, definition, 19
 as a criterion of aromaticity, 715–716
ring current
 as an indicator of aromaticity, 720
rotational barriers, definition, 143
 in butane, 79–80
 in ethane, 78–79
 origin of, 78–81
Rydberg excited states, 1073
 of ethene, 1082
salicylic acid
 acetals of
 hydrolysis, 668–669
 acetate ester (aspirin), 352–353
 esters, hydrolysis of
 leaving group effects, 671
 mechanism, 669–671
 pH-rate profile for, 670
SCF, *see* self-consistent field
Schrödinger equation, 26
selectivity
 in aromatic electrophilic substitution, 787–791

- selenenylation
of alkenes, 500–503
regioselectivity of, 502
- self-consistent electronic field, definition, 26, 32
- semicarbazones, 646
mechanism of formation, 652
- semidiones, 991–992
- semiquinones, 991
- sequence rule, *see* Cahn-Ingold Prelog rules
- Sharpless asymmetric epoxidation, 196–199
computational model for, 198–199
double stereodifferentiation in, 207
- [2,3]-sigmatropic rearrangements, 939–945
of allylic selenoxides, 941
of allylic sulfoxides, 940–941
aza-Wittig, 944
examples of, 940
of *N*-allyl amine oxides, 941
transition structures for, 939–940
Wittig, of allylic ethers, 943–944
stereoselectivity of, 945
- [3,3]-sigmatropic rearrangements, 919–939
of allyl vinyl ether, 933
Marcus theory treatment of, 936
remote substituent effects, 938
stereochemistry of, 935
of amide acetals, 938
- Claisen rearrangements, 933–937
of allyl aryl ethers, 934–935
- Cope rearrangement, 920–31
activation energy for, 920
of barbaralane, 931
of bullvalene, 930–931
chair versus boat transition structure for, 923
computational modeling of, 926–927
cyano substituents, effect on, 927
of divinylcyclopropane, 929
effect of strain on, 928
More-O'Ferrall-Jencks diagram for, 928
of semibullvalene, 931
stereochemistry of, 922–923
substituent effects on, 924–928
- examples of, 921
- Ireland-Claisen rearrangement, 937–938
stereoselectivity of, 937
- of *O*-allyl imidate esters, 938
- oxy-Cope rearrangement, 931–932
transition structures for, 920
- sigmatropic rearrangements, 911–945
of alkyl groups, 914–916
stereochemistry of, 914–915
antarafacial versus suprafacial, 914–915
classification of, 911–912
in equilibrium of precalciferol and calciferol, 919
as example of concerted pericyclic reactions, 934
examples of, 913
for hydrogen and alkyl group shifts, 916–919
of hydrogen, 912–914
summary of thermodynamics, 919
- orbital symmetry selection rules for, 912
- transition structures
computational models of, 915–916
- silanes
- allyl
electrophilic substitution reactions of, 568
- aryl
electrophilic substitution of, 815–816
- β -halo
elimination reactions of, 566
- β -hydroxy
elimination reactions of, 566–568
- silyl substituent groups
stabilization of carbocations by, 299, 307
steric effects in enolate alkylation, 618–619
- sodium
hexamethyldisilylamide, as a strong base, 592
- softness, definition, 14, 96
in regioselectivity of Diels-Alder reaction, 947–949
relation to nucleophilicity, 410–411
- solvent effects, 359–362
on acidity of carboxylic acids, 53
on anomeric equilibria, 228–232
on elimination reactions, 554
empirical measures of, 360–361
on enolate alkylation, 615
on enolate composition, 596, 937
examples of, 362–368
in MO theory, 50–51
on S_N1 substitution, 392–393
on solvolysis of *t*-butyl chloride, 361
- solvent isotope effect, 347
in acetal hydrolysis, 641
- solvents
dielectric constant of, table, 359
dipolar aprotic
effect on nucleophilicity, 363
dipole moment of, table, 359
- solvolysis, 389, 395
- SOMO, 313
substituent effects on, 313–314, 1004–1006
- specific acid catalysis, 346–347
in acetal hydrolysis, 641
- specific base catalysis, 347
- specific rotation, definition, 123
- spin trapping, 973
- spiro[2.2]pentane, 87–88
- spiro compounds
chirality of, 130
- stacking, $\pi - \pi$ of aromatic ring
in enantioselective oxidation of alkenes, 202
- staggered, definition, 142
- stannanes
allyl
electrophilic substitution reactions of, 568
- aryl
electrophilic substitution reactions of, 816
- stannic chloride, *see* tin tetrachloride

- stannyl groups
 stabilization of carbocations by, 307
- steady state approximation, 282
- stereoelectronic effect
 hyperconjugation, 24
 on radical cyclization reactions, 1009–1010
 computational modeling of, 1010–1012
 on stability of reaction intermediates, 297–298
- stereoisomer, definition, 117
- stereoselective reactions
 1,3-dipolar cycloaddition, 878–879
 catalytic hydrogenation, 170–176
 Diels-Alder reaction, 839–842
 enolate alkylation, 615–619
 examples of, 170–182
 hydride reduction of ketones, 176–179
 hydroboration, 188, 524–525
 nucleophilic addition to acyclic ketones, 179–182
- stereoselectivity, 119, 169
- stereospecificity, 169
- stereospecific reactions
 1,3-dipolar cycloaddition, 877–8
 bromination of alkenes, 183–185
 Diels-Alder reaction, 839–840
 examples of, 183–188
- steric approach control, definition, 177
 in additions to acyclic ketones, 180
 in hydride reduction of cyclic ketones, 177–178
- steric effects
 in Diels-Alder reactions, 843
 in enolate alkylation, 615–619
 in Friedel-Crafts acylation, 812
 in nucleophilic substitution, 415–417
 on reactivity, 297
 on regiochemistry of elimination reactions, 562–563
- stilbene
 E and *Z* isomers
 absorption spectra, 1087
 ground state structure, 1086
 photocyclization of, 1091
 photoisomerization of, 1085–1090
 rotational energy profile for excited states, 1090
- strain
 1,3-allylic, 147
 in cycloalkanes, 86–88, 161–166
 from molecular mechanics, 167–168
 torsional, 143, 153
 van der Waals, 78, 143–144, 154
- styrene and derivatives
 excited states of, 1083–1085
 hydration reactions of, 482–483
 reactivity toward selenenylation, 501
- substituent constants, Hammett, 338–339
 table, 340
- substituent effects
 on [3,3]-sigmatropic rearrangements, 924–927, 932, 937
 on carbanion stability, 309–311, 591–594
 on carbocation stability, 304–305, 432–434
 comparison of gas phase and solution phase, 344
 DFT formulation of, 100–105
 in Diels-Alder reactions, 843–848
 directive, in catalytic hydrogenation, 171–176
 in electrophilic aromatic substitution, 779–787
 on nucleophilic substitution, 418–419
 on radical reactivity, 1004–1007
 on radical stability, 311–318, 986–988
 on reaction intermediates, 297–299
- substituent groups
 electronegativity of, table, 103, 260
 hardness of, table, 102
- subtilisin
 enzymatic resolution by, 141, 222
- sulfonylation of alkenes, 497–500
 regioselectivity of, 499
- sulfides
 as nucleophiles in $S_{RN}1$ reactions, 1050
- sulfinyl substituents, 299
- sulfonate groups
 internal return in solvolysis, 397–398
 as leaving groups in nucleophilic substitution, 413–414
- sulfones
 vinyl as dienophiles and synthetic equivalents, 862–863
- sulfonium ylides
 allylic, [2,3]-sigmatropic rearrangement of, 942
- sulfonyl group
 effect on cyclization of 5-hexenyl radical, 1012
 substituent effect of, 299
- sulfoxides
 acidity of, 589
 allylic
 2,3-sigmatropic rearrangement of, 940
 chirality of, 129
 vinyl, as dienophiles, 863
- sulfuranes
 as intermediates in sulfonylation of alkenes, 498
- sulfur-containing groups
 carbanion stabilization by, 599
 ylides, 600–601
- sultams
 camphor, as chiral auxiliaries, 207–208
- suprafacial, definition, 911–912
- symmetry, *see* orbital symmetry, molecular symmetry
- synchronicity
 of 1,3-dipolar cycloadditions, 882
 definition, 852
 of Diels-Alder reaction, 852
- synthetic equivalent, definition, 862

- TADDOLS, *see*
tetraaryl-1,3-dioxolane-4,5-dimethanols
- tartrate esters
as chiral ligands for enantioselective
epoxidation, 197–199
- termination, in radical reactions, 965, 992–994
- tetraaryl-1,3-dioxolane-4,5-dimethanols derivatives
as enantioselective catalysts
for 1,3-dipolar cycloaddition, 868
for Diels-Alder reactions, 888
- tetrabromomethane, *see* halomethanes
- tetrahedral intermediate
in ester aminolysis, 660–661
in imine formation and hydrolysis,
646–650
in reactions of carbonyl compounds,
325–331, 630
- tetrahydropyrans
anomeric effect in, 228–232
radical conformation, 984
- tetramethylethylenediamine (TMEDA)
affect on organolithium compounds, 589–590
in reactions with esters, 678
- thermodynamic control of product composition,
285–287
in aldol addition, 690
- thermodynamic stability, 253–270
- thexylborane
formation of, 188
hydroboration by, 524
- thiuranium ions
as intermediates in sulfenylation of alkenes, 498
- thiophene
aromatic stabilization of, 758–759
electrophilic aromatic substitution of,
793–794
- three electron bond
in radicals, 313, 315, 316, 318
- tin tetrachloride
as Lewis acid catalyst, 354–355
- titanium tetrachloride
as Lewis acid catalyst, 354–355, 849
in enantioselective Diels-Alder reactions,
865–866
- TMEDA, *see* tetramethylethylenediamine
- torsional barrier, *see* rotational barrier
- torsional effects
in enolate alkylation, 617
- torsional strain, *see* strain, torsional
- transition state, definition, 253
- transition state theory, 270–272
- transition structure
computational characterization of, 279–80
definition, 270
- triafulvene, 754–757
- tricyclo[3.1.0.0^{2,6}]hex-3-ene, from photolysis of
benzene, 1134
- 1,3,5-trienes
electrocyclic reactions of, 893–894
heteroatom analogs of, electrocyclozation,
910–911
photochemical reactions, 1106–1107
- triflate, *see* trifluoromethanesulfonate
- 2,2,2-trifluoro-1-(9-anthryl)ethanol
as chiral additive for NMR spectra, 210
- trifluoroacetic acid, addition to alkenes,
484–485
- trifluoroethanol, as solvent, 368, 412
- trifluoromethanesulfonic acid, addition to
alkenes, 484
- trifluoromethylsulfonate, as leaving group,
413–414
- triphenylmethyl cation, 426–427
- triphenylmethyl radical, 967
- triplet state, 1073, 1076–1077
- tropylium ion, *see* cycloheptatrienyl cation
- valence, 2
valence bond theory, 3
valence shell electron pair repulsion, 7
valence tautomerism, definition, 905
- van der Waals radii, 24–26
definition within DFT, 97
table of, 26
- van der Waals strain
in cyclohexane derivatives, 154
in relation to butane conformation, 143–144
in relation to rotational barriers, 78–80
- vicarious nucleophilic aromatic substitution,
820–821
- vinyl amines, *see* enamines, ethenamine
- vinyl cations, 301, 435–436
- vinylcyclopropane
thermal rearrangement of, 929
- vinyl ethers
cycloaddition with diazomethane, 880–882
hydrolysis of, 485
resonance in, 21–22
- vinyl radicals
structure of, 985–986
substituent effects on, 985–986
- VSEPR, *see* valence shell electron pair repulsion
- water
effect on mechanism of imine formation,
648–650
Laplacian of electron density, 92
as solvent for Diels-Alder reaction, 850
- Wilkinson's catalyst, 174
- Winstein-Grunwald equation, 412
- Wittig rearrangement, 943–944
- Woodward-Hoffmann rules
for concerted cycloaddition, 836–837
for electrocyclic reactions, 900
in relation to photochemical reactions, 1099
for sigmatropic rearrangements, 912

- X-ray crystal structures
 (±) and (-) forms of
 2,5-diazabicyclo[2.2.2]octane-3,6-dione, 1123–1124
 1,6-methanocyclodeca-1,3,5,7,9-pentaene-3-carboxylic acid, 773–780
 1,6-methanocyclodeca-1,3,5,7,9-pentaene, 730
 2-methylpropenal-BF₃ complex, 849
 3,3-dimethyl-4-(*t*-butyldimethylsilyl)-2-pentanone enolate, 613
 benzoyl chloride-SbCl₅ complex, 810
 benzoyl chloride-TiCl₄ dimeric complex, 810
 bromonium ion from
 adamantylideneadamantane, 490
n-butyllithium-DME tetrameric complex, 590
n-butyllithium-THF tetrameric complex, 590
n-butyllithium-TMEDA dimeric complex, 590
n-butyllithium-TMEDA tetrameric complex, 590
t-butyl methyl ketone enolate hexamer, 613
t-butyl methyl ketone enolate-THF tetrameric complex, 613
 cyclopentanone enolate-THF tetrameric complex, 613
 ethyl acryloyllactate-TiCl₄ complex, 849
 lithium bicyclo[3.2.1]octa-2,6-dienide, 745
 phenyllithium-diethyl ether tetrameric complex, 589
 phenyllithium-TMEDA dimeric complex, 589
syn-tricyclo[8.4.1.1^{3,8}]
 hexadeca-1,3,5,7,9,11,13-heptaene, 732
syn-tricyclo[8.4.1.1^{4,9}]
 hexadeca-2,4,6,8,10,12,14-heptaene, 732
 ylides, 600
 [2,3]-sigmatropic rearrangements of, 940–942
 acidity of, 600–601
 ammonium, *N*-allyl
 [2,3]-sigmatropic rearrangement of, 942
 phosphonium, 600–601
 S-anilinosulfonium
 [2,3]-sigmatropic rearrangement of, 942
 sulfonium
 allylic, [2,3]-sigmatropic rearrangement of, 942
 Yukawa-Tsuno equation, 341
 application in oxymercuration reaction, 516
 application to benzyl cations, 432
 zero point energy
 correction for in computation of enthalpy, 265
 role of isotope effect, 332