

## SUBJECT INDEX

- ATPase(s) / ATPase activity 151, 153, 154, 160, 225, 300
- AUG initiation codon 12, 30, 80, 170, 176, 178, 215-216, 227-230, 237-242, 253, 255-257, 261
- Aberrant strategies of translation 223, 224, 250
- Adenine 14, 93, 242
- Alfalfa mosaic alfamovirus* (AMV) 11, 15, 22, 30, 32, 33, 35, 37, 39-40, 45, 51-54, 58-59, 79-80, 82, 87-88, 91-96, 99-100, 102, 105-110, 120, 123-129, 153-154, 159, 162, 196, 201-207, 209-210, 212-214, 218, 234, 239, 245, 249, 253, 256, 282, 284-286, 295, 307-308, 310-311, 316, 332
- Alfamovirus* 20, 22, 32, 35, 59, 126, 157, 196, 214, 285
- Allexvirus* 20
- Alpha-like/ viruses/supergroup 35, 37, 120, 126, 157, 159, 167, 170, 181, 182, 202-203, 249, 261, 301, 305, 309
- Alphavirus-like supergroup 20, 21, 37-38, 128, 136, 141-142, 157, 200, 202-203, 310-311, 322
- Ambisense RNA/viruses 6, 136, 195, 234-237
- Aminoacylation 45-46, 48-51, 54, 64-65, 233, 261
- Apple chlorotic leaf spot trichovirus* (ACLSV) 22, 33, 60, 122, 158, 167, 172, 181
- Apple stem grooving capillovirus* (ASGV) 20, 22, 32, 37, 59, 122, 126, 158, 167, 171, 181, 232
- Apple stem pitting foveavirus* (ASPV) 21, 171
- Arabidopsis thaliana* 43, 74, 141, 299-301, 315
- Artichoke mottled crinkle tombusvirus* 34, 308
- Aspartic proteinases 169-170, 186-187, 190, 291
- Assembly of viruses 6, 13, 53, 55, 73, 75-76, 78, 108, 189, 215, 271-298, 300, 304, 307, 309, 319
- Assembly origin 82-83, 109, 272, 275, 278
- Aureusvirus* 20
- Avenavirus* 20, 34
- Badnaviridae* 169
- Badnavirus* 186-187, 236
- Bamboo mosaic potexvirus* (BaMV) 22, 34, 37-38, 41, 54-56, 94-95, 119-120, 124-127, 129, 157, 200, 282, 316
- Bamboo mosaic virus satellite RNA* 127
- Barley stripe mosaic hordeivirus* (BSMV) 12, 21-22, 33, 37, 49, 58, 60, 73, 102-103, 122, 126-127, 158, 197, 200, 206, 217, 235, 241-242, 248, 256, 279-280, 307
- Barley yellow dwarf luteovirus* (BYDV) 9, 13, 20, 22, 31, 33-34, 41, 60, 88, 103, 121, 126, 141, 156, 167, 197, 200-201, 206-209, 211-213, 217-218, 233-234, 239-240, 243-249, 251-256, 258-259, 261-262
- Barley yellow mosaic bymovirus* (BYMV) 22, 32, 41, 44, 59, 167, 175, 183-184
- Bean common mosaic bymovirus* (BCMV) 22
- Bean pod mottle comovirus* 141, 163
- Beet cryptic alphacryptovirus 1* 22
- Beet cryptic alphacryptovirus 3* 22
- Beet curly top curtovirus* 307
- Beet furo-like virus Q* (BVQ) 22, 247, 250
- Beet necrotic yellow vein benyvirus* (BNYVV) 20, 22, 31-32, 37, 55-56, 60, 74, 103, 122, 126, 141, 153, 157-158, 167, 171, 181, 183, 197, 203, 206-207, 209, 212, 232, 235, 247, 250, 280
- Beet soil-borne pomovirus* 126, 235

- Beet virus Q* – see *Beet furo-like virus Q*
- Beet western yellows luteovirus* (BWYV) 22, 41, 121, 156, 180, 243, 244, 247, 291, 307
- Beet yellows closterovirus* (BYV) 20, 22, 31-32, 34, 37, 59, 120, 122, 126-128, 158, 167, 170, 181-185, 187-190, 199-202, 205, 217, 243, 245-246, 307, 316, 321
- Benyvirus* 20, 31, 34, 169, 280
- Benyviruses 171, 181
- Bipartite genome/viruses 15, 62, 101, 171, 173-174, 201, 204, 212, 234, 238, 256, 318
- Birnaviridae* 91, 156
- Bluberry scorch carlavirus* (BISV) 22, 181
- Bovine diarrhea virus* 136
- Broad bean mottle bromovirus* (BBMV) 20, 22, 34, 49, 62, 271, 285-286
- Broad bean wilt fabavirus* 20
- Brome mosaic bromovirus* (BMV) 1, 4, 7-14, 20, 22, 30-32, 34-38, 40, 45-59, 62, 76, 82, 88-96, 98-99, 101, 104, 105, 107-109, 120, 122-131, 132-134, 136-138, 140, 153, 158, 161-163, 195-196, 201-214, 226, 233, 237, 242, 260, 262, 271-272, 282, 284-290, 292-294, 299, 300-305, 308-313, 316-317, 319-322
- Brome streak mosaic rymovirus* (BrSMV) 22, 33, 60, 167, 175, 184
- Bromoviridae* 12, 14, 19, 21, 34, 37, 92, 120, 122, 195, 209, 211, 214, 256, 292, 310
- Bromovirus* 20, 32, 35, 46, 59, 157, 196, 214, 287
- Bromoviruses 35, 50, 54, 99, 106, 162, 200, 210, 218, 282, 286, 292-294
- Bunyaviridae* 39, 195, 236-237
- Bymovirus* 20, 32, 41, 44, 55, 59, 159, 167, 169, 173-174, 184, 235
- Bymoviruses 44, 142, 182-183
- Cap/cap-like structure 16, 30-41, 43, 56, 80, 88, 90, 107-109, 127, 135, 196-201, 215, 224-234, 237-238, 242, 251-262, 279, 281, 309, 312-313
- Cap-dependent translation 18, 40, 225-229, 253, 258
- Cap-independent translation 13, 16, 31, 43, 52, 227-228, 232, 242, 251-255, 258-261
- Cap-independent translational enhancer 45, 52, 251, 253, 259-262
- Cap snatching 36, 39, 234-237
- Caliciviridae* 134
- Capillovirus* 20, 32, 55, 59, 121, 126, 157, 167, 169
- Capilloviruses 141, 171, 181
- Capsid/coat 6, 53, 55, 59, 62, 79, 80, 82, 168, 271-272, 282-294
- Capsid protein / coat protein (CP) 2, 3, 5, 6, 11, 12, 14-15, 33, 53, 58, 61-62, 75, 77, 79-82, 88, 100-111, 175-176, 178-179, 186-187, 190, 199, 200, 216-218, 223, 240-241, 248, 273-274, 283-288, 292-293
- Capsid protein-binding sites 33, 106
- Cardamine chlorotic fleck carmo-virus* 256
- Carlavirus* 20, 31, 32, 37, 55, 59, 121, 157, 167, 169, 195-196, 243
- Carlaviruses 142, 171, 181, 183
- Carmo-like viruses/supergroup 20-21, 34-35, 126, 167, 253, 261, 308, 322
- Carmovirus* 20, 22, 32, 35, 59, 89, 103, 124, 127, 196, 212, 247, 252-253, 258, 319
- Carmoviruses 8, 102-104, 137, 142, 247-249
- Carnation Italian ringspot tombus-virus* (CIRSV) 31, 75, 125-126, 128, 241, 248, 258, 301, 308, 319
- Carnation latent carlavirus* 20, 121

- Carnation mottle carmovirus* (CarMV) 20, 22, 32, 34, 45, 58-59, 121, 156, 196, 247-248, 256
- Carnation ringspot dianthovirus* (CRSV) 20, 22, 31
- Carrot mottle umbravirus* 21, 121, 126
- Cauliflower mosaic caulimovirus* (CaMV) 22, 74, 186, 190, 229, 235, 239, 240, 242, 305
- Caulimoviridae* 169, 186
- Caulimovirus* 156, 186, 235
- Caulimoviruses 168, 239, 305
- Cell-to-cell movement 58, 140, 157, 189, 201, 217, 304
- Cherry leaf roll nepovirus* (CLRV) 22, 198, 200, 218
- Chenopodium amaranticolor* 73
- Chloroplasts 110, 249, 304, 307, 310-311, 319, 320, 322
- Chymotrypsin-like proteinase 168, 170-177, 179-181
- cis*-Acting factors/sequences/elements/ activity/cleavage 4-5, 7-15, 29, 35, 55, 58, 62, 87-89, 92-93, 103, 110, 129, 136-137, 140, 162, 167, 168, 171, 173-179, 181-183, 187, 199, 203-208, 214, 226, 234-237, 239, 246, 248, 251, 253, 255, 257, 262, 290, 292, 303, 307, 309, 321
- Citrus leaf blotch virus* 34, 199-200, 202
- Citrus tatter leaf capillovirus* (CTLV) 22, 32
- Citrus tristeza closterovirus* (CTV) 22, 31, 34, 59, 94, 99, 100, 122, 126, 181-185, 196, 199, 200, 203-205, 211, 214, 217, 243, 246
- Closteroviridae* 20, 34, 126, 183, 185, 195, 199, 235, 256
- Closterovirus* 20, 32, 35, 59, 122, 126, 141, 157, 167, 169, 182, 234, 243, 321
- Closteroviruses* 31, 34, 181, 183, 185-186, 200, 205, 208, 236, 243, 246
- Clover yellow mosaic potyvirus* (CYMV) 22, 34, 200, 282
- Clover yellow vein potyvirus* 41-43, 187
- Coat - see Capsid
- Coat protein - see Capsid protein
- Cocksfoot mottle sobemovirus* (CfMV) 22, 41, 121, 126, 243, 245, 262
- Comoviridae* 20, 34, 121, 169, 175, 195, 238
- Comovirus* 20, 32, 41, 55, 59, 159, 167, 175-177, 180, 290
- Comoviruses 141, 176, 178, 257
- Core promoter(s) 4, 6-8, 12-14, 92-93, 102-103, 135, 138, 208-214, 217
- Cowpea chlorotic mottle bromovirus* (CCMV) 22, 32, 49, 62, 73, 82, 89, 96, 123-124, 205, 211, 284-287, 290-292, 294
- Cowpea mosaic comovirus* (CPMV) 4, 20, 22, 30, 32, 35, 41-44, 55-56, 59, 71, 73, 85, 96-97, 102-103, 119, 121, 123-124, 129, 153, 158-159, 167, 170, 176-177, 241, 290, 299, 300, 306-307, 309, 316, 318, 320-322
- Cricket paralysis virus* 19, 230-232, 257-258
- Crinivirus* 20, 185, 205, 235
- Cucumber chlorotic spot closterovirus* (CCSV) 22, 243
- Cucumber green mottle mosaic tobamovirus* 215, 273, 277, 308, 321
- Cucumber mosaic cucumovirus* (CMV) 1, 4, 8, 11-12, 20, 22, 32, 37, 40, 49, 54, 57-59, 73-74, 90, 92-93, 97, 123, 129, 130, 132, 140, 153, 156, 158, 196, 203, 205-207, 212-214, 271, 291, 299, 300, 302, 307-308, 310-311, 313, 322
- Cucumber necrosis tombusvirus* (CNV) 8, 22, 101, 119-127, 129, 136-137, 140, 156, 195, 198, 200-201, 206-207, 212-213, 216, 218, 241, 247, 300, 315-316

- Cucumovirus* 20, 32, 35, 46, 59, 101, 126, 157, 196, 214, 292, 308  
*Cucumoviruses* 46, 50, 106, 218, 282  
*Cymbidium ringspot tobusvirus* (CymRSV) 4, 22, 56, 302, 321  
 Cysteine proteinases 127, 169, 171-174, 176, 180-185, 187, 316  
 Cysteine-rich protein(s) 103, 217  
*Cystoviridae* 91, 133, 136  
 Cytoplasmic inclusion(s) 124, 185, 306, 313  
 Cytosine 275, 291
- Decapsidation – see Uncoating  
 Defective interfering RNA 139, 301, 316  
*Dengu 2 virus* 136  
*Dianthovirus* 20, 31, 32, 34, 59, 121, 156, 243, 245, 252-253, 255, 258, 261  
*Dianthovirus(es)* 141, 200, 236, 245, 259  
 Disassembly 43, 75-76, 78-83, 278, 286, 288, see also Uncoating  
*Discistroviridae* 252  
 Double-stranded DNA genome/viruses 155, 235  
 Double-stranded RNA genome/viruses 4, 29, 36, 72, 90-92, 96, 98, 100, 131, 137, 154-155, 206, 231, 244, 303, 305, 307-308, 314, 321
- Eggplant mosaic tymovirus* 49, 122, 291  
*Eggplant mottled crinkle tobusvirus* 308  
*Enamovirus* 20, 32, 41-42, 59, 121, 167, 243, 247, 248  
*Encephalomyocarditis virus* (EMCV) 229, 231, 256-257
- Endoplasmic reticulum (ER) 23, 44, 61, 95, 108, 124, 162-163, 305, 310, 314  
*Erysimum latent virus* 47-49  
 Eukaryotic translation initiation factor(s) (eIFs) 18-19, 31, 40-44, 49, 53, 56, 66, 107, 152, 155-156, 160-162, 224-233, 237, 252-253, 257, 259, 263, 300, 302, 309, 311, 314
- Fabavirus* 20  
*Fiji disease reovirus* 305  
*Flaviviridae* 134  
*Foot-and-mouth disease virus* 230, 257  
*Foveavirus* 21, 31, 172  
*Foxtail mosaic potexvirus* 122, 124, 154, 322  
 Frameshift(ing)/frameshift 13, 59, 100, 120, 122, 126-128, 167, 195, 223, 230, 234, 243-246, 262  
*Furovirus* 21, 32, 34-35, 37, 46, 49, 59, 122, 126, 157, 167, 195-196, 247  
*Furoviruses* 49, 247-250
- GB virus-B* 125  
*Galinsoga mosaic carmovirus* 8, 308, 319  
*Geminivirus(es)* 157, 236, 307  
 Gene silencing 89, 137, 190, 201, 304  
 Genome activation 107-108, 110  
 Genome-linked protein (VPg) 18, 30, 32-36, 41-44, 126, 134, 168, 170, 174, 176-179, 187, 197-200, 233-234, 237, 252-253, 259, 306, 318  
*Grapevine chrome mosaic virus* 158, 178  
*Grapevine fanleaf nepovirus* (GFLV) 22, 41, 60-61, 96, 170-171, 176-179, 306, 316, 321  
*Grapevine fleck virus* 30  
*Grapevine trichovirus B* (GVB) 22  
*Groundnut rosette umbravirus* (GRV) 22, 33, 60, 74, 120-121  
*Grapevine vitivirus A* (GVA) 21, 22

- Guanine 36-37, 224, 228, 238, 281  
 Guanylyltransferase activity/domain 36-39, 58, 61, 312, 314
- Heat shock protein (HSP) 16, 23, 59, 201-202, 217, 233
- Helicase (HEL) 1, 2, 4, 5, 8, 37-38, 40, 58-62, 87, 90-93, 96, 125, 127-128, 133, 140-142, 151-165, 181-185, 218, 224, 225, 230, 235, 237, 245-246, 257, 262, 300-302, 307, 309-317, 321-322
- Helper component proteinase (HC-Pro) 23, 42, 170, 173-174, 181-190
- Hepatitis C virus* 1, 125, 132-134, 136, 139, 151, 161, 229-230, 252, 257-258
- Hepatitis E virus* 38
- Herpes simplex virus-1*
- Hibiscus chlorotic ringspot carmovirus* (HCRSV) 7, 89, 94, 101, 124, 200, 216, 241, 245, 248
- Hordeivirus* 21, 33-35, 37, 46, 49, 50-51, 60, 62, 92, 122, 126, 157, 195, 197
- Hordeiviruses 49, 142, 157, 195, 218, 235-236
- Host factors 2, 4, 7-8, 15, 17, 43, 55, 75, 82, 87, 89, 99, 102, 104, 129-130, 135, 226, 257-258, 278, 299-322
- Host gene shut-off 15-17, 225
- Human immunodeficiency virus* 139
- Hungarian grapevine chrome mosaic virus* 158
- Idaeovirus* 21, 33, 60, 122, 126, 157, 197
- Iilarvirus* / ilarviruses 20, 22, 33, 51, 93, 105-108, 110, 197, 214, 218, 233, 235, 308
- Indian peanut clump virus* 49, 280
- Influenza orthomyxovirus* 39
- Internal control region 11, 303
- Internal initiation of gene expression/translation 12, 52, 136, 203, 228-229, 234, 242, 257
- Internal ribosome binding/entry site (IRES) 18-19, 31, 215, 223, 229-232, 234, 237, 242, 251-252, 256-260, 262
- Ipomovirus* 20, 183-184
- Kennedya yellow mosaic tymovirus* 37, 49, 158
- Kinase(s) 41-42, 300, 311, 313
- Leader proteinases 181-183, 185-186, 190
- Leader sequence 12, 76, 80-82, 195, 200, 232, 236-239, 242, 252, 254, 256-260
- Leaky scanning/gene expression 195, 216-217, 227-228, 234, 239-242, 257
- Leaky stop codon/termination 61, 126, 246, 248-250, 262
- Lettuce infectious yellows closterovirus* (LIYV) 15, 20, 22, 99, 101, 122, 183, 185, 199, 243, 246, 256
- Lettuce mosaic virus* (LMV) 43-44, 130, 183-184, 188
- Lily virus X* 238
- Luteoviridae* 19, 20, 42, 252-253, 261, 292
- Luteovirus* 20, 31, 33-34, 41, 60, 121, 126, 156, 167-169, 195, 197, 239, 243, 247, 252-255, 258, 261, 307
- Luteoviruses 141, 180, 195, 207, 234, 236-237, 244-245, 248-250, 259, 316
- Lychnis ringspot hordeivirus* 235
- Machlomovirus* 20, 33-35, 60, 121, 197, 253
- Maclura mosaic macluravirus* 20
- Macluravirus* 20
- Maize chlorotic dwarf waikavirus* 179

- Maize chlorotic mottle machlomovirus* (MCMV) 20, 22, 33-34, 60, 121, 156, 197, 200, 247, 250  
*Maize rayado fino virus* 21-22  
*Maize rough dwarf fijivirus* 22  
*Maize stripe tenuivirus* 22  
*Marafivirus* 21-22, 31, 33-34, 60, 167, 169  
 Marafiviruses 172, 181  
 Methyltransferase 5, 8, 36-39, 58, 61, 90, 125, 127-128, 133, 181-182, 185, 201, 217, 235, 246, 301-302, 309-310, 312-317, 319, 321-322  
 Monocomponent/monopartite genome/viruses 29-30, 74, 179, 195, 200, 234-235  
 Movement complex 43, 314-315  
 Movement protein 2, 15, 23, 74-75, 80, 111, 124, 175-176, 178, 187, 199, 200-201, 212-213, 215-217, 235, 275, 311, 314  
 Multicomponent/multipartite genome/viruses 13, 29-30, 34, 41, 48, 58, 96-97, 102, 200, 218, 234, 236, 272, 280  
  
*Narcissus mosaic potexvirus* 158, 214  
*Necrovirus* 20, 31, 33, 60, 121, 156, 247, 252-254, 258  
 Necroviruses 141, 238, 247, 255  
 Negative-sense RNA viruses/plant viruses/template 3, 4, 7, 13-14, 17, 19, 29, 51, 72, 101, 119  
*Nepovirus* 20, 21, 33, 41, 43-44, 55, 60, 127, 159, 167, 169, 172, 175, 177-178, 180, 198, 316, 318  
 Nepoviruses 141, 171, 176, 179, 319  
*Nicotiana benthamiana* 61, 119, 122-213, 258, 316  
*Nicotiana tabacum* var. *Xanthi-nc* 71, 315  
 Nuclear inclusion 16, 41, 58, 173  
 Nuclear localization 42, 74-75, 141  
  
 Nucleo-cytoplasmic shuttling 17, 40, 73-75, 88  
 Nucleoside 5'-triphosphate (NTP) and NTPase activity 8, 44, 132-133, 135-136, 151, 153-157, 159-163, 177, 182, 309-310, 316-318  
 Nucleus 17, 36, 39, 73-75, 174, 186, 308, 319, 320  
 Nucleotide binding activity/sites 161  
  
*Oat blue dwarf marafivirus* (OBDV) 22, 31, 33, 60, 167, 171, 181  
*Oat chlorotic stunt avenavirus* 20, 34, 200, 247  
*Odontoglossum ringspot tobamo-virus* 136  
*Oleavirus* 20, 214  
*Olive latent oleavirus 2* 20  
 Origin of assembly sequence (OAS) 109, 272, 275, 277-280, 282  
*Ourmia melon ourmiavirus* 21  
*Ourmiavirus* 21  
  
*Panicovirus* 20  
*Panicum mosaic panicovirus* 20, 22, 34, 200  
 Papain-like proteinase(s) 59, 127, 168, 170-173, 180-185, 187, 190, 246  
*Papaya mosaic virus* 82, 158, 281  
 Pararetroviruses 36, 167, 186  
*Parsnip yellow fleck sequivirus* (PYFV) 20, 22, 33, 41, 60, 121, 141, 167, 171, 179  
*Pea early browning tobnavirus* (PEBV) 22, 122, 247  
*Pea enation mosaic enamovirus* (PEMV) 20, 22, 32, 59, 67, 199, 243, 245, 247, 250  
*Pea enation mosaic enamovirus-1* 42, 121, 126  
*Pea enation mosaic enamovirus-2* 42

- Pea seed-borne mosaic potyvirus* (PSbMV) 22, 16-17, 41-43, 92, 101, 158, 184, 242
- Peanut clump pecluvirus* (PCV) 21, 22, 45, 48-49, 96, 103, 200201, 234, 235, 239-240, 347-250, 279-280, 306, 308, 319-320
- Pelargonium leaf curl tombusvirus* 307
- Pecluvirus* 21, 22
- Pecluviruses 305
- Pepper mild mottle virus* 122
- Pepper mottle virus* 130
- Pepper ringspot virus* 122
- Pepper vein banding virus* 41, 126
- Physalis mottle tymovirus* 307
- Picornalike supergroup/picornal virus (es) 18, 20, 41, 141-142, 159, 167, 169, 170-172, 174, 180, 195, 229, 231, 237-238, 251-252, 257-258, 265, 305, 310, 318, 320, 322
- Picornaviridae* 35, 133
- Plasmodesmata 43, 71, 190, 315
- Plum pox potyvirus* (PPV) 22, 41, 44, 56, 91, 121, 151, 153-156, 158-162, 175, 183, 239, 242, 322
- Poa semilatifolius hordeivirus* 235
- Polerovirus* 20, 22, 41, 126, 195, 198, 243, 247
- Poliiovirus* 1, 17-18, 21, 97, 125, 127, 131-134, 156, 159, 253, 256, 309, 313
- Poly(A) binding protein (PABP) 18-19, 23, 31, 44, 53, 56, 107-109, 224-228, 231, 233, 252, 257, 260
- Poly(A) tail/end 4, 10, 16, 18, 23, 30-34, 40, 44-45, 53, 55-56, 88, 90, 94-95, 107, 109, 112, 153, 200-201, 210, 212, 214, 225-228, 231-233, 251-255, 258-261, 291
- Polymerase(s) (POL) – see RNA dependent RNA polymerase
- Pomovirus* 21, 22, 126, 280
- Pomoviruses 235
- Potato leaf roll polerovirus* (PLRV) 20, 22, 41, 60, 121, 126, 156, 180, 198, 241, 243, 245, 247, 292
- Potato mop top pomovirus* (PMTV) 22, 49, 235, 280
- Potato carlavirus M* (PVM) 22, 32, 37, 59, 158, 171, 196, 243, 245-246
- Potato virus A* (PVA) 41, 42-43, 184
- Potato virus S* 232
- Potato potexvirus X* (PVX) 11, 22, 33-37, 43, 45, 60, 71-72, 120, 124, 131, 157-158, 162, 189, 198, 201-203, 206-207, 212, 232, 241, 256, 258, 262, 271, 280-281, 293, 316
- Potato potyvirus Y* (PVY) 22, 33, 41-43, 60, 92, 96, 126, 183-184, 188
- Potexviridae* 20-21, 31, 34, 261, 282
- Potexvirus* 21-22, 31, 33, 35, 55, 60, 122, 126, 154, 195, 198, 214, 282, 322
- Potexviruses 94, 120, 141, 153, 157, 200, 206, 232, 235, 238, 241, 253, 261-262
- Pothos latent aureusvirus* 20
- Potviridae* 20, 22, 33-34, 44, 121, 172, 175, 183, 195, 235, 237, 261
- Potyvirus* 20, 33, 41, 55, 60, 157, 159, 167, 169, 190, 226, 234
- Potyvirus(es) 16-17, 22, 31, 42-44, 74, 92, 101, 121, 126, 130, 136, 142, 151, 153, 159, 167, 171-175, 178-189, 221, 242, 249, 251-253, 257-261, 305, 307, 310-311
- Proteases 17, 59, 75, 126, 140, 163, 167, 246
- Proteinases 1-2, 23, 41, 57-58, 60, 62, 127, 167-194, 245, 250-251, 307, 310-311, 316, 318
- Proteolytic activity/processing 43, 120, 126-128, 167-181, 184, 186-187, 190, 231, 234, 250-251, 283, 284
- Pseudoknot 4, 10, 31, 47-48, 50-54, 62, 93-95, 106, 108-110, 244-246, 250, 260-261
- Prune dwarf ilarvirus* (PDV) 22, 60, 93

- Qβ virus* 90
- RNA-binding activity/domain/site 18, 42, 59, 100, 105, 122, 134-137, 151, 154-155, 159, 188-189, 210, 227, 275-276, 302, 304, 314
- RNA-dependent RNA polymerase (RdRp) 1-5, 7-10, 12, 15, 22-23, 36-40, 42-43, 51-53, 56-62, 81, 87, 89-106, 110, 119-142, 148, 153-159, 161-163, 170, 177-178, 181-183, 187, 193, 202-206, 210-214, 217, 222-223, 226, 236-237, 242, 244-250, 262, 291, 299-303, 309-319, 321
- Rabbit haemorrhagic disease virus* 132-134
- Radish yellow edge virus* 305
- Raspberry bushy dwarf ideovirus* (RBDV) 21-22, 33, 37, 60, 122, 126, 141, 158, 197, 201
- Readthrough domain/protein/process 6, 23, 61, 75, 120, 122, 126-128, 136, 167, 195, 199, 215, 217, 223, 234, 245-246, 251, 262, 308, 314, 319
- Red clover necrotic mosaic dianthovirus* (RCNMV) 15, 22, 31, 32, 34, 45, 97, 103, 121, 124, 127, 133, 200, 204, 206, 207, 209, 212, 239, 243, 253, 258, 261, 262, 299-300, 322
- Reoviridae* 18, 72, 91, 134, 231
- Reovirus* 134
- Reovirus(es) 132, 152, 305
- Replicase/replicase activity/replicase gene 2-4, 8, 11, 13, 14, 29, 38, 45, 48, 51, 55-57, 61, 75, 80-81, 83, 87, 90-91, 94, 99-100, 102, 104-105, 107-108, 120-142, 174, 176, 178, 185, 200, 202-203, 205-212, 215, 226, 235, 238-239, 245, 249-250, 256, 262-263, 299-303, 306, 308-309, 313-314, 316, 318, 319, 322
- Replicase complex 3, 5, 12, 53, 82, 90, 104, 203-205, 210, 305, 311, 313, 315-316
- Replication complex(es) 3, 8, 10, 13, 35, 42, 44, 52, 61, 90, 95-96, 105, 111, 124, 127-130, 133, 136, 162-163, 205, 227, 300, 302-307, 309-322
- Replication enhancer(s) 3, 11-12, 14, 15, 102-103, 137, 140, 312
- Replicative form (RF) RNA 4-6, 91-92, 97-98, 206
- Replicative intermediate (RI) RNA 90, 97-98, 100
- Retroviridae* 133, 156
- Retroviruses 36
- Rhabdoviridae* 72, 156
- Rhabdoviruses/plant rhabdoviruses 36, 305
- Rhinovirus* 309
- Ribgrass mosaic tobamovirus* 273
- Ribosomal frameshifting 26, 246
- Rice dwarf phytoreovirus* 22
- Rice grassy stunt tenuivirus* 22, 237
- Rice stripe tenuivirus* (RStV) 22, 237
- Rice tungro bacilliform badnavirus* 187, 236, 242
- Rice tungro spherical waikavirus* (RTSV) 20, 22, 33, 41, 60, 121, 158, 161, 167, 171, 179, 199
- Rice yellow mottle sobemovirus* (RYMV) 22, 60
- Rotavirus* 231
- Rotaviruses 18-19, 136, 231
- Ryegrass mosaic rymovirus* 20, 41
- Rymovirus* 20, 22, 33, 41, 55, 60, 167, 173, 184
- Saguaro cactus virus* 34
- Satellite maize white line mosaic virus* 14
- Satellite panicum mosaic virus* (SPMV) 14-15, 88
- Satellite tobacco mosaic virus* (STMV) 14, 241



- Satellite tobacco necrosis virus* (STNV) 14, 22, 31, 34-35, 239, 252-256, 258-261, 283-284
- Semliki Forest virus* (SFV) 37-38, 63, 162
- Sequiviridae* 20, 121, 169, 179, 195
- Sequivirus* 20, 33, 41, 60, 159, 167, 169, 179, 195
- Sequivirus(es)* 22, 169
- Serine/serine-like proteinases 17, 168-174, 176-177, 180, 187
- Shallot allxvirus X* 20, 37, 158, 238
- Simian virus 40* (SV40) 156, 159
- Sindbis virus* 1, 37, 209
- Sobemo-like supergroup 20-21, 34, 41, 121, 203, 245, 322
- Sobemovirus* 21, 33-34, 41, 60, 121, 156, 167, 169, 195, 198, 243, 245, 283, 292
- Sobemovirus(es)* 31, 126, 142, 167, 169, 172, 180, 195, 200, 238, 244-245, 282
- Soil-borne wheat mosaic furovirus* (SBWMV) 21-22, 32, 37, 45, 49, 51, 60, 122, 126, 158, 196, 238, 247-250
- Solanum commersoni* 43
- Sonchus yellow net virus* 74
- Southern bean mosaic sobemovirus* (SBMV) 21-22, 33, 41, 45, 60, 82, 121, 126, 156, 167, 180, 198, 215, 239, 283-285
- Sowbane mosaic virus* 305
- Soybean dwarf luteovirus* (SbDV) 22, 156
- Stem-loop region/structure 7, 10-11, 13-15, 31, 34-35, 46, 53, 57, 86, 93-96, 101-102, 106, 110, 138, 204, 261-262, 275, 278, 290, 311
- Strawberry mild yellow edge-associated virus* 158
- Subgenomic RNA promoter 5, 9, 12, 88, 93, 99, 203, 206-214, 217-218
- Sunnehemp mosaic tobamovirus* 49-50
- Sweet potato chlorotic stunt crini-virus* 34, 200, 205
- Sweet potato mild mottle ipomovirus* 20, 183
- Switch 4-5, 8-10, 52, 54, 75-76, 78, 96, 99-100, 110, 138, 253, 274, 285-286, 292, 295
- Tamarillo mosaic potyvirus* 151
- Template switching 139
- Tenuivirus(es)* 22, 195, 237
- Tobacco etch potyvirus* (TEV) 16, 22, 31, 41-44, 56, 73-74, 101, 120-121, 130, 170, 173-175, 181, 183-184, 187-188, 243, 252, 255, 257-258, 261, 308-309, 312-313, 320, 322, 326
- Tobacco mosaic tobamovirus* (TMV) 1, 4, 7-8, 11-15, 21-22, 30-31, 33-34, 37-38, 45-55, 58, 61-63, 71-83, 88-89, 92, 94-96, 99-101, 107, 111, 119, 120, 122-124, 126, 129-130, 136-137, 140-141, 157-158, 162, 189, 195, 198, 200-201, 208, 215-219, 225-227, 234, 239-240, 249-251, 257, 260, 262-264, 272-282, 288, 294-296, 302-309, 311, 313, 315-317, 321-322, 324
- Tobacco necrosis necrovirus* (TNV) 20, 22, 33-34, 60, 77, 197, 121, 206, 208, 249, 254-257, 264, 283
- Tobacco rattle tobnavirus* (TRV) 21-22, 33, 37, 45, 48, 59, 61-62, 71, 73, 76-78, 122, 158, 198, 200-201, 217, 249-51, 280, 296, 310
- Tobacco ringspot virus* 22, 121
- Tobacco streak ilarvirus* (TSV) 20, 22, 33, 45, 60, 122, 197, 308
- Tobacco vein mottling potyvirus* (TVMV) 22, 41-44, 119, 125, 130, 158, 173, 183-184, 282, 316
- Tobamovirus* 4, 34-35, 37, 46, 92, 122, 126, 158, 195, 198, 247, 272
- Tobamovirus(es)* 12, 21-22, 49-50, 60-61, 136, 142, 206, 238, 247, 261-262, 272, 275, 304-305, 308, 315, 321

- Tobravirus* 21, 33-35, 37, 46, 60, 122, 158, 195, 198, 247  
*Tobraviruses* 103, 129, 142, 234-235, 247  
*Tomato aspermy cucumovirus* 48, 50, 130, 308  
*Tomato black ring nepovirus* (TBRV) 22, 33, 41, 60, 127, 158, 167, 178-179  
*Tomato bushy stunt tobusvirus* (TBSV) 10-11, 20, 22, 31, 33-35, 60, 89, 101-104, 120-124, 127, 129, 134-135, 137, 140, 200, 202-204, 207, 212, 216, 241, 247, 252-258, 261, 283-285, 301, 304, 308, 315, 320-321  
*Tomato mosaic virus* 92, 96, 104  
*Tomato ringspot nepovirus* (TomRSV) 22, 41, 43-44, 96-97, 177-179, 318  
*Tomato spotted wilt tospovirus* (TSWV) 22, 39, 189, 236-237, 305  
*Tomato yellow leaf curl virus* 74  
*Tombusviridae* 20-21, 31, 34, 103, 105, 121, 156, 195, 252-253, 255, 263, 304  
*Tombusvirus* 20, 31, 60, 105, 198, 247, 252-254, 258, 292, 307  
*Tombusvirus(es)* 4, 12, 31, 56-58, 75, 101, 105, 120, 122, 125, 128, 137, 139-141, 195, 200, 206, 236, 248-250, 258, 261, 282, 308, 319-321  
*Tospovirus* 39, 236  
*Tospovirus(es)* 236  
 Transcription factor 12, 17, 73, 309-310  
 Transcription initiation/start site 4, 9, 51, 209, 213  
*trans-Acting nucleotides/factors* 9-10, 14-15, 87, 99, 237-239, 252, 256-257  
 Transcriptional enhancer(s) 5, 103  
 Translation enhancer 88, 207, 211, 233, 253, 256  
 Translation initiation factors – see eukaryotic translation initiation factors (eIFs)  
*Trichovirus* 21-22, 31, 33-34, 37, 55, 60, 122, 167, 169  
*Trichovirus(es)* 120, 142, 172, 181, 232  
 Triple gene block (TGB) 153-154, 196-199, 217, 235, 238, 241-242, 248  
*Tritimovirus* 20, 173  
*Turnip crinkle carmovirus* (TCV) 11-12, 22, 34, 56-57, 88, 92, 94, 102-103, 111, 120, 124-127, 129, 136-138, 200-203, 206-207, 209, 211-212, 216-217, 232, 239, 247-248, 252-253, 255-256, 258, 284, 289, 291, 302, 308, 316, 322  
*Turnip mosaic potyvirus* (TuMV) 12, 18, 22, 41-44, 233  
*Turnip rosette sobemovirus* 31, 41, 45  
*Turnip yellow mosaic tymovirus* (TYMV) 11, 21-22, 33, 37, 46-55, 57, 60, 73, 76-80, 82, 94-95, 98, 112, 120, 122, 124-125, 127, 129-131, 136, 157-158, 162, 167, 170, 181-182, 198, 203, 209, 213, 216, 226, 232-233, 249, 260-261, 285, 291, 293, 299, 303, 307, 309-311, 319-320, 322  
*Tymovirales* 20-21  
*Tymovirus* 21, 33-35, 37, 46, 60, 92, 122, 167, 169, 195, 198  
*Tymoviruses* 37, 47, 48-50, 54, 79, 120, 142, 157, 181, 183, 200, 206, 213, 282, 291, 301, 319  
*Umbravirus* 21, 33, 42, 60-62, 121, 127  
*Umbraviruses* 74, 126  
 Uncoating of virus particles/RNA 3, 75-82, 107, 123, 272, see also Disassembly  
 Untranslated 5' region (5'-UTR) of RNA 10, 15, 30, 31, 34-35, 45, 82, 88, 93, 101, 108, 207, 226-227,

- 232-233, 238, 242, 251-259, 262-263, 280, 291
- Untranslated 3' region (3'-UTR) of RNA 10, 12, 14-15, 31, 45, 51, 53, 55, 88, 93-95, 106, 108-111, 127, 130, 226, 232-233, 251-263
- Uracil 291
- Velvet tobacco mottle virus* 35, 322
- Vesicular stomatitis virus* 17, 136, 303
- Vesicles/vesiculation of membranes 72, 76, 78, 108, 185, 307-311, 316-317, 319-322
- Viroplasm 305, 311, 313-314
- Virus assembly – see Assembly of viruses
- Virus movement/transport in plants 43, 58, 88-89, 106, 153, 175, 186, 190, 241, 239, 241, 256, 314-315
- Vitivirus* 21
- Waikavirus* 20, 22, 33, 41, 55, 60, 159, 167, 169, 179
- Waikaviruses 172
- Wheat dwarf geminivirus* 236
- Wheat streak mosaic tritimovirus* 20, 173-174
- White clover mosaic potexvirus* (WCIMV) 22, 37, 55-56, 158
- Wound tumor phytoeovirus* 22, 72-73
- X-bodies 305, 313
- Xenopus* 17, 40, 125