

INDEX

A

ActionScript, 23, 88, 91
 ActionScript 2.0 Settings dialog box, 293
 animation and, 7
 applying to movie clips, 270
 .as file, 96, 267
 code for creating textured displacement maps, 295–297, 301–302
 compared to timeline-based animation, 7
 converting symbols to movie clips, 249
 creating a tweening function, 267
 dynamically setting the color of movie clips, 56–57
 easing class, 267
 including (importing) the class files, 267, 269
 masked movie clips and, 108
 methods for creating easing effects, 268
 onPress function, 268
 photo blog navigation menu, 287–288
 setRGB method, 56
 setTransform method, 56
 timeline and, 96
 Tween class, 267
 useful tweening classes, 268
 using class files, 267
Adobe Illustrator. *See* Illustrator
Adobe Photoshop. *See* Photoshop
After Effects, 25, 140, 255, 291
 DV Matte Pro plug-in, 141
 generating a clear key, 170
Alexa Internet, 342
animation
 achieving an illusion of depth, 257
 ActionScript and, 7
 ActionScript class files, 267
 adding extra keyframes, 249, 257–258
 adding motion blur, 258

 animating realistic car motion, 256–257
 applying displacement maps to text transitions, 297–302
 benefits of, 26
 Blur filter (Flash 8), 258
 building a library of real-life motion effects, 259, 267
 building interactions as nested movie clips, 269
 cartoon-like effects, 257
 cell animation, 7
 creating a bounce tween effect, 263–264
 creating an overflow tween effect, 265–266
 Distribute To Layers option, 270
 Ease In and Ease Out settings, 257–258, 261
 easing, defined, 257
 faking motion blur, 258–259
 frame rate and video syncing, 259
 frame rate, establishing, 259–260
 implying speed, 258
 motion design in an interface, benefits of, 255
 motion tweening, 7, 257
 onion skin feature, 7, 276–279
 physics of animating the natural world, 260
 scripting a movie clip, 267
 selecting a style, 260, 267
 shape tweening, 7
 showing elasticity through keyframes, 260–262
 showing elasticity using the tween editor, 262–263
 site usability and content loading speed, 256
 using interactions for prototype concepts, 269
 vector and raster graphics compared, 237

B

Bandwidth Profiler, 338
bitstreaming video, 157–163
blending modes, 106–108
buttons, creating in Illustrator, 73–78

C

Cascading Style Sheets, assigning colors in, 49
color-correcting an image in Photoshop, 317–322
color psychology
 assigning roles to colors, 49
 cool colors, 48
 creating color schemes for branding, 50
 cultural symbolism and, 47
 neutral colors, 48
 warm colors, 48
color systems
 Adobe RGB color space, 45
 CIE L*a*b* (CIELAB), 45
 Color Look-Up Tables (CLUTs), 43–44
 dither patterns, 44
 hexadecimal color, 43–44
 Hue, Saturation, Brightness (HSB), 45
 Hue, Saturation, Intensity (HSI), 44
 Hue, Saturation, Lightness (HSL), 44
 Hue, Value, Saturation (HVS), 45
 Microsoft Windows System Color Picker, 45
 web-safe palette, 44
color theory
 additive color synthesis, 34
 additive primary colors, 34
 alpha (transparency), 36
 analogous color scheme, 37
 complementary color scheme, 38
 hue, 35
 intensity (saturation), 35
 monochromatic color scheme, 37
 shade, 35

- split complementary color scheme, 38
- subtractive color synthesis, 34
- subtractive primary colors, 34
- tertiary color, 34
- tetrad color scheme, 39
- tint, 35
- tone, 36
- triadic color scheme, 38
- computer monitors
 - accuracy of, 42
 - CRT displays, 41
 - digital light projectors (DLPs), 42–43
 - digital micromirror device (DMD), 42
 - liquid crystal displays (LCDs), 41

D

- DENIM, prototyping with, 64, 66
- design critiques, guidelines for, 19–20
- design layers
 - crafting intuitive interfaces, 18
 - creative/design brief, elements of, 16
 - fashioning the surface of an interface, 19
 - matching style and subject matter, 17
 - selecting suitable technologies, 17
 - understanding a project's purpose, 16–17
- design metaphors
 - conceptual metaphors, 22–23
 - physical metaphors, 23–24
 - tangible metaphors, 21
- digital color
 - color depth (8-bit to 32-bit), 40
 - color modes, 40
 - gamma correction on Macs and PCs, 41
 - gamma, defined, 41
 - true color, 39–40
- digital video cameras, basic features, 137–138
- displacement maps
 - ActionScript code for creating, 295–297, 301–302
 - applying texture filters in Photoshop, 292
 - applying to animated text transitions, 297–302
 - creating a bitmap texture for animated effects, 297–301
 - creating texture with, 291–297
 - obtaining images from online photo banks, 292
 - optimizing image appearance and size, 292

- setting the path to ActionScript class files, 293
- tweening the alpha channel, 300
 - using the `onEnterFrame` function, 301
- domain icon
 - adding gloss, 122
 - adding the orb's shadow, 119
 - applying an inner glow, 121
 - applying an outer glow, 120
 - creating the stars, 121
 - drawing the orb, 119–120

E

- easing, defined, 257
- embedding video, 157, 163, 165, 167–168

F

- Final Cut Pro, 25, 140
 - applying a filter to a clip, 147
- Batch Capture window, 144
- batch-capturing video, 142–145
- Capture Settings tab, 143
- Color Key filter, 147
- Color Picker window, 147
 - compared to Adobe Premiere, 142
- exporting video in AVI format, 148
- exporting video in QuickTime format, 148
- Eyedropper tool, 147
- Filter palette, 147
- Filters tab, 146–147
- Key Filters dialog box, 148
- keying out backgrounds, 147
- Log Clip, 144
- Logging tab, 143
- Razor tool, 146
- video editing basics, 145–148
- Flash
 - ActionScript class files, 267
 - ActionScript import statement, 267
 - ActionScript and, 7, 88, 91
 - animating vector and raster graphics, 237
 - anti-aliasing in, 10
 - applying ActionScript to movie clips, 270
 - Bandwidth Profiler, 338
 - bitmap graphics and, 5, 10
 - bitmap-caching feature and static graphics, 133
 - bitmapped images, compressing and optimizing, 328–329

- bitmapped images, importing, 306
- bitstreaming video, 157–163
- browser autonomy, 8–9
- cartooning in, 7
- cell animation, 7
- Color Mixer palette, 35, 50, 52–56
- Colors Preferences window, 53
- compared to Illustrator, 72–73
- Compress movie setting, 339
- converting graphics to symbols, 91
- converting symbols to movie clips, 249
- CPU strain and motion sequences, 4
 - creating a bounce tween effect, 263–264
 - creating an overflow tween effect, 265–266
 - creating custom video playback controls, 162
 - creating transparencies in gradients, 72
- Custom Ease In / Ease Out editor, 262, 264, 266, 280
- Distribute To Layers option, 270
- drawing tools, 4
- embedding video, 157, 163, 165, 167–168
- factors affecting playback speed, 114
- Flash Communication Server, 157
- Flash Developer Center website, 150–151
- Flash Media Server, 158
- FlashPlayer, auto-update feature, 4
- FLVPlayback component, 159, 162
- frame rate and video syncing, 259
- global compression settings, 338
- Gradient Transform tool, 117, 119, 243, 246
- Image palette, 55
- Import Video Wizard, 163–164
- importing SWF graphics from Illustrator, 90–92
- including (importing) ActionScript class files, 267, 269
- Layer Properties window, 247
- Library palette, 91
- Library sharing, 337
- lighthouse PNG image, 324–328
- Load Order setting, 339
- localizing ActionScript code in one spot, 267
- mobile devices and Flash Lite files, 339
- motion tweening, 7

- onion skin feature, 7, 276–279
 - optimizing file size, 337–338
 - password-protecting files, 339
 - Portable Network Graphics (PNG) images, 306
 - Protect From Import option, 339
 - Publish Settings window, 339
 - Script Assistant, 4
 - scripting a movie clip animation, 267
 - shape tweening, 7
 - showing elasticity through keyframes, 260–262
 - showing elasticity using the tween editor, 262–263
 - Simulate Download function, 338
 - site testing on multiple machines, 8
 - streaming video, 157
 - Swatches palette, 52
 - SWF files and RAM usage, 163
 - SWF files, embedding in browsers, 9–10
 - symbols, reusing effectively, 337
 - using a preloading animation, 338
 - using the onEnterFrame function, 301
 - vector graphics and, 4–6, 10
 - video, integration of, 8
 - VP6 Flash compression tool, 8
- Flash 8**
- Adjust Color filter, 334
 - animating filters, 334
 - Bevel filter, 333
 - blend modes, 329–331
 - Blur filter, 258, 331
 - DisplacementMapFilter, 297, 303
 - Glow filter, 332
 - Gradient Bevel filter, 334
 - Gradient Glow filter, 334
 - On2 VP6 codec, 135, 151
 - runtime bitmap caching, 253
 - saving filter settings as presets, 335
 - Shadow filter, 324, 326
- Flash Video (FLV)**
- compression advantages of, 135
 - On2 VP6 codec, 135, 151
- Flash Video Encoder, 151**
- compressing video, best practices, 151, 154
 - converting muxed MPEG files to FLV, 152
 - cropping and resizing video, 155
 - data rate and file size, 154
 - encoding video, 151–156
 - Include Alpha Channel option, 155
 - output quality and two-pass encoding, 151
- pixilation and artifacts, 154
 - saving an alpha channel in a compressed file, 151
 - setting frame rate, 154
 - setting the in and out points, 156
 - Show Advanced Settings dialog box, 153
- frame rate**
- changing, 98
 - establishing, 154, 259–260
 - video syncing and, 259
- frames, editing multiple, 98**
- G**
- game interfaces, 21, 23
 - gel pill, creating, 100–105
- H**
- HTML**
- Embed tag, 339
 - inserting Flash movies in HTML layers, 340
 - Object tag, 339
- I**
- icons, 21, 23
- Illustrator**
- Align palette, 75
 - Appearance palette, 77
 - buttons, procedure for creating, 73–78
 - Character palette, 78
 - Color palette, 74
 - compared to Flash, 72–73
 - creating indents, 80–81
 - creating inlays, 78–80
 - designing interface layouts in, 87
 - exporting SWF graphics, 88–89
 - Gradient palette, 74
 - Layers palette, 82
 - Paragraph palette, 78
 - Pathfinder palette, 75
 - Pen Tool palette, 78
 - photo illustration in, 82–86
 - Stroke palette, 77
 - Tools palette, layout of, 73
 - Transparency palette, 75
- Imaginary Studios interface**
- background shadows, adding, 188, 190–191
 - background, creating, 181
 - creating the visor, 195–196, 198, 200, 202–204, 206, 208–209, 211, 214–216
 - foundation shapes, creating, 185
 - importing the home page wireframe, 180
 - logo, adding details to, 224–225
 - logo, importing, 192
 - main content area, creating, 225–227, 229–231
 - main navigation bar, creating, 217–219, 221–222, 224
 - mouseover states, 231
 - transferring Photoshop layers to Flash, 232
 - using a Levels adjustment layer, 192
- interaction components**
- buffet-style navigation system, 27
 - carousel navigation system, 30
 - common types of, 26–27
 - genie navigation system, 31
 - origami-type interaction, 28
 - panel, 30
 - pod, 30
 - toolbox, 29
 - tray interface, 29
- interactive experiences, adding feeling to, 20**
- K**
- keyframe, defined, 98
- L**
- Layer Style window, Knockout setting, 238–239**
- layers**
- benefits of, 95, 105
 - Content Guide layer, 241
 - gel pill, creating, 100–105
 - guide/hidden, 97
 - Insert Layer button, 96
 - locking/unlocking, 99, 104
 - mask, creating, 96
 - motion guide, 97
 - outlining, 99
 - removing, 97
 - standard, 96
- Library**
- customizing compression settings, 338
 - sharing items, 337
- logo tutorial**
- animating the logo, 249
 - animating the rays, 250

importing the PNG files into Flash, 240
 preparing the background files, 237
 saving the logo in PNG format, 238
 saving the logo rays in PNG format, 240

M

mask

alpha channel and PNG files, 108
 creating, 96, 108–109
 vector graphics and, 108

monitors. *See* computer monitors

motion design. *See* animation

motion guides, 109–110

motion tween, defined, 99

N

narrative text blocks, problems of, 24–25

navigation bar tutorial

- animating the bar, 249
- creating an illusion of depth, 248
- handling shadows and highlights, 246
- masking the bar, 246
- previewing the masking effect, 247
- redesigning the bar in vector, 242–246

O

onion skin feature, 7, 97–98, 276–279

organizing an efficient directory structure, 237

P

photo blog navigation menu

- adding a guide layer, 272
- animating the page icon states, 284–285
- applying tween easing, 280
- blurring the page icons, 279
- building the interaction within a movie clip, 269
- creating the animation states, 271
- creating the In and Out animations, 283
- description of, 269
- Distribute To Layers option, 270
- enhancing the illusion of perspective, 272
- planning keyframe transitions, 275
- preparing instance names for the icons, 273
- scripting the interactions, 287–288
- using the onion skin feature, 276–279

Photoshop, 72, 82

- adjustment layers, 177, 192
- applying a Motion Blur filter, 259
- applying texture filters, 292
- Blending Options window, 186, 190
- color and opacity stops, 184
- color-correcting an image, 317–322
- converting the Background to a layer type, 308
- cropping an image, 323
- exporting a Portable Network Graphics (PNG) image, 323
- flattening (merging) layers, 190
- Gaussian Blur, 226
- Gradient Editor window, 184–186, 201
- histogram, 192
- Info palette, 186
- JPEG optimization in, 338
- Layer Edges feature, 181
- layer effects in, 75
- Layer Style window, 182, 185, 189–190, 193, 201, 203, 210, 233
- Layers palette, 177, 192
- Load Selection, 195, 199, 203
- removing an image background, 310–313, 315–317
- resizing an image by scaling down, 307, 322
- Ripple filter, 292, 297
- Save for Web feature, 338
- straightening a crooked image, 307–308, 310
- tweaking designs in, 175

Photoshop CS2

- dragging and dropping layer masks, 218
- selecting multiple layers, 177
- using Smart Objects, 177–178

pictograms, 23

planning an interface design

- client meetings, 62
- creating a sitemap, 63–64
- customizing concept presentations, 69
- element padding and spacing, 67–68
- enforcing consistency and uniformity, 69
- ensuring site usability, 67
- getting client approval, 64
- identifying Flash-specific functionality, 64
- information gathering, 61–63
- positioning of navigation menus, 66
- prototyping with DENIM, 64, 66
- prototyping, defined, 66
- site visitors and screen resolutions, 66

- text and line spacing, 67
- wireframing, 64, 66
- writing a project proposal, 64

Portable Network Graphics (PNG)

- images, 306, 323
- compared to GIF images, 235
- transparency and, 235
- using as a background guide layer, 241

Publish Settings window

- Compress movie setting, 339
- Detect Flash Version option, 340
- Flash tab, 339
- Formats tab, 339
- HTML tab, 339
- Load Order setting, 339
- Protect From Import option, 339
- Window Mode, 339

Q

quality assurance testing

- content checking, 341
- dedicating sufficient time for, 340
- font-embedding issues, 340
- general rules for, 340
- prioritizing and testing bug fixes, 341
- web design and, 340

R

reporting dashboards, 23

Rich Internet Applications (RIA), 23

S

shape tween, defined, 98

shooting video content

- arc, 139, 169
- back light, 138, 169
- banding, 154, 169
- base light, 138
- basic lighting kit, 138
- batch capture, 140, 169
- camera bag, 137
- camera-handling techniques, 139
- CCD, 169
- clamps, 138, 170
- clear key, 148, 170
- clip, 141, 170
- digital video cameras, basic features, 137–138
- dither, 154, 170
- dolly, 139, 170
- fill light, 138, 170

- gels, 138, 170
 - green screen, 138, 140, 170
 - grip, 170
 - high-definition digital video (HD DV) cameras, 137
 - importance of sound recording, 137
 - interlaced display method, 142, 170
 - junk video, 148, 171
 - key light, 138, 171
 - key out, 140, 171
 - lavaliere microphone (lav mic), 137, 171
 - lenses, 137
 - lighting cables, 138, 171
 - log clip, 143, 171
 - markers, 143, 171
 - MiniDV, 137
 - NTSC format, 142
 - optical image stabilization, 137
 - owning a good tripod, 137
 - PAL format, 142
 - pan, 139, 171
 - pedestal, 139, 171
 - planning for continuity, 141
 - playhead, 146, 171
 - production log, 142, 171
 - progressive scan, 172
 - scratch disk, 143, 172
 - scrub, 146, 172
 - sequence, 142, 172
 - shoot, 172
 - shot log, 139
 - stands, 138, 172
 - superiority of 3-CCD video cameras, 137
 - take, 139, 172
 - three-point lighting positions, 138
 - tilt, 139, 172
 - time code breaks, preventing, 142
 - time code, 172
 - truck, 139, 173
 - umbrellas, 138, 173
 - using an LCD panel, 137
 - zeroed out, 142, 173
 - Simulate Download function, 338
 - site launch
 - announcing to users and the public, 341
 - creating a handoff packet, 341
 - defining the launch moment, 341
 - handing over source files, 342
 - measuring its success, 342
 - post-launch maintenance, 341
 - Sorenson Squeeze
 - Flash Player 7 and, 151
 - setting a watch folder, 151
 - 2-Pass VBR setting, 154
 - Squeeze, 25
 - stage, scale of, 99
 - statistics icon
 - adding the reflection, 124
 - creating the base shape, 122–124
 - creating the graph, 124
 - symbols, reusing effectively, 337
- T**
- 3D assets
 - choosing between raster and vector, 114
 - LightWave, 114
 - Maya, 114
 - plug-ins for outputting to vector format, 114
 - Softimage, 114
 - Swift 3D, 114
 - 3D Studio Max, 114
 - 3D assets, semirealistic
 - applying gradients, opacity, and shadows, 114
 - creating, manipulating, and animating vector shapes, 114
 - using Flash 8 to build 3D-looking shapes, 114
 - 3D graphics in Flash
 - deleting the layer mask on each symbol, 127
 - fixing the Library symbols, 127
 - importing the Illustrator-generated SWF file, 127
 - making a resting surface for the logo, 129
 - removing unneeded layers, 129
 - setting the transparency of the surface reflection, 132
 - ungrouping the images, 128
 - 3D graphics in Illustrator
 - adding or deleting lights, 126
 - creating a static 3D logo, 124–127
 - exporting the logo as a SWF file, 127
 - mapping an image to an object, 127
 - selecting the Plastic Shading Surface option, 126
 - setting the extrude depth, 126
 - static 3D graphics, defined, 124
 - using the 3D Extrude & Bevel Options, 125
 - timeline
 - elements of, 96–100
 - guide/hidden layer, 97
 - Insert Layer button, 96
 - layers, locking/unlocking, 99
 - layers, removing, 97
 - layers, uses of, 95
 - marker and playhead location, 99
 - mask layer, creating, 96
 - motion guide layer, 97
 - onion skin feature, 97–98
 - outlining layers, 99
 - scrubbing, 98
 - standard layer, 96
 - viewing options, 99
 - working stage and, 100
 - transitions, creating, 22
 - translucent drop shadow, creating, 104
- U**
- usability testing
 - content accessibility, 343
 - resolving ease-of-use problems, 343
 - tracking user paths and links, 343
 - when to perform, 342–343
 - user icon
 - adding a bottom highlight, 116–117
 - adding depth with the Glow filter, 117
 - applying a glossy effect, 118
 - drawing the base shape, 115
- V**
- vector graphics
 - advantages over bitmap graphics, 5–6, 10, 72
 - converting to PNG for special effects, 251–252
 - creating depth through gradients, 73
 - download time of, 4
 - popularity of, in interface design, 71
 - repurposing of, 72
 - using Smart Objects in Photoshop CS2, 177–178
 - video editing basics, 145–148
 - VitalStream, 157
- W**
- website design
 - Cascading Style Sheets, assigning colors in, 49
 - selecting a minimum page size, 178
 - setting a max-width value, 179
 - wireframing and prototyping, 64, 66–67