

Index

A

Acidity, 80, 84–87, 90–92 *See also* pH

Algae

- guilds, 144, 166
- benthic, 142–147
- chlorophyll measurement, 143
- divisions, 141–142
- effects of acidification, 165–166
- invasive species, 167
- limiting factors, 144–156
- periphyton, 141–147, 150–156, 165–167
- phytoplankton, 141, 144, 147, 148, 155, 161–165

Alkalinity, 80, 84–87

Allochthonous

definition, 3–4, 177–181, 421–422 *See also* Detritus

Alluvial, 45, 49–50, 60–62

Ammonium, 78, 384–385

- adsorption, 398
- uptake, 79, 377, 387–388, 390–398, 400–405

Anthropocene, 6–10, 453

Atmospheric deposition, 82, 90–91

Autochthonous

- definition, 3–4, 177, 421
- vs. allochthonous, 177, 248, 263–264 *See also* Subsidies

Autotroph, 14, 141, 144–145, 166, 226, 237, 383, 387–388, 391–392, 14, 141, 144–145, 166, 226, 237, 383, 387–388, 391–392

See also Primary production, algae

B

Bacterioplankton, 237–240

Bankfull stage discharge, 28, 47–49

Bicarbonate, 78–80

- buffer system, 84–86

Biodiversity, 7–10, 13, 39, 90, 121–124, 326–337, 467–469

- and ecosystem function, 235, 370–376

Biofilms, 230–237

Bryophytes, 142, 157–159

C

Calcium, 78–79, 81–82, 86

Carbon, 421–447 *See also* Autochthonous, Allochthonous Ecosystem Metabolism

- budgets, 440–445

spiraling, 445–447

storage, 421–423, 440–445

Carbon dioxide

- dissolved, 75–78, 84–86
- outgassing, 214–215, 427

Channel shape, 45–50, 60–62

- classification, 62–63

Charales, 141, 157

Chrysomonads, 142–143

Catchment, 1–2, 46–47

Clean Water Act, 389, 465–467

Climate, 9–10

and channel dynamics, 62

and DOM, 213

and OM breakdown, 200–201

and river condition, 453, 475–476

and streamflow, 31, 36–39

and stream temperatures, 129

Coarse particulate organic matter, *see* CPOM

Collector-gatherers, *see* Functional feeding groups

Community structure, 325–328, 337–340

and disturbance, 344–350

and habitat, 341–344

and nutrient dynamics, 373–376

Competition, 305–313

algae, 306

definition, 305–306

experimental evidence, 310–313

fishes, 307–310

invertebrates, 306–307

Conductivity, 80 *See also* Total dissolved solids

Contaminants, 92–97

emerging, 93–97

legacy, 93

pharmaceuticals, 94–95

plastics, 96–97

salinization, 87–90

and algae, 166

CPOM, 177–185, 440–445

consumers of, 249–253, 261–262

decomposition of, 185–201

human influence, 200–201

lability, 189–193

microbial influence, 193–195

sources, 177–181

- storage, 181–184
transport, 184
- Current, 23–25, 101–109 *See also* Streamflow
and algae, 144, 152–154
and particle transport, 54–55
- Cyanobacteria, 141–143, 145, 149, 153–156, 162, 164–165
- D**
- Dams, 8, 31–34, 62, 64–66
- Decomposition, 177–178, 185–189
- Detritus, 177–185 *See also* CPOM, FPOM, allochthonous
- Detritivores, 177, 191–192, 196–201, 248–256, 264–265, 267–268, 273, 177, 191–192, 196–201, 248–256, 264–265, 267–268, 273
See also Functional feeding groups
- Diatoms, 141–144, 150, 152–154, 156, 157, 162–167
- Dinoflagellate, 141–142
- Discharge, *see* Streamflow
- Dissolved organic carbon, *see* Carbon, DOM
- Dissolved organic matter, 177–178, 207–214, 421–422, 429, 440–447
human influences, 213–214
lability and uptake, 211–213
outgassing, 214–215
sources, 207–211
- Disturbance
characterization, 345, 349
drought, 346–349
flood, 346, 348, 349
frequency, 345, 347, 349
refuges, 110, 112, 349
regime, 346, 349
and community structure, 101, 311–312, 325–326, 337–338, 344–350
and ecosystem metabolism, 438–439
and herbivory, 294–295
- Drainage network, 45–47
- Drift, 296–298, 302–305
- Drought *See also* Disturbance
frequency of, 25–28, 37–38
- Dynamic equilibrium of rivers, 45, 51, 59
- E**
- Ecosystem metabolism, 3–4, 421–439 *See also* Primary production,
Ecosystem respiration
measurement of, 428–432
patterns in, 433–439
- Ecosystem respiration defined, 428
controlling factors, 429–430
- Ecosystem processes
and food webs, 366–376
and physical habitat, 120–121
and temperature, 129–133
and nutrient dynamics, 373–376
and metabolism, 433–439
- Ecosystem services, 10–11, 39, 454–456, 474–476 *See also* Rheophilia
- Endemism, 10, 328–332
- Environmental flows, 38–41, 469
- Euglenophyta, 141–143
- Eutrophication, 6, 76–78, 166–167, 383, 407, 413
- F**
- Fatty acids and diet, 226, 257–258, 273, 290–291, 359
- Fine particulate organic matter, *see* FPOM
- Fish trophic categories, 264–267, 270–274
- FPOM, 202–207, 440–447
consumers of FPOM, 249, 253–256, 260–261
human influence, 207
lability, 205–207
sources, 202–204
storage and transport, 204–205
- Floodplain, 49–51
- Flood pulse concept, 364, 424–426
- Flow, *see* Streamflow
- Food webs, 15–16, 357–370 *See also* Trophic relationships, Functional feeding groups, Secondary production
energy flow, 358–381
spatial subsidies, 363–366
variability in, 360–366
and ecosystem processes, 366–370
- Functional feeding groups (FFG), 248–263
collector-gatherers, 248–249, 253, 256, 260–261
grazers, 155–156, 256–258, 263, 274, 285–290
predaceous invertebrates, 227, 258–260, 262–263
shredders, 188, 193–198, 200, 248–252, 256, 260–263
spatial patterns of, 260–262
- G**
- Gas exchange, 428–432
- Glaciation, 62, 329–332, 350
- Gravel removal, augmentation, 52–53, 64–66
- Green algae, 141–143, 145, 155–156, 162
- Groundwater, 20–23, 31, 36
- H**
- Habitat, 2–3, 45, 51–52, 101–102, 112–124
degradation, 7–9
and community structure, 325–327, 335, 337–339, 341–345
and fine sediments, 115–117
and flow, 111–112
and macrophytes, 117–119
and wood, 119–120
- Herbivory, 155, 161, 256–258, 265, 285–295 *See also* Functional feeding groups
direct effects, 285–292
indirect effects, 292–294
and consumer behavior, 291–292
and disturbance, 294–295
and nutrient ratios, 288–290
- Hydraulic geometry, 48–49
- Hydrograph, 25–26
- Hydrology, *see* Streamflow, Water cycle
- I**
- Impoundments, *see* dams
- Invasive species, *see* non-native species
- Ions, dissolved, 78–92
load, 83
variability of, 80–83, 86–87
and biota, 86–92
- L**
- Land use, 7–9
and ecosystem metabolism, 436
fertilizer and nutrients, 386, 390, 404–405, 409–412

- and FPOM, 200–204
- and streamflow, 31, 34–37
- Light
 - and algae, 142–147, 151, 163–165
 - and macrophytes, 161
 - and metabolism, 429, 432–436
 - and riparian shade, 127–128, 145–146
- M**
- Macrophytes, 14, 67, 114, 117–119, 123–125, 141–142, 157–161, 165–167, 177–182, 189, 209, 231, 391
 - classification, 158
 - consumption of, 161, 257–258, 273, 285
 - decomposition, 195
 - dispersal, 339–340, 344
 - limiting factors, 159–161, 159–161
 - nutrient cycling, 402–403
 - productivity, 429
 - as carbon source, 433, 435, 441
 - as habitat, 117–119, 123–125, 158–159
- Management of rivers, 458–476 *See also* Restoration, Protected areas,
 - Monitoring
 - frameworks, 464–469
 - fundamental science, role of, 469–470
 - goals/objectives, 458–463, 475–476
 - measuring progress, 470–471
 - society, role of, 471–474
- Meiofauna, 15, 113, 226–228, 256, 285, 357, 421
- Meroplankty, 161–164
- Microbes, 225–240 *See also* Biofilms, Bacterioplankton
 - classification, 225
 - human influence, 240
 - microbial loop, 226–230
- Monitoring stream condition, 5, 460–462 464–465, 470–471
- N**
- Net ecosystem productivity, *see* Ecosystem metabolism
- Niche, 101, 112, 118, 130, 132–133, 235, 305, 309–310, 325
- Nitrate
 - concentrations, 386, 410–411
 - uptake, 397–398, 400–405
 - denitrification, 87, 205, 237, 387–388, 401–402, 404–405, 407, 410
 - export, 409
- Nitrite, 385, 388
- Nitrogen *See also* Ammonium, Nitrate, Nitrite
 - anthropogenic nitrogen, 409–410
 - budgets, 409
 - cycling, 387–388
 - denitrification, 87, 205, 237, 387–388, 401–405, 407, 410
 - fixation, 133, 149, 192, 384–388, 409–410
 - forms, 384–385
 - nitrification, 387–388, 396, 402, 404–405
 - sorption, 398, 402
 - sources, 384–386
 - uptake, 397–398, 400–405
 - export, 409
- Non-native species, 8–9, 40–41
 - and competition, 309–310
 - and parasitism, 315–316
- Nutrient, 3–4, 383–420
 - biotic controls, 401–407
 - budgets, 407, 409–412
 - definition, 383
 - factors influencing, 396–407
 - global trends, 407–413
 - hydrologic controls, 399–401
 - influence of consumers, 373–376, 405–407
 - limitation, 147–151, 288, 374, 389, 394, 398, 405, 409
 - load, 407
 - pollution, 10, 187, 201, 240
 - spiraling, 16, 383, 391, 393–406
 - subsidies, 363–366, 405–407
 - transport, 391–394, 396, 406
 - transient storage, 392–393, 399–400, 406
 - uptake rates, 293, 391, 393–397, 400–406
 - yield, 408
 - and algae, 147–152, 165–167
 - and ecosystem metabolism, 435–438
 - and community structure, 373–376
 - and fertilizers, 166, 386, 390, 404, 409–412
 - and macrophytes, 161
 - and wastewater, 165–166, 389–390, 411–412
- O**
- Organic matter budgets, 440–445 *See also* detritus, CPOM, FPOM, DOM, Carbon
- Oxygen
 - dissolved, 75–78
- Overexploitation, 9, 453
- P**
- Parasitism, 313–318
 - definitions, 313
 - effects on hosts, 317–318
 - emerging disease, 315–316
- Periphyton, *see* algae
- Pathogens, *see* Parasitism
- pH, 84–86, 90–92 *See also* acidity
- PHABSIM, 111–112
- Phosphorus
 - budget, 411–413
 - cycling, 391
 - orthophosphate, 388–389, 391
 - soluble reactive phosphorus (SRP), 152, 377, 385, 388–389, 397–399, 412, 437
 - total phosphorus, 166–167, 375, 377, 385, 388–390, 397, 407, 411–412
 - total dissolved phosphorus, 385, 388
 - sorption-desorption, 391, 397–398
 - sources, 388–390
 - wastewater, 412
 - yields, 411
- Photosynthesis, 145, 428–439 *See also* Primary production
- P/R ratio, 4, 432–433
- Phytoplankton, *see* Algae
- Protected areas
 - freshwater, 13, 467–469
- Primary production, 144, 146 *See also* Ecosystem metabolism
 - limiting factors, 144–156, 428–429
 - GPP defined, 428
 - NPP defined, 428
 - P/R ratio, 4, 432–433 *See also* River continuum concept, Ecosystem metabolism
- Pollution, 6–12, 76, 78–80, 87–88, 96, 167, 240, 389–390, 453, 461, 465–466 *See also* Contaminants
- Potassium, 78–79, 81, 83

Predation, 295–305 *See also* Functional feeding groups
 effects on prey populations, 301–305
 functional morphology fishes, 268–273
 predaceous invertebrates, 258–260, 299–301

R

Reach
 defined, 2, 46–47
 Rheophilia, 456–458
 Red algae, 141–143
 Redfield ratio, 147–148
 Reynold's number, 104–109
 Reservoirs, *see* dams
 Respiration, *see* Ecosystem Respiration
 Restoration, 12–13, 49, 57, 63–64, 66–69, 111–112, 405, 454–467, 469–472
 goals, 458–461, 466, 473
 planning, 464–465, 467–469, 473–476
 success, 458–461, 475
 and flow, 41
 and physical habitat, 121–124
 Riffle – pool channel units, 50–51
 Riparian zone
 defined, 2–3
 River condition, 5–10
 River continuum concept, 4, 59–60, 211, 225, 260–261, 267, 361–364, 423–424
 River health, *see* River condition, Threats
 Riverine productivity concept, 426–427
 Runoff, 19–23

S

Salinity, 78–80, 85, 87–90
 Secondary production, 198–199, 302, 359–363, 366–367, 369–370, 425–427
 Sediments, 51–64, 115–117, 230–233
 sources, 51–54
 transport, loads, 2, 6, 54–59
 Shear stress, 54, 103–108
 Shredders, *see* Functional feeding groups
 Sinuosity, 49–50
 Sodium, 78–79, 81, 85 *See also* Salinity
 Solute dynamics, 392–393
 Species diversity, 112–115, 325–334, 337, 344–345
 alpha diversity, 112
 beta diversity, 113, 115
 dispersal, 325–326, 330, 337–345, 349–350
 disturbance, 344–350
 habitat template, 337, 341, 344–345
 historical factors, 326, 327, 329–332
 latitudinal gradient, 328–329, 333
 local environmental conditions, 325–326, 329, 332–345
 metacommunity, 326, 338
 microbial diversity, 225, 228
 neutral model, 325, 349
 niche-based model, 325, 337–338
 regional species pool, 325–326, 332–334, 337–338
 species – area relationship, 326–328
 species-energy hypothesis, 328
 species sorting, 338–339, 349
 species traits, 341–344, 349
 subsidies, 364
 Sulphate, 80, 82–83, 90–92

Stable isotopes, 212, 227–228, 247–248, 263–264, 273, 299, 306, 359–360
 Stoichiometry, 4, 147–149, 205–206, 288–290, 293–294, 373–376, 405
 Stream order, 2, 46–47, 62, 70
 Streamflow, 19–42, 105, 469 *See also* Environmental flows
 classification, 29–31
 environmental flows, 38–41
 extreme events, 27–28, 110, 346–348
 flow alteration, 29–41
 flow regime, 28–31
 historical timeframe, 62
 measurement, 103–109
 metrics, 27–28, 38–39
 near-bed flows, 104–106
 variability, 26–28
 and algae, 153–154, 163–164
 and habitat, 101–102
 and organisms, 105–111, 344–349
 and macrophytes, 159–160
 Streptophyta, 141, 143
 Subsidies, 177–179, 363–366
 Substrate, 49–52, 61, 101–102, 112–123, 130–134
 inorganic, 113
 organic, 114
 particle size, 53–55, 60, 113
 and biota, 114–120
 and algae, 143–145, 149–154

T

Temperature, 101–102, 124–134, 155, 429–430, 433
 effects of shade, 127–128
 effects of hydrology, 128
 physical controls, 124–126
 urbanization, 128–129
 and algae, 142, 155–156, 162–163, 166
 and biota, 129–134, 328, 361–362, 374
 and climate change, 14, 36–38, 129, 184, 200, 213, 229, 439
 and metabolism, 429–430, 433
 Threats to rivers, 6–10, 86–97, 453–456 *See also* Climate, Dams, Land use, Non-native species, Pollution
 flow alteration, 29–41
 gravel mining, 66
 Total dissolved solids, 78–80, 84
 Transient storage, 120, 392–393, 399–400
 Trophic relationships, 247–278 *See also* Food webs, functional feeding groups, competition, herbivory, meiofauna, parasitism, predation
 feeding roles, 247–248, 262, 268, 273
 other vertebrates, 274–277
 stable isotopes, 247, 263, 264, 273
 and morphology, 267–273
 Turbulence, 103–109, 153–154, 159–161

V

Velocity
 current, 23–25, 48–49, 54–58, 103–109, 152–153, 394 *See also* Current

W

Wastewater, 78, 94–96, 214, 361, 389–390, 412, 436–438
 Water cycle, 19–23

-
- Water Framework Directive, 111, 464, 470–471, 475
- Watershed, *see* catchment
- Wood, 47–51, 178, 181, 184, 195–196, 400, 441, 444, 473
- consumption of, 200, 248, 249, 250, 252–253
 - decomposition, 195–196
 - human perception, 457
 - as habitat, 112–114, 119–122
 - as geomorphic agent, 50, 60–61, 67
 - in restoration, 457–460