

References

1. P. Auscher, T. Hytönen, Orthonormal bases of regular wavelets in spaces of homogeneous type. *Appl. Comput. Harmon. Anal.* **34**, 266–296 (2013)
2. C. Bennett, Another characterization of *BLO*. *Proc. Am. Math. Soc.* **85**, 552–556 (1982)
3. C. Bennett, R.A. DeVore, R. Sharpley, Weak- L^∞ and *BMO*. *Ann. of Math. (2)* **113**, 601–611 (1981)
4. C. Bennett, R. Sharpley, *Interpolation of Operators*. Pure and Application Mathematics, vol. 129 (Academic Press, Boston, MA, 1988)
5. A.S. Besicovitch, A general form of the covering principle and relative differentiation of additive functions. *Proc. Cambridge Philos. Soc.* **41**, 103–110 (1945)
6. N. Bourbaki, *Topological vector spaces, Chaps. 1–5, Elements of Mathematics (Berlin)* (Springer, Berlin, 1987)
7. M. Bramanti, Singular integrals in nonhomogeneous spaces: L^2 and L^p continuity from Hölder estimates. *Rev. Mat. Iberoam.* **26**, 347–366 (2010)
8. T.A. Bui, Boundedness of maximal operators and maximal commutators on non-homogeneous spaces. In: *Proceedings of AMSI International Conference on Harmonic Analysis and Applications*, Macquarie University, Australia (to appear)
9. T.A. Bui, X.T. Duong, Hardy spaces, regularized BMO spaces and the boundedness of Calderón–Zygmund operators on non-homogeneous spaces. *J. Geom. Anal.* **23**, 895–932 (2013)
10. W. Chen, Y. Lai, Boundedness of fractional integrals in Hardy spaces with non-doubling measure. *Anal. Theory Appl.* **22**, 195–200 (2006)
11. W. Chen, Y. Meng, D. Yang, Calderón–Zygmund operators on Hardy spaces without the doubling condition. *Proc. Am. Math. Soc.* **133**, 2671–2680 (2005)
12. W. Chen, C. Miao, Vector valued commutators on non-homogeneous spaces. *Taiwanese J. Math.* **11**, 1127–1141 (2007)
13. W. Chen, B. Zhao, Weighted estimates for commutators on nonhomogeneous spaces. *J. Inequal. Appl.* **Art. ID 89396**, 14 pp. (2006)
14. M. Christ, A $T(b)$ theorem with remarks on analytic capacity and the Cauchy integral. *Colloq. Math.* **60/61**, 601–628 (1990)
15. R.R. Coifman, A real variable characterization of H^p . *Studia Math.* **51**, 269–274 (1974)
16. R.R. Coifman, Y. Meyer, On commutators of singular integrals and bilinear singular integrals. *Trans. Am. Math. Soc.* **212**, 315–331 (1975)
17. R.R. Coifman, R. Rochberg, Another characterization of BMO. *Proc. Am. Math. Soc.* **79**, 249–254 (1980)
18. R.R. Coifman, G. Weiss, *Analyse Harmonique Non-commutative sur Certains Spaces Homogènes*. Lecture Notes in Mathematics, vol. 242 (Springer, Berlin/New York, 1971)

19. R.R. Coifman, G. Weiss, Extensions of Hardy spaces and their use in analysis. *Bull. Am. Math. Soc.* **83**, 569–645 (1977)
20. G. David, Opérateurs intégraux singuliers sur certaines courbes du plan complexe. *Ann. Sci. École Norm. Sup. (4)* **17**, 157–189 (1984)
21. G. David, Opérateurs d'intégrale singulière sur les surfaces régulières. *Ann. Sci. École Norm. Sup. (4)* **21**, 225–258 (1988)
22. G. David, Unrectifiable 1-sets have vanishing analytic capacity. *Rev. Mat. Iberoam.* **14**, 369–479 (1998)
23. M. de Guzmán, *Differentiation of Integrals in \mathbb{R}^n* . Lecture Notes in Mathematics, vol. 481 (Springer, Berlin/New York, 1975)
24. D. Deng, Y. Han, *Harmonic Analysis on Spaces of Homogeneous Type*. Lecture Notes in Mathematics, vol. 1966 (Springer, Berlin, 2009)
25. D. Deng, Y. Han, D. Yang, Besov spaces with non-doubling measures. *Trans. Am. Math. Soc.* **358**, 2965–3001 (2006)
26. C. Fefferman, E.M. Stein, H^p spaces of several variables. *Acta Math.* **129**, 137–193 (1972)
27. X. Fu, G. Hu, D. Yang, A remark on the boundedness of Calderón–Zygmund operators in non-homogeneous spaces. *Acta Math. Sin. (Engl. Ser.)* **23**, 449–456 (2007)
28. X. Fu, Da. Yang, Do. Yang, Molecular Hardy spaces on non-homogeneous metric measure spaces, Submitted
29. X. Fu, Da. Yang, Do. Yang, The Hardy space H^1 on non-homogeneous spaces and its applications—a survey. *Eurasian Math. J.* (to appear)
30. X. Fu, D. Yang, W. Yuan, Boundedness of multilinear commutators of Calderón–Zygmund operators on Orlicz spaces over non-homogeneous spaces. *Taiwanese J. Math.* **16**, 2203–2238 (2012)
31. X. Fu, D. Yang, W. Yuan, Generalized fractional integrals and their commutators over non-homogeneous spaces, Submitted
32. J. García-Cuerva, A.E. Gatto, Boundedness properties of fractional integral operators associated to non-doubling measures. *Studia Math.* **162**, 245–261 (2004)
33. J. García-Cuerva, A.E. Gatto, Lipschitz spaces and Calderón–Zygmund operators associated to non-doubling measures. *Publ. Mat.* **49**, 285–296 (2005)
34. J. García-Cuerva, J.M. Martell, Weighted inequalities and vector-valued Calderón–Zygmund operators on non-homogeneous spaces. *Publ. Mat.* **44**, 613–640 (2000)
35. J. García-Cuerva, J.M. Martell, On the existence of principal values for the Cauchy integral on weighted Lebesgue spaces for non-doubling measures. *J. Fourier Anal. Appl.* **7**, 469–487 (2001)
36. J. García-Cuerva, J.M. Martell, Two-weight norm inequalities for maximal operators and fractional integrals on non-homogeneous spaces. *Indiana Univ. Math. J.* **50**, 1241–1280 (2001)
37. J. Garnett, *Analytic Capacity and Measure*. Lecture Notes in Mathematics, vol. 297 (Springer, Berlin/New York, 1972)
38. D. Goldberg, A local version of real Hardy spaces. *Duke Math. J.* **46**, 27–42 (1979)
39. L. Grafakos, Estimates for maximal singular integrals. *Colloq. Math.* **96**, 167–177 (2003)
40. L. Grafakos, *Classical Fourier Analysis* (Springer, New York, 2008)
41. L. Grafakos, *Modern Fourier Analysis* (Springer, New York, 2009)
42. L. Grafakos, N. Kalton, Multilinear Calderón–Zygmund operators on Hardy spaces. *Collect. Math.* **52**, 169–179 (2001)
43. L. Grafakos, N. Kalton, Some remarks on multilinear maps and interpolation. *Math. Ann.* **319**, 151–180 (2001)
44. L. Grafakos, R.H. Torres, Multilinear Calderón–Zygmund theory. *Adv. Math.* **165**, 124–164 (2002)
45. L. Grafakos, R.H. Torres, Maximal operator and weighted norm inequalities for multilinear singular integrals. *Indiana Univ. Math. J.* **51**, 1261–1276 (2002)
46. H. Gunawan, Y. Sawano, I. Sihwaningrum, Fractional integral operators in nonhomogeneous spaces. *Bull. Aust. Math. Soc.* **80**, 324–334 (2009)

47. Y. Han, D. Müller, D. Yang, A theory of Besov and Triebel-Lizorkin spaces on metric measure spaces modeled on Carnot-Carathéodory spaces. *Abstr. Appl. Anal.* **Art. ID 893409**, 250 pp. (2008)
48. Y. Han, D. Yang, Triebel-Lizorkin spaces with non-doubling measures. *Studia Math.* **162**, 105–140 (2004)
49. J. Heinonen, *Lectures on Analysis on Metric Spaces* (Springer, New York, 2001)
50. G. Hu, J. Lian, H. Wu, An interpolation theorem related to the Hardy space with non-doubling measure. *Taiwanese J. Math.* **13**, 1609–1622 (2009)
51. G. Hu, S. Liang, Another characterization of the Hardy space with non doubling measures. *Math. Nachr.* **279**, 1797–1807 (2006)
52. G. Hu, H. Lin, D. Yang, Marcinkiewicz integrals with non-doubling measures. *Integr. Equat. Operat. Theory* **58**, 205–238 (2007)
53. G. Hu, Y. Meng, D. Yang, Multilinear commutators for fractional integrals in non-homogeneous spaces. *Publ. Mat.* **48**, 335–367 (2004)
54. G. Hu, Y. Meng, D. Yang, Multilinear commutators of singular integrals with non doubling measures. *Integr. Equat. Operat. Theory* **51**, 235–255 (2005)
55. G. Hu, Y. Meng, D. Yang, New atomic characterization of H^1 space with non-doubling measures and its applications. *Math. Proc. Cambridge Philos. Soc.* **138**, 151–171 (2005)
56. G. Hu, Y. Meng, D. Yang, Endpoint estimate for maximal commutators with non-doubling measures. *Acta Math. Sci. Ser. B Engl. Ed.* **26**, 271–280 (2006)
57. G. Hu, Y. Meng, D. Yang, Estimates for maximal singular integral operators in non-homogeneous spaces. *Proc. Roy. Soc. Edinb. Sect. A* **136**, 351–364 (2006)
58. G. Hu, Y. Meng, D. Yang, Endpoint estimates for maximal commutators in non-homogeneous spaces. *J. Korean Math. Soc.* **44**, 809–822 (2007)
59. G. Hu, Y. Meng, D. Yang, Boundedness of some maximal commutators in Hardy-type spaces with non-doubling measures. *Acta Math. Sin. (Engl. Ser.)* **23**, 1129–1148 (2007)
60. G. Hu, Y. Meng, D. Yang, Boundedness of Riesz potentials in nonhomogeneous spaces. *Acta Math. Sci. Ser. B Engl. Ed.* **28**, 371–382 (2008)
61. G. Hu, Y. Meng, D. Yang, A new characterization of regularized BMO spaces on non-homogeneous spaces and its applications. *Ann. Acad. Sci. Fenn. Math.* **38**, 3–27 (2013)
62. G. Hu, Y. Meng, D. Yang, Weighted norm inequalities for multilinear Calderón-Zygmund operators on non-homogeneous metric measure spaces. *Forum Math.* (2012). [Doi: 10.1515/forum-2011-0042](https://doi.org/10.1515/forum-2011-0042)
63. G. Hu, X. Wang, D. Yang, A new characterization for regular BMO with non-doubling measures. *Proc. Edinb. Math. Soc.* **51**, 155–170 (2008)
64. G. Hu, D. Yang, Weighted norm inequalities for maximal singular integrals with nondoubling measures. *Studia Math.* **187**, 101–123 (2008)
65. G. Hu, Da. Yang, Do. Yang, Weighted estimates for commutators of singular integral operators with non-doubling measures. *Sci. China Ser. A* **50**, 1621–1641 (2007)
66. G. Hu, Da. Yang, Do. Yang, h^1 , bmo, blo and Littlewood-Paley g -functions with non-doubling measures. *Rev. Mat. Iberoam.* **25**, 595–667 (2009)
67. G. Hu, Da. Yang, Do. Yang, A new characterization of RBMO(μ) by John-Strömberg sharp maximal functions. *Czechoslovak Math. J.* **59**, 159–171 (2009)
68. T. Hytönen, A framework for non-homogeneous analysis on metric spaces, and the RBMO space of Tolsa. *Publ. Mat.* **54**, 485–504 (2010)
69. T. Hytönen, S. Liu, Da. Yang, Do. Yang, Boundedness of Calderón-Zygmund operators on non-homogeneous metric measure spaces. *Canad. J. Math.* **64**, 892–923 (2012)
70. T. Hytönen, H. Martikainen, Non-homogeneous Tb theorem and random dyadic cubes on metric measure spaces. *J. Geom. Anal.* **22**, 1071–1107 (2012)
71. T. Hytönen, Da. Yang, Do. Yang, The Hardy space H^1 on non-homogeneous metric spaces. *Math. Proc. Camb. Phil. Soc.* **153**, 9–31 (2012)
72. Y. Jiang, Spaces of type BLO for non-doubling measures. *Proc. Am. Math. Soc.* **133**, 2101–2107 (2005)

73. F. John, Quasi-isometric mappings. In: *1965 Seminari 1962/63 Anal. Alg. Geom. e Topol.*, vol. 2, Ist. Naz. Alta Mat., pp. 462–473, Ediz. Cremonese, Rome
74. F. John, L. Nirenberg, On functions of bounded mean oscillation. *Comm. Pure Appl. Math.* **14**, 415–426 (1961)
75. J.-L. Journé, *Calderón–Zygmund Operators, Pseudodifferential Operators and the Cauchy Integral of Calderón*. Lecture Notes in Mathematics, vol. 994 (Springer, Berlin, 1983)
76. Y. Komori, Weighted estimates for operators generated by maximal functions on nonhomogeneous spaces. *Georgian Math. J.* **12**, 121–130 (2005)
77. M. Lacey, C. Thiele, L^p estimates on the bilinear Hilbert transform for $2 < p < \infty$. *Ann. of Math.* (2) **146**, 693–724 (1997)
78. R.H. Latter, A characterization of $H^p(\mathbb{R}^n)$ in terms of atoms. *Studia Math.* **62**, 93–101 (1978)
79. A.K. Lerner, On the John–Strömberg characterization of BMO for nondoubling measures. *Real Anal. Exchange* **28**, 649–660 (2002/03)
80. A.K. Lerner, Weighted norm inequalities for the local sharp maximal function. *J. Fourier Anal. Appl.* **10**, 465–474 (2004)
81. A.K. Lerner, Weighted rearrangement inequalities for local sharp maximal functions. *Trans. Am. Math. Soc.* **357**, 2445–2465 (2005)
82. A.K. Lerner, S. Ombrosi, C. Pérez, R.H. Torres, R. Trujillo-González, New maximal functions and multiple weights for the multilinear Calderón–Zygmund theory. *Adv. Math.* **220**, 1222–1264 (2009)
83. E. Lieb, M. Loss, *Analysis* (American Mathematical Society, Providence, RI, 2001)
84. H. Lin, Y. Meng, Boundedness of parametrized Littlewood–Paley operators with nondoubling measures. *J. Inequal. Appl.* **Art. ID 141379**, 25 pp. (2008)
85. H. Lin, Y. Meng, Maximal multilinear Calderón–Zygmund operators with non-doubling measures. *Acta Math. Hungar.* **124**, 263–287 (2009)
86. H. Lin, Y. Meng, D. Yang, Weighted estimates for commutators of multilinear Calderón–Zygmund operators with non-doubling measures. *Acta Math. Sci. Ser. B Engl. Ed.* **30**, 1–18 (2010)
87. H. Lin, D. Yang, Spaces of type BLO on non-homogeneous metric measure spaces. *Front. Math. China* **6**, 271–292 (2011)
88. H. Lin, D. Yang, Equivalent boundedness of Marcinkiewicz integrals on non-homogeneous metric measure spaces. *Sci. China Math.* (to appear)
89. L. Liu, Da. Yang, Do. Yang, Atomic Hardy-type spaces between H^1 and L^1 on metric spaces with non-doubling measures. *Acta Math. Sin. (Engl. Ser.)* **27**, 2445–2468 (2011)
90. S. Liu, Y. Meng, D. Yang, Boundedness of maximal Calderón–Zygmund operators on non-homogeneous metric measure spaces. *Proc. Roy. Soc. Edinb. Sect. A* (to appear)
91. S. Liu, Da. Yang, Do. Yang, Boundedness of Calderón–Zygmund operators on non-homogeneous metric measure spaces: equivalent characterizations. *J. Math. Anal. Appl.* **386**, 258–272 (2012)
92. J. Luukkainen, E. Saksman, Every complete doubling metric space carries a doubling measure. *Proc. Am. Math. Soc.* **126**, 531–534 (1998)
93. L. Maligranda, *Indices and Interpolation*. Dissertationes Math. (Rozprawy Mat.) **234**, 49 pp. (1985)
94. J. Mateu, P. Mattila, A. Nicolau, J. Orobitg, BMO for nondoubling measures. *Duke Math. J.* **102**, 533–565 (2000)
95. Y. Meng, Multilinear Calderón–Zygmund operators on the product of Lebesgue spaces with non-doubling measures. *J. Math. Anal. Appl.* **335**, 314–331 (2007)
96. Y. Meng, D. Yang, Multilinear commutators of Calderón–Zygmund operators on Hardy-type spaces with non-doubling measures. *J. Math. Anal. Appl.* **317**, 228–244 (2006)
97. Y. Meng, D. Yang, Boundedness of commutators with Lipschitz functions in nonhomogeneous spaces. *Taiwanese J. Math.* **10**, 1443–1464 (2006)
98. A.P. Morse, Perfect blankets. *Trans. Am. Math. Soc.* **61**, 418–442 (1947)
99. E. Nakai, Construction of an atomic decomposition for functions with compact support. *J. Math. Anal. Appl.* **313**, 730–737 (2006)

100. E. Nakai, A generalization of Hardy spaces H^p by using atoms. *Acta Math. Sin. (Engl. Ser.)* **24**, 1243–1268 (2008)
101. E. Nakai, Y. Sawano, Hardy spaces with variable exponents and generalized Campanato spaces. *J. Funct. Anal.* **262**, 3665–3748 (2012)
102. F. Nazarov, S. Treil, A. Volberg, Cauchy integral and Calderón–Zygmund operators on nonhomogeneous spaces. *Int. Math. Res. Not.* **15**, 703–726 (1997)
103. F. Nazarov, S. Treil, A. Volberg, Weak type estimates and Cotlar inequalities for Calderón–Zygmund operators on nonhomogeneous spaces. *Int. Math. Res. Not.* **9**, 463–487 (1998)
104. F. Nazarov, S. Treil, A. Volberg, Accretive system Tb -theorems on nonhomogeneous spaces. *Duke Math. J.* **113**, 259–312 (2002)
105. F. Nazarov, S. Treil, A. Volberg, The Tb -theorem on non-homogeneous spaces. *Acta Math.* **190**, 151–239 (2003)
106. J. Orobitg, C. Pérez, A_p weights for nondoubling measures in \mathbb{R}^n and applications. *Trans. Am. Math. Soc.* **354**, 2013–2033 (2002)
107. W. Ou, The natural maximal operator on BMO. *Proc. Am. Math. Soc.* **129**, 2919–2921 (2001)
108. C. Pérez, R. Trujillo-González, Sharp weighted estimates for multilinear commutators. *J. Lond. Math. Soc. (2)* **65**, 672–692 (2002)
109. M. Rao, Z. Ren, *Theory of Orlicz Spaces* (Marcel Dekker, New York, 1991)
110. W. Rudin, *Functional Analysis* (McGraw-Hill Book, New York/Düsseldorf/Johannesburg, 1973)
111. W. Rudin, *Real and Complex Analysis* (McGraw-Hill Book, New York, 1987)
112. Y. Sawano, Sharp estimates of the modified Hardy–Littlewood maximal operator on the nonhomogeneous space via covering lemmas. *Hokkaido Math. J.* **34**, 435–458 (2005)
113. Y. Sawano, A vector-valued sharp maximal inequality on Morrey spaces with non-doubling measures. *Georgian Math. J.* **13**, 153–172 (2006)
114. Y. Sawano, Generalized Morrey spaces for non-doubling measures. *Nonlinear Differ. Equat. Appl.* **15**, 413–425 (2008)
115. Y. Sawano, S. Shirai, Compact commutators on Morrey spaces with non-doubling measures. *Georgian Math. J.* **15**, 353–376 (2008)
116. Y. Sawano, H. Tanaka, Morrey spaces for non-doubling measures. *Acta Math. Sin. (Engl. Ser.)* **21**, 1535–1544 (2005)
117. Y. Sawano, H. Tanaka, Equivalent norms for the Morrey spaces with non-doubling measures. *Far East J. Math. Sci.* **22**, 387–404 (2006)
118. Y. Sawano, H. Tanaka, The John–Nirenberg type inequality for non-doubling measures. *Studia Math.* **181**, 153–170 (2007)
119. Y. Sawano, H. Tanaka, Sharp maximal inequalities and commutators on Morrey spaces with non-doubling measures. *Taiwanese J. Math.* **11**, 1091–1112 (2007)
120. Y. Sawano, H. Tanaka, Predual spaces of Morrey spaces with non-doubling measures. *Tokyo J. Math.* **32**, 471–486 (2009)
121. E.M. Stein, *Harmonic Analysis: Real-variable Methods, Orthogonality, and Oscillatory Integrals* (Princeton University Press, Princeton, NJ, 1993)
122. E.M. Stein, G. Weiss, On the theory of harmonic functions of several variables. I. The theory of H^p -spaces. *Acta Math.* **103**, 25–62 (1960)
123. J.O. Strömberg, Bounded mean oscillation with Orlicz norms and duality of Hardy spaces. *Indiana Univ. Math. J.* **28**, 511–544 (1979)
124. J.O. Strömberg, A. Torchinsky, *Weighted Hardy Spaces*. *Lecture Notes in Mathematics*, vol. 1381 (Springer, Berlin, 1989)
125. M.H. Taibleson, G. Weiss, *The Molecular Characterization of Certain Hardy Spaces, Representation Theorems for Hardy Spaces*. *Astérisque*, vol. 77 (Soc. Math. France, Paris, 1980), pp. 67–149
126. C. Tan, J. Li, Littlewood–Paley theory on metric measure spaces with non doubling measures and its applications. *Sci. China Math.* (to appear)
127. E. Tchoundja, Carleson measures for the generalized Bergman spaces via a $T(1)$ -type theorem. *Ark. Mat.* **46**, 377–406 (2008)

128. Y. Terasawa, Outer measures and weak type (1,1) estimates of Hardy-Littlewood maximal operators. *J. Inequal. Appl.* **Art. ID 15063**, 13 pp. (2006)
129. X. Tolsa, L^2 -boundedness of the Cauchy integral operator for continuous measures. *Duke Math. J.* **98**, 269–304 (1999)
130. X. Tolsa, A $T(1)$ theorem for non-doubling measures with atoms. *Proc. Lond. Math. Soc.* (3) **82**, 195–228 (2001)
131. X. Tolsa, BMO, H^1 and Calderón–Zygmund operators for non doubling measures. *Math. Ann.* **319**, 89–149 (2001)
132. X. Tolsa, Littlewood–Paley theory and the $T(1)$ theorem with non-doubling measures. *Adv. Math.* **164**, 57–116 (2001)
133. X. Tolsa, A proof of the weak (1, 1) inequality for singular integrals with non doubling measures based on a Calderón–Zygmund decomposition. *Publ. Mat.* **45**, 163–174 (2001)
134. X. Tolsa, The space H^1 for nondoubling measures in terms of a grand maximal operator. *Trans. Am. Math. Soc.* **355**, 315–348 (2003)
135. X. Tolsa, Characterization of the atomic space H^1 for non doubling measures in terms of a grand maximal operator. <http://mat.uab.cat/~xtolsa/hh.pdf>
136. X. Tolsa, Painlevé’s problem and the semiadditivity of analytic capacity. *Acta Math.* **190**, 105–149 (2003)
137. X. Tolsa, The semiadditivity of continuous analytic capacity and the inner boundary conjecture. *Am. J. Math.* **126**, 523–567 (2004)
138. X. Tolsa, Analytic capacity and Calderón–Zygmund theory with non doubling measures. In: *Seminar of Mathematical Analysis, Colecc. Abierta*, vol. 71 (University Sevilla Secr. Publ., Seville, 2004), pp. 239–271
139. X. Tolsa, Bilipschitz maps, analytic capacity, and the Cauchy integral. *Ann. of Math.* (2) **162**, 1243–1304 (2005)
140. X. Tolsa, Painlevé’s problem and analytic capacity. *Collect. Math.* (**Extra**) 89–125 (2006)
141. X. Tolsa, Weighted norm inequalities for Calderón–Zygmund operators without doubling conditions. *Publ. Mat.* **51**, 397–456 (2007)
142. X. Tolsa, Calderón–Zygmund theory with non doubling measures. In: *NAFSA 9-Nonlinear Analysis, Function Spaces and Applications*, Vol. 9. ed. by Jiří Rákosník. Proceedings of the international school held in Třešt, September 11–17, 2010 (Academy of Sciences of the Czech Republic, Institute of Mathematics, Praha, 2011), pp. 217–260
143. X. Tolsa, *Analytic Capacity, the Cauchy Transform, and Non-homogeneous Calderón–Zygmund Theory*. Progress in Mathematics, vol. 307 (Birkhäuser/Springer Basel AG, Basel, 2014)
144. J. Verdera, On the $T(1)$ -theorem for the Cauchy integral. *Ark. Mat.* **38**, 183–199 (2000)
145. J. Verdera, The fall of the doubling condition in Calderón–Zygmund theory. *Publ. Mat.* (**Extra**) 275–292 (2002)
146. A. Volberg, *Calderón–Zygmund Capacities and Operators on Nonhomogeneous Spaces*. CBMS Regional Conference Series in Mathematics, vol. 100 (Amer. Math. Soc., Providence, RI, 2003)
147. A. Volberg, B.D. Wick, Bergman-type singular operators and the characterization of Carleson measures for Besov-Sobolev spaces on the complex ball. *Am. J. Math.* **134**, 949–992 (2012)
148. J. Wu, Hausdorff dimension and doubling measures on metric spaces. *Proc. Am. Math. Soc.* **126**, 1453–1459 (1998)
149. J. Xu, Boundedness of multilinear singular integrals for non-doubling measures. *J. Math. Anal. Appl.* **327**, 471–480 (2007)
150. J. Xu, Boundedness in Lebesgue spaces for commutators of multilinear singular integrals and RBMO functions with non-doubling measures. *Sci. China Ser. A* **50**, 361–376 (2007)
151. D. Yang, Local Hardy and BMO spaces on non-homogeneous spaces. *J. Aust. Math. Soc.* **79**, 149–182 (2005)
152. Da. Yang, Do. Yang, Uniform boundedness for approximations of the identity with non-doubling measures. *J. Inequal. Appl.* **Art. ID 19574**, 25 pp. (2007)

- 153. Da. Yang, Do. Yang, Endpoint estimates for homogeneous Littlewood–Paley g -functions with non-doubling measures. *J. Funct. Spaces Appl.* **7**, 187–207 (2009)
- 154. Da. Yang, Do. Yang, BMO-estimates for maximal operators via approximations of the identity with non-doubling measures. *Canad. J. Math.* **62**, 1419–1434 (2010)
- 155. Da. Yang, Do. Yang, Boundedness of linear operators via atoms on Hardy spaces with non-doubling measures. *Georgian Math. J.* **18**, 377–397 (2011)
- 156. D. Yang, Y. Zhou, New properties of Besov and Triebel-Lizorkin spaces on RD-spaces. *Manuscripta Math.* **134**, 59–90 (2011)
- 157. K. Yosida, *Functional Analysis* (Springer, Berlin, 1995)
- 158. Y. Zhou, Some endpoint estimates for local Littlewood–Paley operators. (Chinese) *Beijing Shifan Daxue Xuebao* **44**, 577–580 (2008)

Index

- (α, β) -doubling, 9
- (p, γ) -atomic block, 79
- $(p, \gamma, \rho)_\lambda$ -atomic block, 556
- $(q, \gamma)_\lambda$ -atomic block, 463
- $A_1^\rho(\mu)$, 225
- $A_p^\rho(\mu)$, 225
- $A_\infty^\rho(\mu)$, 225
- $A_{p, (\log L)^\sigma}^\rho(\mu)$, 225
- $A_1^Q(v)$ weight, 581
- $A_p^Q(\mathcal{X}, v)$ weight, 581
- $A_\infty^Q(\mathcal{X}, v)$, 582
- $A_P^Q(\mathcal{X}, v)$, 622
- A_0 , 36
- $A_1(\mathcal{X}, v)$, 582
- $A_p(\mathcal{X}, v)$, 582
- $A_\infty(\mathcal{X}, v)$, 582
- C_0 , 1
- $C_b(\mathcal{X})$, 415
- $H^1(\mu)$, 135
- $H_\Phi^1(\mu)$, 100
- $H^{1,p}(\mathbb{R}^D)$, 81
- $H^{1,q}(\mathcal{X}, v)$, 468
- $H_{\text{atb}, \gamma}^{1,q}(\mathcal{X}, v)$, 463
- H_R^x , 139
- $L_{\text{loc}}^1(\mathcal{X}, v)$, 429
- $L^p(Q)$, 264
- $L_0^p(Q)$, 264
- $L_p^p(\mathcal{X}, v)$, 415
- $L_b^p(\mu)$, 3
- $L_{b,0}^p(\mathcal{X}, v)$, 415
- $L_{c,0}^p(\mu)$, 3
- $L^q(B, v)$, 473
- $L_0^q(B, v)$, 473
- $L_{0,0}^\infty(\mu)$, 246
- $L^\Phi(\mathcal{X}, v)$, 594
- $M_{0,s}^d$, 448
- $M_r^{\sigma, \varrho; \sharp}$, 624
- $M_{0,s}^{\sigma, \varrho; \sharp}$, 581
- $M_{0,s}^{\sigma, \varrho}$, 581
- $M_{0,s}^{\varrho, \sharp}$, 447
- N_{Q_1, Q_2}^ρ , 218
- N_0 , 419
- $N_{B, S}$, 581
- $N_{Q, R}$, 24
- $Q(x, r)$, 8
- Q_R , 23
- $Q_{x,k}$, 37
- R_{-j} , 36
- T^\sharp , 253
- T_b , 290
- T_b^ρ , 301, 594
- $Z(Q, \lambda)$, 78
- $\Im f$, 70
- $\Re f$, 70
- α_1 , 42
- α_2 , 42
- $\alpha_B(f)$, 441
- β_α , 424
- β_ρ , 11
- χ_E , 2
- $\delta(B, S)$, 424
- $\delta(Q, R)$, 23, 424
- δ_{Q_1, Q_2}^ρ , 218
- $\delta_{Q, R}$, 24
- $\dot{g}(f)$, 329
- \mathcal{M}_S , 348
- ϵ_1 , 36
- ϵ_0 , 25
- \lesssim , 2
- $\mathbb{E}(\xi)$, 532
- \mathbb{P} , 521, 532
- $\mathbb{P}(A)$, 521, 532

- $\mathbb{V}(\xi)$, 532
- $\mathcal{M}^{\rho, \frac{1}{2}}$, 219
- $\mathcal{M}_r^{\rho, \frac{1}{2}}$, 219
- $\mathcal{M}^{\rho, \frac{1}{2}}$, 222
- $\mathcal{M}_r^{\rho, \frac{1}{2}}$, 222
- $\mathcal{M}_{0,s}^d$, 219
- $\mathcal{M}_{0,s}^{\rho, \frac{1}{2}}$, 218
- $\mathcal{M}_{0,s}^{\rho, d}$, 218
- $\mathcal{M}_{0,s}^\rho$, 218
- $\mathcal{M}_{L^p(\log L)^\sigma, \rho, w}$, 225
- $\mathcal{M}_{L^p(\log L)^\sigma, \rho}$, 225
- $\mathcal{M}_{p, (\eta)}$, 226
- $\mathcal{M}^{\rho, d}$, 226
- \mathcal{M}^\sharp , 222
- $\mathcal{M}_{0,s}$, 219
- $\mathcal{M}_{0,s}^\sharp$, 219
- $\mathcal{M}_{L(\log L)^\sigma, \rho}$, 225
- $\mathcal{M}_{L^p(\log L)^\sigma, \rho}$, 225
- $\text{BLO}(\mathcal{X}, \nu)$, 638
- $\text{Osc}_{\exp L^r}(\mu)$, 313
- $\text{Osc}_{\exp L^r}(\mathcal{X}, \nu)$, 595
- $\text{RBMO}(\mathcal{X}, \nu)$, 431, 573
- $\text{RBMO}(\mu)$, 59
- $\mathcal{M}(\mathcal{X})$, 497
- $\|f\|_{\Phi, Q, \mu}$, 225
- $\|f\|_{\Phi, \rho, Q}$, 225
- $\|f\|_{L^p(\log L)^r, \rho, Q, \omega}$, 225
- $\|f\|_{\exp L^r, Q, \mu}$, 225
- $\|f\|_{\exp L^r, \rho, Q}$, 225
- $\|f\|_{\exp L^r, \rho, Q, \omega}$, 225
- $\|f\|_{\Phi, \rho, Q, \omega}$, 224
- ω_{D-1} , 138
- ∂Q , 521
- \pm , 25
- σ , 42
- \sim , 2
- $\text{BMO}(\mathcal{X}, \nu)$, 434
- \tilde{B}^α , 424
- $\tilde{H}^1(\mathcal{X}, \nu)$, 567
- $\tilde{H}_{\text{atb}, \rho}^{1, p, \gamma}(\mathcal{X}, \nu)$, 556
- $\tilde{H}_{\text{mb}, \rho}^{1, p, \gamma, \epsilon}(\mathcal{X}, \nu)$, 558
- $\tilde{H}_{\text{mb}}^{1, p}(\mathcal{X}, \nu)$, 567
- \tilde{N} , 489
- \tilde{Q} , 11
- \tilde{Q}^ρ , 11
- $\tilde{\delta}_{B, S}^{(\rho)}$, 555
- $\tilde{\mathcal{M}}^\sharp$, 602
- $\tilde{\mathcal{N}}$, 582
- \mathcal{M}_η , 623
- $\varphi \sim x$, 100
- ζ , 417
- $\widetilde{\text{RBLO}}(\mathcal{X}, \nu)$, 640
- $\widetilde{\text{RBMO}}_{\rho, \gamma}(\mathcal{X}, \nu)$, 573
- $a \ll b$, 36
- $b \pm \epsilon$, 25
- $g(f)$, 346
- $h^{1, p}(\mathbb{R}^D)$, 143
- $m_{0, s; Q}^\rho(f)$, 215
- $m_{0, s; B}^{\sigma, Q}$, 581
- $m_B(f)$, 415, 434
- $m_Q(f)$, 3
- $m_{\mathcal{X}}(b)$, 604
- n , 1
- n_0 , 419
- p -atom, 80
- p -atomic block, 81
- p -block, 142
- p' , 15
- q -atom, 468
- $v_{\vec{w}}$, 623
- z_Q , 2
- $H_{\text{atb}, \gamma}^{1, p}(\mu)$, 80
- $H_{\text{atb}}^{1, p}(\mu)$, 81
- γ_0 , 36
- \mathbb{N} , 6
- \mathbb{Z}_+ , 11
- \mathcal{M} , 193, 539
- $\mathcal{M}^c \omega$, 500
- \mathcal{M}^c , 500
- \mathcal{M}_ρ^c , 500
- $\mathcal{M}^{(\rho)}$, 7
- \mathcal{M}^\sharp , 489
- \mathcal{M}^d , 193
- \mathcal{M}_S , 348
- \mathcal{M}_η , 429
- \mathcal{M}_I , 206
- \mathcal{M}_r^\sharp , 539
- $\mathcal{M}_{(\rho)}$, 20
- \mathcal{M}_ρ , 539
- $\mathcal{M}_{r, \rho}$, 539
- \mathcal{N} , 448
- \mathcal{Q} , 137
- \mathcal{M}_Φ , 100
- $\mathcal{C}^{\alpha, p}(\mu)$, 383
- $\mathcal{C}_*^{\alpha, p}(\mu)$, 387
- $\text{RBLO}(\mu)$, 189
- $\text{sgn}(g)$, 19
- $\text{supp } \omega$, 497
- $\text{rblo}(\mu)$, 199
- $\text{rbmo}(\mu)$, 146, 153
- $\text{rbmo}_{\eta, \rho}^p(\mu)$, 156
- $\text{BMO}(\mathbb{R}^D)$, 60
- $\text{RBMO}^p(\mu)$, 77

- RBMO $_{\gamma}^{\rho}(\mu)$, 62
- RBMO $_{\gamma}(\mathcal{X}, \nu)$, 436
- BLO(\mathbb{R}^D), 189
- blo(\mathbb{R}^D), 199
- bmo(\mathbb{R}^D), 146
- $\tilde{H}_{\text{atb}}^{1,p}(\mathcal{X}, \nu)$, 557
- $h_{\text{atb}}^{1,p}(\mu)$, 142
- $m_f(Q)$, 70
- \mathbb{R}^D , 1
- 2ρ -doubling cube, 215
- bad cube, 120
- Besicovitch covering theorem, 5
- Calderón–Zygmund decomposition on \mathcal{X} , 483
- Calderón–Zygmund decomposition on \mathbb{R}^D , 14
- Calderón–Zygmund operator, 494
- Cauchy transform, 11
- centered Hardy–Littlewood maximal operator, 500
- centered maximal function, 500
- commutator, 290
- convex Orlicz function, 594
- cube of m -th generation, 110
- cube of generations, 36, 110
- dominating function, 417
- doubling condition, 9
- doubling maximal function, 489
- dyadic cube, 42
- elementary measure, 507
- geometrically doubling, 419
- good cube, 120
- good- λ inequality on \mathcal{X} , 489
- good- λ inequality on \mathbb{R}^D , 302
- Hardy space, 79
- Hardy–Littlewood maximal function, 429
- homogeneous Littlewood–Paley g -function on \mathbb{R}^D , 329
- inhomogeneous Littlewood–Paley g -function on \mathbb{R}^D , 346
- initial cube, 36
- John–Nirenberg inequality, 73, 443
- John–Strömberg maximal operator, 218, 581
- John–Strömberg sharp maximal function, 447, 581
- John–Strömberg sharp maximal operator, 218
- Lebesgue differentiation theorem, 11
- local natural maximal operator, 205
- Luxemburg norm, 594
- Morrey-type space, 383
- multilinear commutator, 594
- multilinear maximal operator, 623
- natural maximal operator, 193
- non-doubling measure, 8
- Orlicz space, 594
- polynomial growth condition on \mathcal{X} , 22, 327
- polynomial growth condition on \mathbb{R}^D , 1
- sharp maximal function, 489
- standard kernel, 494
- stopping cube, 36
- stopping point, 36
- transit cube, 36
- upper doubling, 417
- weak reverse doubling condition, 574
- Whitney decomposition, 8

Edited by J.-M. Morel, B. Teissier; P.K. Maini

Editorial Policy (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.
Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this "lecture notes" character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.
2. Manuscripts should be submitted either online at www.editorialmanager.com/lnm to Springer's mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.
Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees' recommendations, making further refereeing of a final draft necessary.
Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.
3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped psfiles. Lecture Notes volumes are, as a rule, printed digitally from the authors' files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer's web-server at:

[ftp://ftp.springer.de/pub/tex/latex/svmonot1/](http://ftp.springer.de/pub/tex/latex/svmonot1/) (for monographs) and

[ftp://ftp.springer.de/pub/tex/latex/svmult1/](http://ftp.springer.de/pub/tex/latex/svmult1/) (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from lnm@springer.com.

4. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor J.-M. Morel, CMLA,
École Normale Supérieure de Cachan,
61 Avenue du Président Wilson, 94235 Cachan Cedex, France
E-mail: morel@cmla.ens-cachan.fr

Professor B. Teissier, Institut Mathématique de Jussieu,
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,
175 rue du Chevaleret
75013 Paris, France
E-mail: teissier@math.jussieu.fr

For the “Mathematical Biosciences Subseries” of LNM:

Professor P. K. Maini, Center for Mathematical Biology,
Mathematical Institute, 24-29 St Giles,
Oxford OX1 3LP, UK
E-mail : maini@maths.ox.ac.uk

Springer, Mathematics Editorial, Tiergartenstr. 17,
69121 Heidelberg, Germany,
Tel.: +49 (6221) 4876-8259

Fax: +49 (6221) 4876-8259
E-mail: lnm@springer.com