

# References

1. L.V. Ahlfors, *Complex Analysis* (McGraw-Hill, New York, 1966)
2. M.F. Atiyah, R. Bott, L. Gårding, Lacunas for hyperbolic differential operators with constant coefficients, I. *Acta Math.* **124**, 109–189 (1970)
3. V.I. Arnold, Matrices depending on parameters. *Uspehi Math. Nauk* **26**, 101–114 (1971)
4. E. Bernardi, T. Nishitani, Remarks on symmetrization of  $2 \times 2$  systems and the characteristic manifolds. *Osaka J. Math.* **29**, 129–134 (1992)
5. J. Chazarain, Opérateurs hyperboliques à caractéristiques de multiplicité constante. *Ann. Inst. Fourier* **24**, 173–202 (1974)
6. F. Colombini, T. Nishitani, Two by two strongly hyperbolic systems and the Gevrey classes. *Ann. Univ. Ferrara Sci. Mat. Suppl.* **XLV**, 291–312 (1999)
7. P. D’Ancona, T. Kinoshita, S. Spagnolo, On the 2 by 2 weakly hyperbolic systems. *Osaka J. Math.* **45**, 921–939 (2008)
8. P. D’Ancona, S. Spagnolo, On pseudosymmetric hyperbolic systems. *Ann. Sc. Norm. Super. Pisa* **25**, 397–417 (1997)
9. P. D’Ancona, S. Spagnolo, A remark on uniformly symmetrizable systems. *Adv. Math.* **158**, 18–25 (2001)
10. Y. Demay, Paramétrix pour des systèmes hyperboliques du premier ordre à multiplicité constante. *J. Math. Pures Appl.* **56**, 393–422 (1977)
11. N. Dencker, Preparation theorems for matrix valued functions. *Ann. Inst. Fourier* **43**, 865–892 (1993)
12. H. Flaschka, G. Strang, The correctness of the Cauchy problem. *Adv. Math.* **6**, 347–379 (1971)
13. S. Friedland, J. Robbin, J. Sylvester, On the crossing rule. *Commun. Pure Appl. Math.* **37**, 19–37 (1984)
14. K.O. Friedrichs, Symmetric hyperbolic differential equations. *Commun. Pure Appl. Math.* **7**, 345–392 (1954)
15. K.O. Friedrichs, P.D. Lax, On symmetrizable differential operators, in *Proceedings of the Symposium on Pure Mathematics*, ed. by A.P. Calderon. Singular Integrals, vol. 10 (American Mathematical Society, Providence, 1967), pp. 128–137
16. L. Gårding, Linear hyperbolic partial differential equations with constant coefficients. *Acta Math.* **85**, 1–62 (1951)
17. D.C. Hernquist, Smoothly symmetrizable hyperbolic systems of partial differential equations. *Math. Scand.* **61**, 262–275 (1987)
18. L. Hörmander, The Cauchy problem for differential equations with double characteristics. *J. Anal. Math.* **32**, 118–196 (1977)
19. L. Hörmander, *The Analysis of Linear Partial Differential Operators II* (Springer, Berlin, 1983)
20. L. Hörmander, *The Analysis of Linear Partial Differential Operators I* (Springer, Berlin, 1983)

21. L. Hörmander, *The Analysis of Linear Partial Differential Operators III* (Springer, Berlin, 1985)
22. L. Hörmander, Hyperbolic systems with double characteristics. *Commun. Pure Appl. Math.* **46**, 261–301 (1993)
23. V.Ja. Ivrii, V.M. Petkov, Necessary conditions for the Cauchy problem for non strictly hyperbolic equations to be well posed. *Uspehi Mat. Nauk* **29**, 3–70 (1974)
24. V.Ja. Ivrii, *Linear Hyperbolic Equations in Partial Differential Equations IV* (Springer, Berlin, 1988), pp. 149–235
25. F. John, Algebraic conditions for hyperbolicity of systems of partial differential equations. *Commun. Pure Appl. Math.* **31**, 89–106 (1978)
26. F. John, Addendum to: algebraic conditions for hyperbolicity of systems of partial differential equations. *Commun. Pure Appl. Math.* **31**, 787–793 (1978)
27. K. Kajitani, Strongly hyperbolic systems with variable coefficients. *Publ. RIMS Kyoto Univ.* **9**, 597–612 (1974)
28. K. Kajitani, Cauchy problem for non-strictly hyperbolic systems. *Publ. RIMS Kyoto Univ.* **15**, 519–550 (1979)
29. K. Kajitani, T. Nishitani, *The Hyperbolic Cauchy Problem*. Lecture Notes in Mathematics, vol. 1505 (Springer, Berlin, 1991)
30. K. Kasahara, M. Yamaguti, Strongly hyperbolic systems of linear partial differential equations with constant coefficients. *Mem. Coll. Sci. Univ. Kyoto Ser. A* **33**, 1–23 (1960)
31. T. Kusaba, *Topics in Matrix Theory (in Japanese)* (Shokabo, Tokyo, 1979)
32. N.D. Kutev, V.M. Petkov, First order regularly hyperbolic systems. *Annu. Univ. Sofia Fac. Math. Méc.* **67**, 375–389 (1976)
33. P.D. Lax, Asymptotic solutions of oscillatory initial value problems. *Duke Math. J.* **24**, 627–646 (1957)
34. P.D. Lax, The multiplicity of eigenvalues. *Bull. Am. Math. Soc.* **6**, 213–214 (1982)
35. J. Leray, *Hyperbolic Differential Equations* (Institute for Advanced Study, Princeton, 1953)
36. W. Matsumoto, On the conditions for the hyperbolicity of systems with double characteristic roots I. *J. Math. Kyoto Univ.* **21**, 47–84 (1981)
37. W. Matsumoto, On the conditions for the hyperbolicity of systems with double characteristic roots II. *J. Math. Kyoto Univ.* **21**, 251–271 (1981)
38. W. Matsumoto, H. Yamahara, Necessary conditions for strong hyperbolicity of first order systems. *Journées “Équations aux Dérivées Partielles”* (Saint Jean de Monts, 1989), Exp. No. VIII, 16 pp., École Polytech., Palaiseau, 1989
39. W. Matsumoto, Levi condition for general systems, in *Physics on Manifolds* (Kluwer, Dordrecht, 1992), pp. 303–307
40. W. Matsumoto, Normal form of systems of partial differential and pseudo differential operators in formal symbol classes. *J. Math. Kyoto Univ.* **34**, 15–40 (1994)
41. J. Milnor, *Singular Points of Complex Hypersurfaces* (Princeton University Press, Princeton, 1968)
42. L. Mencherini, S. Spagnolo, Well-posedness of  $2 \times 2$  system with  $C^\infty$  coefficients, in *Hyperbolic Problems and Related Topics* (International Press, Somerville, 2003), pp. 235–241
43. S. Mizohata, Some remarks on the Cauchy problem. *J. Math. Kyoto Univ.* **1**, 109–127 (1961)
44. S. Mizohata, *The Theory of Partial Differential Equations* (Cambridge University Press, Cambridge, 1973)
45. S. Mizohata, *On Hyperbolic Matrices*. *Frontiers in Pure and Applied Mathematics* (North-Holland, Amsterdam, 1991), pp. 247–265
46. T. Nishitani, The Cauchy problem for weakly hyperbolic equations of second order. *Commun. Partial Differ. Equ.* **5**, 1273–1296 (1980)
47. T. Nishitani, A necessary and sufficient condition for the hyperbolicity of second order equations with two independent variables. *J. Math. Kyoto Univ.* **24**, 91–104 (1984)
48. T. Nishitani, On strong hyperbolicity of systems, in *Hyperbolic Equations*. *Research Notes in Mathematics*, vol. 158 (Longman, New York, 1987), pp. 102–114

49. T. Nishitani, Une condition nécessaire pour systèmes hyperboliques. *Osaka J. Math.* **26**, 71–88 (1989)
50. T. Nishitani, Necessary conditions for strong hyperbolicity of first order systems. *J. Anal. Math.* **61**, 181–229 (1993)
51. T. Nishitani, On localizations of a class of strongly hyperbolic systems. *Osaka J. Math.* **32**, 41–69 (1995)
52. T. Nishitani, Symmetrization of hyperbolic systems with real constant coefficients. *Sc. Norm. Super. Pisa* **21**, 97–130 (1994)
53. T. Nishitani, Symmetrization of hyperbolic systems with non-degenerate characteristics. *J. Funct. Anal.* **132**, 251–272 (1995)
54. T. Nishitani, Stability of symmetric systems under hyperbolic perturbations. *Hokkaido Math. J.* **26**, 509–527 (1997)
55. T. Nishitani, Hyperbolicity of two by two systems with two independent variables. *Commun. Partial Differ. Equ.* **23**, 1061–1110 (1998)
56. T. Nishitani, Strongly hyperbolic systems of maximal rank. *Publ. Res. Inst. Math. Sci.* **33**, 765–773 (1997)
57. T. Nishitani, Hyperbolic systems with nondegenerate characteristics, in *Hyperbolic Differential Operators and Related Problems*. Lecture Notes in Pure and Applied Mathematics, vol. 233 (Marcel Dekker, New York, 2003), pp. 7–29
58. W. Nuij, A note on hyperbolic polynomials. *Math. Scand.* **23**, 69–72 (1968)
59. Y. Oshime, Canonical forms of  $3 \times 3$  strongly hyperbolic systems with real constant coefficients. *J. Math. Kyoto Univ.* **31**, 937–982 (1991)
60. V.M. Petkov, Necessary conditions for the correctness of the Cauchy problem for nonsymmetrizable hyperbolic systems. *Trudy Sem. Petrovsk.* **1**, 211–236 (1975)
61. V.M. Petkov, The parametrix of the Cauchy problem for nonsymmetrizable hyperbolic systems with characteristics of constant multiplicity. *Trudy Moskov. Mat. Obshch.* **37**, 3–47 (1978)
62. V.M. Petkov, Microlocal forms for hyperbolic systems. *Math. Nachr.* **93**, 117–131 (1979)
63. J. Rauch, *Partial Differential Equations, Graduate Texts in Mathematics*, vol. 128 (Springer, Berlin, 1991)
64. A. Shadi Tahvildar-Zadeh, Relativistic and nonrelativistic elastodynamics with small shear strains. *Ann. de l'I.H.P. Phys. Théorique* **69**, 275–307 (1998)
65. S. Tarama, Une note sur les systèmes hyperboliques uniformément diagonalisable. *Mem. Fac. Eng. Kyoto Univ.* **56**, 9–18 (1993)
66. J. Vaillant, Symétrisabilité des matrices localisées d'une matrice fortement hyperbolique. *Ann. Sc. Norm. Super. Pisa* **5**, 405–427 (1978)
67. J. Vaillant, Systèmes hyperboliques à multiplicité constante et dont le rang peut varier, in *Recent Developments in Hyperbolic Equations*. Research Notes in Mathematics, vol. 183 (Longman, New York, 1988), pp. 340–366
68. J. Vaillant, Diagonalizable complex systems, reduced dimension and hermitian systems, I, in *Hyperbolic Problems and Related Topics*. Graduate Series in Analysis (International Press, Somerville, 2003), pp. 409–421
69. J. Vaillant, Diagonalizable complex systems, reduced dimension and hermitian systems, II. *Pliska Stud. Math. Bulgar.* **15**, 131–148 (2003)
70. S. Wakabayashi, On the Cauchy problem for hyperbolic operators of second order whose coefficients depend only on the time variable. *J. Math. Soc. Jpn.* **62**, 95–133 (2010)
71. W. Wasow, *Asymptotic Expansions for Ordinary Differential Equations* (Interscience, New York, 1965)
72. W. Wasow, On holomorphically similar matrices. *J. Math. Anal. Appl.* **4**, 202–206 (1962)
73. H. Yamahara, On the strongly hyperbolic systems II -A reduction of hyperbolic matrices. *J. Math. Kyoto Univ.* **29**, 529–550 (1989)

# Index

- $(C^\pm)$ , 138
- $(C^\pm; Y)$ , 138
- $C(h_\rho)$ , 71
- $C^\infty$  well posed, 2, 86
- $C^\infty(W, M_m(\mathbb{C}))$ , 2
- $G_{d_n, I}^I$ , 223
- $H^s(\mathbb{R}^n)$ , 2
- $H_{(m, s)}(\mathbb{R}^{n+1})$ , 6
- $I(h, \rho)$ , 36
- $L_\phi$ , 142
- $M_r^h(\mathbb{C})$ , 164
- $M_m^s(k; \mathbb{R})$ , 213
- $M_r^s(\mathbb{R})$ , 164
- $M_m^{as}(\mathbb{R})$ , 222
- $P_\lambda(y, x, \xi)$ , 5
- $\mathcal{G}^\pm(\gamma)$ , 137
- $\dim_{\mathbb{R}} P_{\tilde{x}}$ , 162
- $\mu(f_\phi; p, q)$ , 137
- $\rho_j(t, x)$ , 107
- $\rho_{A, D}(t, x)$ , 115
- $\sigma_0(A)$ , 34
- $\sigma_j(x)$ , 99
- $\sigma_\rho(A)$ , 34
- $\Gamma(B_\phi)$ , 92
- $\Gamma(h_\rho)$ , 71
- $\Lambda(h_\rho)$ , 72
- $f_\phi(x)$ , 142
- $h_\rho^{\sigma, 8}(y, \cdot, \xi)$ , 36
- $h_\rho(X)$ , 29
- $t^*(x)$ , 99
- $\bar{h}_\rho^{\sigma, 8}(y, x, \xi)$ , 36
- $\mathcal{A}(W)$ , 2
- $\mathcal{A}(W, M_m(\mathbb{C}))$ , 2
- $\mathcal{A}(W)\{\{\tilde{\lambda}\}\}$ , 34
- $\mathcal{A}(W)\{\{\lambda^{-\epsilon}\}\}$ , 34
- $\mathcal{A}[[\tilde{\lambda}]]$ , 34
- $\mathcal{A}(W)[[\lambda^{-\epsilon}]]$ , 34
- $\mathcal{A}(W)[\lambda^{-\epsilon}]$ , 34
- $\mathcal{A}(W)\{\{\lambda^{-\epsilon}\}\}$ , 33
- $\mathcal{C}^\pm(F)$ , 92
- $\mathcal{O}(W)$ , 42
- $\mathcal{S}'(\mathbb{R}^n)$ , 2
- $\mathcal{S}(\mathbb{R}^n)$ , 2
- Ord  $A$ , 34
- almost diagonal system, 90
- anti-Hermitian, 196
- anti-symmetric, 196
- a priori estimates, 5, 55
- Ascoli-Arzelà's theorem, 18
- asymptotic diagonalization, 63
- Baire's category theorem, 4
- block diagonal, 70
- Borel's lemma, 3
- Cauchy–Kowalevsky theorem, 21, 112
- Cauchy problem, 2, 31, 85, 209
- Cauchy–Riemann operator, 20
- Cauchy–Schwarz inequality, 9, 113
- Cauchy sequence, 136
- characteristic, 29, 52, 162
- characteristic function, 39
- characteristic root, 50, 96
- cofactor matrix, 19, 35, 87, 208
- conic neighborhood, 35
- constant multiplicity, 22, 82

- dependence domain, 151
- determinant divisor, 65
- diagonalizable, 75, 164
- dilation of coordinates, 143
- discriminant, 43, 91
- divisible, 32
- double characteristic, 169
  
- eigenvalue, 69
- elasticity equations, 173
- energy estimates, 112
- energy form, 113
- Euler's identity, 29
  
- formal meromorphic function, 33
- formal power series, 34
  
- Gevrey  $s$  class, 160
- Grassmannian, 215
  
- Hahn-Banach theorem, 11
- Hamilton vector field, 73
- Hermitian matrix, 12, 164
- Hessian, 164
- Holmgren uniqueness theorem, 23
- hyperbolic, 27, 161
- hyperbolic cone, 71
- hyperbolic perturbation, 217
- hyperbolic polynomial, 26, 36
  
- implicit function theorem, 182
- intersects transversally, 213
- invertible, 34
- involution, 73
- involution subspace, 76
- irreducible, 43, 205
- irreducible factorization, 32, 83, 209
  
- Jordan block, 33
- Jordan canonical form, 33
  
- Lax-Mizohata theorem, 18
- Levi condition, 22, 34, 95
- lexicographic order, 65
- linearity space, 72
- localization, 29, 162
  
- method of characteristic curves, 14
- minor, 26, 31
- modified elasticity operator, 173
  
- Newton polygon, 92
- nilpotent, 69
- non characteristic, 209
- nondegenerate characteristic, 164
- nonnegative real analytic function, 90
- nonpositive definite, 170
- not symmetrizable, 12, 97
  
- Pfaffian, 205
- Picard's iteration method, 13
- Poisson bracket, 77
- polar coordinates, 196
- positive definite, 6, 174
- principal minor, 65
- principal symbol, 2, 33, 210
- propagation cone, 71
- pseudo-characteristic curve, 92
- pseudosymmetric system, 160
- Puiseux series, 42, 92
  
- real analytic, 23, 31, 85, 194
- real projective space, 215
- real reduced dimension, 162
- reducible, 43
- regular point, 205
- relativistic elastodynamics, 174
- resultant, 91
- Rouché's theorem, 28, 36
  
- shearing matrix, 67
- simple characteristic, 73, 164
- smooth symmetrizer, 173
- space-like curve, 115
- stability, 179
- strictly hyperbolic, 13, 83, 94, 213
- strongly hyperbolic, 3, 74, 96
- Sylvester matrix, 64
- symmetric hyperbolic system, 5
- symmetric matrix, 12, 164
- symmetric system, 216
- symmetrizability, 176
- symmetrizable, 12, 96
- symplectic 2 form, 72
- symplectic map, 76

triangulation, 51

uniformly diagonalizable, 97, 160

upper block triangular, 52

upper triangular, 51, 189

Weierstrass polynomial, 91

Weierstrass preparation theorem, 43, 104,  
218

Weighted energy estimates, 113

weight function, 115

Whitney's extension theorem, 23

Edited by J.-M. Morel, B. Teissier; P.K. Maini

**Editorial Policy** (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.  
Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this "lecture notes" character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.
2. Manuscripts should be submitted either online at [www.editorialmanager.com/lnm](http://www.editorialmanager.com/lnm) to Springer's mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.  
Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees' recommendations, making further refereeing of a final draft necessary.  
Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.
3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
  - a table of contents;
  - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
  - a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped ps-files. Lecture Notes volumes are, as a rule, printed digitally from the authors' files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer's web-server at:

[ftp://ftp.springer.de/pub/tex/latex/svmonot1/](http://ftp.springer.de/pub/tex/latex/svmonot1/) (for monographs) and  
[ftp://ftp.springer.de/pub/tex/latex/svmult1/](http://ftp.springer.de/pub/tex/latex/svmult1/) (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from [lnm@springer.com](mailto:lnm@springer.com).

4. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

**Addresses:**

Professor J.-M. Morel, CMLA,  
École Normale Supérieure de Cachan,  
61 Avenue du Président Wilson, 94235 Cachan Cedex, France  
E-mail: [morel@cmla.ens-cachan.fr](mailto:morel@cmla.ens-cachan.fr)

Professor B. Teissier, Institut Mathématique de Jussieu,  
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,  
175 rue du Chevaleret  
75013 Paris, France  
E-mail: [teissier@math.jussieu.fr](mailto:teissier@math.jussieu.fr)

*For the “Mathematical Biosciences Subseries” of LNM:*

Professor P. K. Maini, Center for Mathematical Biology,  
Mathematical Institute, 24-29 St Giles,  
Oxford OX1 3LP, UK  
E-mail: [maini@maths.ox.ac.uk](mailto:maini@maths.ox.ac.uk)

Springer, Mathematics Editorial, Tiergartenstr. 17,  
69121 Heidelberg, Germany,  
Tel.: +49 (6221) 4876-8259

Fax: +49 (6221) 4876-8259  
E-mail: [lnm@springer.com](mailto:lnm@springer.com)