

References

- [AB90] L. Alessandrini, G. Bassanelli, Small deformations of a class of compact non-Kähler manifolds. *Proc. Am. Math. Soc.* **109**(4), 1059–1062 (1990)
- [AB91] L. Alessandrini, G. Bassanelli, Compact p -Kähler manifolds. *Geom. Dedicata* **38**(2), 199–210 (1991)
- [AB96] L. Alessandrini, G. Bassanelli, The class of compact balanced manifolds is invariant under modifications, in *Complex Analysis and Geometry (Trento, 1993)*. Lecture Notes in Pure and Applied Mathematics, vol. 173 (Marcel Dekker, New York, 1996), pp. 1–17
- [Aba88] M. Abate, Annular bundles. *Pac. J. Math.* **134**(1), 1–26 (1988)
- [ABDM11] A. Andrada, M.L. Barberis, I.G. Dotti Miatello, Classification of abelian complex structures on 6-dimensional Lie algebras. *J. Lond. Math. Soc. (2)* **83**(1), 232–255 (2011)
- [ABDMO05] A. Andrada, M.L. Barberis, I.G. Dotti Miatello, G.P. Ovando, Product structures on four dimensional solvable Lie algebras. *Homol. Homotopy Appl.* **7**(1), 9–37 (2005)
- [AC12] D. Angella, S. Calamai, A vanishing result for strictly p -convex domains. *Ann. Mat. Pura Appl.*, 16 pp. (2012). DOI:10.1007/s00222-012-0406-3, Online First, <http://link.springer.com/article/10.1007/s10231-012-0315-5>
- [AC13] D. Angella, S. Calamai, Bott–Chern cohomology and q -complete domains. *C. R. Math. Acad. Sci. Paris* **351**(9–10), 343–348 (2013)
- [Aep65] A. Aeppli, On the cohomology structure of Stein manifolds, in *Proceedings of a Conference on Complex Analysis*, Minneapolis, MN, 1964 (Springer, Berlin, 1965), pp. 58–70
- [AFR12] D. Angella, M.G. Franzini, F.A. Rossi, Degree of non-kählerianity for 6-dimensional nilmanifolds, [arXiv:1210.0406](https://arxiv.org/abs/1210.0406) [math.DG], 2012
- [AG62] A. Andreotti, H. Grauert, Théorème de finitude pour la cohomologie des espaces complexes. *Bull. Soc. Math. France* **90**, 193–259 (1962)
- [AGH63] L. Auslander, L.W. Green, F.J. Hahn, *Flows on Homogeneous Spaces*, With the assistance of L. Markus and W. Massey, and an appendix by L. Greenberg. *Annals of Mathematics Studies*, vol. 53 (Princeton University Press, Princeton, 1963)
- [AGS97] E. Abbena, S. Garbiero, S. Salamon, Hermitian geometry on the Iwasawa manifold. *Boll. Un. Mat. Ital. B (7)* **11**(2, Suppl.), 231–249 (1997)
- [AI01] B. Alexandrov, S. Ivanov, Vanishing theorems on Hermitian manifolds. *Differ. Geom. Appl.* **14**(3), 251–265 (2001)
- [AK12] D. Angella, H. Kasuya, Bott–chern cohomology of solvmanifolds, [arXiv:1212.5708v3](https://arxiv.org/abs/1212.5708v3) [math.DG], 2012

- [AK13a] D. Angella, H. Kasuya, Cohomologies of deformations of solvmanifolds and closedness of some properties, *arXiv:1305.6709v1 [math.CV]*, 2013
- [AK13b] D. Angella, H. Kasuya, Symplectic Bott-Chern cohomology of solvmanifolds. *arXiv:1308.4258v1 [math.SG]* (2013)
- [AL94] M. Audin, J. Lafontaine (eds.), *Holomorphic Curves in Symplectic Geometry*. Progress in Mathematics, vol. 117 (Birkhäuser Verlag, Basel, 1994)
- [Ale98] L. Alessandrini, Correnti positive: uno strumento per l'analisi globale su varietà complesse. *Rend. Sem. Mat. Fis. Milano* **68**(1), 59–120 (1998)
- [Ale10] L. Alessandrini, Correnti positive e varietà complesse. *Rend. Mat. Appl.* (7) **30**(2), 145–181 (2010)
- [Ale11] L. Alessandrini, Classes of compact non-Kähler manifolds. *C. R. Math. Acad. Sci. Paris* **349**(19–20), 1089–1092 (2011)
- [AMT09] D.V. Alekseevskii, K. Medori, A. Tomassini, Homogeneous para-Kählerian Einstein manifolds. *Uspekhi Mat. Nauk* **64**(1(385)), 3–50 (2009). Translation in *Russ. Math. Surv.* **64**(1), 1–43 (2009)
- [AN54] Y. Akizuki, S. Nakano, Note on Kodaira-Spencer's proof of Lefschetz theorems. *Proc. Jpn. Acad.* **30**(4), 266–272 (1954)
- [AN71] A. Andreotti, F. Norguet, Cycles of algebraic manifolds and $\partial\bar{\partial}$ -cohomology. *Ann. Scuola Norm. Sup. Pisa* (3) **25**(1), 59–114 (1971)
- [Ang11] D. Angella, The cohomologies of the Iwasawa manifold and of its small deformations. *J. Geom. Anal.* **23**(3), 1355–1378 (2013)
- [Ang13a] D. Angella, Cohomologies of certain orbifolds. *J. Geom. Phys.* **171**, 117–126 (2013)
- [Ang13b] D. Angella, Cohomological aspects of non-Kähler manifolds, Ph.D. Thesis, Università di Pisa (advisor A. Tomassini), 2013, *arXiv:1302.0524v1 [math.DG]*, <http://etd.adm.unipi.it/theses/available/etd-01072013-231626/>
- [AR12] D. Angella, F.A. Rossi, Cohomology of \mathbf{D} -complex manifolds. *Differ. Geom. Appl.* **30**(5), 530–547 (2012)
- [AS05] A. Andrada, S. Salamon, Complex product structures on Lie algebras. *Forum Math.* **17**(2), 261–295 (2005)
- [AT11] D. Angella, A. Tomassini, On cohomological decomposition of almost-complex manifolds and deformations. *J. Symplectic Geom.* **9**(3), 403–428 (2011)
- [AT12a] D. Angella, A. Tomassini, On the cohomology of almost-complex manifolds. *Int. J. Math.* **23**(2), 1250019, 25 (2012)
- [AT12b] D. Angella, A. Tomassini, Symplectic manifolds and cohomological decomposition. *J. Symplectic Geom.*, *arXiv:1211.2565v1 [math.SG]* (2012 to appear)
- [AT13a] D. Angella, A. Tomassini, Inequalities à la Frölicher and cohomological decompositions, preprint, 2013
- [AT13b] D. Angella, A. Tomassini, On the $\partial\bar{\partial}$ -Lemma and Bott-Chern cohomology. *Invent. Math.* **192**(1), 71–81 (2013)
- [ATZ12] D. Angella, A. Tomassini, W. Zhang, On cohomological decomposition of almost-Kähler structures. *Proc. Am. Math. Soc.*, *arXiv:1211.2928v1 [math.DG]* (2012 to appear)
- [Aus61] L. Auslander, Discrete uniform subgroups of solvable Lie groups. *Trans. Am. Math. Soc.* **99**, 398–402 (1961)
- [Aus73a] L. Auslander, An exposition of the structure of solvmanifolds. I. Algebraic theory. *Bull. Am. Math. Soc.* **79**(2), 227–261 (1973)
- [Aus73b] L. Auslander, An exposition of the structure of solvmanifolds. II. G -induced flows. *Bull. Am. Math. Soc.* **79**(2), 262–285 (1973)
- [AV65a] A. Andreotti, E. Vesentini, Carleman estimates for the Laplace-Beltrami equation on complex manifolds. *Inst. Hautes Études Sci. Publ. Math.* **25**, 81–130 (1965)
- [AV65b] A. Andreotti, E. Vesentini, Erratum to: Carleman estimates for the Laplace-Beltrami equation on complex manifolds. *Inst. Hautes Études Sci. Publ. Math.* **27**, 153–155 (1965)

- [Bai54] W.L. Baily Jr., On the quotient of an analytic manifold by a group of analytic homeomorphisms. *Proc. Natl. Acad. Sci. USA* **40**(9), 804–808 (1954)
- [Bai56] W.L. Baily Jr., The decomposition theorem for V -manifolds. *Am. J. Math.* **78**(4), 862–888 (1956)
- [Bal06] W. Ballmann, *Lectures on Kähler Manifolds*. ESI Lectures in Mathematics and Physics (European Mathematical Society (EMS), Zürich, 2006)
- [Bas99] G. Bassanelli, Area-minimizing Riemann surfaces on the Iwasawa manifold. *J. Geom. Anal.* **9**(2), 179–201 (1999)
- [BC65] R. Bott, S.S. Chern, Hermitian vector bundles and the equidistribution of the zeroes of their holomorphic sections. *Acta Math.* **114**(1), 71–112 (1965)
- [BDMM95] M.L. Barberis, I.G. Dotti Miatello, R.J. Miatello, On certain locally homogeneous Clifford manifolds. *Ann. Global Anal. Geom.* **13**(3), 289–301 (1995)
- [Bel00] F.A. Belgun, On the metric structure of non-Kähler complex surfaces. *Math. Ann.* **317**(1), 1–40 (2000)
- [BFV11] E. Buzano, A. Fino, L. Vezzoni, The Calabi-Yau equation for T^2 -bundles over \mathbb{T}^2 : the non-Lagrangian case. *Rend. Semin. Mat. Univ. Politec. Torino* **69**(3), 281–298 (2011)
- [BG88] Ch. Benson, C.S. Gordon, Kähler and symplectic structures on nilmanifolds. *Topology* **27**(4), 513–518 (1988)
- [BG90] Ch. Benson, C.S. Gordon, Kähler structures on compact solvmanifolds. *Proc. Am. Math. Soc.* **108**(4), 971–980 (1990)
- [BHPVdV04] W.P. Barth, K. Hulek, C.A.M. Peters, A. Van de Ven, *Compact Complex Surfaces*, 2nd edn. *Ergebnisse der Mathematik und ihrer Grenzgebiete. 3. Folge. A Series of Modern Surveys in Mathematics [Results in Mathematics and Related Areas. 3rd Series. A Series of Modern Surveys in Mathematics]*, vol. 4 (Springer, Berlin, 2004)
- [Big69] B. Bigolin, Gruppi di Aeppli. *Ann. Sc. Norm. Super. Pisa* (3) **23**(2), 259–287 (1969)
- [Big70] B. Bigolin, Osservazioni sulla coomologia del $\partial\bar{\partial}$. *Ann. Sc. Norm. Super. Pisa* (3) **24**(3), 571–583 (1970)
- [Bis89] J.-M. Bismut, A local index theorem for non-Kähler manifolds. *Math. Ann.* **284**(4), 681–699 (1989)
- [Bis11a] J.-M. Bismut, Hypoelliptic Laplacian and Bott-Chern cohomology, preprint (Orsay), 2011
- [Bis11b] J.-M. Bismut, Laplacien hypoelliptique et cohomologie de Bott-Chern. *C. R. Math. Acad. Sci. Paris* **349**(1–2), 75–80 (2011)
- [Boc45] S. Bochner, Compact groups of differentiable transformations. *Ann. Math.* (2) **46**(3), 372–381 (1945)
- [Boc09] C. Bock, On low-dimensional solvmanifolds, [arXiv:0903.2926v4 \[math.DG\]](https://arxiv.org/abs/0903.2926v4), 2009
- [Bog78] F.A. Bogomolov, Hamiltonian Kählerian manifolds. *Dokl. Akad. Nauk SSSR* **243**(5), 1101–1104 (1978)
- [Bou04] S. Boucksom, Divisorial Zariski decompositions on compact complex manifolds. *Ann. Sci. École Norm. Sup.* (4) **37**(1), 45–76 (2004)
- [Bry88] J.-L. Brylinski, A differential complex for Poisson manifolds. *J. Differ. Geom.* **28**(1), 93–114 (1988)
- [Buc99] N. Buchdahl, On compact Kähler surfaces. *Ann. Inst. Fourier (Grenoble)* **49**(1), 287–302 (1999)
- [Buc08] N. Buchdahl, Algebraic deformations of compact Kähler surfaces. II. *Math. Z.* **258**(3), 493–498 (2008)
- [Cal57] E. Calabi, On Kähler manifolds with vanishing canonical class, in *Algebraic Geometry and Topology. A Symposium in Honor of S. Lefschetz* (Princeton University Press, Princeton, 1957), pp. 78–89

- [Cam91] F. Campana, The class \mathcal{C} is not stable by small deformations. *Math. Ann.* **290**(1), 19–30 (1991)
- [Cao12] J. Cao, Deformation of Kähler manifolds, [arXiv:1211.2058v1 \[math.AG\]](#), hal-00749923, 2012
- [Car30] E. Cartan, La théorie des groupes finis et continus et l'analysis situs, 1930 (French)
- [Cav05] G.R. Cavalcanti, New aspects of the dd^c -lemma, Oxford University D. Phil Thesis, 2005, [arXiv:math/0501406 \[math.DG\]](#)
- [Cav06] G.R. Cavalcanti, The decomposition of forms and cohomology of generalized complex manifolds. *J. Geom. Phys.* **57**(1), 121–132 (2006)
- [Cav07] G.R. Cavalcanti, *Introduction to Generalized Complex Geometry*. Publicações Matemáticas do IMPA [IMPA Mathematical Publications] (Instituto Nacional de Matemática Pura e Aplicada (IMPA), Rio de Janeiro, 2007), 26o Colóquio Brasileiro de Matemática [26th Brazilian Mathematics Colloquium]
- [CdS01] A. Cannas da Silva, *Lectures on Symplectic Geometry*. Lecture Notes in Mathematics, vol. 1764 (Springer, Berlin, 2001)
- [CE48] C. Chevalley, S. Eilenberg, Cohomology theory of Lie groups and Lie algebras. *Trans. Am. Math. Soc.* **63**, 85–124 (1948)
- [CF01] S. Console, A. Fino, Dolbeault cohomology of compact nilmanifolds. *Transform. Groups* **6**(2), 111–124 (2001)
- [CF11] S. Console, A. Fino, On the de Rham cohomology of solvmanifolds. *Ann. Sc. Norm. Super. Pisa Cl. Sci. (5)* **X**(4), 801–818 (2011)
- [CFAG96] V. Cruceanu, P. Fortuny Ayuso, P.M. Gadea, A survey on paracomplex geometry. *Rocky Mt. J. Math.* **26**(1), 83–115 (1996)
- [CFGU97] L.A. Cordero, M. Fernández, A. Gray, L. Ugarte, Nilpotent complex structures on compact nilmanifolds, in *Proceedings of the Workshop on Differential Geometry and Topology*, Palermo, 1996, vol. 49 (1997), pp. 83–100
- [CFGU00] L.A. Cordero, M. Fernández, A. Gray, L. Ugarte, Compact nilmanifolds with nilpotent complex structures: Dolbeault cohomology. *Trans. Am. Math. Soc.* **352**(12), 5405–5433 (2000)
- [CFK13] S. Console, A.M. Fino, H. Kasuya, Modifications and cohomologies of solvmanifolds, [arXiv:1301.6042v1 \[math.DG\]](#), 2013
- [CFUG97] L.A. Cordero, M. Fernández, L. Ugarte, A. Gray, A general description of the terms in the Frölicher spectral sequence. *Differ. Geom. Appl.* **7**(1), 75–84 (1997)
- [CG04] G.R. Cavalcanti, M. Gualtieri, Generalized complex structures on nilmanifolds. *J. Symplectic Geom.* **2**(3), 393–410 (2004)
- [Cho49] W.-L. Chow, On compact complex analytic varieties. *Am. J. Math.* **71**(4), 893–914 (1949)
- [CM09] V. Cortés, T. Mohaupt, Special geometry of Euclidean supersymmetry. III. The local r -map, instantons and black holes. *J. High Energy Phys.* **7**(066), 64 (2009)
- [CM12] S. Console, M. Macrì, Lattices, cohomology and models of six dimensional almost abelian solvmanifolds, [arXiv:1206.5977v1 \[math.DG\]](#), 2012
- [CMMS04] V. Cortés, C. Mayer, T. Mohaupt, F. Saueressig, Special geometry of Euclidean supersymmetry. I. Vector multiplets. *J. High Energy Phys.* **3**(028), 73 pp. (2004) (electronic)
- [CMMS05] V. Cortés, C. Mayer, T. Mohaupt, F. Saueressig, Special geometry of Euclidean supersymmetry. II. Hypermultiplets and the c -map, *J. High Energy Phys.* **6**(025), 37 pp. (2005) (electronic)
- [Con85] A. Connes, Noncommutative differential geometry. *Inst. Hautes Études Sci. Publ. Math.* **62**, 257–360 (1985)
- [Con06] S. Console, Dolbeault cohomology and deformations of nilmanifolds. *Rev. Un. Mat. Argentina* **47**(1), 51–60 (2006)
- [COUV11] M. Ceballos, A. Otal, L. Ugarte, R. Villacampa, Classification of complex structures on 6-dimensional nilpotent Lie algebras, [arXiv:1111.5873v3 \[math.DG\]](#), 2011

- [CS05] R. Campoamor-Stursberg, Some remarks concerning the invariants of rank one solvable real Lie algebras. *Algebra Colloq.* **12**(3), 497–518 (2005)
- [dAFdLM92] L.C. de Andrés, M. Fernández, M. de León, J.J. Mencía, Some six-dimensional compact symplectic and complex solvmanifolds. *Rend. Mat. Appl.* (7) **12**(1), 59–67 (1992)
- [Dar82] G. Darboux, Sur le problème de Pfaff. *Bull. Sci. Math.* **6** 14–36, 49–68 (1882)
- [dBM10] P. de Bartolomeis, F. Meylan, Intrinsic deformation theory of CR structures. *Ann. Sc. Norm. Super. Pisa Cl. Sci.* (5) **9** (3), 459–494 (2010)
- [dBT06] P. de Bartolomeis, A. Tomassini, On solvable generalized Calabi-Yau manifolds. *Ann. Inst. Fourier (Grenoble)* **56** (5), 1281–1296 (2006)
- [dBT12] P. de Bartolomeis, A. Tomassini, Exotic deformations of Calabi-Yau manifolds (Déformations exotiques des variétés de Calabi-Yau). *Ann. l’inst. Fourier* **63**(2), 391–415 (2013). DOI:10.5802/aif.2764
- [Dek00] K. Dekimpe, Semi-simple splittings for solvable Lie groups and polynomial structures. *Forum Math.* **12**(1), 77–96 (2000)
- [Dem86] J.-P. Demailly, Sur l’identité de Bochner-Kodaira-Nakano en géométrie hermitienne, *Séminaire d’analyse*. P. Lelong-P. Dolbeault-H. Skoda, *Années 1983/1984*. Lecture Notes in Mathematics, vol. 1198 (Springer, Berlin, 1986), pp. 88–97
- [Dem12] J.-P. Demailly, Complex Analytic and Differential Geometry, <http://www-fourier.ujf-grenoble.fr/~demailly/manuscripts/agbook.pdf>, 2012, Version of Thursday June 21, 2012
- [DF09] A. Diatta, B. Foreman, Lattices in contact lie groups and 5-dimensional contact solvmanifolds, *arXiv:0904.3113v1 [math.DG]*, 2009
- [DGMS75] P. Deligne, Ph.A. Griffiths, J. Morgan, D.P. Sullivan, Real homotopy theory of Kähler manifolds. *Invent. Math.* **29**(3), 245–274 (1975)
- [DL13] T. Drăghici, H. Leon, On 4-dimensional non-unimodular symplectic Lie algebras, preprint, 2013
- [DLZ10] T. Drăghici, T.-J. Li, W. Zhang, Symplectic forms and cohomology decomposition of almost complex four-manifolds. *Int. Math. Res. Not. IMRN* **2010**(1), 1–17 (2010)
- [DLZ11] T. Drăghici, T.-J. Li, W. Zhang, On the J-anti-invariant cohomology of almost complex 4-manifolds. *Q. J. Math.* **64**(1), 83–111 (2013)
- [DLZ12] T. Drăghici, T.-J. Li, W. Zhang, Geometry of tamed almost complex structures on 4-dimensional manifolds, in *Fifth International Congress of Chinese Mathematicians*. Part 1, 2, AMS/IP Studies in Advanced Mathematics, 51, pt. 1, vol. 2 (American Mathematical Society, Providence, 2012), pp. 233–251
- [DM05] S.G. Dani, M.G. Mainkar, Anosov automorphisms on compact nilmanifolds associated with graphs. *Trans. Am. Math. Soc.* **357**(6), 2235–2251 (2005)
- [Dol53] P. Dolbeault, Sur la cohomologie des variétés analytiques complexes. *C. R. Acad. Sci. Paris* **236**, 175–177 (1953)
- [Don06] S.K. Donaldson, Two-forms on four-manifolds and elliptic equations, Inspired by S.S. Chern, in *Nankai Tracts Mathematics*, vol. 11 (World Scientific Publishing, Hackensack, 2006), pp. 153–172
- [DP04] J.-P. Demailly, M. Păun, Numerical characterization of the Kähler cone of a compact Kähler manifold. *Ann. Math.* (2) **159**(3), 1247–1274 (2004)
- [dR84] G. de Rham, *Differentiable Manifolds*. Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences], vol. 266. (Springer, Berlin, 1984). Forms, currents, harmonic forms, Translated from the French by F.R. Smith, with an introduction by S.S. Chern
- [DtER03] N. Duney, A.F.M. ter Elst, D.W. Robinson, *Analysis on Lie Groups with Polynomial Growth*. Progress in Mathematics, vol. 214 (Birkhäuser Boston, Boston, 2003)
- [DZ12] T. Drăghici, W. Zhang, A note on exact forms on almost complex manifolds. *Math. Res. Lett.* **19**(3), 691–697 (2012)

- [EFV12] N. Enrietti, A. Fino, L. Vezzoni, Tamed symplectic forms and strong Kahler with torsion metrics. *J. Symplectic Geom.* **10**(2), 203–224 (2012)
- [Ehr47] C. Ehresmann, Sur les espaces fibrés différentiables. *C. R. Acad. Sci. Paris* **224**, 1611–1612 (1947)
- [Ehr49] Ch. Ehresmann, *Sur la théorie des espaces fibrés*. Topologie algébrique, Colloques Internationaux du Centre National de la Recherche Scientifique, no. 12 (Centre de la Recherche Scientifique, Paris, 1949), pp. 3–15.
- [ES93] M.G. Eastwood, M.A. Singer, The Fröhlicher spectral sequence on a twistor space. *J. Differ. Geom.* **38**(3), 653–669 (1993)
- [EVS80] M.G. Eastwood, G. Vigna Suria, Cohomologically complete and pseudoconvex domains. *Comment. Math. Helv.* **55**(3), 413–426 (1980)
- [FdLS96] M. Fernández, M. de León, M. Saralegui, A six-dimensional compact symplectic solvmanifold without Kähler structures. *Osaka J. Math.* **33**(1), 19–35 (1996)
- [Fed69] H. Federer, *Geometric Measure Theory*. Die Grundlehren der mathematischen Wissenschaften, Band 153 (Springer, New York, 1969)
- [FG86] M. Fernández, A. Gray, The Iwasawa manifold, in *Differential Geometry, Peñíscola 1985*. Lecture Notes in Mathematics, vol. 1209 (Springer, Berlin, 1986), pp. 157–159
- [FG04] A. Fino, G. Grantcharov, Properties of manifolds with skew-symmetric torsion and special holonomy. *Adv. Math.* **189**(2), 439–450 (2004)
- [FidL98] M. Fernández, R. Ibáñez, M. de León, The canonical spectral sequences for Poisson manifolds. *Israel J. Math.* **106**, 133–155 (1998)
- [FLSV11] A. Fino, Y.Y. Li, S. Salamon, L. Vezzoni, The Calabi-Yau equation on 4-manifolds over 2-tori. *Trans. Am. Math. Soc.* **365**(3), 1551–1575 (2013)
- [FLY12] J. Fu, J. Li, S.-T. Yau, Balanced metrics on non-Kähler Calabi-Yau threefolds. *J. Differ. Geom.* **90**(1), 81–129 (2012)
- [FMS03] M. Fernández, V. Muñoz, J.A. Santisteban, Cohomologically Kähler manifolds with no Kähler metrics. *Int. J. Math. Math. Sci.* **2003**(52), 3315–3325 (2003)
- [FOT08] Y. Félix, J. Oprea, D. Tanré, *Algebraic Models in Geometry*. Oxford Graduate Texts in Mathematics, vol. 17 (Oxford University Press, Oxford, 2008)
- [FPS04] A. Fino, M. Parton, S. Salamon, Families of strong KT structures in six dimensions. *Comment. Math. Helv.* **79**(2), 317–340 (2004)
- [Fra11] M.G. Franzini, *Deformazioni di varietà bilanciate e loro proprietà coomologiche*. Tesi di Laurea Magistrale in Matematica, Università degli Studi di Parma, 2011
- [Frö55] A. Frölicher, Relations between the cohomology groups of Dolbeault and topological invariants. *Proc. Natl. Acad. Sci. USA* **41**(9), 641–644 (1955)
- [FT09] A.M. Fino, A. Tomassini, Non-Kähler solvmanifolds with generalized Kähler structure. *J. Symplectic Geom.* **7**(2), 1–14 (2009)
- [FT10] A. Fino, A. Tomassini, On some cohomological properties of almost complex manifolds. *J. Geom. Anal.* **20**(1), 107–131 (2010)
- [Fub04] G. Fubini, Sulle metriche definite da una forma *Hermitiana*. *Nota. Ven. Ist. Atti* **63**((8)6) (1904), 501–513
- [Fuj78] A. Fujiki, On automorphism groups of compact Kähler manifolds. *Invent. Math.* **44**(3), 225–258 (1978)
- [FY11] J. Fu, S.-T. Yau, A note on small deformations of balanced manifolds. *C. R. Math. Acad. Sci. Paris* **349**(13–14), 793–796 (2011)
- [Gau77] P. Gauduchon, Le théorème de l'excentricité nulle. *C. R. Acad. Sci. Paris Sér. A-B* **285**(5), A387–A390 (1977)
- [GH80] A. Gray, L.M. Hervella, The sixteen classes of almost Hermitian manifolds and their linear invariants. *Ann. Mat. Pura Appl.* (4) **123**(1), 35–58 (1980)
- [GH94] Ph.A. Griffiths, J. Harris, *Principles of Algebraic Geometry*. Wiley Classics Library (Wiley, New York, 1994). Reprint of the 1978 original
- [GK96] M. Goze, Y. Khakimjanov, *Nilpotent Lie Algebras*. Mathematics and its Applications, vol. 361 (Kluwer, Dordrecht, 1996)

- [Gle52] A.M. Gleason, Groups without small subgroups. *Ann. Math. (2)* **56**, 193–212 (1952)
- [Gon98] M.-P. Gong, Classification of nilpotent Lie algebras of dimension 7 (over algebraically closed fields and \mathbb{R}), ProQuest LLC, Ann Arbor, MI, Thesis (Ph.D.), University of Waterloo, Canada, 1998
- [Goo85] Th.G. Goodwillie, Cyclic homology, derivations, and the free loop space. *Topology* **24**(2), 187–215 (1985)
- [GOV97] V.V. Gorbatsevich, A.L. Onishchik, E.B. Vinberg, *Foundations of Lie Theory and Lie Transformation Groups* (Springer, Berlin, 1997). Translated from the Russian by A. Kozłowski, Reprint of the 1993 translation [It Lie groups and Lie algebras. I. Encyclopaedia of Mathematical Sciences, 20 (Springer, Berlin, 1993); MR1306737 (95f:22001)]
- [Gri66] Ph.A. Griffiths, The extension problem in complex analysis. II. Embeddings with positive normal bundle. *Am. J. Math.* **88**(2), 366–446 (1966)
- [Gro85] M. Gromov, Pseudoholomorphic curves in symplectic manifolds. *Invent. Math.* **82**(2), 307–347 (1985)
- [Gua04a] M. Gualtieri, Generalized complex geometry, Oxford University D. Phil Thesis, 2004, arXiv:math/0401221v1 [math.DG]
- [Gua04b] M. Gualtieri, Generalized geometry and the Hodge decomposition, arXiv:math/0409093v1 [math.DG], 2004
- [Gua07] D. Guan, Modification and the cohomology groups of compact solvmanifolds. *Electron. Res. Announc. Am. Math. Soc.* **13**, 74–81 (2007)
- [Gua11] M. Gualtieri, Generalized complex geometry. *Ann. Math. (2)* **174**(1), 75–123 (2011)
- [Gui01] V. Guillemin, Symplectic Hodge theory and the $d\delta$ -lemma, preprint (Massachusetts Institute of Technology), 2001
- [Han57] J.-i. Hano, On Kaehlerian homogeneous spaces of unimodular Lie groups. *Am. J. Math.* **79**, 885–900 (1957)
- [Har96] R. Harshavardhan, Geometric structures of Lie type on 5-manifolds, Ph.D. Thesis, Cambridge University, 1996
- [Has89] K. Hasegawa, Minimal models of nilmanifolds. *Proc. Am. Math. Soc.* **106**(1), 65–71 (1989)
- [Has06] K. Hasegawa, A note on compact solvmanifolds with Kähler structures. *Osaka J. Math.* **43**(1), 131–135 (2006)
- [Has10] K. Hasegawa, Small deformations and non-left-invariant complex structures on six-dimensional compact solvmanifolds. *Differ. Geom. Appl.* **28**(2), 220–227 (2010)
- [Hat60] A. Hattori, Spectral sequence in the de Rham cohomology of fibre bundles. *J. Fac. Sci. Univ. Tokyo Sect. I* **8**(2), 289–331 (1960)
- [Hir62] H. Hironaka, An example of a non-Kählerian complex-analytic deformation of Kählerian complex structures. *Ann. Math. (2)* **75**(1), 190–208 (1962)
- [Hir95] F. Hirzebruch, *Topological Methods in Algebraic Geometry*. Classics in Mathematics (Springer, Berlin, 1995). Translated from the German and Appendix One by R.L.E. Schwarzenberger, With a preface to the third English edition by the author and Schwarzenberger, Appendix Two by A. Borel, Reprint of the 1978 edition
- [Hit03] N.J. Hitchin, Generalized Calabi-Yau manifolds. *Q. J. Math.* **54**(3), 281–308 (2003)
- [Hit10] N.J. Hitchin, Generalized geometry—an introduction, in *Handbook of Pseudo-Riemannian Geometry and Supersymmetry*. IRMA Lectures in Mathematics and Theoretical Physics, vol. 16 (European Mathematical Society, Zürich, 2010), pp. 185–208
- [HL83] F.R. Harvey, H.B. Lawson Jr., An intrinsic characterization of Kähler manifolds. *Invent. Math.* **74**(2), 169–198 (1983)
- [HL11] F.R. Harvey, H.B. Lawson Jr., The foundations of p -convexity and p -plurisubharmonicity in riemannian geometry, arXiv:1111.3895 [math.DG], 2011

- [HL12] F.R. Harvey, H.B. Lawson Jr., Geometric plurisubharmonicity and convexity: an introduction. *Adv. Math.* **230**(4–6), 2428–2456 (2012)
- [HMT11] R.K. Hind, C. Medori, A. Tomassini, On non-pure forms on almost complex manifolds. *Proc. Am. Math. Soc.* (2011 to appear)
- [Hod35] W.V.D. Hodge, Harmonic integrals associated with algebraic varieties. *Proc. Lond. Math. Soc.* (2) **39**, 249–271 (1935)
- [Hod89] W.V.D. Hodge, *The Theory and Applications of Harmonic Integrals*. Cambridge Mathematical Library (Cambridge University Press, Cambridge, 1989). Reprint of the 1941 original, With a foreword by Michael Atiyah
- [Hör65] L. Hörmander, L^2 estimates and existence theorems for the $\bar{\partial}$ operator. *Acta Math.* **113**(1), 89–152 (1965)
- [Hör90] L. Hörmander, *An Introduction to Complex Analysis in Several Variables*, 3rd edn. North-Holland Mathematical Library, vol. 7 (North-Holland Publishing, Amsterdam, 1990)
- [Hum78] J.E. Humphreys, *Introduction to Lie Algebras and Representation Theory*. Graduate Texts in Mathematics, vol. 9 (Springer, New York, 1978). Second printing, revised
- [Huy05] D. Huybrechts, *Complex Geometry*. Universitext (Springer, Berlin, 2005)
- [Iit72] S. Iitaka, Genus and classification of algebraic varieties. I. *Sūgaku* **24**(1), 14–27 (1972)
- [IRTU03] R. Ibáñez, Y. Rudyak, A. Tralle, L. Ugarte, On certain geometric and homotopy properties of closed symplectic manifolds, in *Proceedings of the Pacific Institute for the Mathematical Sciences Workshop “Invariants of Three-Manifolds”*, Calgary, AB, 1999, vol. 127 (2003), pp. 33–45
- [Joy96a] D.D. Joyce, Compact 8-manifolds with holonomy $\text{Spin}(7)$. *Invent. Math.* **123**(3), 507–552 (1996)
- [Joy96b] D.D. Joyce, Compact Riemannian 7-manifolds with holonomy G_2 . I, II. *J. Differ. Geom.* **43**(2), 291–328, 329–375 (1996)
- [Joy99] D.D. Joyce, A new construction of compact 8-manifolds with holonomy $\text{Spin}(7)$. *J. Differ. Geom.* **53**(1), 89–130 (1999)
- [Joy00] D.D. Joyce, *Compact Manifolds with Special Holonomy*. Oxford Mathematical Monographs (Oxford University Press, Oxford, 2000)
- [Joy07] D.D. Joyce, *Riemannian Holonomy Groups and Calibrated Geometry*. Oxford Graduate Texts in Mathematics, vol. 12 (Oxford University Press, Oxford, 2007)
- [JY93] J. Jost, S.-T. Yau, A nonlinear elliptic system for maps from Hermitian to Riemannian manifolds and rigidity theorems in Hermitian geometry. *Acta Math.* **170**(2), 221–254 (1993)
- [JY94] J. Jost, S.-T. Yau, Correction to: “A nonlinear elliptic system for maps from Hermitian to Riemannian manifolds and rigidity theorems in Hermitian geometry” [*Acta Math.* **170**(2), 221–254 (1993); MR1226528 (94g:58053)]. *Acta Math.* **173**(2), 307 (1994)
- [Käh33] E. Kähler, Über eine bemerkenswerte Hermiteische Metrik. *Abh. Math. Sem. Univ. Hamburg* **9**(1), 176–186 (1933)
- [Kas09] H. Kasuya, Formality and hard Lefschetz property of aspherical manifolds. *Osaka J. Math.* **50**(2), 439–455 (2013)
- [Kas11] H. Kasuya, Hodge symmetry and decomposition on non-Kähler solvmanifolds, [arXiv:1109.5929v4 \[math.DG\]](#), 2011
- [Kas12a] H. Kasuya, De Rham and Dolbeault cohomology of solvmanifolds with local systems, [arXiv:1207.3988v3 \[math.DG\]](#), 2012
- [Kas12b] H. Kasuya, Degenerations of the Frölicher spectral sequences of solvmanifolds, [arXiv:1210.2661v2 \[math.DG\]](#), 2012
- [Kas12c] H. Kasuya, Differential Gerstenhaber algebras and generalized deformations of solvmanifolds, [arXiv:1211.4188v2 \[math.DG\]](#), 2012
- [Kas12d] H. Kasuya, Geometrical formality of solvmanifolds and solvable Lie type geometries, in *RIMS Kokyuroku Bessatsu B 39. Geometry of Transformation Groups and Combinatorics* (2012), pp. 21–34

- [Kas13a] H. Kasuya, Minimal models, formality, and hard Lefschetz properties of solvmanifolds with local systems. *J. Differ. Geom.* **93** (2), 269–297 (2013)
- [Kas13b] H. Kasuya, Techniques of computations of Dolbeault cohomology of solvmanifolds. *Math. Z.* **273**(1–2), 437–447 (2013)
- [Kir08] A. Kirillov Jr., *An Introduction to Lie Groups and Lie Algebras*. Cambridge Studies in Advanced Mathematics, vol. 113 (Cambridge University Press, Cambridge, 2008)
- [KMW10] Y.-H. Kim, R.J. McCann, M. Warren, Pseudo-Riemannian geometry calibrates optimal transportation. *Math. Res. Lett.* **17** (6), 1183–1197 (2010)
- [KN96] S. Kobayashi, K. Nomizu, *Foundations of Differential Geometry. Vol. II*. Wiley Classics Library (Wiley, New York, 1996). Reprint of the 1969 original, A Wiley-Interscience Publication
- [KNS58] K. Kodaira, L. Nirenberg, D.C. Spencer, On the existence of deformations of complex analytic structures. *Ann. Math. (2)* **68**(2), 450–459 (1958)
- [Kod54] K. Kodaira, On Kähler varieties of restricted type (an intrinsic characterization of algebraic varieties). *Ann. Math. (2)* **60**, 28–48 (1954)
- [Kod63] K. Kodaira, On compact analytic surfaces. III. *Ann. Math. (2)* **78**(1), 1–40 (1963)
- [Kod64] K. Kodaira, On the structure of compact complex analytic surfaces. I. *Am. J. Math.* **86**, 751–798 (1964)
- [Kod05] K. Kodaira, *Complex Manifolds and Deformation of Complex Structures*. English edn. Classics in Mathematics (Springer, Berlin, 2005). Translated from the 1981 Japanese original by Kazuo Akao
- [Koo11] R. Kooistra, Regulator currents on compact complex manifolds, ProQuest LLC, Ann Arbor, MI, Thesis (Ph.D.), University of Alberta, Canada, 2011
- [Kos85] J.-L. Koszul, *Crochet de Schouten-Nijenhuis et cohomologie*, Astérisque (1985), no. Numero Hors Serie. The mathematical heritage of Élie Cartan (Lyon, 1984), 257–271
- [Kra10] M. Krahe, Para-pluriharmonic maps and twistor spaces, in *Handbook of Pseudo-Riemannian Geometry and Supersymmetry*. IRMA Lectures in Mathematics and Theoretical Physics, vol. 16 (European Mathematical Society, Zürich, 2010), pp. 497–557
- [KS58] K. Kodaira, D.C. Spencer, On deformations of complex analytic structures. I, II. *Ann. Math. (2)* **67**(2, 3), 328–401, 403–466 (1958)
- [KS60] K. Kodaira, D.C. Spencer, On deformations of complex analytic structures. III. Stability theorems for complex structures. *Ann. Math. (2)* **71**(1), 43–76 (1960)
- [KS04] G. Ketsch, S. Salamon, Complex structures on the Iwasawa manifold. *Adv. Geom.* **4**(2), 165–179 (2004)
- [Kur62] M. Kuranishi, On the locally complete families of complex analytic structures. *Ann. Math. (2)* **75**(3), 536–577 (1962)
- [Kur65] M. Kuranishi, New proof for the existence of locally complete families of complex structures, in *Proceedings of Conference on Complex Analysis*, Minneapolis, 1964 (Springer, Berlin, 1965), pp. 142–154
- [Lam99] A. Lamari, Courants kählériens et surfaces compactes. *Ann. Inst. Fourier (Grenoble)* **49**(1, vii, x), 263–285 (1999)
- [Lee04] J. Lee, Family Gromov-Witten invariants for Kähler surfaces. *Duke Math. J.* **123**(1), 209–233 (2004)
- [Lej10] M. Lejmi, Stability under deformations of extremal almost-Kähler metrics in dimension 4. *Math. Res. Lett.* **17**(4), 601–612 (2010)
- [Ler50a] J. Leray, L’anneau spectral et l’anneau filtré d’homologie d’un espace localement compact et d’une application continue. *J. Math. Pures Appl. (9)* **29**, 1–80, 81–139 (1950)
- [Ler50b] J. Leray, L’homologie d’un espace fibré dont la fibre est connexe. *J. Math. Pures Appl. (9)* **29**, 169–213 (1950)
- [Lie80] S. Lie, Theorie der Transformationsgruppen I. *Math. Ann.* **16**(4), 441–528 (1880)

- [Lin13] Y. Lin, Symplectic harmonic theory and the Federer-Fleming deformation theorem, [arXiv:1112.2442v2](#) [math.SG], 2013
- [LO94] G. Lupton, J. Oprea, Symplectic manifolds and formality. *J. Pure Appl. Algebra* **91**(1–3), 193–207 (1994)
- [LP92] C. LeBrun, Y.S. Poon, Twistors, Kähler manifolds, and bimeromorphic geometry. *II. J. Am. Math. Soc.* **5**(2), 317–325 (1992)
- [LT12] T.-J. Li, A. Tomassini, Almost Kähler structures on four dimensional unimodular Lie algebras. *J. Geom. Phys.* **62** (7), 1714–1731 (2012)
- [Lus10] L. Lussardi, A Stampacchia-type inequality for a fourth-order elliptic operator on Kähler manifolds and applications. *Atti Accad. Naz. Lincei Cl. Sci. Fis. Mat. Natur. Rend. Lincei (9) Mat. Appl.* **21** (2), 159–173 (2010)
- [LUV12] A. Latorre, L. Ugarte, R. Villacampa, On the Bott-Chern cohomology and balanced Hermitian nilmanifolds, [arXiv:1210.0395v1](#) [math.DG], 2012
- [LZ09] T.-J. Li, W. Zhang, Comparing tamed and compatible symplectic cones and cohomological properties of almost complex manifolds. *Commun. Anal. Geom.* **17**(4), 651–683 (2009)
- [LZ11] T.-J. Li, W. Zhang, J -symplectic cones of rational four manifolds, preprint, 2011
- [Mac13] M. Macrì, Cohomological properties of unimodular six dimensional solvable Lie algebras. *Differ. Geom. Appl.* **31**(1), 112–129 (2013)
- [Mag86] L. Magnin, Sur les algèbres de Lie nilpotentes de dimension ≤ 7 . *J. Geom. Phys.* **3**(1), 119–144 (1986)
- [Mal49] A.I. Mal'tsev, On a class of homogeneous spaces. *Izv. Akad. Nauk SSSR Ser. Mat.* **13**, 9–32 (1949). Translation in *Am. Math. Soc. Translation* **1951**(39), 33 pp. (1951)
- [Man04] M. Manetti, Lectures on deformations of complex manifolds (deformations from differential graded viewpoint). *Rend. Mat. Appl. (7)* **24**(1), 1–183 (2004)
- [Mat51] Y. Matsushima, On the discrete subgroups and homogeneous spaces of nilpotent Lie groups. *Nagoya Math. J.* **2**, 95–110 (1951)
- [Mat95] O. Mathieu, Harmonic cohomology classes of symplectic manifolds. *Comment. Math. Helv.* **70**(1), 1–9 (1995)
- [McC01] J. McCleary, *A User's Guide to Spectral Sequences*, 2nd edn. Cambridge Studies in Advanced Mathematics, vol. 58 (Cambridge University Press, Cambridge, 2001)
- [Mer98] S.A. Merkulov, Formality of canonical symplectic complexes and Frobenius manifolds. *Int. Math. Res. Not.* **14**, 727–733 (1998)
- [Mic82] M.L. Michelsohn, On the existence of special metrics in complex geometry. *Acta Math.* **149**(3–4), 261–295 (1982)
- [Mil76] J. Milnor, Curvatures of left invariant metrics on Lie groups. *Adv. Math.* **21**(3), 293–329 (1976)
- [Miy74] Y. Miyaoka, Kähler metrics on elliptic surfaces. *Proc. Jpn. Acad.* **50**(8), 533–536 (1974)
- [MK06] J. Morrow, K. Kodaira, *Complex Manifolds* (AMS Chelsea Publishing, Providence, 2006). Reprint of the 1971 edition with errata
- [Moı66] B.G. Moıšezon, On n -dimensional compact complex manifolds having n algebraically independent meromorphic functions. I, II, III. *Izv. Akad. Nauk SSSR Ser. Mat.* **30**(1, 2, 3), 133–174, 345–386, 621–656 (1966). Translation in *Am. Math. Soc., Transl., II. Ser.* **63**, 51–177 (1967)
- [Mor58] V.V. Morozov, Classification of nilpotent Lie algebras of sixth order. *Izv. Vysš. Učebn. Zaved. Matematika* **4**(5), 161–171 (1958)
- [Mor07] A. Moroianu, *Lectures on Kähler Geometry*. London Mathematical Society Student Texts, vol. 69 (Cambridge University Press, Cambridge, 2007)
- [Mos54] G.D. Mostow, Factor spaces of solvable groups. *Ann. Math. (2)* **60**(1), 1–27 (1954)
- [Mos57] G.D. Mostow, Errata, “Factor spaces of solvable groups.” *Ann. Math. (2)* **66**(3), 590 (1957)

- [MPPS06] C. Maclaughlin, H. Pedersen, Y.S. Poon, S. Salamon, Deformation of 2-step nilmanifolds with abelian complex structures. *J. Lond. Math. Soc. (2)* **73**(1), 173–193 (2006)
- [MT00] M. Migliorini, A. Tomassini, Local calibrations of almost complex structures. *Forum Math.* **12**(6), 723–730 (2000)
- [MT11] C. Medori, A. Tomassini, On small deformations of paracomplex manifolds. *J. Noncommut. Geom.* **5**(4), 507–522 (2011)
- [Mub63a] G.M. Mubarakzjanov, Classification of real structures of Lie algebras of fifth order (classifikaziya veshstvennykh struktur algebrach lie pyatovo poryadko). *Izv. Vysš. Učebn. Zaved. Matematika* **34** (3), 99–106 (1963)
- [Mub63b] G.M. Mubarakzjanov, Classification of solvable Lie algebras of sixth order with a non-nilpotent basis element (classifikaziya rasreshimych struktur algebrach lie shestovo poryadka a odnim nenilpoentnym bazisnym elementom). *Izv. Vysš. Učebn. Zaved. Matematika* **35**(4), 104–116 (1963)
- [Mub63c] G.M. Mubarakzjanov, O rasreshimych algebrach Lie (On solvable Lie algebras). *Izv. Vysš. Učebn. Zaved. Matematika* **32** (1), 114–123 (1963)
- [MZ52] D. Montgomery, L. Zippin, Small subgroups of finite-dimensional groups. *Ann. Math. (2)* **56**, 213–241 (1952)
- [Nak75] I. Nakamura, Complex parallelisable manifolds and their small deformations. *J. Differ. Geom.* **10**, 85–112 (1975)
- [NN57] A. Newlander, L. Nirenberg, Complex analytic coordinates in almost complex manifolds. *Ann. Math. (2)* **65**(3), 391–404 (1957)
- [Nom54] K. Nomizu, On the cohomology of compact homogeneous spaces of nilpotent Lie groups. *Ann. Math. (2)* **59**, 531–538 (1954)
- [Ofm85a] S. Ofman, Résultats sur les $d'd''$ et d'' -cohomologies. Application à l'intégration sur les cycles analytiques. I. *C. R. Acad. Sci. Paris Sér. I Math.* **300**(2), 43–45 (1985)
- [Ofm85b] S. Ofman, Résultats sur les $d'd''$ et d'' -cohomologies. Application à l'intégration sur les cycles analytiques. II. *C. R. Acad. Sci. Paris Sér. I Math.* **300**(5), 133–135 (1985)
- [Ofm88] S. Ofman, $d'd''$, d'' -cohomologies et intégration sur les cycles analytiques. *Invent. Math.* **92**(2), 389–402 (1988)
- [Pet86] Th. Peternell, Algebraicity criteria for compact complex manifolds. *Math. Ann.* **275**(4), 653–672 (1986)
- [Pop09] D. Popovici, Limits of projective manifolds under holomorphic deformations, [arXiv:0910.2032v1](https://arxiv.org/abs/0910.2032v1) [math.AG], 2009
- [Pop10] D. Popovici, Limits of Moishezon manifolds under holomorphic deformations, [arXiv:1003.3605v1](https://arxiv.org/abs/1003.3605v1) [math.AG], 2010
- [Pop11] D. Popovici, Deformation openness and closedness of various classes of compact complex manifolds; examples. *Ann. Sc. Norm. Super. Pisa Cl. Sci.* DOI:10.2422/2036-2145.201110_008, [arXiv:1102.1687v1](https://arxiv.org/abs/1102.1687v1) [math.AG] (2011 to appear)
- [Pop13] D. Popovici, Deformation limits of projective manifolds: Hodge numbers and strongly Gauduchon metrics. *Invent. Math.*, 1–20 (2013) (English), Online First, <http://dx.doi.org/10.1007/s00222-013-0449-0>
- [PT09] H. Pousee, P. Tirao, Compact symplectic nilmanifolds associated with graphs. *J. Pure Appl. Algebra* **213**(9), 1788–1794 (2009)
- [Rag72] M.S. Raghunathan, *Discrete Subgroups of Lie Groups* (Springer, New York, 1972). *Ergebnisse der Mathematik und ihrer Grenzgebiete, Band 68*
- [Rai06] J. Raissy, Normalizzazione di campi vettoriali olomorfi, Tesi di Laurea Specialistica in Matematica, Università di Pisa, 2006
- [Rol07] S. Rollenske, Nilmanifolds: complex structures, geometry and deformations, Ph.D. Thesis, Universität Bayreuth, 2007, <http://opus.ub.uni-bayreuth.de/opus4-ubbayreuth/frontdoor/index/index/docId/280>,

- [Rol08] S. Rollenske, The Frölicher spectral sequence can be arbitrarily non-degenerate. *Math. Ann.* **341**(3), 623–628 (2008)
- [Rol09a] S. Rollenske, Geometry of nilmanifolds with left-invariant complex structure and deformations in the large. *Proc. Lond. Math. Soc.* (3) **99**(2), 425–460 (2009)
- [Rol09b] S. Rollenske, Lie-algebra Dolbeault-cohomology and small deformations of nilmanifolds. *J. Lond. Math. Soc.* (2) **79**(2), 346–362 (2009)
- [Rol11a] S. Rollenske, Dolbeault cohomology of nilmanifolds with left-invariant complex structure, in *Complex and Differential Geometry*, ed. by W. Ebeling, K. Hulek, K. Smoczyk. Springer Proceedings in Mathematics, vol. 8 (Springer, Berlin, 2011), pp. 369–392
- [Rol11b] S. Rollenske, The Kuranishi space of complex parallelisable nilmanifolds. *J. Eur. Math. Soc. (JEMS)* **13**(3), 513–531 (2011)
- [Ros12a] F.A. Rossi, On deformations of \mathbf{D} -manifolds and CR \mathbf{D} -manifolds. *J. Geom. Phys.* **62**(2), 464–478 (2012)
- [Ros12b] F.A. Rossi, On Ricci-flat \mathbf{D} -Kähler manifolds, preprint, 2012
- [Ros13] F.A. Rossi, \mathbf{D} -complex structures on manifolds: cohomological properties and deformations, Ph.D. Thesis, Università di Milano Bicocca, 2013, <http://hdl.handle.net/10281/41976>
- [Rot55] W. Rothstein, Zur Theorie der analytischen Mannigfaltigkeiten im Raume von n komplexen Veränderlichen. *Math. Ann.* **129**(1), 96–138 (1955)
- [Sak76] Y. Sakane, On compact complex parallelisable solvmanifolds. *Osaka J. Math.* **13**(1), 187–212 (1976)
- [Sal01] S.M. Salamon, Complex structures on nilpotent Lie algebras. *J. Pure Appl. Algebra* **157**(2–3), 311–333 (2001)
- [Sat56] I. Satake, On a generalization of the notion of manifold. *Proc. Natl. Acad. Sci. USA* **42**(6), 359–363 (1956)
- [Sch29] J.A. Schouten, Über unitäre Geometrie. *Proc. Amsterdam* **32**, 457–465 (1929)
- [Sch07] M. Schweitzer, Autour de la cohomologie de Bott-Chern, *arXiv:0709.3528 [math.AG]*, 2007
- [Ser51] J.-P. Serre, Homologie singulière des espaces fibrés. Applications. *Ann. Math.* (2) **54**, 425–505 (1951)
- [Ser55] J.-P. Serre, Un théorème de dualité. *Comment. Math. Helv.* **29**(9), 9–26 (1955)
- [Ser56] J.-P. Serre, Géométrie algébrique et géométrie analytique. *Ann. Inst. Fourier (Grenoble)* **6**, 1–42 (1955–1956)
- [Sha86] J.-P. Sha, p -convex Riemannian manifolds. *Invent. Math.* **83**(3), 437–447 (1986)
- [Sil96] A. Silva, $\partial\bar{\partial}$ -closed positive currents and special metrics on compact complex manifolds, in *Complex Analysis and Geometry (Trento, 1993)*. Lecture Notes in Pure and Applied Mathematics, vol. 173 (Marcel Dekker, New York, 1996), pp. 377–441
- [Siu83] Y.T. Siu, Every $K3$ surface is Kähler. *Invent. Math.* **73**(1), 139–150 (1983)
- [ST10] J. Streets, G. Tian, A parabolic flow of pluriclosed metrics. *Int. Math. Res. Not. IMRN* **2010**(16), 3101–3133 (2010)
- [Stu05] E. Study, Kürzeste Wege im komplexen Gebiet. *Math. Ann.* **60**(3), 321–378 (1905)
- [Sul76] D.P. Sullivan, Cycles for the dynamical study of foliated manifolds and complex manifolds. *Invent. Math.* **36**(1), 225–255 (1976)
- [Sul77] D.P. Sullivan, Infinitesimal computations in topology. *Inst. Hautes Études Sci. Publ. Math.* **47**, 269–331 (1978)
- [SvD30] J.A. Schouten, D. van Dantzig, Über unitäre Geometrie. *Math. Ann.* **103**(1), 319–346 (1930)
- [Tau95] C.H. Taubes, The Seiberg-Witten and Gromov invariants. *Math. Res. Lett.* **2**(2), 221–238 (1995)
- [Tau11] C.H. Taubes, Tamed to compatible: symplectic forms via moduli space integration. *J. Symplectic Geom.* **9**(2), 161–250 (2011)

- [Thu76] W.P. Thurston, Some simple examples of symplectic manifolds. *Proc. Am. Math. Soc.* **55**(2), 467–468 (1976)
- [Tia87] G. Tian, Smoothness of the universal deformation space of compact Calabi-Yau manifolds and its Petersson-Weil metric, in *Mathematical Aspects of String Theory (San Diego, Calif., 1986)*. Advanced Series in Mathematical Physics, vol. 1 (World Scientific Publishing, Singapore, 1987), pp. 629–646
- [Tia00] G. Tian, *Canonical Metrics in Kähler Geometry*. Lectures in Mathematics ETH Zürich (Birkhäuser Verlag, Basel, 2000). Notes taken by Meike Akveld
- [TK97] A. Tralle, J. Kedra, Compact completely solvable Kähler solvmanifolds are tori. *Int. Math. Res. Not.* **15**, 727–732 (1997)
- [TO97] A. Tralle, J. Oprea, *Symplectic Manifolds with No Kähler Structure*. Lecture Notes in Mathematics, vol. 1661 (Springer, Berlin, 1997)
- [Tod89] A.N. Todorov, The Weil-Petersson geometry of the moduli space of $SU(n \geq 3)$ (Calabi-Yau) manifolds. I. *Commun. Math. Phys.* **126**(2), 325–346 (1989)
- [Tom02] A. Tomassini, Some examples of non calibrable almost complex structures. *Forum Math.* **14**(6), 869–876 (2002)
- [Tom08] A. Tomasiello, Reformulating supersymmetry with a generalized Dolbeault operator. *J. High Energy Phys.* **2**, 010, 25 (2008)
- [Tur90] P. Turkowski, Solvable Lie algebras of dimension six. *J. Math. Phys.* **31**(6), 1344–1350 (1990)
- [TW11a] V. Tosatti, B. Weinkove, The Calabi-Yau equation on the Kodaira-Thurston manifold. *J. Inst. Math. Jussieu* **10** (2), 437–447 (2011)
- [TW11b] V. Tosatti, B. Weinkove, The Calabi-Yau equation, symplectic forms and almost complex structures, in *Geometry and Analysis*. No. 1, Advanced Lectures in Mathematics (ALM), vol. 17 (International Press, Somerville, 2011), pp. 475–493
- [TWY08] V. Tosatti, B. Weinkove, S.-T. Yau, Taming symplectic forms and the Calabi-Yau equation. *Proc. Lond. Math. Soc.* (3) **97** (2), 401–424 (2008)
- [TY11] L.-S. Tseng, S.-T. Yau, Generalized cohomologies and supersymmetry, [arXiv:1111.6968v1 \[hep-th\]](https://arxiv.org/abs/1111.6968), 2011
- [TY12a] L.-S. Tseng, S.-T. Yau, Cohomology and Hodge theory on symplectic manifolds: I. *J. Differ. Geom.* **91**(3), 383–416 (2012)
- [TY12b] L.-S. Tseng, S.-T. Yau, Cohomology and Hodge theory on symplectic manifolds: II. *J. Differ. Geom.* **91**(3), 417–443 (2012)
- [Uen75] K. Ueno, *Classification Theory of Algebraic Varieties and Compact Complex Spaces*. Lecture Notes in Mathematics, vol. 439 (Springer, Berlin, 1975). Notes written in collaboration with P. Cherenack.
- [Uga07] L. Ugarte, Hermitian structures on six-dimensional nilmanifolds. *Transform. Groups* **12**(1), 175–202 (2007)
- [UV09] L. Ugarte, R. Villacampa, Non-nilpotent complex geometry of nilmanifolds and heterotic supersymmetry, [arXiv:0912.5110v2 \[math.DG\]](https://arxiv.org/abs/0912.5110), 2009
- [Vai07] I. Vaisman, Reduction and submanifolds of generalized complex manifolds. *Differ. Geom. Appl.* **25**(2), 147–166 (2007)
- [Var86] J. Varouchas, Propriétés cohomologiques d’une classe de variétés analytiques complexes compactes, *Séminaire d’analyse*. P. Lelong-P. Dolbeault-H. Skoda, *Années 1983/1984*. Lecture Notes in Mathematics, vol. 1198 (Springer, Berlin, 1986), pp. 233–243
- [Ves67] E. Vesentini, Lectures on Levi convexity of complex manifolds and cohomology vanishing theorems, Notes by M.S. Raghunathan. Tata Institute of Fundamental Research Lectures on Mathematics, No. 39 (Tata Institute of Fundamental Research, Bombay, 1967)
- [Vin94] È.B. Vinberg (ed.), *Lie Groups and Lie Algebras, III*. Encyclopaedia of Mathematical Sciences, vol. 41 (Springer, Berlin, 1994). Structure of Lie groups and Lie algebras, A translation of it Current problems in mathematics. Fundamental

- directions, vol. 41 (Russian), Akad. Nauk SSSR, Vsesoyuz. Inst. Nauchn. i Tekhn. Inform., Moscow, 1990 [MR1056485 (91b:22001)], Translation by V. Minachin [V.V. Minakhin], Translation edited by A.L. Onishchik and È.B. Vinberg
- [Voi02] C. Voisin, Théorie de Hodge et géométrie algébrique complexe, in *Cours Spécialisés [Specialized Courses]*, vol. 10 (Société Mathématique de France, Paris, 2002)
- [Voi04] C. Voisin, On the homotopy types of compact Kähler and complex projective manifolds. *Invent. Math.* **157**(2), 329–343 (2004)
- [Voi06] C. Voisin, On the homotopy types of Kähler manifolds and the birational Kodaira problem. *J. Differ. Geom.* **72**(1), 43–71 (2006)
- [Wan54] H.-C. Wang, Complex parallisable manifolds. *Proc. Am. Math. Soc.* **5**(5), 771–776 (1954)
- [War83] F.W. Warner, *Foundations of Differentiable Manifolds and Lie Groups*. Graduate Texts in Mathematics, vol. 94 (Springer, New York, 1983). Corrected reprint of the 1971 edition
- [Wei58] A. Weil, *Introduction à l'étude des variétés kählériennes*, Publications de l'Institut de Mathématique de l'Université de Nancago, VI. Actualités Sci. Ind. no. 1267 (Hermann, Paris, 1958)
- [Wei07] B. Weinkove, The Calabi-Yau equation on almost-Kähler four-manifolds. *J. Differ. Geom.* **76**(2), 317–349 (2007)
- [Wel74] R.O. Wells Jr., Comparison of de Rham and Dolbeault cohomology for proper surjective mappings. *Pac. J. Math.* **53**(1), 281–300 (1974)
- [Wel08] R.O. Wells Jr., *Differential Analysis on Complex Manifolds*, 3rd edn. Graduate Texts in Mathematics, vol. 65 (Springer, New York, 2008). With a new appendix by Oscar Garcia-Prada
- [Wey97] H. Weyl, *The Classical Groups*. Princeton Landmarks in Mathematics (Princeton University Press, Princeton, 1997). Their invariants and representations, Fifteenth printing, Princeton Paperbacks
- [Wu87] H. Wu, Manifolds of partially positive curvature. *Indiana Univ. Math. J.* **36**(3), 525–548 (1987)
- [Wu06] C.-C. Wu, On the geometry of superstrings with torsion, ProQuest LLC, Ann Arbor, MI, Thesis (Ph.D.), Harvard University, 2006
- [Yam05] T. Yamada, A pseudo-Kähler structure on a nontoral compact complex parallelizable solvmanifold. *Geom. Dedicata* **112**, 115–122 (2005)
- [Yan96] D. Yan, Hodge structure on symplectic manifolds. *Adv. Math.* **120**(1), 143–154 (1996)
- [Yau77] S.-T. Yau, Calabi's conjecture and some new results in algebraic geometry. *Proc. Natl. Acad. Sci. USA* **74**(5), 1798–1799 (1977)
- [Yau78] S.-T. Yau, On the Ricci curvature of a compact Kähler manifold and the complex Monge-Ampère equation. I. *Commun. Pure Appl. Math.* **31**(3), 339–411 (1978)
- [Ye08] X. Ye, The jumping phenomenon of Hodge numbers. *Pac. J. Math.* **235**(2), 379–398 (2008)
- [Zha13] W. Zhang, From Taubes currents to almost Kähler forms. *Math. Ann.* **356**(3), 969–978

Index

- ${}''F^q(\wedge^k X \otimes \mathbb{C})$, 6
 $'F^p(\wedge^k X \otimes \mathbb{C})$, 6
 A , 3
 $A^{\bullet,\bullet}$, 79
 B -transform, 26
 $B^{\bullet,\bullet}$, 79
 $C^{\bullet,\bullet}$, 79
 $C_{p,J}$, 222
 $D^{\bullet,\bullet}$, 79
 $D_d + d^A$, 16
 D_{dd^A} , 16
 $E^{\bullet,\bullet}$, 79
 $F^{\bullet,\bullet}$, 79
 $GH_A^{\bullet,\bullet}(\mathcal{J}, H)(X)$, 23
 $GH_B^{\bullet,\bullet}(\mathcal{J}, H)(X)$, 23
 $GH_{\partial \mathcal{J}, H}^{\bullet,\bullet}(X)$, 23
 $GH_{\bar{\partial} \mathcal{J}, H}^{\bullet,\bullet}(X)$, 23
 $GH_{dR_H}^{\bullet,\bullet}(X)$, 23
 H , 10, 12, 17
 H -spectrum, 10
 H -twisted generalized complex structure, 21
 $H\mathfrak{C}$, 221
 $H_J^+(X)$, xv, 152
 $H_J^-(X)$, xv, 152
 $H_J^S(X; \mathbb{C})$, 153
 $H_J^S(X; \mathbb{R})$, 152
 $H_{d+d^A}^{\bullet,\bullet}(X; \mathbb{R})$, 91
 $H_{dd^A}^{\bullet,\bullet}(X; \mathbb{R})$, 91
 $H_{d+d^A}^{\bullet,\bullet}(X; \mathbb{R})$, 16
 $H_{dd^A}^{\bullet,\bullet}(X; \mathbb{R})$, 16
 $H_{(\delta_1, \delta_2; \delta_1 \delta_2)}^{\bullet,\bullet}(A^{\bullet,\bullet})$, 88
 $H_{(\delta_1; \delta_1)}^{\bullet,\bullet}(A^{\bullet,\bullet})$, 88
 $H_{(\delta_1 \delta_2; \delta_1, \delta_2)}^{\bullet,\bullet}(A^{\bullet,\bullet})$, 88
 $H_{(\delta_2; \delta_2)}^{\bullet,\bullet}(A^{\bullet,\bullet})$, 88
 $H_J^{(p,q),(q,p)}(X; \mathbb{R})$, xiv
 $H_J^{(p,q)}(X; \mathbb{C})$, xiv
 as generalization of Dolbeault cohomology, 165
 $H_{\omega}^{(r,s)}(X; \mathbb{R})$, 19, 158
 $H_J^S(\mathfrak{g}; \mathbb{K})$, 168
 $H_{\partial+}^{\bullet,\bullet}(X; \mathbb{R})$, 160
 $H_A^{\bullet,\bullet}(X)$, 69
 $H_{BC}^{\bullet,\bullet}(X)$, 66
 $H_{\bar{\partial}}^{\bullet,\bullet}(\mathfrak{g}_{\mathbb{C}})$, $H_{\partial}^{\bullet,\bullet}(\mathfrak{g}_{\mathbb{C}})$, $H_{BC}^{\bullet,\bullet}(\mathfrak{g}_{\mathbb{C}})$, $H_A^{\bullet,\bullet}(\mathfrak{g}_{\mathbb{C}})$, 97
 $H_g^{\pm}(X)$, 167
 $H_S^J(X; \mathbb{R})$, 155
 $H_{\bullet}^{dR}(X; \mathbb{R})$, 12
 $H_{(\delta_1 + \delta_2; \delta_1 + \delta_2)}(\text{Tot } A^{\bullet,\bullet})$, 88
 $H_{dR}^{\bullet,\bullet}(\mathfrak{g}; \mathbb{K})$, 97
 $H_{dR}^{\bullet,\bullet}(\mathfrak{g}; \mathbb{R})$, 168
 J -anti-invariant subgroup of cohomology, 152
 J -invariant subgroup of cohomology, 152
 K -compatible symplectic form, 4
 $K(\pi; n)$, 47
 L , 10, 12, 17, 167
 L_{ω}^k , 185
 $L_{\mathfrak{g}}$, 45
 $N^6(c)$, 197, 209, 219, 225
 $T^{0,1}X$, 2
 $T^{1,0}X$, 2
 T_{φ} , 43
 $U_{\mathcal{J}}^k$, 22
 $[Z]$, 42
 Δ^k , 131
 $\text{Doub}^{\bullet,\bullet}(A^{\bullet,\bullet})$, 90
 Λ , 10, 12, 17, 166

- Ω_X^k , 73
- $\text{Tot}^\bullet(A^{\bullet,\bullet})$, 89
- \tilde{A} , 3
- $\tilde{H}\mathfrak{C}$, 221
- d , 43
- $d d^A$, 17
- $d d^A$ -Lemma, 19
- $d d^{\mathcal{J}}$ -Lemma, xi, xii
 - stability, 30
- $d d^c$ -Lemma, *see* $\partial\bar{\partial}$ -Lemma, 75
- d^A , 14, 17
- d^c , 34, 75
- d_H , 21
- $d_H d_H^{\mathcal{J}}$ -Lemma, 23
 - for generalized Kähler structures, 30
- δ , 90
- $\delta_1\delta_2$ -Lemma
 - cohomological characterization, 89, 91
 - for graded bi-differential vector spaces, 89
- $\eta\beta_5$, 213
- $\eta\beta_{2n+1}$, 181
- $\text{int } \tilde{H}\mathfrak{C}$, 221
- $(d + d^A)$ -cohomology, 16
 - and $(d d^A)$ -cohomology, 17
 - decomposition theorem, 18
 - Hodge theory, 16
 - primitive $(d + d^A)$ -cohomology, 17
- $(d d^A)$ -cohomology, 16
 - and $(d + d^A)$ -cohomology, 17
 - decomposition theorem, 18
 - Hodge theory, 16
 - primitive $(d d^A)$ -cohomology, 18
- $(\mathbb{S}^3 \times \mathbb{S}^3)^{\sharp k}$, 232
- $(\omega^{-1})^k$, 14
- $(\wedge^\bullet \mathfrak{g}^*, d)$, 96
- $(\wedge_{\text{inv}}^\bullet X, d|_{\wedge_{\text{inv}}^\bullet X})$, 96
- $(\wedge^{\bullet,\bullet} \mathfrak{g}_{\mathbb{C}}^*, \partial, \bar{\partial})$, 96
- $(\wedge_{\text{inv}}^{\bullet,\bullet} X, \partial|_{\wedge_{\text{inv}}^{\bullet,\bullet} X}, \bar{\partial}|_{\wedge_{\text{inv}}^{\bullet,\bullet} X})$, 96
- $[Y]$, 12
- $[\cdot, \cdot]$, 37
- $\{X_t\}_{t \in B}$, 36
- $\{('E_r^{\bullet,\bullet}, ''d_r)\}_{r \in \mathbb{N}}$, 7
- $\{('E_r^{\bullet,\bullet}, 'd_r)\}_{r \in \mathbb{N}}$, 7
- $\{(E_r^{\bullet,\bullet}, d_r)\}_{r \in \mathbb{N}}$, 7
- $\{\mathfrak{g}^{[n]}\}_{n \in \mathbb{N}}$, 46
- $\{\mathfrak{g}^{\{n\}}\}_{n \in \mathbb{N}}$, 46
- $\mathbb{H}(3; \mathbb{C})$, 111
- $\mathbb{H}^{p+q-1}(X; (\mathcal{L}_X^{\bullet, p, q}, d_{\mathcal{L}_X^{\bullet, p, q}}))$, 72
- $\mathbb{H}^{p+q-2}(X; (\mathcal{L}_X^{\bullet, p, q}, d_{\mathcal{L}_X^{\bullet, p, q}}))$, 72
- \mathbb{I}_3 , xiii, 112
- D**-complex structure, xiv, 3
 - \mathcal{C}^∞ -pure-and-full, 159
 - on the product of two equi-dimensional manifolds, 160
- D**-Dolbeault cohomology, 160
 - non-finite-dimensional, 160
- D**-Hermitian metric, 4
- D**-holomorphic map, 3
- D**-Kähler
 - and \mathcal{C}^∞ -pure-and-fullness, 160
 - non-openness, 160
- D**-Kähler structure, 4
 - non-openness, 196
- \mathbf{D}^n , 3
- \mathcal{A}_X^k , 43
- $\mathcal{B}_X^{\bullet, p, q}$, 72
- $\mathcal{C}(\mathfrak{g})$, 96
- \mathcal{C}^∞ -full, 153
 - almost-Kähler
 - non- \mathcal{C}^∞ -full on Iwasawa manifold, 193
 - at the k th stage, 153
 - complex- \mathcal{C}^∞ -full at the k th stage, 154
 - linear- \mathcal{C}^∞ -full at the k th stage, 169
 - linear-complex- \mathcal{C}^∞ -full at the k th stage, 169
- \mathcal{C}^∞ -pure, 153
 - at the k th stage, 153
 - complex- \mathcal{C}^∞ -pure at the k th stage, 154
 - linear- \mathcal{C}^∞ -pure at the k th stage, 169
 - linear-complex- \mathcal{C}^∞ -pure at the k th stage, 169
- \mathcal{C}^∞ -pure-and-full, xv, 153
 - at the k th stage, 153
 - complex- \mathcal{C}^∞ -pure-and-full at the k th stage, 154
 - example of \mathcal{C}^∞ -full non- \mathcal{C}^∞ -pure, 163
 - example of \mathcal{C}^∞ -pure non- \mathcal{C}^∞ -full, 163
 - example of a \mathcal{C}^∞ -pure-and-full and pure-and-full manifold (Fernández, de León, and Saralegui solvmanifold), 171
 - Fino and Tomassini non- \mathcal{C}^∞ -pure-and-full example, 179
 - for (almost-)**D**-complex structure, 159
 - for deformations of Iwasawa manifold, 200
 - for solvmanifolds, 168
 - linear- \mathcal{C}^∞ -pure-and-full at the k th stage, 169
 - linear-complex- \mathcal{C}^∞ -pure-and-full at the k th stage, 169

- non- C^∞ -pure-and-full non-compact
 - example, 168
 - non- C^∞ -pure example, 168
 - non-openness, xviii, 200
 - relations between C^∞ -pure-and-fullness
 - and pure-and-fullness, 161
 - C^∞ -pure-and-fullness
 - for symplectic structures, 158
 - \mathcal{D}_X^k , 43
 - \mathcal{K}_J^c , xv, 223
 - \mathcal{K}_J^t , xv, 223
 - $\mathcal{K}b_J^c$, xvi, 228
 - $\mathcal{K}b_J^t$, xvi, 228
 - $\mathcal{L}_{X^{p,q}}^\bullet$, 72
 - \mathcal{O}_X , 73
 - \mathcal{S} , 223
 - $\mathcal{Z}\mathcal{E}_{p,J}$, 222
 - $\overline{\mathcal{O}}_X$, 73
 - $\mathfrak{sl}(2; \mathbb{R})$ -representation
 - finite H -spectrum, 10
 - $\mathcal{E}_{p,J}$, 222, 229
 - \mathfrak{b}_m , 116
 - \mathfrak{h}_2
 - pluriclosed metrics, 137
 - \mathfrak{h}_4
 - balanced metrics, 138
 - pluriclosed metrics, 138
 - \mathfrak{h}_7 , xiii, 101, 131, 187
 - $\mathfrak{sl}(2; \mathbb{R})$ -module, 17
 - commutation relations with d d^A , and d d^A , 17
 - on currents, 12
 - $\mathfrak{sl}(2; \mathbb{R})$ -representation, 10
 - $\mathfrak{sl}(2; \mathbb{C})$ representation, 30
 - $PH_{d+d^A}^\bullet(X; \mathbb{R})$, 17
 - $PH_{d^A}^\bullet(X; \mathbb{R})$, 18
 - $PH_d^3(X; \mathbb{R})$, 159
 - $\text{Sol}(3)$, 197, 209
 - ad , 141
 - obs , 38
 - ∇^C , 29
 - $\text{nilstep}(\mathfrak{g})$, 46
 - ω -symplectically-harmonic form, 14
 - ω_{FS} , 28
 - \square , 5
 - \square -harmonic form, 6
 - $\overline{\Omega}_X^k$, 73
 - $\partial\bar{\partial}$ -Lemma (for Kähler, Moisëzon, class C), 77
 - ∂_+ , 159
 - ∂_- , 159
 - ∂_* , 3
 - $\partial\bar{\partial}$ -Lemma, x, xvii, 34, 67, 70, 75
 - $(n-1, n)^{\text{th}}$ weak $\partial\bar{\partial}$ -Lemma, 196
 - and balanced metric in Wu theorem, 196
 - Bott-Chern characterization, 84
 - cohomological characterization, 92
 - completely-solvable Nakamura manifold in
 - case (iii), 145
 - for complex manifolds, 75
 - for double complexes, 74
 - equivalent formulation on a complex manifold, 76
 - equivalent formulations (for double complexes), 74
 - formality, 35, 77
 - Hironaka non-Kähler manifold, 77
 - for Kähler manifolds, *see* theorem, $\partial\bar{\partial}$ -Lemma for Kähler manifolds
 - openness, 87
 - LeBrun and Poon, and Campana non-class C manifold, 77
 - of solvmanifolds, 51, 77
 - for splitting-type solvmanifolds, 143
 - strongly-Gauduchon and Gauduchon, 228
- $\partial_{\mathcal{J}, H}$, 22
 - $\partial_{\mathcal{J}, H} \bar{\partial}_{\mathcal{J}, H}$ -Lemma, 23
 - cohomological characterization, 92
 - $\pi: \mathcal{X} \rightarrow B$, 36
 - τ_* , 3
 - $\tilde{\Delta}_A$, 70
 - $\tilde{\Delta}_{BC}$, 68
 - $\wedge_{+}^{p,q} X$, 159
 - $\wedge_J^+ X, \wedge_J^- X$, 152
 - $\wedge_c^\bullet X$, 42
 - $\wedge_g^\pm X$, 166
 - $\wedge^{p,q} X$, 2
 - $a^k, b^k, c^k, d^k, e^k, f^k$, 79
 - $a^{p,q}, b^{p,q}, c^{p,q}, d^{p,q}, e^{p,q}, f^{p,q}$, 79
 - b^+ , 224
 - b_k , 78
 - e^{AB} , 48
 - $h_\partial^k, h_\partial^k, h_{BC}^k, h_A^k$, 78
 - $h_\partial^{p,q}, h_\partial^{p,q}, h_{BC}^{p,q}, h_A^{p,q}$, 78
 - p -Kähler, 180
 - $TX \oplus T^*X$, 20
 - $(T^+X)^*, (T^-X)^*$, 159
 - \mathbb{CP}^n , vii, 28
 - $\mathcal{D}_\bullet X$, 12
 - $\mathcal{D}_k X$, 42
 - $\mathcal{D}_{p,q} X$, 44
 - Nij_K , 3
 - $P \wedge^\bullet X$, 11, 166
 - $P\mathcal{D}^\bullet X$, 12
 - $\bar{\partial}$, 3, 37
 - $\bar{\partial}^*$, 5
 - $\bar{\partial}_{\mathcal{J}, H}$, 22

- $(n - 1, n)^{\text{th}}$ weak $\partial\bar{\partial}$ -Lemma, 196
 HLC, *see* Hard Lefschetz Condition
 SKT, *see* strong Kähler with torsion metric, 226
- Abate, M., ix, 65
 Abelian complex structure, xiii, 102, 218
 on 6-dimensional nilmanifolds, 55
 adjoint representation, 141
 Aeppli cohomology, ix, 69
 Hodge theory, 70
 invariance for nilmanifolds, 108
 sheaf-theoretic interpretation, 71
 symplectic (d, d^A) -cohomology, 16
 Aeppli, A., ix, 65
 Akizuki and Nakano identities, *see* theorem, Akizuki and Nakano identities
 Akizuki, Y., 30
 Alessandrini, L., ix, xvii, 65, 180, 200
 algebraic manifold, vii
 almost-**D**-complex structure, 3, 170
 C^∞ -pure-and-full, 159
 integrability, 3
 almost-Abelian, 63, 99
 almost-c.p.s. structure, 3
 almost-complex, 2
 C^∞ -pure-and-full, 153
 integrable, 4
 almost-complex structure, viii, xiv, 3
 compatible symplectic structure, 223
 curve of almost-complex structures, 203
 holomorphic-tamed, 223
 Lee curves, 209
 taming symplectic structure, 222
 almost-Kähler metric, 157
 almost-Kähler, 14, 184
 intrinsic characterization (Li and Zhang), 230
 non- C^∞ -full on Iwasawa manifold, 193
 non-openness, 200, 225
 openness for 4-dimensional manifolds, 197
 almost-Kähler metric, xv
 almost-Kähler structure, xvii
 almost-para-complex structure, 3
 almost-product structure, 3
 almost-subtangent structure, 3
 analytic cycles, 66
 Andrada, A., 55
 Andreotti, A., ix, 8, 65
 annular bundle, 65
 aspherical, 47
 associated $(1, 1)$ -form, 5
- astheno-Kähler metric, vii, 70
 Auslander, L., 47
- Baily, W. L., 52
 balanced, 228
 balanced cone, 228
 characterization, 229
 balanced metric, vii, xvi, xvii, 42, 66, 70, 131
 Fu and Yau example on $\#_{j=1}^k (\mathbb{S}^3 \times \mathbb{S}^3)$
 with $k \geq 2$, 70
 Michelsohn characterization, 42
 non-closedness, 139
 on $(\mathbb{S}^3 \times \mathbb{S}^3)^{\#k}$, 232
 on \mathfrak{h}_4 , 138
 openness under additional conditions, 196
 Barberis, M. L., 55
 Bassanelli, G., ix, xvii, 65, 180, 200
 Belgun symmetrization map, 50, 100, 170
 Belgun symmetrization trick, *see* theorem, Belgun symmetrization trick, 226
 Belgun symmetrization trick in the almost-complex setting, 170
 Belgun, F. A., 50, 51, 170, 215, 216, 220, 226
 Benson and Gordon conjecture, 51
 Benson, Ch., 51
 Betti number, 8, 63, 78
 bi-graded bi-differential algebra
 of PD-type, 5
 bi-graded bi-differential vector space
 associated to a graded bi-differential vector space, *see* canonical double complex cohomology, 88
 graded bi-differential vector space
 associated to a bi-graded bi-differential vector space, *see* total vector space
- Bigolin, B., ix, 65
 Bismut, J.-M., ix, 66
 Bochner linearization theorem, 52
 Bogomolov, F. A., 39
 Bott, R., ix, 65
 Bott-Chern characterization of $\partial\bar{\partial}$ -Lemma, *see* theorem, Bott-Chern characterization of $\partial\bar{\partial}$ -Lemma
 Bott-Chern cohomology, ix, 66
 Hodge theory, 68
 invariance for nilmanifolds, 104, 107
 of holomorphically parallelizable solvmanifolds, 143
 of splitting-type solvmanifolds, 143
 sheaf-theoretic interpretation, 71
 symplectic $(d + d^A)$ -cohomology, 16
 Boucksom, S., ix, 66

- bracket, 45
 - derived bracket, 21
 - twisted Courant bracket, 20
- Brylinski
 - Hodge theory for symplectic manifold, 13
- Brylinski's conjecture, 14, 19
 - for Kähler manifolds, 20
- Brylinski, J.-L., xi, 12, 14
- Buchdahl, N., 28

- Calabi and Yau manifold, 39
- Calabi conjecture, 224
- Calabi, E., 27, 224
- Campana, F., 28, 41, 77
- canonical bundle, 22
- canonical double complex, 90
- canonical spectral sequence, 24
- Cao, J., 29, 40
- Cavalcanti, G. R., xi, 20, 55
- Ceballos, M., xiv, 55, 87, 95, 130, 131, 134
- Chern character, 66
- Chern connection, 29
- Chern, S. S., ix, 65
- Chevalley and Eilenberg complex, 49
- Chow, W. L., vii
- class C of Fujiki, 35, 67, 70, 77
 - conjecture on closedness, 41
 - Demailly and Păun conjecture, 41
 - Demailly and Paun characterization, 42
 - non-openness, 77
- Cliff, 21
- Clifford
 - action, 21
 - algebra, 21
 - annihilator, 21
- closed property under deformations, *see*
 - deformation, closedness
- closedness
 - non-closedness of balanced, 139
 - non-closedness of strongly-Gauduchon, 139
- co-compact discrete subgroup, 46
- co-isotropic, 12, 159
- cohomological decomposition
 - for 4-dimensional unimodular Lie algebras, 173
- cohomologically Kähler, 63
 - completely-solvable Nakamura manifold, 190
 - $N^6(c)$, 197, 209, 219
- cohomology
 - D**-Dolbeault, 160
 - Aeppli, 69
 - Bott-Chern, 66
 - Dolbeault, 5
 - dot, 74
 - generalized complex cohomologies, 23
 - left-invariant cohomology on a
 - solvmanifold, 49
 - de Bartolomeis and Tomassini example, 49, 99
 - of graded bi-differential vector space, 88
 - square, 75
 - symplectic cohomologies, xi, 107
 - symplectic cohomologies $((d + d^A)$ -cohomology), 16
 - symplectic cohomologies $((dd^A)$ -cohomology), 16
 - symplectic cohomologies (primitive $(d + d^A)$ -cohomology), 17
 - symplectic cohomologies (primitive (dd^A) -cohomology), 18
- cohomology decomposition, x
 - for Kähler manifolds, x
- commutation relations
 - between d , d^A , and L , Λ , H , 17
- compatible, 223
- compatible cone, xv, 223
- complete family, *see* family, complete
- completely-solvable
 - Lie algebra, 46
- completely-solvable solvmanifold, xii, 46
 - Kähler, *see* theorem, Tralle and Kedra (characterization of Kähler completely-solvable solvmanifolds)
 - Tralle and Kedra theorem, 51
- complex
 - almost-complex, 2
 - as a generalized complex structure, 24
- complex currents, 222
- complex cycles, 222
- complex Lie group, 45
- complex manifold, viii
- complex orbifold, 52
- complex projective space, 28
- complex structure, vii, 90
- complex- C^∞ -full at the k th stage, 154
- complex- C^∞ -pure-and-full at the k th stage, 154
- complex- C^∞ -pure at the k th stage, 154
- complex-analytic family of compact complex manifolds, xi
- complex-analytic family of complex manifolds, *see* family, complex-analytic family of complex manifolds
- complex-full at the k th stage, 157
- complex-pure-and-full at the k th stage, 157

- complex-pure at the k th stage, 157
- cone structure, xvi, 221
 - ample, 221
 - of p -dimensional complex subspaces ($C_{p,J}$), 222
- conjecture
 - Brylinski, 19
 - Calabi, 224
 - complex holomorphic-tamed non-Kähler (Li and Zhang, and Streets and Tian), 225
 - Dolbeault cohomology of nilmanifolds, 103
 - Donaldson, 157
 - Donaldson (tamed to compatible), xvi
 - Donaldson tamed to compatible question, 224
 - Drăghici, Li, and Zhang (generic vanishing of anti-invariant subgroup), 176
 - Drăghici, Li, and Zhang (large anti-invariant subgroup implies integrability in dimension 4), 176
 - invariance of cohomologies for nilmanifolds, 110
 - large anti-invariant subgroup implies integrability, 177
 - Li and Zhang, and Streets and Tian, xvi
- Console, S., xiv, 97, 99, 100, 102, 103, 109, 140
- Cordero, L. A., 97
- Courant bracket, 20
- current, 12, 42
 - dual, 12
 - primitive, 12
- curve of almost-complex structure, 203
 - Lee construction, 209
- cycles of algebraic manifolds, 65
- Darboux theorem
 - generalized Darboux theorem, 24
- Darboux, G., 9
- de Bartolomeis, P., 99, 203
- de León, M., 90
- de Rham cohomology, viii
 - J -anti-invariant subgroup, 152
 - J -invariant subgroup, 152
 - for completely-solvable solvmanifolds, 98
 - for nilmanifolds, 98
 - for solvmanifolds, 140
 - of holomorphically parallelizable solvmanifolds, 142
 - of Iwasawa manifold, 201
 - of splitting-type solvmanifolds, 142
 - primitive de Rham cohomology, 159
- de Rham complex, 32
- de Rham homology, 12, 43
 - pure-and-full, 156
- deformation, 36, 157
 - and C^∞ -pure-and-fullness for **D**-complex structures, 160
- closedness, 39
- complex-analytic family of complex manifolds, *see* family, complex-analytic family of complex manifolds
- differential graded Lie algebra, 37
- Hironaka example for non-closedness of Kähler, 41
- Kuranishi space, 39
 - of holomorphically parallelizable nilmanifolds, 39
- Kuranishi theorem, 39
- LeBrun and Poon, and Campana example of non-openness for class \mathcal{C} , 41
- Maurer and Cartan equation, 37
- non-obstructed, 39
- obstruction, 38
 - of **D**-complex structures, 160
 - of Iwasawa manifold, xiii
 - of nilmanifolds, 39
 - of solvmanifolds, 39, 103
 - openness, 39
- Deligne, D., 74, 76
- Deligne, P., x, 31, 35, 87
- Demailly and Păun conjecture, 41
- Demailly, J.-P., ix, 41, 42, 66
- descending central series, 46
- descending derived series, 46
- dga, *see* differential graded algebra
- differential
 - decomposable, 32
- differential graded algebra, 31
 - associate to a Lie algebra, 49
 - cohomology, 32
 - de Rham complex, 32
 - elementary extension, 32
 - equivalence, 33
 - formality, 33
 - vanishing of the Massey products, 34
 - graded-commutativity, 32
 - graded-Leibniz rule, 32
 - Massey product, 33
 - minimal model, 33
 - minimality, 32
 - morphism, 32
 - quasi-isomorphism, 32

- Dirac current, 221
- discrete co-compact subgroup
 - Mal'tsev theorem, 48
- Dolbeault and Grothendieck lemma,
 - see* theorem, Dolbeault and Grothendieck lemma
- Dolbeault cohomology, viii, 5
 - for nilmanifolds, 101
 - vanishing for q -complete domains, 8
 - vanishing for strictly pseudo-convex domains, 8
- Donaldson conjecture
 - for 4-dimensional unimodular Lie algebras, 173
- Donaldson tamed to compatible question, 185
- Donaldson, S. K., xvi, 151, 157, 158, 173, 185, 224, 225
- dot, 74
- Dotti, I. G., 55
- double complex, 6
 - dot, 74
 - square, 75
- double numbers, 3
- Drăghici, T., xv, xviii, 157, 158, 165, 166, 168, 175, 176, 184, 212
- dual current, 12

- Ehresmann, Ch., 36, 120
- Eilenberg and MacLane space, 47
- elliptic differential operator, 6, 16
 - $\hat{\Delta}_A$, 70
 - $\hat{\Delta}_{BC}$, 68
- Enrietti, N., 226, 227
- equivalent differential graded algebras, 33
- exhaustion function, 8
- exterior differential
 - and Lie bracket, 96

- family
 - complete, 36
 - complex-analytic family of complex manifolds, 36
 - differentiable family of complex manifolds, 36
 - Ehresmann theorem, 36
 - pull-back, 36
 - trivial, 36
 - universal, 36
 - versal, 36
 - Kuranishi theorem, 39

- Fernández, M., 90, 97
- Fernández, de León, and Saralegui
 - solvmanifold, 172
- filtration
 - natural filtrations on a complex manifold, 6
- Fino, A. M., xiv, 30, 97, 99, 100, 102, 103, 109, 140, 157, 162, 168, 170, 177, 184, 185, 204, 209, 226, 227
- formal, 189
 - $N^6(c)$, 197, 209
 - completely-solvable Nakamura manifold, 191
 - differentiable manifold, 33
 - differential graded algebra, 33
 - Hasegawa theorem for nilmanifolds, 51
- formality, 63
 - $\partial\bar{\partial}$ -Lemma, 77
 - of solvmanifolds, 51
- Frölicher inequality, ix, 8
- Frölicher spectral sequence, 165
 - of compact complex surfaces, 166
- Franzini, M. G., xiv, 130, 131
- Frechet space, 42
- Frölicher inequality, *see* theorem, Frölicher inequality
- Fu, J., 196, 232
- Fubini and Study metric, 28
- Fujiki
 - class C , 35
- full, 156
 - at the k th stage, 156
 - complex-full at the k th stage, 157
- fundamental group
 - of a nilmanifold, 47
 - of a solvmanifold, 47

- GAGA, vii
- Gauduchon
 - and $\partial\bar{\partial}$ -Lemma, 228
- Gauduchon metric, vii, 70, 228
- generalized complex, 21
 - B -transform, 26
 - defined by the canonical bundle, 22
 - defined by the maximal isotropic sub-bundle, 21
 - generalized Darboux theorem, 24
 - generalized Kähler, 30
 - of type 0 (symplectic), 25
 - regular point, 22
 - type, 22
 - type n (complex), 24
- generalized complex cohomologies, 23

- generalized complex geometry, 66
- generalized complex structure, xi, 92
 - cohomologies, 23
- generalized Kähler, 30
 - Fino and Tomassini example, 30
- geometrically formal, 191
 - completely-solvable Nakamura manifold, 191
- Gleason, A. M., 45
- Gordon, C. S., 51
- graded bi-differential vector space, 88
 - $\delta_1\delta_2$ -Lemma, 89
 - associated to a bi-graded bi-differential vector space, *see* total vector space
 - bi-graded bi-differential vector space
 - associated to a graded bi-differential vector space, *see* canonical double complex
 - cohomologies, 88
- Grauert, H., 8
- Gray, A., 97
- Griffiths, Ph. A., x, 31, 35, 74, 76, 87
- Gromov and Witten invariants, 209
- Gromov, M., 224
- group-object, 45
- Gualtieri, M., xi, 20, 24, 55
- Guan, D., xiv, 140
- Guillemin, V., 15

- Hörmander, L., 8
- Hamiltonian isotopy, 17
- Hard Lefschetz Condition, xi, xii, 15, 19, 51, 177, 185
 - $N^6(c)$, 197, 209
 - cohomological characterization, 91
 - completely-solvable Nakamura manifold, 191
 - for 6-dimensional solvmanifolds, 63
 - for Kähler manifolds, 19
 - for solvmanifolds, 63
 - of solvmanifolds, 51
 - pure-and-fullness, 162
- harmonic
 - ω -symplectically-harmonic form, 14
 - \square -harmonic form, 6
- Harvey, F. R., 42, 170
- Hasegawa, K., 47, 51, 187, 191
- Hattori, A., xiv, 49, 51, 97, 98, 140, 145, 168, 172, 183, 192, 210
- Heisenberg group, 111
- Hermitian metric, vii, 5
 - associated (1, 1)-form, 5
 - Hodge- $*$ -operator, 5
- Hilbert fifth problem, 45
- Hind, R. K., 158
- Hironaka manifold, 41, 77
- Hironaka, H., 41, 77
- Hitchin, N. J., xi, 20
- HLC
 - for 4-dimensional solvmanifolds, 54
- Hodge and Frölicher spectral sequences, xi, 7, 76, 93
 - degeneration at the first step ($E_1 \simeq E_\infty$), 76, 86, 87
 - for Poisson manifolds, 90
 - for symplectic manifolds, 90
 - for symplectic structures, 91
- Hodge decomposition, 143, 165
 - for compact complex surfaces, 166
 - of solvmanifolds, 51, 77
- Hodge decomposition theorem, xi
- Hodge number, 8, 41
- Hodge structure, 87
- Hodge structure of weight k , 76
- Hodge symmetry, 143
- Hodge theory, viii, ix
 - $d_H d_H^{\mathcal{T}}$ -Lemma, 23
 - $\partial\bar{\partial}$ -Lemma, 34
 - $\partial_{\mathcal{T},H}\bar{\partial}_{\mathcal{T},H}$ -Lemma, 23
 - Brylinski's conjecture, 14
 - for Aeppli cohomology, 70
 - for Bott-Chern cohomology, 68
 - for complex manifolds, 5
 - for symplectic manifolds, xi, 13
 - Hard Lefschetz Condition, 15
- Hodge to de Rham spectral sequences, 7
- Hodge, W., 28
- Hodge- $*$ -operator, 5
 - self-dual and anti-self-dual decomposition, 166
- holomorphic p -form, 5
- holomorphic curves, 209
- holomorphic-tamed, 223
 - and pluri-closed metric on nilmanifolds, 226
- for 6-dimensional solvmanifolds, 226
- for nilmanifolds, 227
- non-Kähler (Li and Zhang, and Streets and Tian question), 225
- holomorphically parallelizable, xiii
 - Bott-Chern cohomology, 143
 - Dolbeault cohomology, 142
- holomorphically parallelizable complex structure, 102
- homogeneous space, 46

- homomorphism
 - of Lie algebras, 45
 - of Lie groups, 45
- hypercohomology of complexes of sheaves, 72
- Ibáñez, R., 90
- inequality *à la* Frölicher, 90
 - for generalized complex structures, 92
 - for symplectic structures, 91
- inequality *à la* Frölicher for Bott-Chern cohomology, *see* theorem, inequality *à la* Frölicher
- inequality *à la* Frölicher, x
- integrability
 - Newlander and Nirenberg theorem, 4
 - of almost-**D**-complex structures, 3
 - of almost-complex structures, 4
- invariant object
 - see* left-invariant object, 45
- isotropy group, 46
- Iwasawa
 - C^∞ -pure-and-full of deformations, 200
- Iwasawa manifold, xiii, xvii, 91, 112
 - Aeppli cohomology, 114
 - almost-Kähler non- C^∞ -full, 193
 - almost-Kähler structure, 91
 - as $\eta\beta_3$, 181
 - balanced metric, 112, 178
 - Bott-Chern cohomology, 114
 - Bott-Chern cohomology of deformations, 126
 - classes of deformations, 116
 - cohomologies of deformations, 130
 - cohomology of deformations, 82, 83, 86
 - conjugate Dolbeault cohomology, 114
 - de Rham cohomology, 120, 201
 - Dolbeault cohomology, 114
 - Dolbeault cohomology of deformations, 122
 - double complex of left-invariant forms, 112
 - holomorphic-tamed structures on deformations, 227
 - Kuranishi space, 113
 - structure equations of deformations, 118, 200
 - symplectic cohomologies, 91
- Jacobi identity, 45
- Jordan decomposition, 141
- Joyce, D. D., 52
- Kähler, E., 27
- Kähler
 - completely-solvable solvmanifolds, *see* theorem, Tralle and Kedra (characterization of Kähler completely-solvable solvmanifolds)
 - generalized Kähler, 30
 - Harvey and Lawson characterization, 42
 - Hironaka example for non-closedness, 41
 - intrinsic characterization (Harvey and Lawson), 230
 - nilmanifolds, *see* theorem, Benson and Gordon (characterization of Kähler nilmanifolds), *see* theorem, Hasegawa (characterization of Kähler nilmanifolds)
 - openness, 196
 - solvmanifolds, *see* theorem, Hasegawa (characterization of Kähler solvmanifolds)
 - stability, 68
 - stability under deformations, *see* theorem, Kodaira and Spencer
- Kähler current, 42
- Kähler identities, x, *see* theorem, Kähler identities
- Kähler manifold, vii
- Kähler metric, 28
 - defined by an osculating Hermitian metric, 29
 - defined by Chern connection, 29
- Kähler structure, 223
 - Lefschetz decomposition theorem, 15, 19
- Künneth formula, 215
- Kasuya, H., xiv, 39, 51, 77, 103, 140, 142, 143
- Kedra, J., 51
- Kodaira and Thurston manifold, 224
- Kodaira embedding theorem, vii
- Kodaira problem, 28
- Kodaira, K., xvii, 28, 36, 196, 200
- Kooistra, R., ix, 66
- Koszul, J.-L., xi, 12, 90
- Kuperberg, G., 113
- Kuranishi space, xiii, 39
 - of Iwasawa manifold, 113
- Kuranishi, M., 36, 39
- Latorre, A., 131, 140
- Lawson, H. B., 42, 170
- LeBrun, C., 41, 77
- Lee curves of almost-complex structures, 209
- Lee, J., xviii, 209, 210

- Lefschetz decomposition, 10, 158
 - for Kähler manifolds, 31
- Lefschetz decomposition theorem, xi, 15, 19
- Lefschetz-type operator, 185
- Lefschetz-type property, xvii, 158, *see* Zhang's
 - Lefschetz-type property
- left-invariant, 48, 96
 - complex structure, 96
- left-invariant form, xii
- left-invariant object, 45
- left-translation on a Lie group, 45
- Lejmi, M., 213
- Leon, H., 158
- Levi form, 8
- Li, J., 232
- Li, T.-J., xiv–xvi, xviii, 151, 152, 157, 158, 165, 166, 168, 173, 175, 176, 184, 212, 220, 221, 223–225, 231
- Lie algebra, 45
 - bracket, 45
 - cohomological properties of 4-dimensional unimodular Lie algebra, 173
 - completely-solvable, 46
 - descending central series, 46
 - descending derived series, 46
 - homomorphism, 45
 - Jacobi identity, 45
 - naturally associated to a Lie group, 45
 - nilpotent, 46
 - of rigid type, 46
 - solvable, 46
 - step of nilpotency, 46
- Lie group, 45
 - complex Lie group, 45
 - homomorphism, 45
 - left-invariant object, 45
 - left-translation, 45
 - Lie algebra naturally associated to a Lie group, 45
 - nilpotent, 46
 - of class C^k , 45
 - of class C^k , 45
 - solvable, 46
 - topological Lie group, 45
 - translation, *see* Lie group, left-translation
 - unimodular, 48
- Lin, Y., 13, 159
- linear- C^∞ -full at the k th stage, 169
- linear- C^∞ -pure-and-full at the k th stage, 169
 - relation between linear- C^∞ -pure-and-fullness at the k th stage and C^∞ -pure-and-fullness at the k th stage, 171
- linear- C^∞ -pure at the k th stage, 169
- linear-complex- C^∞ -full at the k th stage, 169
- linear-complex- C^∞ -pure-and-full at the k th stage, 169
- Lupton, G., 51
- Lussardi, L., ix, 66
- MacLaughlin, C., 218
- Macrì, M., 63, 91, 107
- Magnússon, G. P., 40
- Mal'tsev, A. I., 47, 48, 187
- Massey product, 189
 - m^{th} order Massey product, 34
 - triple Massey product, 33
- Mathieu, O., xi, 13, 15
- Matsushima, Y., 49
- Maurer and Cartan equation, *see* deformation, Maurer and Cartan equation
- MC, *see* deformation, Maurer and Cartan equation
- Medori, C., 158
- Merkulov, S. A., 15
- metric cones
 - balanced cone, 228
 - quantitative comparison, 231
 - semi-Kähler cone, 228
 - strongly-Gauduchon cone, 228
- metric related, 176
- metric structure, vii
- Meylan, F., 203
- Michelsohn, M. L., vii, 42, 228
- Migliorini, M., 225
- Milnor, J., 48, 50, 100, 170, 227
- minimal differential graded algebra, 32
- minimal model, 33
- Moiřezon manifold, 35, 40, 41, 77
 - Hironaka manifold, 77
 - tamed to compatible, 225
- modification, 77
- Montgomery, D., 45
- Morgan, J., x, 31, 35, 74, 76, 87
- Morozov, V. V., 55
- Mostow bundle, 49
- Mostow condition, 50, 63, 99
- Mostow structure theorem, 49
- Mostow, G. D., xiv, 47, 99, 140
- Mubarakzjanov, G. M., 55, 63
- Nakamura manifold, xiv, 99
 - Bott-Chern cohomology of the completely-solvable Nakamura manifold, 145, 150

- completely-solvable, 109, 144, 145, 190, 193
- de Rham cohomology of the completely-solvable Nakamura manifold, 145
- de Rham cohomology of the holomorphically parallelizable Nakamura manifold, 150
- Dolbeault cohomology of the completely-solvable Nakamura manifold, 145
- Dolbeault cohomology of the holomorphically parallelizable Nakamura manifold, 150
- holomorphically parallelizable, 109, 147, 149
- Nakamura, I., xiii, 111, 113, 122, 144, 147, 190
- Nakano, S., 30
- natural pairing on $TX \oplus T^*X$, 20
- Newlander, A., 4
- Nijenhuis tensor, 4
 - for almost-**D**-complex structures, 3
- nilmanifold, xii, 46
 - 6-dimensional, 55
 - 6-dimensional and complex, 130
 - Benson and Gordon theorem, 51
 - Bott-Chern cohomology of 6-dimensional nilmanifolds, 131
 - deformations, 39
 - fundamental group, 47
 - Hasegawa theorem, 51
 - holomorphic-tamed, 226, 227
 - invariance of cohomologies, 104, 107
 - Kähler, *see* theorem, Benson and Gordon theorem (characterization of Kähler nilmanifolds), *see* theorem, Hasegawa (characterization of Kähler nilmanifolds)
 - left-invariant object, 48
 - Mal'tsev rigidity theorem, 47
 - parallelizable, 47
 - pluriclosed metrics on 6-dimensional nilmanifolds, 137
 - rational structure, 101
 - Salamon notation, 48
- nilpotent
 - Lie algebra, 46
 - Lie group, 46
 - step of nilpotency, 46
- nilpotent complex structure, xiii, 102
 - on 6-dimensional nilmanifolds, 55
- nilpotent operator, 141
- nilradical, 140
- Nirenberg, L., 4, 36
- Nomizu, K., 49, 51, 97, 121, 168, 180, 181, 188, 193, 201, 213, 214
- non-obstructed, 39
- Norguet, F., ix, 65
- obstruction, *see* deformation, obstruction
- Ofman, S., ix, 66
- open property under deformations, *see* deformation, openness
- openness
 - for Kähler, xvii
 - non-openness of **D**-Kähler, 160, 197
 - non-openness of C^∞ -pure-and-full, 200
 - of $\partial\bar{\partial}$ -Lemma, xi
 - of invariance of cohomology for nilmanifolds, 109
 - of left-invariance of cohomology, 102
- Oprea, J., 51
- orbifold, 52
 - of global-quotient type, 52
- osculate, x, 29
- Otal, A., xiv, 55, 87, 95, 131, 134
- Păun, M., 41, 42
- para-complex structure, 3
- parallelizable, 47
 - nilmanifolds and solvmanifolds, 47
- PD-type, 5
- Pedersen, H., 218
- pluriclosed metric, vii, 70, 131, 226
 - and holomorphic-tamed on nilmanifolds, 226
 - \mathfrak{h}_2 , 137
 - on 6-dimensional nilmanifolds, 137
 - on \mathfrak{h}_4 , 138
- Poincaré lemma, 72
- Poincaré lemma for currents, *see* theorem, Poincaré lemma for currents
- Poisson bi-vector, 14
- Poisson manifold, 90
- Poon, Y. S., 41, 77, 218
- Popovici, D., 41, 77, 228
- positive current, 229
- positivity on the J -line, 222
- potential function, vii
- primitive $(d + d^A)$ -cohomology, 17, 158
- primitive $(d d^A)$ -cohomology, 18
- primitive cohomology, xi
 - and $H_\omega^{(r,s)}(X; \mathbb{R})$, 158
 - primitive de Rham cohomology $(PH_d^s(X; \mathbb{R}))$, 159

- primitive current, 12
- primitive de Rham cohomology, 159
- primitive form, 11, 166
- principal torus-bundle series, 102
- projective
 - limit, 228
- projective manifold, vii
 - limit, 41
- pseudo-convex
 - strictly, 8
- pseudo-holomorphic curve, 225
- pure, 156
 - at the k th stage, 156
 - complex-pure at the k th stage, 157
- pure-and-full, 156
 - at the k th stage, 156
 - complex-pure-and-full at the k th stage, 157

- q -complete, 8
- qis, *see* quasi-isomorphism
- quantum inner state manifold, 39
- quasi-isomorphism, 32

- rational complex structure, xiii, 101
- rational manifold, 225
- rational structure, 101
- real homotopy type of complex manifolds, x
- regular point, 22
- regularization process, 43
- rigid type, 46
- Rollenske, S., 39, 97
- Rossi, F. A., xiv, 130, 196

- Sakane, Y., 97
- Salamon, S., 218
- Salamon, S. M., 55
- Satake, I., 52
- Schouten, J. A., 27
- Schubert variety, 221
- Schweitzer, M., ix, 66, 72, 104
- semi-continuity, xviii
 - Drăghici, Li, and Zhang theorem in dimension 4, 212
 - non-lower-semi-continuity of $\dim_{\mathbb{R}} H_{J_t}^+$, 214
 - non-upper-semi-continuity of $\dim_{\mathbb{R}} H_{J_t}^-$, 213
 - of subgroups of cohomology for \mathbf{D} -complex manifolds, 160
 - stronger semi-continuity, 216
- semi-Kähler, xvi, 177, 228
 - intrinsic characterization, 230
- semi-Kähler cone, 228
- semi-Kähler structure, 157
- semi-simple operator, 141
- Serre duality, 6
- sheaf-theoretic, 65
- solvable
 - completely-solvable, 46
 - Lie algebra, 46
 - Lie group, 46
 - rigid type, 46
 - type (I), 46
 - type (R), 46
- solvmanifold, xii, 46
 - 1-dimensional, 52
 - 2-dimensional, 52
 - 3-dimensional, 52
 - 4-dimensional, 52
 - 5-dimensional, 55
 - 6-dimensional, 63
 - $\partial\bar{\partial}$ -Lemma, 51, 77
 - Bott-Chern cohomology, 143
 - completely-solvable, 46
 - de Rham cohomology, 140
 - deformations, 39, 103
 - Dolbeault cohomology, 142
 - formality, 51
 - fundamental group, 47
 - Hard Lefschetz Condition, 51, 63
 - Hasegawa theorem, 51
 - HLC for 4-dimensional, 54
 - Hodge decomposition, 51, 77
 - Kähler, *see* theorem, Hasegawa (characterization of Kähler solvmanifolds)
 - left-invariant object, 48
 - left-invariant symplectic cohomologies, 91
 - Mal'tsev rigidity theorem, 47
 - Mostow theory on cohomology of solvmanifolds, 99
 - of splitting type, 141
 - parallelizable, 47
 - Salamon notation, 48
 - three-dimensional holomorphically parallelizable, 111, 147
- spectral sequence
 - canonical spectral sequence, 24
 - Hodge and Frölicher spectral sequence, 7
 - Hodge to de Rham spectral sequences, 7
- Spencer, D. C., xvii, 36, 196, 200
- splitting type
 - solvmanifold, 141
- splitting-type solvmanifold
 - $\partial\bar{\partial}$ -Lemma, 143

- Bott-Chern cohomology, 143
- Dolbeault cohomology, 142
- square, 75
- stable
 - under small deformations of the almost-complex structure, 196
 - under small deformations of the complex structure, 196
- stable (principal) torus-bundle series, 102
- stable property under deformations, *see* deformation, openness
- step of nilpotency, 46
- Streets, J., xvi, 225
- strictly pseudo-convex, 8
- string theory, 66
- strong Kähler with torsion metric, 131, 226
- stronger semi-continuity, 216
 - counterexample, 219
- strongly-Gauduchon
 - and $\partial\bar{\partial}$ -Lemma, 228
 - non-closedness, 139
- strongly-Gauduchon cone, 228
 - characterization, 229
- strongly-Gauduchon metric, vii, xvi, 41, 131, 228
- structure current, 221, 229
 - complex currents ($\mathcal{C}_{p,J}$), 222
- structure cycle, 221
 - complex cycles ($\mathcal{ZC}_{p,J}$), 222
- Sullivan, D. P., x, xvi, 27, 31, 35, 74, 76, 87, 221, 222
- symplectic, 9
 - as a generalized complex structure, 25
- symplectic Calabi and Yau equation, 224
- symplectic co-differential operator, 14
- symplectic cohomologies, 91, 107
- symplectic cohomology
 - $d d^A$ -Lemma, 19
 - $(d + d^A)$ -cohomology, 16
 - $(d d^A)$ -cohomology, 16
 - Hodge theory, 16
 - primitive $(d + d^A)$ -cohomology, 17
 - primitive $(d d^A)$ -cohomology, 18
 - primitive de Rham cohomology, 159
- symplectic cones, xv, 157, 223
 - compatible cone, xv, 223
 - for Lie algebras, 158
 - linear symplectic cones, 173
 - qualitative comparison (Donaldson tamed to compatible question), 224
 - quantitative comparison (Li and Zhang theorem), 223
 - tamed cone, xv, 223
- symplectic structure, vii, xi, 90, 170
 - canonical orientation, 13
 - compatible, 223
 - taming, 222
- symplectic- \star -operator, 14
- symplectically-harmonic form, xi
 - for Kähler manifolds, 20
- symplectomorphism, 17
- tamed cone, xv, 223
- tamed to compatible, xvi, 158, 224
 - almost-complex counterexample in dimension higher than 4, 225
 - complex holomorphic-tamed non-Kähler (Li and Zhang, and Streets and Tian question), 225
 - for Lie algebras, 158, 225
 - for Mořezon manifolds, 225
 - state of art, 224
- taming symplectic structure, 222
- Taubes current, 185, 225
- Taubes, C. H., 185, 224
- theorem
 - C^∞ -pure-and-fullness for left-invariant **D**-complex 4-dimensional nilmanifolds, 160
 - $\partial\bar{\partial}$ -Lemma for Kähler, Mořezon, class \mathcal{C} , 77
 - $\partial\bar{\partial}$ -Lemma for Kähler manifolds, 34
 - Akizuki and Nakano identities, 30
 - Alessandrini and Bassanelli (non-openness of balanced), 200
 - Andreotti and Grauert, 8
 - Belgun symmetrization trick, 50
 - Belgun symmetrization trick in the almost-complex setting, 170
 - Benson and Gordon, 51
 - Bochner linearization theorem, 52
 - Bock (HLC for 4-dimensional solvmanifolds), 54
 - Bogomolov, *see* theorem, Tian and Todorov
 - Bott-Chern characterization of $\partial\bar{\partial}$ -Lemma, 84
 - Bott-Chern cohomology of 6-dimensional nilmanifolds, 131
 - Bott-Chern cohomology of holomorphically parallelizable solvmanifolds, 143
 - Bott-Chern cohomology of splitting-type solvmanifolds, 143
 - Brylinski, and Fernández, Ibáñez, and de León (degeneration of Hodge

- and Frölicher spectral sequence for symplectic structures), 91
- Buchdahl, 41
- Cartan and Lie, *see* theorem, Lie and Cartan
- Cavalcanti ($d d^A$ -Lemma for symplectic manifolds), 19
- Cavalcanti ($d_H d_H^{\mathcal{J}}$ -Lemma and decomposition), 23
- Cavalcanti (characterization of $d_H d_H^{\mathcal{J}}$ -Lemma), 24
- Ceballos, Otal, Ugarte, and Villacampa (non-closedness of strongly-Gauduchon, and balanced), 139
- Chow, vii
- cohomological characterization of $\delta_1 \delta_2$ -Lemma (for graded bi-differential vector spaces), 89
- cohomological characterization of $\partial_{\mathcal{J}, H} \bar{\partial}_{\mathcal{J}, H}$ -Lemma for generalized complex structures, 92
- cohomologies of deformations of Iwasawa manifold, 130
- comparison of metric cones, 231
- Console and Fino (Dolbeault cohomology for nilmanifolds), 101
- Console and Fino (inclusion of left-invariant Dolbeault cohomology), 100
- Console and Fino (openness of left-invariance of cohomology), 102
- Cordero, Fernández, Gray, and Ugarte, 101
- Darboux, 9
- decomposition of $H_{dR}^2(X; \mathbb{R})$ for symplectic manifolds, 159
- Deligne, Griffiths, Morgan, and Sullivan, 67
- Deligne, Griffiths, Morgan, and Sullivan ($\partial\bar{\partial}$ -Lemma and formality), 35, 77
- Deligne, Griffiths, Morgan, and Sullivan (behaviour under modification), 76
- Deligne, Griffiths, Morgan, and Sullivan (characterization of $\partial\bar{\partial}$ -Lemma for double complexes), 74
- Deligne, Griffiths, Morgan, and Sullivan (characterization of $\partial\bar{\partial}$ -Lemma for complex manifolds), 76
- Deligne, Griffiths, Morgan, and Sullivan (equivalent formulations of $\partial\bar{\partial}$ -Lemma), 74, 76
- Demailly and Păun, 42
- Dolbeault (sheaf-theoretic interpretation of Dolbeault cohomology), 5
- Dolbeault and Grothendieck lemma, 5, 72
- Drăghici, Li, and Zhang (C^∞ -pure-and-fullness and $\partial\bar{\partial}$ -Lemma), 165
- Drăghici, Li, and Zhang (C^∞ -pure-and-fullness for complex manifolds satisfying $\partial\bar{\partial}$ -Lemma), 166
- Drăghici, Li, and Zhang (C^∞ -pure-and-fullness for complex surfaces), 166
- Drăghici, Li, and Zhang (C^∞ -pure-and-fullness for Kähler manifolds), 166
- Drăghici, Li, and Zhang (C^∞ -pure-and-fullness in dimension 4), 166
- Drăghici, Li, and Zhang (semi-continuity property in dimension 4), 212
- Eastwood and Vigna Suria, 9
- Ehresmann, 36
- Fino and Tomassini (C^∞ -pure-and-fullness for pure-type harmonic representatives), 162
- Fino and Tomassini (pure-and-fullness for Hard Lefschetz Condition), 162, 177
- Fino and Tomassini, and Drăghici, Li, and Zhang (C^∞ -pureness of almost-Kähler), 177, 184
- Fino, Parton, and Salamon (6-dimensional pluri-closed nilmanifolds), 227
- Frölicher inequality, ix, 8, 81
- Fu and Yau (openness of balanced under additional conditions), 196
- GAGA, vii
- Gualtieri (generalized Darboux), 24
- Guillemin, 19
- Hörmander, 8
- Hahn and Banach separation theorem, 230
- Hano, 51
- Harvey and Lawson, 42
- Harvey and Lawson (intrinsic characterization of Kähler), 230
- Hasegawa (characterization of Kähler nilmanifolds), 51
- Hasegawa (characterization of Kähler solvmanifolds), 51
- Hattori, xii, 50, 98
- Hodge, 6
- Hodge decomposition theorem for Kähler manifolds, 31

- holomorphic tamed for 6-dimensional nilmanifolds, 226
- holomorphic tamed for nilmanifolds, 227
- inequality *à la* Frölicher
 - for complex structures, 92
- inequality *à la* Frölicher (for graded bi-differential vector spaces), 89
- inequality *à la* Frölicher, 82
- inequality *à la* Frölicher for generalized complex structures, 92
- inequality *à la* Frölicher for symplectic structures, 91
- intrinsic characterization of semi-Kähler, 230
- invariance of cohomologies, 104
- invariance of cohomologies for nilmanifolds, 107
- invariance of cohomology for nilmanifolds under deformations, 109
- Kähler identities, 30
- Kasuya (de Rham cohomology of solvmanifolds), 140
- Kasuya (Dolbeault cohomology of holomorphically parallelizable solvmanifolds), 142
- Kasuya (Dolbeault cohomology of splitting-type solvmanifolds), 142
- Kasuya (Hodge symmetry and decomposition for splitting-type solvmanifolds), 142
- Kodaira and Spencer, 40
- Kodaira and Spencer (stability of Kählerness), 196
- Kodaira embedding, vii, 28
- Kodaira, Miyaoka, and Siu, 41
- Kuranishi, 39
- Kuranishi space of Iwasawa manifold, 113
- Lamari, 41
- LeBrun and Poon, and Campana, 41
- Lefschetz decomposition theorem for Kähler manifolds, 31
- Li and Tomassini (cohomological decomposition for 4-dimensional unimodular Lie algebras), 173
- Li and Tomassini (comparison of linear symplectic cones), 173
- Li and Tomassini (Donaldson conjecture for 4-dimensional unimodular Lie algebras), 173
- Li and Zhang (comparison between symplectic cones), 223
- Li and Zhang (intrinsic characterization of almost-Kähler), 230
- Lie and Cartan, 45
- Lin ($\mathfrak{sl}(2; \mathbb{R})$ -module on currents), 12
- Lupton and Oprea, 51
- Macrì (left-invariant symplectic cohomologies), 91
- Mal'tsev, 48
- Mal'tsev (fundamental group of a nilmanifold), 47
- Mal'tsev (rigidity for nilmanifolds), 47
- Mathieu, 19
- Merkulov, 19
- Michelsohn, 42
- Michelsohn trick, 228
- Milnor lemma, 48
- Mostow (cohomology of solvmanifolds), 99
- Mostow (rigidity for solvmanifolds), 47
- Mostow structure theorem, 49
- Newlander and Nirenberg, viii, 4
- Nomizu, xii, 49, 98
- non-lower-semi-continuity of $\dim_{\mathbb{R}} H_{J_i}^+$, 214
- non-openness of \mathbf{D} -Kähler, 160, 197
- non-upper-semi-continuity of $\dim_{\mathbb{R}} H_{J_i}^-$, 213
- openness of $\partial\bar{\partial}$ -Lemma, 87
- pluriclosed metrics on 6-dimensional nilmanifolds, 137
- Poincaré lemma, 72
- Poincaré lemma for currents, 43
- Popovici (strongly-Gauduchon metric), 228
- relation between linear- C^∞ -pure-and-fullness at the k th stage and C^∞ -pure-and-fullness at the k th stage, 171
- relations between C^∞ -pure-and-fullness and pure-and-fullness, 161
- result *à la* Nomizu for $H_J^S(X; \mathbb{K})$, 170
- Rollenske, 39
- Rollenske (deformations of nilmanifolds), 103
- Rollenske (Dolbeault cohomology for nilmanifolds), 101
- Rollenske (Kuranishi space of holomorphically parallelizable nilmanifolds), 116
- Sakane, 101
- Schweitzer (finite-dimensionality of Bott-Chern cohomology), 68
- Schweitzer (Hodge theory for Bott-Chern cohomology), 68
- Schweitzer (isomorphism between Bott-Chern and Aeppli cohomologies), 71

- Schweitzer (semi-continuity of the dimension of Bott-Chern cohomology), 68
 Schweitzer lemma, 72
 Serre duality, 6
 Sullivan, 222
 theorem *à la* Nomizu for Bott-Chern cohomology, xii
 Tian and Todorov, 39
 Tomasiello (stability of dd^c -Lemma), 30
 Tralle and Kedra, 51
 Tseng and Yau (decomposition for $(d + d^A)$ -cohomology), 18
 Tseng and Yau (decomposition for (dd^A) -cohomology), 18
 Tseng and Yau (Hodge theory for symplectic $(d + d^A)$ -cohomology), 16
 Tseng and Yau (Hodge theory for symplectic (dd^A) -cohomology), 16
 Tseng and Yau (invariance of symplectic cohomologies under symplectomorphisms and Hamiltonian isotopies), 17
 Weyl identity, 167
 Wu (openness of balanced under additional conditions), 196
 Yan ($\mathfrak{sl}(2; \mathbb{R})$ -representation), 10
 Yan (Lefschetz decomposition), 10
 Yan (solution to the Brylinski conjecture), 19
 Zhang's Lefschetz type property and C^∞ -pure-and-fullness, 186
 Thurston, W., 51
 Tian, G., xvi, 39, 225
 Tomasiello, A., 30
 Tomassini, A., 30, 88, 99, 157, 158, 162, 168, 170, 173, 177, 184, 185, 204, 209, 221, 225
 topological Lie group, 45
 torus-bundle series, xiii, 102
 principal, 102
 stable, 102
 total vector space, 89
 Tralle, A., 51
 transform
 B-transform, 26
 translation on a Lie group, *see* Lie group, left-translation
 transverse form, 221
 Tseng and Yau (isomorphism between $(d + d^A)$ -cohomology and (dd^A) -cohomology), 17
 Tseng, L.-S., ix, xi, 13, 16, 66, 91, 158
 Turkowski, P., 63
 twisted differential, 21
 twistor space, 41, 77
 type (I), 46
 type (R), 46
 type of a generalized complex structure, 22
 type 0 (symplectic), 25
 type n (complex), 24
 Ugarte, A., 55, 87
 Ugarte, L., xiv, 40, 55, 95, 97, 131, 134, 140
 universal family, *see* family, universal
 V-manifold, 52
 van Dantzig, D., 27
 Varouchas exact sequences, 80
 Varouchas, J., ix, x, 65, 79
 versal family, *see* family, versal
 Vezzoni, L., 226, 227
 Villacampa, R., xiv, 55, 87, 95, 131, 134, 140
 Voisin, C., 28
 weak- $*$ topology, 42
 Weil, A., 27
 Weinstein and Thurston problem, 51
 Weinstein, A., 51
 Weyl identity, 167, 185
 Weyl, H., 20
 Wu, C. C., 196
 Yan, D., xi, 13, 15
 Yau, S.-T., ix, xi, 13, 16, 27, 28, 66, 91, 158, 196, 224, 232
 Zariski decomposition, 66
 Zhang's Lefschetz type property and C^∞ -pure-and-fullness, 186
 Zhang's Lefschetz-type property, 185
 Zhang, W., xiv–xviii, 151–153, 155, 157, 158, 165, 166, 168, 175, 176, 184, 185, 212, 220, 221, 223–225, 231
 Zippin, L., 45

Edited by J.-M. Morel, B. Teissier; P.K. Maini

Editorial Policy (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.
Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this "lecture notes" character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.
2. Manuscripts should be submitted either online at www.editorialmanager.com/lnm to Springer's mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.
Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees' recommendations, making further refereeing of a final draft necessary.
Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.
3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped ps-files. Lecture Notes volumes are, as a rule, printed digitally from the authors' files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer's web-server at:

[ftp://ftp.springer.de/pub/tex/latex/svmonot1/](http://ftp.springer.de/pub/tex/latex/svmonot1/) (for monographs) and

[ftp://ftp.springer.de/pub/tex/latex/svmult1/](http://ftp.springer.de/pub/tex/latex/svmult1/) (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from lnm@springer.com.

4. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor J.-M. Morel, CMLA,
École Normale Supérieure de Cachan,
61 Avenue du Président Wilson, 94235 Cachan Cedex, France
E-mail: morel@cmla.ens-cachan.fr

Professor B. Teissier, Institut Mathématique de Jussieu,
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,
175 rue du Chevaleret
75013 Paris, France
E-mail: teissier@math.jussieu.fr

For the “Mathematical Biosciences Subseries” of LNM:

Professor P. K. Maini, Center for Mathematical Biology,
Mathematical Institute, 24-29 St Giles,
Oxford OX1 3LP, UK
E-mail: maini@maths.ox.ac.uk

Springer, Mathematics Editorial, Tiergartenstr. 17,
69121 Heidelberg, Germany,
Tel.: +49 (6221) 4876-8259

Fax: +49 (6221) 4876-8259
E-mail: lnm@springer.com