

References

- [AB87] M. Aizenman, D.J. Barsky, Sharpness of the phase transition in percolation models. *Comm. Math. Phys.* **108**(3), 489–526 (1987)
- [ABC⁺91] J.M. Alonso, T. Brady, D. Cooper, V. Ferlini, M. Lustig, M. Mihalik, M. Shapiro, H. Short, Notes on word hyperbolic groups, in *Group Theory from a Geometrical Viewpoint*, Trieste, 1990, ed. by H. Short (World Scientific Publishing, River Edge, 1991), pp. 3–63
- [ABS04] N. Alon, I. Benjamini, A. Stacey, Percolation on finite graphs and isoperimetric inequalities. *Ann. Probab.* **32**(3A), 1727–1745 (2004)
- [AL07] D. Aldous, R. Lyons, Processes on unimodular random networks. *Electron. J. Probab.* **12**(54), 1454–1508 (2007)
- [Anc88] A. Ancona, Positive harmonic functions and hyperbolicity, in *Potential Theory—Surveys and Problems*, Prague, 1987. *Lecture Notes in Mathematics*, vol. 1344 (Springer, Berlin, 1988), pp. 1–23
- [Ang03] O. Angel, Growth and percolation on the uniform infinite planar triangulation. *Geom. Funct. Anal.* **13**(5), 935–974 (2003)
- [AS03] O. Angel, O. Schramm, Uniform infinite planar triangulations. *Commun. Math. Phys.* **241**(2–3), 191–213 (2003)
- [Bab97] L. Babai, The growth rate of vertex-transitive planar graphs, in *Proceedings of the Eighth Annual ACM-SIAM Symposium on Discrete Algorithms*, New Orleans, 1997 (ACM, New York, 1997), pp. 564–573
- [BC96] I. Benjamini, J. Cao, Examples of simply-connected Liouville manifolds with positive spectrum. *Differ. Geom. Appl.* **6**(1), 31–50 (1996)
- [BC11] I. Benjamini, N. Curien, On limits of graphs sphere packed in Euclidean space and applications. *Europ. J. Combin.* **32**(7), 975–984 (2011)
- [BC12] I. Benjamini, N. Curien, Ergodic theory on stationary random graphs. *Electron. J. Probab.* **17**(93), 20 (2012)
- [BC13] I. Benjamini, N. Curien, Simple random walk on the uniform infinite planar quadrangulation: subdiffusivity via pioneer points. *Geom. Funct. Anal.* **23**(2), 501–531 (2013)
- [BDCGS12] R. Bauerschmidt, H. Duminil-Copin, J. Goodman, G. Slade, Lectures on self-avoiding walks. in *Probability and Statistical Physics in Two and More Dimensions*, *Clay Mathematics Institute Proceedings*, vol. 15, ed. by D. Ellwood, C.M. Newman, V. Sidoravicius, W. Werner (Cambridge, MA, 2012), pp. 395–476
- [BDCKY11] I. Benjamini, H. Duminil-Copin, G. Kozma, A. Yadin, Disorder, entropy and harmonic functions. arXiv preprint arXiv:1111.4853 (2011)

- [BFT12] I. Benjamini, H. Finucane, R. Tessera, On the scaling limit of finite vertex transitive graphs with large diameter. arXiv preprint arXiv:1203.5624 *Combinatorica* (2014)
- [BGT12] E. Breuillard, B. Green, T. Tao, The structure of approximate groups. *Publ. Math. IHÉS* **116**(1), 115–221 (2012)
- [BH05] I. Benjamini, C. Hoffman, ω -periodic graphs. *Electron. J. Combin.* **12**, Research Paper 46, 12 pp. (2005) (electronic)
- [Bis04] M. Biskup, On the scaling of the chemical distance in long-range percolation models. *Ann. Probab.* **32**(4), 2938–2977 (2004)
- [BK89] R.M. Burton, M. Keane, Density and uniqueness in percolation. *Commun. Math. Phys.* **121**(3), 501–505 (1989)
- [BK05] I. Benjamini, G. Kozma, A resistance bound via an isoperimetric inequality. *Combinatorica* **25**(6), 645–650 (2005)
- [BK13] I. Benjamini, G. Kozma, Uniqueness of percolation on products with \mathbb{Z} . *Lat. Am. J. Probab. Math. Stat.* **10**, 15–25 (2013)
- [BL90] B. Bollobás, I. Leader, An isoperimetric inequality on the discrete torus. *SIAM J. Discrete Math.* **3**(1), 32–37 (1990)
- [BLPS99a] I. Benjamini, R. Lyons, Y. Peres, O. Schramm, Group-invariant percolation on graphs. *Geom. Funct. Anal.* **9**(1), 29–66 (1999)
- [BLPS99b] I. Benjamini, R. Lyons, Y. Peres, O. Schramm, Critical percolation on any nonamenable group has no infinite clusters. *Ann. Probab.* **27**(3), 1347–1356 (1999)
- [BLPS01] I. Benjamini, R. Lyons, Y. Peres, O. Schramm, Uniform spanning forests. *Ann. Probab.* **29**(1), 1–65 (2001)
- [BLS99] I. Benjamini, R. Lyons, O. Schramm, Percolation perturbations in potential theory and random walks, in *Random Walks and Discrete Potential Theory*, Cortona, 1997. *Symposia Mathematica XXXIX* (Cambridge University Press, Cambridge, 1999), pp. 56–84
- [BNP11] I. Benjamini, A. Nachmias, Y. Peres, Is the critical percolation probability local? *Probab. Theory Relat. Fields* **149**(1–2), 261–269 (2011)
- [Bow95] B.H. Bowditch, A short proof that a subquadratic isoperimetric inequality implies a linear one. *Mich. Math. J.* **42**(1), 103–107 (1995)
- [BP11] I. Benjamini, P. Papsoglu, Growth and isoperimetric profile of planar graphs. *Proc. Am. Math. Soc.* **139**(11), 4105–4111 (2011)
- [BPP98] I. Benjamini, R. Pemantle, Y. Peres, Unpredictable paths and percolation. *Ann. Probab.* **26**(3), 1198–1211 (1998)
- [BR11] I. Benjamini, D. Revelle, Instability of set recurrence and Green’s function on groups with the Liouville property. *Potential Anal.* **34**(2), 199–206 (2011)
- [BS92] L. Babai, M. Szegedy, Local expansion of symmetrical graphs. *Comb. Probab. Comput.* **1**(1), 1–11 (1992)
- [BS96a] I. Benjamini, O. Schramm, Harmonic functions on planar and almost planar graphs and manifolds, via circle packings. *Invent. Math.* **126**(3), 565–587 (1996)
- [BS96b] I. Benjamini, O. Schramm, Percolation beyond \mathbb{Z}^d , many questions and a few answers. *Electron. Commun. Probab.* **1**(8), 71–82 (1996) (electronic)
- [BS00] M. Bonk, O. Schramm, Embeddings of Gromov hyperbolic spaces. *Geom. Funct. Anal.* **10**(2), 266–306 (2000)
- [BS01a] I. Benjamini, O. Schramm, Percolation in the hyperbolic plane. *J. Am. Math. Soc.* **14**(2), 487–507 (2001) (electronic)
- [BS01b] I. Benjamini, O. Schramm, Recurrence of distributional limits of finite planar graphs. *Electron. J. Probab.* **6**(23), 13 pp. (2001) (electronic)
- [BS04] I. Benjamini, O. Schramm, Pinched exponential volume growth implies an infinite dimensional isoperimetric inequality, in *Geometric Aspects of Functional Analysis*. *Lecture Notes in Mathematics*, vol. 1850 (Springer, Berlin, 2004), pp. 73–76
- [BS09] I. Benjamini, O. Schramm, Lack of sphere packing of graphs via non-linear potential theory. arXiv preprint arXiv:0910.3071 (2009)

- [BST12] I. Benjamini, O. Schramm, Á. Timár, On the separation profile of infinite graphs. *Groups Geom. Dyn.* **6**(4), 639–658 (2012)
- [CFKP97] J.W. Cannon, W.J. Floyd, R. Kenyon, W.R. Parry, Hyperbolic geometry, in *Flavors of Geometry*. Mathematical Sciences Research Institute Publications, vol. 31 (Cambridge University Press, Cambridge, 1997), pp. 59–115
- [CMM12] N. Curien, L. Ménard, G. Miermont, A view from infinity of the uniform infinite planar quadrangulation. arXiv preprint arXiv:1201.1052 (2012)
- [CT06] T.M. Cover, J.A. Thomas, *Elements of Information Theory*, 2nd edn. (Wiley-Interscience, Hoboken, 2006)
- [Dek91] F.M. Dekking, Branching processes that grow faster than binary splitting. *Am. Math. Mon.* **98**(8), 728–731 (1991)
- [DS13] J. Ding, A. Sly, Distances in critical long range percolation. arXiv preprint arXiv:1303.3995 (2013)
- [dup] B. Duplantier, S. Sheffield, Liouville quantum gravity and KPZ. *Invent. Math.* **185**(2), 333–393 (2011)
- [Dur10] R. Durrett, *Probability: Theory and Examples*. Cambridge Series in Statistical and Probabilistic Mathematics, 4th edn. (Cambridge University Press, Cambridge, 2010)
- [EFW07] A. Eskin, D. Fisher, K. Whyte, Quasi-isometries and rigidity of solvable groups. *Pure Appl. Math. Q.* **3**(4, part 1), 927–947 (2007)
- [Ers03] A. Erschler, On drift and entropy growth for random walks on groups. *Ann. Probab.* **31**(3), 1193–1204 (2003)
- [FI79] H. Fleischner, W. Imrich, Transitive planar graphs. *Math. Slovaca* **29**(2), 97–106 (1979)
- [Fur63] H. Furstenberg, Noncommuting random products. *Trans. Am. Math. Soc.* **108**, 377–428 (1963)
- [Gal11] J.F.L. Gall, Uniqueness and universality of the Brownian map. Arxiv preprint arXiv:1105.4842 (2011)
- [GG13] O. Gurel-Gurevich, A. Nachmias, Recurrence of planar graph limits. *Ann. Math.* **177**, 761–781 (2013)
- [GH90] É. Ghys, A. Haefliger, Groupes de torsion, in *Sur les groupes hyperboliques d'après Mikhael Gromov*, Bern, 1988. *Progress in Mathematics*, vol. 83 (Birkhäuser, Boston, 1990), pp. 215–226
- [GKN12] R. Grigorchuk, V.A. Kaimanovich, T. Nagnibeda, Ergodic properties of boundary actions and the Nielsen-Schreier theory. *Adv. Math.* **230**(3), 1340–1380 (2012)
- [GL13] G. Grimmett, Z. Li, Counting self-avoiding walks. arXiv:1304.7216 (2013)
- [GM02] A. Gamburd, E. Makover, On the genus of a random Riemann surface, in *Complex Manifolds and Hyperbolic Geometry*, Guanajuato, 2001. *Contemporary Mathematics*, vol. 311 (American Mathematical Society, Providence, 2002), pp. 133–140
- [GM06] N. Gantert, S. Müller, The critical branching Markov chain is transient. *Markov Process. Relat. Fields* **12**(4), 805–814 (2006)
- [GN90] G.R. Grimmett, C.M. Newman, Percolation in $\infty + 1$ dimensions, in *Disorder in Physical Systems* (Oxford Science Publication/Oxford University Press, New York, 1990), pp. 167–190
- [GPKS06] M. Gromov, P. Pansu, M. Katz, S. Semmes, *Metric Structures for Riemannian and non-Riemannian Spaces*, vol. 152 (Birkhäuser, Boston, 2006)
- [GPY11] L. Guth, H. Parlier, R. Young, Pants decompositions of random surfaces. *Geom. Funct. Anal.* **21**(5), 1069–1090 (2011)
- [Gri99] G. Grimmett, *Percolation*. Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences], vol. 321, 2nd edn. (Springer, Berlin, 1999)
- [Häg97] O. Häggström, Infinite clusters in dependent automorphism invariant percolation on trees. *Ann. Probab.* **25**(3), 1423–1436 (1997)
- [Häg11] O. Häggström, Two badly behaved percolation processes on a nonunimodular graph. *J. Theor. Probab.* **24**, 1–16 (2011)

- [HLW06] S. Hoory, N. Linial, A. Wigderson, Expander graphs and their applications. *Bull. Am. Math. Soc. (N.S.)* **43**(4), 439–561 (2006) (electronic)
- [HM09] O. Häggström, P. Mester, Some two-dimensional finite energy percolation processes. *Electron. Commun. Probab.* **14**, 42–54 (2009)
- [Hou11] C. Houdayer, Invariant percolation and measured theory of nonamenable groups. Arxiv preprint arXiv:1106.5337 (2011)
- [HP99] O. Häggström, Y. Peres, Monotonicity of uniqueness for percolation on Cayley graphs: all infinite clusters are born simultaneously. *Probab. Theory Relat. Fields* **113**(2), 273–285 (1999)
- [HPS99] O. Häggström, Y. Peres, R.H. Schonmann, Percolation on transitive graphs as a coalescent process: relentless merging followed by simultaneous uniqueness, in *Perplexing Problems in Probability*. Progress in Probability, vol. 44 (Birkhäuser, Boston, 1999), pp. 69–90
- [HS90] T. Hara, G. Slade, Mean-field critical behaviour for percolation in high dimensions. *Commun. Math. Phys.* **128**(2), 333–391 (1990)
- [HS95] Z.-X. He, O. Schramm, Hyperbolic and parabolic packings. *Discrete Comput. Geom.* **14**(2), 123–149 (1995)
- [Imr75] W. Imrich, On Whitney’s theorem on the unique embeddability of 3-connected planar graphs, in *Recent Advances in Graph Theory (Proceedings of Second Czechoslovak Symposium)*, Prague, 1974 (Academia, Prague, 1975), pp. 303–306 (loose errata)
- [Jár03] A.A. Járai, Invasion percolation and the incipient infinite cluster in 2D. *Commun. Math. Phys.* **236**(2), 311–334 (2003)
- [Kes90] H. Kesten, Asymptotics in high dimensions for percolation. In *Disorder in Physical Systems* (Oxford Science Publication/Oxford University Press, New York, 1990), pp. 219–240
- [Kle10] B. Kleiner, A new proof of Gromov’s theorem on groups of polynomial growth. *J. Am. Math. Soc.* **23**(3), 815–829 (2010)
- [KN11] G. Kozma, A. Nachmias, Arm exponents in high dimensional percolation. *J. Am. Math. Soc.* **24**(2), 375–409 (2011)
- [Koz07] G. Kozma, Percolation, perimetry, planarity. *Rev. Mat. Iberoam.* **23**(2), 671–676 (2007)
- [Kri04] M.A. Krikun, A uniformly distributed infinite planar triangulation and a related branching process. *Zap. Nauchn. Sem. S.-Peterburg. Otdel. Mat. Inst. Steklov. (POMI)* **307**, 141–174 (2004); *Teor. Predst. Din. Sist. Komb. i Algoritm. Metody.* **10**, 282–283 (2004)
- [KV83] V.A. Kaĭmanovich, A.M. Vershik, Random walks on discrete groups: boundary and entropy. *Ann. Probab.* **11**(3), 457–490 (1983)
- [Laa00] T.J. Laakso, Ahlfors Q -regular spaces with arbitrary $Q > 1$ admitting weak Poincaré inequality. *Geom. Funct. Anal.* **10**(1), 111–123 (2000)
- [LL10] G.F. Lawler, V. Limic, *Random walk: A Modern Introduction*. Cambridge Studies in Advanced Mathematics, vol. 123 (Cambridge University Press, Cambridge, 2010)
- [LP09] J.R. Lee, Y. Peres, Harmonic maps on amenable groups and a diffusive lower bound for random walks. Arxiv preprint arXiv:0911.0274 (2009)
- [LPP95] R. Lyons, R. Pemantle, Y. Peres, Ergodic theory on Galton-Watson trees: speed of random walk and dimension of harmonic measure. *Ergodic Theory Dyn. Syst.* **15**(3), 593–619 (1995)
- [LS99] R. Lyons, O. Schramm, Indistinguishability of percolation clusters. *Ann. Probab.* **27**(4), 1809–1836 (1999)
- [LSS97] T.M. Liggett, R.H. Schonmann, A.M. Stacey, Domination by product measures. *Ann. Probab.* **25**(1), 71–95 (1997)
- [LT79] R.J. Lipton, R.E. Tarjan, A separator theorem for planar graphs. *SIAM J. Appl. Math.* **36**(2), 177–189 (1979)
- [Lyo87] T. Lyons, Instability of the Liouville property for quasi-isometric Riemannian manifolds and reversible Markov chains. *J. Differ. Geom.* **26**(1), 33–66 (1987)

- [Lyo09] R. Lyons, Y. Peres, *Probability on Trees and Networks* (2009). (in preparation)
- [Mei08] J. Meier, *Groups, Graphs and Trees: An Introduction to the Geometry of Infinite Groups*. London Mathematical Society Student Texts, vol. 73 (Cambridge University Press, Cambridge, 2008)
- [Mie13] G. Miermont, The Brownian map is the scaling limit of uniform random plane quadrangulations. *Acta Math.* **210**(2), 319–401 (2013)
- [Moh88] B. Mohar, Isoperimetric inequalities, growth, and the spectrum of graphs. *Linear Algebra Appl.* **103**, 119–131 (1988)
- [MP01] R. Muchnik, I. Pak, Percolation on Grigorchuk groups. *Commun. Algebra* **29**(2), 661–671 (2001)
- [MS93] N. Madras, G. Slade, *The Self-Avoiding Walk*. Probability and its Applications (Birkhäuser, Boston, 1993)
- [MTTV98] G.L. Miller, S.-H. Teng, W. Thurston, S.A. Vavasis, Geometric separators for finite-element meshes. *SIAM J. Sci. Comput.* **19**(2), 364–386 (1998)
- [Nek05] V. Nekrashevych, *Self-Similar Groups*. Mathematical Surveys and Monographs, vol. 117 (American Mathematical Society, Providence, 2005)
- [NP11] V. Nekrashevych, G. Pete, Scale-invariant groups. *Groups Geom. Dyn.* **5**(1), 139–167 (2011)
- [Pan] P. Pansu, Packing a space into an other. (in preparation)
- [Pel10] R. Peled, On rough isometries of Poisson processes on the line. *Ann. Appl. Probab.* **20**(2), 462–494 (2010)
- [Per99] Y. Peres, Probability on trees: an introductory climb, in *Lectures on Probability Theory and Statistics*, Saint-Flour, 1997. Lecture Notes in Mathematics, vol. 1717 (Springer, Berlin, 1999), pp. 193–280
- [Pet09] G. Pete, *Probability and Geometry on Groups* (2009) (preprint)
- [Pon86] L.S. Pontryagin, *Selected Works*. Classics of Soviet Mathematics, vol. 2, 3rd edn. (Gordon & Breach Science, New York, 1986). Topological groups, Edited and with a preface by R.V. Gamkrelidze, Translated from the Russian and with a preface by Arlen Brown, With additional material translated by P.S.V. Naidu
- [PSN00] I. Pak, T. Smirnova-Nagnibeda, On non-uniqueness of percolation on nonamenable Cayley graphs. *C. R. Acad. Sci. Paris Sér. I Math.* **330**(6), 495–500 (2000)
- [PZ32] R. Paley, A. Zygmund, A note on analytic functions in the unit circle. *Math. Proc. Cambridge Math. Soc.* **28**(03), 266–272 (1932)
- [Sch99] R.H. Schonmann, Percolation in $\infty + 1$ dimensions at the uniqueness threshold, in *Perplexing Problems in Probability*. Progress in Probability, vol. 44 (Birkhäuser, Boston, 1999), pp. 53–67
- [Sch01] R.H. Schonmann, Multiplicity of phase transitions and mean-field criticality on highly non-amenable graphs. *Commun. Math. Phys.* **219**(2), 271–322 (2001)
- [Shc13] V. Shchur, A quantitative version of the Morse lemma and quasi-isometries fixing the ideal boundary. *J. Funct. Anal.* **264**(3), 815–836 (2013)
- [Vir00] B. Virág, Anchored expansion and random walk. *Geom. Funct. Anal.* **10**(6), 1588–1605 (2000)
- [VSCC92] N. Th. Varopoulos, L. Saloff-Coste, T. Coulhon, *Analysis and Geometry on Groups*. Cambridge Tracts in Mathematics, vol. 100 (Cambridge University Press, Cambridge, 1992)
- [Wat70] M.E. Watkins, Connectivity of transitive graphs. *J. Comb. Theory* **8**, 23–29 (1970)
- [Woe05] W. Woess, Lamplighters, Diestel-Leader graphs, random walks, and harmonic functions. *Comb. Probab. Comput.* **14**(3), 415–433 (2005)

Edited by J.-M. Morel, B. Teissier; P.K. Maini

Editorial Policy (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.
Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this "lecture notes" character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.
2. Manuscripts should be submitted either online at www.editorialmanager.com/lnm to Springer's mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.
Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees' recommendations, making further refereeing of a final draft necessary.
Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.
3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped ps-files. Lecture Notes volumes are, as a rule, printed digitally from the authors' files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer's web-server at:

[ftp://ftp.springer.de/pub/tex/latex/svmonot1/](http://ftp.springer.de/pub/tex/latex/svmonot1/) (for monographs) and

[ftp://ftp.springer.de/pub/tex/latex/svmult1/](http://ftp.springer.de/pub/tex/latex/svmult1/) (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from lnm@springer.com.

4. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor J.-M. Morel, CMLA,
École Normale Supérieure de Cachan,
61 Avenue du Président Wilson, 94235 Cachan Cedex, France
E-mail: morel@cmla.ens-cachan.fr

Professor B. Teissier, Institut Mathématique de Jussieu,
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,
175 rue du Chevaleret
75013 Paris, France
E-mail: teissier@math.jussieu.fr

For the “Mathematical Biosciences Subseries” of LNM:

Professor P. K. Maini, Center for Mathematical Biology,
Mathematical Institute, 24-29 St Giles,
Oxford OX1 3LP, UK
E-mail: maini@maths.ox.ac.uk

Springer, Mathematics Editorial, Tiergartenstr. 17,
69121 Heidelberg, Germany,
Tel.: +49 (6221) 4876-8259

Fax: +49 (6221) 4876-8259
E-mail: lnm@springer.com