

# Index

- 2-parameter semiflow, 33
- activity gradient, 213
- ageing, 164, 165, 189, 193
- allostery, 206ff, 206
- allovalency, 219
- attractor, 21ff
  - forward, 22
  - pullback, 22, 91, 140
  - random strange, 142
- bacterial growth, 6ff
- bacterial motion, 285
- bifurcation, 24ff
  - Andronov-Hopf, 115
    - singular, 107, 116
  - attractor, 24
  - Bogdanov-Takens
    - singular, 115
  - nonautonomous, 24
  - pitchfork, 25
  - saddle-node of limit cycles (SNLC), 102
  - saddle-node on invariant circle (SNIC), 115
  - shovel, 26
  - solution, 24
- Bohl exponent, 12
- Brownian motion, 271, 279, 301
  - geometric, 271, 282
  - multivariate, 298
- canard, 89ff
  - cycles, 103
  - explosion, 108
- faux, 106
  - maximal, 106ff
  - secondary, 109
  - singular, 101ff, 101, 104
- cardio-respiratory interactions, 165, 172, 189, 191, 192
- cardiovascular system, 8ff
- cascade, 81ff
- cell dispersal, 271, 285ff
- cell proliferation, 258
- chemoattractant, 286–288, 295
  - gradient, 291
- chemotaxis, 285
- chronic viral infection, 251
- cocycle, 34
  - crude, 52
- combination treatment, 265
- cones, 77
  - mini-hedral, 77
  - normal, 77
  - partial order induced by, 77
  - solid, 77
- control system, 33ff, 34
- convergence
  - pullback, 53ff, 53
  - tempered, 67
- cooperativity, 203
- coupling function, 169, 172, 189, 191, 193
- delay, 272
  - chain approach, 275
  - time-varying, 275
- density of random time, 285
- desingularized problem, 100
- detection limit, 255
- differential equation

- delay (DDE), 272, 274
  - integro-, 291
  - integro-differential transport, 286
  - nonautonomous, 9ff
  - nonlocal stochastic, 276
  - ordinary, 9, 252ff, 259ff
  - partial integro-, 285
  - random, 47, 48, 56, 71, 270
  - stochastic (SDE), 138, 270, 273, 285, 298
    - nonlocal, 272
    - stochastic delay (SDDE), 272
  - dose response, 201
  - drug treatment, 7ff
- ensembles, 163, 164, 173–175, 181, 188–190
- epidemiology, 7ff
- epidermal growth factor, 200
- equation
  - Boltzmann, 287
  - forward Kolmogorov (FKE), 299
  - homological, 17, 18, 30
  - invariance, 28
  - of perturbed motion, 10
  - reaction-diffusion, 286, 287
- equilibrium, 49ff, 140
  - nonautonomous, 15
  - random, 50
- estimation of kinetic parameters, 254
- Euler-Maruyama scheme, 277, 279
- excitability, 89ff, 110ff
  - type I (integrator), 110, 114, 115
  - type II (resonator), 110, 114–116
  - type III (differentiator), 110, 114–116
- excitation-adaptation mechanism, 287
- exponential dichotomy, 11
- external drive protocol
  - pulse, 122
  - ramp, 122
  - step, 111
- feedback control, 272
- Fenichel theory, 94, 96
- fiber, 9
  - fast, 94, 99, 102, 103, 116
- fold, 95
- folded singularity, 101ff, 101, 104
- function
  - Bateman, 257
  - Green's, 18
  - hazard, 281
  - Hill, 202ff, 258
  - pharmacodynamic, 8
  - gene expression, 272
  - gene transcription, 13, 16
  - geometric singular perturbation theory, 92ff
  - Gompertz growth, 280
- hemoglobin, 202ff
- hepatitis B virus, 251ff, 263ff
- hepatitis C virus, 251ff
- Hill coefficient, 203, 233
  - generalized, 210ff
- HIV, 263
  - and T-cell interaction, 19
  - viral kinetics, 252ff
- hull, 34
- I/S characteristic, 69
- indistinguishable, 52
- induced fit hypothesis, 209
- induction therapy, 258
- inference
  - Bayesian, 186
  - dynamical, 189ff, 191ff
  - parameter, 254, 272, 279, 302
- input, 55, 120
- insulin absorption, 13, 16
- integral manifold, 27ff, 27
  - center-stable, 28
  - center-unstable, 28
  - local, 27
  - pseudo-stable, 28
  - pseudo-unstable, 28
  - stable, 28
  - strongly stable, 28
  - strongly unstable, 28
  - Taylor approximation, 30
  - unstable, 28
- interacting systems, 185ff
- intracellular dynamics, 286, 288, 291, 295, 296
- invariant, 10, 34, 94, 106, 109, 127
  - overflowing, 94
- irradiation, 271
- Itô calculus, 271
- JAK-STAT, 272ff
- jump process, 281, 285
- layer problem, 92, 93ff
- lifespan models, 236ff
- linear quadratic (LQ) function, 284
- logistic growth, 280

- Lyapunov exponent, 11, 141ff, 148ff
- Lyapunov-Perron integral, 18, 30
- manifold
  - critical, 93
  - firing threshold, 119, 126
  - normally hyperbolic, 93, 98
  - strong stable, 155
- matrix
  - adjoint, 95
  - bandwidth, 293
  - coupling, 137
  - covariance, 288, 297, 300
  - diffusion, 271, 288, 298
- measure preserving dynamical system (MPDS), 46
- method of characteristics, 289
- model
  - Adair, 203ff, 205
  - chemotaxis, 286
  - compartment, 252
  - FitzHugh-Nagumo (FHN), 102, 220, 287
  - Koshland-Nemethy-Filmer (KNF), 207ff
  - Kuramoto, 163, 165, 173, 175, 176, 181
  - macroscopic, 285
  - mesoscopic, 285, 288ff
  - Michaelis-Menten, 98
  - ML-FHN, 113
  - Monod-Wyman-Changeux (MWC), 206
  - Morris-Lecar (ML), 111
  - multiscale, 285, 290, 291, 303
  - nonsequential, 204
  - OU type, 298ff
  - pharmacodynamic, 232ff
  - pharmacokinetic, 227ff
  - PK-PD, 203, 257ff, 265ff
  - sequential, 203
  - SIR, 7, 252
  - stochastic, 262ff
  - transit compartment, 235ff
  - velocity jump, 294ff, 294
- modules connected by acyclic graphs, 150ff
- Morse index, 15
- multisite system, 201
- network, 163, 172, 175
  - acyclic, 146
  - neural, 18, 23, 25, 120
  - neuron, 271
  - signal transduction, 272
  - tissue, 288, 303
- noise, 270
  - additive, 275
  - extrinsic, 270
  - intrinsic, 270
- nonautonomous system, 91
  - as inverse problem, 181ff
  - singularly perturbed, 120
- nonessential sites, 211
- nonparametric density estimation, 285, 292ff
- normal switching condition, 100
- oscillator, 147
  - coupled, 163, 164, 173, 175, 181, 191
  - nonautonomous, 164ff, 164, 169, 172, 192, 193
  - coupled, 169ff, 188ff
  - self-sustained, 167ff
  - van der Pol, 90, 168, 182, 185–187
- perturbation
  - parametric, 9
  - singular, 92
- pharmacodynamics, 8, 232ff, 272
- pharmacokinetics, 227ff, 258, 272
- phase response curve (PRC), 137
- phase-locking, 154
- positive feedback, 219
- post-inhibitory rebound (PIR), 119
- process, 33
  - Lévy, 271, 303
  - Ornstein-Uhlenbeck (OU), 175, 282, 294, 301
  - Poisson, 287
  - random, 43
  - stationary, 49ff, 50
  - stochastic, 51, 270
    - mean reverting, 279
  - Wiener, 138–140
- protease inhibitor, 261
- pullback attracting, 34
- pullback limit, 16
- quantification limit, 255
- quasispecies dynamics, 260
- radiation therapy, 280ff
- random dynamical system, 33ff, 35, 46ff
  - with inputs (RDSI), 41ff, 54ff, 54
    - monotone, 76ff, 76
    - tempered, 68
  - with outputs, 57

- random effects, 270, 273, 281
- random invariant measure, 140
- random set, 65
  - tempered, 65ff, 66
- random sinks, 142
- random variable, 237, 270
  - tempered, 66
- random walk, 285
- reduced problem, 93, 95ff
- reduction principle, 29
- refractory period, 137
- reliability, 135
  - pooled-response, 146
- resistance, 260
- response rate, 257
- resting phases, 301
  
- sample measure, 140
- shear-induced chaos, 154
- signal, 272
  - chemoattractant, 285
  - chemotactic, 286, 290
  - transduction, 272
- signaling, 272
  - intracellular, 271, 272, 302
  - intracellular pathway, 286, 287
  - pathway, 271, 272ff
- Sinai-Ruelle-Bowen (SRB) measure, 142
- singular funnel, 106
- skew-product, 147ff
  - flow, 33ff, 33
- slope detector, 111, 122, 126, 128
- solution
  - entire, 15ff, 16
  - hyperbolic, 11
    - Taylor approximation, 18
  - mild, 290
- spectral interval, 11
- spectral manifold, 13
  - stable, 13
  - unstable, 13
- spectrum
  - dichotomy, 11
  - dynamical, 11
  - Sacker-Sell-, 11
- stability theory, 10ff
- state space, 9, 33
  - extended, 9
- steady state level, 252, 260
- stochastic flow, 139ff
- switching system, 22
  
- tangent bundle, 95
- tempered continuity, 67
- tempered Lipschitz, 83
- theta neuron, 137
- time series analysis, 181, 187, 193
- time-dependent, 260
  - efficacy, 258
- time-frequency analysis, 184ff
- trajectory, 49ff
  - pullback, 49, 57ff
- treatment effects, 253ff
- tumor, 282
- tumor control probability (TCP), 271, 280, 282
- tumor growth, 14, 30, 242ff
- turning kernel, 286–288, 291, 295, 296
  
- ultrasensitivity, 199ff, 201
  - zero-order, 217ff, 218
- uniform exponential stability, 11
  
- variational equation, 11
- velocity jump, 285, 302
- viral dynamics, 251ff
- viral kinetics, 251ff

Edited by J.-M. Morel, B. Teissier; P.K. Maini

**Editorial Policy** (for Multi-Author Publications: Summer Schools / Intensive Courses)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome. Manuscripts should be reasonably selfcontained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They should provide sufficient motivation, examples and applications. There should also be an introduction making the text comprehensible to a wider audience. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this "lecture notes" character.

2. In general SUMMER SCHOOLS and other similar INTENSIVE COURSES are held to present mathematical topics that are close to the frontiers of recent research to an audience at the beginning or intermediate graduate level, who may want to continue with this area of work, for a thesis or later. This makes demands on the didactic aspects of the presentation. Because the subjects of such schools are advanced, there often exists no textbook, and so ideally, the publication resulting from such a school could be a first approximation to such a textbook. Usually several authors are involved in the writing, so it is not always simple to obtain a unified approach to the presentation.

For prospective publication in LNM, the resulting manuscript should not be just a collection of course notes, each of which has been developed by an individual author with little or no coordination with the others, and with little or no common concept. The subject matter should dictate the structure of the book, and the authorship of each part or chapter should take secondary importance. Of course the choice of authors is crucial to the quality of the material at the school and in the book, and the intention here is not to belittle their impact, but simply to say that the book should be planned to be written by these authors jointly, and not just assembled as a result of what these authors happen to submit.

This represents considerable preparatory work (as it is imperative to ensure that the authors know these criteria before they invest work on a manuscript), and also considerable editing work afterwards, to get the book into final shape. Still it is the form that holds the most promise of a successful book that will be used by its intended audience, rather than yet another volume of proceedings for the library shelf.

3. Manuscripts should be submitted either online at [www.editorialmanager.com/lnm/](http://www.editorialmanager.com/lnm/) to Springer's mathematics editorial, or to one of the series editors. Volume editors are expected to arrange for the refereeing, to the usual scientific standards, of the individual contributions. If the resulting reports can be forwarded to us (series editors or Springer) this is very helpful. If no reports are forwarded or if other questions remain unclear in respect of homogeneity etc, the series editors may wish to consult external referees for an overall evaluation of the volume. A final decision to publish can be made only on the basis of the complete manuscript; however a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter.

Volume editors and authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer evaluation times. They should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.

4. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
  - a general table of contents;
  - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
  - a global subject index: as a rule this is genuinely helpful for the reader.

Lecture Notes volumes are, as a rule, printed digitally from the authors' files. We strongly recommend that all contributions in a volume be written in the same LaTeX version, preferably LaTeX2e. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer's web-server at

<ftp://ftp.springer.de/pub/tex/latex/svmonot1/> (for monographs) and

<ftp://ftp.springer.de/pub/tex/latex/svmult1/> (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from:

[lnm@springer.com](mailto:lnm@springer.com).

5. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book. For the existing online volumes of LNM see:

<http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434>.

The actual production of a Lecture Notes volume takes approximately 12 weeks.

6. Volume editors receive a total of 50 free copies of their volume to be shared with the authors, but no royalties. They and the authors are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
7. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

#### **Addresses:**

Professor J.-M. Morel, CMLA,  
École Normale Supérieure de Cachan,  
61 Avenue du Président Wilson, 94235 Cachan Cedex, France  
E-mail: [morel@cmla.ens-cachan.fr](mailto:morel@cmla.ens-cachan.fr)

Professor B. Teissier, Institut Mathématique de Jussieu,  
UMR 7586 du CNRS, Équipe "Géométrie et Dynamique",  
175 rue du Chevaleret,  
75013 Paris, France  
E-mail: [teissier@math.jussieu.fr](mailto:teissier@math.jussieu.fr)

*For the "Mathematical Biosciences Subseries" of LNM:*

Professor P. K. Maini, Center for Mathematical Biology,  
Mathematical Institute, 24-29 St Giles,  
Oxford OX1 3LP, UK  
E-mail: [maini@maths.ox.ac.uk](mailto:maini@maths.ox.ac.uk)

Springer, Mathematics Editorial I,  
Tiergartenstr. 17,  
69121 Heidelberg, Germany,  
Tel.: +49 (6221) 4876-8259  
Fax: +49 (6221) 4876-8259  
E-mail: [lnm@springer.com](mailto:lnm@springer.com)